

CHAPTER - VII

REFERENCES TO THE LITERATURE CITED

Achutan, V. (1968) Palmophyllum dakshinens sp. nov. a pertrified fragment of palm leaf from Intertrappean beds. The Paleobotanist, 16(1) : 103 - 107

Agarwal, J.K. & Rama (1976). Chronology of Mesozoic volcanics of India. Proc. Indian Acad. Sci., 84 A(4) : 157 - 179

Agarwal A.K. & Lalitha C. (1977) Palmoxylon mathurii Sahni from the Deccan Intertrappean Beds of Mohgaonkalan, M.P. India. Geophytology, 7(1) : 130 - 131

Ambwani K. (1981) Palmoxylon arviensis sp.nov. from the Deccan Intertrappean Beds of Nawargaon, Wardha district, Maharashtra. The Palaeobotanist, 27(2) : 172 - 137

(1981 a). Borassoid fossil palm root from the Deccan Intertrappean Beds. Geophytology, 11 (1) : 13-15

(1982). Palmoxylon shashpurensis sp. nov. resembling Licuala from the Deccan Intertrappean beds of Mandla District, M.P. The Palaeobotanist, 31(1) : 52 - 59

Ambwani K. (1983). Palmostroboxylon arengoidum sp.nov. a fossil palm penduncle resembling Arenga from Deccan Intertrappean beds of Shahpur, M.P.
The Palaeobotanist, 32(2) : 134-139

(1983 a). Palmoxylon dilacunosum sp. nov. from the Deccan Intertrappean beds of Mandla district, M.P. The Palaeobotanist, 32 (3) : 211-216

(1984). Palmoxylon siltherensis sp. nov. from the Deccan Intertrappean beds of Mandla district, M.P. The Palaeobotanist, 31 (3) : 213 - 217

and Prakash U. (1983). Palmoxylon ghuensis sp. nov. resembling Chrysalidocarpus from the Deccan Intertrappean beds of Mandla district, M.P. The Palaeobotanist 31(1) : 76-81

Ayensu E.S. (1972). Anatomy of the Monocotyledons VI
Dioscoriales (ed.C.R.Melcalfe) Clarendon Press, Oxford

Bande M.B. (1973). A petrified dicotyledonous wood from the Deccan Intertrappean Beds of Mandla District M.P. The Botanique, 4(1) : 41 - 48

Bande M.B. (1974). The fossil wood from the Deccan Intertrappean beds of Mandla district M.P.
Geophytology, 4(2) : 189 - 195

(1978). Aeschynomenoxylon malwaensis sp.nov. from the Deccan Intertrappean Beds of India. The Palaeobotanist, 27 (2) : 221 - 225

(1986). Fossil wood of Gmelina Linn. (Verbenaceae) from the Deccan Intertrappean beds of Nawargaon with comments on the nomenclature of Tertiary woods. The Palaeobotanist, 35(2) 165-170

and Khatri S.K. (1980). Some more fossil woods from the Deccan Intertrappean beds of Mandla district, M.P. India. The Palaeontographica, 173 B : 147-165

, Meherotra R. L. and Prakash U. (1986). Occurrence of Australian element in the Deccan Intertrappean flora of India. The Palaeobotanist, 35 (1) : 1-12

and Prakash U. (1980). Four new dicotyledonous woods from the Deccan Intertrappean beds near Mandla district M.P. Geophytology, 10 : 248 - 251

Bande M.B. and Prakash U. (1982). Fossil dicotyledonous woods from the Deccan Intertrappean beds near Shahpura, Mandla district M.P. The Palaeobotanist, 31 (1) : 13 - 29

(1984). Occurrence of Evodia, Amoora and Sonneratia from the Palaeogene of India. Proc.Sym. Evol.Bot. and Biostratigraphy. A.K. Ghosh Comm. Vol. New Delhi.

(1984 a). A podocarpaceous fossil wood from the Deccan Intertrappean beds of Malabar Hill, Bombay. Geophytology 14

and Ambwani K. (1982). A fossil palm fruit Hyphaeneocarpon indicum gen.et. sp. nov. from the Deccan Intertrappean Beds of India. The Palaeobotanist, 30(3) : 303 - 309

and Bonde S.D. (1981). Occurrence of Peyssonella and Distichoplex in the Deccan Intertrapps with remark of age of Chhindwara traps and Palaeoecology of the region. Geophytology, 11(2) : 182 - 188

Bande M.B., Prakash U. and Lalitha V. (1986). The genus Phyllanthus from the tertiary of India with critical remarks on the nomenclature of fossil woods of Euphorbiaceae. The Palaeobotanist, 35 (1) : 106 - 114

Bhatia S.B. and Mannikeri M.S. (1976). Some Charophyta from the Deccan Intertrappean beds near Nagpur, Central India. Geophytology, 6(1) 75 - 81.

_____, Riveline Janine and Rana R.S. (1990). Charophyta from Deccan Intertrappean beds near Rangapur, A.P. India. The Palaeobotanist, 37 (3) 316 - 323

Biradar N.V. (1975). On the occurrence of Dombeyoxylon Schenk in the Deccan Intertrappean beds of Mohgaonkalan (Dis. Chhindwara) M.P. India. Journal of Indian Bioscientific Association Vol. I (7-9) : 116 - 123

_____(1977) . On the occurrence of Cynophycean member Westiellopsis in the Deccan Intertrappean series, M.P., India. Geophytology, 7 (2) : 204 - 207

and Mahabale T.S. (1972). On occurrence of an imperfect fungus Tetracoccosprium obtained from a fossil wood belonging to the Deccan Intertrappean series M.P., India. The Palaeobotanist, 21(2) : 223-226

(1973). Species of Sonneratiaxylon from Tertiary beds of Mahgaonkalan, M.P., India. The Palaeobotanist, 22(3) : 221-228

(1974). Structure and embryo in the seeds of Enigmocarpon parijai Sahni. The Palaeobotanist, 23(1) : 25 - 29

Blanford W.T. (1867). On the traps and intertrappean beds of Western and Central India. Mem. Geol. Surv. India. 26(2) : 137-162

Bonde S.D. (1985). Further contribution to the knowledge of Tricoccites trigonum Rode and its affinities. Biovigyanum, 11(1) : 65 - 71

(1986 a). Amesoneron borassoides sp. nov. A Borassoid palm leaf from the Deccan Intertrappean bed at Mohgaonkalan India. Biovigyanum, 12(1) : 89 - 91

Bonde S.D. (1986 b). Sabalophyllum livistonoides Gen. et.
sp. nov. A petrified palm leaf segment from
Deccan Intertrappean bed at Nawargaon,
Dis.Wardha, Maharashtra, India. Biovigyanum
12(2) : 113 - 118

Brazier and Franklin (1961). Identification of Hard woods . A
microscopic Vey.Bull. Prod.Res.London. 46 : 1
- 96

Buist G.(1851). Geology of the Island of Bombay. Trans.Bombay
Geogr. Soc. 10 : 167 (Reprinted in
"Geological Papers on Western India" edited by
Henry Carter in 1957, Education Society
Press,Bombay. : 116 - 118

Carter H.J. (1852). Geology of the Island of Bombay : Jour.
Bombay Branch, Royal Asiatic Society, 4 :
161(Reprinted in "Geological Papers on Western
India" edited by Henry J. Carter in 1857.
Education Society Press, Bombay : 116 - 168)

(1854). Summary of Geology of India between
the Ganges the Indus and Cape Comorin. Jour.
Bombay branch Roy.Asiatic Soc. 5 : 179
(Reprinted in "Geological Papers on Western
India" edited by H.J.Carter in 1857 Education
Society Press, Bombay : 628 - 776)

- Chiplonkar G.W. (1986). Age of the Deccan Trap
Publ.Cen.Adv.Study in Geol. Punjab Univ.
(N.S.) : 1 - 22
- Chitaley S.D. (1949 a). On new species of Dadoxylon, D.
eocenum sp. nov. from district of Chhindwara
M.P. India, J. Indian Bot. Soc. 28(4) : 227 -
237
- Chitaley S.D. (1950). Microflora of the Deccan Intertrappean
Cherts. In Palaeobotany in India VII J. Indian
Bot. Soc. 29(1) : 30
- (1951). Fossil microflora from the Mohgaonkalan
beds of M.P., India. Proc.Nat.Inst.Sci.India.
17(5) : 373 - 383
- (1954). On the fruitification from the
Intertrappean Flora of M.P. The
Palaeobotanist, 3 : 9 - 17
- (1955). A further contribution to our
knowledge of Sahnianthus. Jour. Indian
Bot.Soc. 34 (2) : 121 - 129
- (1956). On the fructification of Tricoccites
trigonum Rode from the Deccan Intertrappean
series of India. The Palaeobotanist, 5(2) 56
- 63.

- (1958). Seeds of Viracarpon hexaspernum Sahni from the Intertrappean Beds of Mohgaonkalan India. J. Indian Bot. Soc. 37(3) : 408-411
- (1960 a). Nipa fruit from Deccan Intertrappean of India. Bull. Bot. Soc. Nagpur. 1 : 21 - 35
- (1962). Roots with aerenchyma Curr. Sci. 31(9) : 387
- (1963). Breathing roots from the Deccan Intertrappean beds of India. Aerorhizos harrisii Proc. 50th Indian Sci. Congr. Delhi, Pt. III, 394.
- (1964). Further observations on Sahnipushpum. Jour. Indian Bot. Soc. 43(1) : 69 - 74
- (1969). Sonneratiorhizos raoi gen. et. sp. nov. from the Deccan Intertrappean beds of India. The Palaeobotanist 17 (3) : 244 - 246
- (1974). Palaeogene angiosperms excepting woods in : Surange K.R., Lakhanpal R.N. and Bharadwaj D.C. (eds.) Aspects an appraisal of Indian Palaeobotany : 321 - 331
- and Kate U.R. (1972). A petrified Rhamnaceous wood from the Deccan Intertrappean beds of Mohgaonkalan. The Botanique 3(1) : 41 - 44

(1972 a) Deccanths savitrii a new flower from the Deccan Intertrappean beds of India (Mohgaonkalan). The Palaeobotanist, 21(3) : 317 - 320.

(1975) Kremocarpon aquatica gen. et. sp. nov. A petrified fruit from the Deccan Intertrappean of India. Proc. 62nd Indian Sci. Congr. Part - III 73

(1977). Enigmocarpon sahnii sp.nov. from the Mohgaonkalan beds of India. Rev. Palaeobot. Palynol. 23 No.5 : 389 - 398. and Nambudiri, E.M.V. (1968). Harrisocarpon sahnii gen. et.sp.nov. from the Deccan Intertrappean beds of Mohgaonkalan. Proc. Indian Sci. Congr. : 429

(1973) Harrisocarpan sahnii gen.et.sp.nov. from the Deccan Intertrappean beds of Mohgaonkalan, Dist: Chhindwara. Geophytology, 3(1) : 36 - 41.

and Patel N.Z. (1970).A petrified monocot leaf from the Deccan Intertrappean cherts of India. The Botanique, 1(1) : 43 - 47.

(1975)

Raoanthus

intertrappea. A new petrified flower from India. The Palaentographica, 153 : 141 - 149

and Patil G.V.(1971). Reinvestigation of Shuklanthus superbum Verma. The Botanique, 2(1) : 41 - 49.

(1971 a). A petrified leaf from the Deccan Intertrappean beds of India. J.Bio.Sci. 13(2) : 30

(1972). Ebenaceous fossil wood infectd with deuteromyceteous fungus from the Deccan Intertrappean beds of India. The Botanique, 3(2) : 99 - 106

(1973). Sahnicarpon harrisii gen.et.sp.nov. from the Mohagaonkalan beds of India. The Palaeobotinist, 20 *3) : 288 - 292

and Shallom L.J. (1962). A fossil wood of Rutaceae from the Deccan Intertrappean beds of India. Proc. Rajasthan Acad.Sci., 9(2):31-35

(1969) Sapindoxylon chhindwarensis sp.nov. a new fossil dicot wood from the Deccan Intertrappean beds of M.P.India. Jour. Indian bot. Soc. 48(1-2):38-43

and Mehta (1959).

Viracarpon sahnii so.nov. from the Deccan
Intertrappean beds of Mahurzari. J.Sen.Mem.Vol.
bot.soc.Bengal : 331 - 335

and Sheikh M.T.(1971). An infected grain
from the Deccan Intertrappean cherts of
Mohgaonkalan. J.Indian bot.soc.50 : 137 - 142.

(1973). A ten locular petrified fruit from the Deccan Intertrappean
series of India. The Palaeobotanist, 20 (2)
: 297 - 299.

and Yawale N.R.(1974). On Notothylites
nirulai gen.et.sp.nov. a petrified
sporogonium from the Deccan Intertrappean bed
of Mohgaonkalan, M.P.India. Proc.Indian Sci.
Congr. 61st Session Part III : 37

(1976). Fungal remains
from the Deccan Intertrappean beds of
Mohgaonkalan, India. The Botanique, 4(7):189-195

(1978). Petrified
pteridophytes from Mohgaonkalan, India. The
Botanique, 1-4(8) : 51 - 61

Choudhury K.A. and Ghosh S.S. (1958). Indian Woods - their
identification, properties and uses. Vol.I.
Manager of Publication, Delhi.

- Coulthard S (1929) : The trap formation of the Sagar Dist.
 and those districts Westward of it, as far as
 Bhopalpur, on the banks of river Newas, in
 Omawar. Asiatic Researches 18 : 47 (reprinted
 in "Geological Papers on Western India"
 edited by H.J.Carter in 1857. Education
 Society Press, Bombay : 20 - 30.
- Cutler D.F. (1969). Anatomy of the Monocotyledons IV.
 Juncales, Clarendon Press, Oxford.
- Dayal R. (1964) Occurrence of Boswellia in the Deccan
 Intertrappean beds of Keria, M.P. Curr. Sci.
33(22) : 683 - 684.
- _____(1965) Sapindoxylon scheicheroides sp.nov. a fossil
 dicotyledonous wood from the Deccan
 Intertrappean beds of M.P. The
Palaerobotanist, 13(2) : 163 - 167.
- _____(1968). A new fossil wood of Euphorbiaceae from the
 Deccan Intertrappean beds of M.P. The
Palaebotanist, 16 (2) : 148 - 150
- _____
 and Menon V.K. (1965). Palmoxylon scottii,
 revised name for Palmoxylon sahnii Menon. Curr.
Sci., 34 (15) : 459
- Dwivedi J.N. (1956). On a new specimen of Enigmocarpus parijai
 Sahn. J. Palaeontological Soc. India. 1(1) :
 163 - 171

- (1959). Fossil Thallophyte from Mohgaonkalan locality, Chhindwar district, M.P.
Curr.Sci., 28(7) : 285 -286
- (1965). Fungal infection of the fruit wall of Enigmocarpion parijai. Sahni.
J.Palaeont.Soc.India. 10 : 8 - 39.
- Fermor L.L. (1938). Garnets and their role in nature. Lectures delivered as Ripon Professor for 1937. Indian Association Cultivation Sci.Calcutta, 6 : 1 - 95
- Gambel J.S.(1922) A manual of Indian Timbers, Calcutta.
- Gayakwad B.B. and Patil G.V.(1986). On two palm woods from the Deccan Intertrappean beds of Betule district M.P. Proc.Spl.Ind.Geo.Con.Poona,31-38
- Gupta K.M.(1956). Fossil plants from the Deccan Intertrappean series. I.A.Bryophitic type of sporangium. Sci.and Cult, 21 : 540 - 541.
- Hislop S. and Hunter R. (1955). On the geology and fossils of neighbourhood of Nagpur, Central India. Quart. Jour. Geol.Soc.London, 11 (3()) : 345
- Holland T.M. (1926). Indian Geological terminology. Mem.Geol.Surv.India. 51(1) : 1 - 184.
- Howard A.L. (1942). Studies of the identification of timbers with a note on th seasoning of the wood. Macmillan & Co., London

Ingle S.R.(1972). A new fossil dicotyledonous wood of Verbenaceae from Mandla District of M.P. The Botanique, 3(1) : 7 - 12

(1973). Syzygioxylon mandlaense gen.et.sp.nov. a fossil a dicotyledonous wood from Mandla Dist. of M.P. India. The Botanique, 4(1) : 71 - 76.

Jain R.K. (1964).Studies in Musaceae - I. Musa cardio-sperma sp.nov. a fossil banana fruit from the Deccan Intertrappean series, India.

The Palaeobotanist, 12(1) : 45 - 58.

(1964 a). Studies in Musaceae - II. Musocau-ion indicum gen. et. sp.nov. a petrified pseudo stem from the Deccan Intertrappean India. The Palaeobotanist, 12(1) : 1115 -120.

Kapagate D.K.(1986). A Briophytic sporogonium from Deccan Intertrappean beds of India.

Proc. spl. Ind. Geo. Con. Poona. : 73-76.

Karekar S.P.(1986).Further contribution to the knowledge of Sahniocarpon harrisii Chitaley and Patil. Proc.spl. Ind. Geo. Con. Poona:77 - 79

Krishnan M.S.(1968). The Age of the Deccan Traps. Symposium on Deccan Traps Country :77-94

Kulkarni A.R. and Patil K.S.(1971). Saprolegniaceae from Tertiary of India. Sci.and Cult. 39(7) : 314 - 315.

Kulkarni A.R. and Patil K.S.(1977). Pamocaulan costapalmatum, a petrified leaf axis from the Deccan Intertrappean beds of Wardha Dist. M.S.Geophytology, 7(2):208-213.

(1979).Aristolochioxylon prakashii from the Deccan Intertrappean beds of Wardha Dist. M.S. Geophytology 7(1) : 44 - 49

Lakhanpal R.N. (1968). Tertiary floras of the Deccan Trap Country. Symposium on Deccan Trap country, 127 - 155.

(1970). Tertiary floras of India and their bearing on the historical geology of the region. Taxon, 19 (5): 675 - 694.

(1973). Tertiary floras of Deccan trap country. Bull. Indian Nat. Sci. Acad. 45 : 127 - 153.

Prakash U and Bande M.B.(1976). Fossil dicotyledonous woods from the Deccan Intertrappean beds of Mandla Dist., M.P.

The Palaeobotanist, 25 : 190 - 204

Lakhanpal R.N. and Verma J.K. (1966). Fossil wood of Tetrameles from the Deccan Intertrappean beds of Mohgaonkalan, M.P. The Palaeobotanist, 14 (1,2,3,) : 209 - 213.

Lamba V.J.S., Agarkar P.S., Pillai C.S. and Raghoober D. 1988 New occurrence of Intertrappean beds in the Jabalpur Dist. Curr. Sci. 57(9) : 488

Mahabale T.S. (1950). Some new fossil plants from the Deccan Intertrappeans. J. Indian Bot. Soc., 29 (1) : 31 - 33.

(1950 a). A species of fossil Salvinia from the Deccan Intertrappean series. Nature. 165 : 410 - 411.

(1953). Occurrence of Sparganium in the Deccan Intertrappeans of M.P. India. Proc. Nat. Inst. Sci. India. 19(5) : 623 - 629.

(1966). Flora of Deccan, Past and Present. Presidential Address, Botany Section. Proc. 53rd Indian Sci. Congr. PT-III : 121 - 151.

and Deshpande J.V. (1963). Euphorbioxylon sagarensis sp.no. a fossil wood from Sagar, M.P. belonging to family Euphorbiaceae. J. Indian Bot. Soc. 12 A (Mahashwari Comm. Vol.) : 102 - 109

(1965). Terminalioxylon

tomentosum sp.nov. a fossil wood from Ghala
Gujrath State belonging to the family
Combretaceae. Bull.Bot.Surv.India. 7(1-4) :
262 - 275

and Rao S.V.(1968). Fossil flora of the
Rajahmundry areas. Symposium on Deccan Trap
country : 192 - 214

and Udwadia N.N.(1960). Studies on palms :
Part IV Anatomy of palm roots. Proc.Nat.
Insti. Sci.of India, 26 B(2): 73 -104

Mahadevan C. and Sarma S.R. (1948). Palaeobotany in India -VI
J. Indian Bot.Soc. 26(4) : 260

Malcolmson J.G.(1837). On a fossil of Eastern portion of
great basaltic district of India. Trans.GeoL.
Soc.London. 5 :537

Matley C.A.(1921). On the stratigraphy of geological relation
-ships of th Lamenta beds of Jabalpur. Rec.
Geol.Surv.Indi. 53 (2) : 142 - 164.

Mehrotra R.C.(1986). A new fossil dicot wood from the Deccan
Intertrappean beds of Mandla dist.M.P. The
Palaeobotanist, 35(2) : 146 - 149.

Metcalfe C.R.(1960). Anatomy of the Monocotyledons I
Graminae, Clarendon Press, Oxford.

(1971). Anatomy of the Monocotyledons V
Cyperaceae, Clarendon Press, Oxford.



Metcalfe C.R.(1983). Anatomy of Dicotyledons Vol.II wood structure and conclusion of the general introduction. Clarendon Press, Oxford.

and Chalk L.(1950). Anatomy of the Dicotyledons. Vol.I and II, Clarendon Press, Oxford.

Nambudiri E.M.V.(1966). More Nypa fruits from the Deccan Intertrappean beds of Mohgaonkalan. Curr.Sci. 35 : 421 - 422

(1966 a). Some new leaf impressions from the Deccan Intertrappean beds of India. J.Biol. Sci. 9(1,2) : 30 - 35.

and Tindwell W.E.(1977). Syzygioxylon Chhindwaraense, a new fossil wood from Deccan Intertrappean series of India, Great Basin Nat. 37 : 241 - 246

Oldham T. (1871). Sketch of geology of Central Provinces. Rec.Geol.Surv.India 4(3) : 69 - 81

Paradkar S.A.(1972). Shoreoxylon mahurzarii sp.nov. from the Deccan Intertrappean beds of India. J.Biol. Sci. 15(1,2) : 19 - 25.

Patil G.V.(1973-74). Anogeissusoxylon mohgaonse sp.nov. from the Intertrappean beds of Mohgaonkalam India.

J.Bio.Sci. 16,17(1,2) : 22- 28

Patil K.S.(1975). Ph.D.Thesis submitted to Shivaji University, Kolhapur.

Pearson R.S. and Brown H.P.(1932). Commercial Timbers of India Vol.I & II, Calcutta

Prakash U.(1956a). Studies in the Deccan Intertrappean flora 2. Further observations on the Dryoxylon mohgaoense Rode. The Palaeobotinist, 5(2) : 104 - 108.

_____. (1958). Studies in the Deccan Intertrappean flora. 4 two silicified woods from M.P. The Palaeobotinist, 7(1) : 12 -20

_____. (1960). A survey of the Deccan Intertrappean flora of India. J. Paleont. 34 :1027-1040

_____. (1962). Aeschynomene tertiaria a fossila wood from the Deccan Intertrappean beds of Mahurzari near Nagpur. Nature. 194 (48):314

_____. (1965 a). A survey of fossil dicotyledonous woods from India and the far East. J.Palaeont 39(5) : 815 - 827

_____. (1972).Palaeoenvironmental analysis of Indian Tertiary floras. Geophytology 2(2):178-205

_____. (1974). Palaeogene Angiosperm wood - Aspects and Appraisal of Indian Palaeobotony BSIP.

Lucknow, 305 - 320
and Dayal R.(1963). Fossil wood resembling Grewia from the Deccan Intertrappean beds of Mahurzari near Nagpur,India, Curr.Sci. 32 : 315 - 316.

Prakash U and Dayal R. (1964). A fossil wood of Grewia from the Deccan Intertrappean series India. The Palaeobotanist, 13(1) : 17-24.

and Tripathi P.P.(1967). Fossil wood of Lannea from the Tertiary of Assam, Curr.Sci.36(17) 462 - 463.

Rao A.R.(1957). Contribution to our knowledge of the Deccan Intertrappean flora. The Palaeobotist, 6(1) :19 - 21.

and Memon V.K.(1971). A review of fossil palm remains of India. The Palaeobotinist, 20(2): 191 - 202.

Rao G.V.(1988). Ph.D.Thesis submitted to Bombay University,
Bombay

and Sethe R.H.(1986). Palmoxylon hyphaenoides sp.nov. from Deccan Intertrappean beds of Werdha Dist. M.S.India.Proc.Spl.Ind.Geo.Con. Poona, 123 - 128.

Rao L.R. (1936).The Deccan Traps. Proc.Indian Acad.Sci.4(4):208 - 223.

(1950). Some aspects of Deccan Traps a review.
Jour.Mysore Univ. 19(4):25 - 39

,Narayan Rao S.R. and Rao K.S.(1936). On the age of the Deccan Traps near Rajahmundry. Proc.Ind. Acad.Sci.3(2) : 157 - 164.

Sahni B. (1931). Materials for a monograph of the Indian petrified palms. Proc. Acad. Sci. Unit. Prov. 1 : 140 - 144.

(1934). The Deccan Traps. Are they Cretaceous or Tertiary? Curr. Sci. 3 : 134 - 136

(1937). The age of the Deccan Traps. Proc. 24th Ind. Sci. Congr. 464 - 468.

(1938). Recent advances in Indian Palaeobotany : Pres. Add. Bot. Sect. Proc. 25th Ind. Sci. Congr. 2 : 133 - 176 and Lucknow Univ. Stud. 2 : 1 - 100.

(1940). The Deccan Traps.: An episode of Tertiary era. Gen. Pres. Add. Proc. 27th Indian. Sci. Congr. 2 : 1 - 21

(1864). Revision of Indian fossil plants, Part III Monocotyledons. Mongr. Birbal Sahni Inst. Palaeobot. Lucknow, India : 1 - 89.

, Srivastav B.P. and Rao H.S.(1934). The silicified flora of the Deccan Intertrappean series : Proc. 21st Indian Sci. Congr. Bombay : 1- 4: 25 - 28

and Surange K.R.(1950). A leaf of Cyclanthodendron sahni : Palaeobotany in India VII. J. Indian Bot. Soc. 29 : 31 - 32.

Saksena S.D.(1963). On two fossil dicotyledons woods from

South Rewa, Central India. The

Palaeobotanist, 11(1,2) : 30 - 37

Sastri V.V.(1981). Observations on the age of Deccan Traps.

and related volcanic activity in India. Mem.

Geol.Soc.India. 2 : 296 - 299

Shallow L.J.(1958). A fossil dicotyledons wood from the
Deccan Intertrappean beds of Mahurzari.

J.Indian Bot.Soc. 37 (2) : 493 - 498.

(1960).A new Simaroubaceous fossil dicotyledo-
nous wood from the Deccan Intertrappean beds
of the Chhindwara Dist.Bull.Bot.Soc.Coll.Sci.
Nagpur 1(1): 37 - 41.

(1963). A fossil dicotyledonous wood from the
Deccan Intertrappean beds of Chhindwara. J.

Indian Bot.Soc. 42 (2) : 161 - 169.

(1963 a). A fossil dicotyledonous wood with
tile cells from the Deccan Intertrappean beds
of Mahurzari. J.Indian Bot.Soc. 42 (2) : 170 -
176.

Sharma B.D. and Suthar O.P.(1988). Further observations on
roots of Cynclanthodendron Sahni(Rode) Sahni
and Surange. Geophytology 18(1).

Shenvi Prabhu S. (1985). Palaeobotanical investigations on
Deccan Intertrappean beds of Wardh Dist. M.Sc.
thesis submitted to University of Bombay

^h Sethe R.H.(1979). Studies on fossil plant remains of India.

Ph.D.thesis submitted to University of Bombay

(1986). Scirpusoxylon indicum gen.et.sp.nov. A
cyperaceous rhizom from Deccan Intertrappean
bed of India. Proc.Spl.Ind.Con. Poona 161 -
163.

and Kulkarni (1980). Palmocaulon hyphaenoides
sp.nov. from Deccan Intertrappean beds of
Wardha Dist. M.S. The Palaeontographica 172 B
: 117 - 124.

(1982). Contributions to
dicotyledonous woods of the Deccan
Intertrappean beds of Wardha Dist. M.S.India.

The Palaeontographica 183 : 57 - 81

(1983). Affinities of Palmoxy-
lon sclerodermum sahni with reference to
structure of leaf sheaths. Geophytology
13(2):137 - 144.

(1985). Palmocarpon
caryphoidium sp.nov. a caryphoid palm fruit
from Deccan Intertrappean beds of Wardha
Dist. M.S. J. Indian Bot. Soc. 64(1) : 45 - 50.

Shinde N.W. and Kulkarni A.R.(1986). Fruits of Nyssa and
Eugeissona from Lignite exposures of Ratnagiri
M.S. Proc.Spl.Ind.Geo.Con. Poona 165 - 169.

- Shukla V.B.(1938). On a new species of Dadoxylon, D.deccanii sp.nov. from Deccan Intertrappean series
J. Indian Bot.Soc.17 : 355 - 367
- _____(1942). Chhindwara In. Palaeobotany in India.
J. Indian Bot.Soc.21: 221
- _____(1944a). Dadoxylon resinosum sp.nov. from the Chhindwara District of Central Provinces.
J. Indian Bot.Soc.23 :83 - 90
- Shukla V.B.and Chitaley S.D.(1948). Microflora of Mohgaonkalan cherts in Palaeobotany in India VI, J. Indian Bot.Soc.26(4) : 259
- Solereder H.and Meyer J.(1928). Systematische Anatomie der Monocotyledonen Berlin.
- Tippo O.(1941). A list of diagnostic characteristics for descriptions of dicotyledonous woods. Trans. Illinson Acad. Sci.34 : 1945
- Tomlinson P.B.(1961). Anatomy of the Monocotyledonous - Part II Palmae Clarendon Press, Oxford
- _____(1969). Anatomy of the Monocotyledonous III. Commelinaceae, Zingiberaceae. Clarendon Press, Oxford.
- _____(1982). Anatomy of the Monocotyledonous VII. Halobiae (Alismatidae) Clarendon Press, Oxford

Trivedi B.S. and Ambwani K.(1971). On the structure of the
Nymphaeocaulon intertrappeum gen.et.sp.nov.

from the Deccan Intertrappean series of
 Mohgaonkalan M.P.India. The Palaeontographica
113 B (4-6) : 129 - 136

(1971 a). A fossil wood
Hibiscoxylon intertrappeum sp.nov. from the
 Deccan Intertrappean series of Mahurzari near
 Nagpur India. J. Indian Bot.Soc.51 : 23 - 31.

Trivedi and Srivastav K. (1982).Zizyphoxylon mandlaensis
 gen.et.sp.nov. from the Deccan Intertrappean
 beds of mandla district in M.P. J. Indian
Bot.Soc.61 (2,3) :212 - 215.

(1982 b). Schreberoxylon
Mohgaoensis gen.sp. from the Deccan
 Intertrappean beds of Mohgaonkalam district
 Chhindwara, M.P.India. J. Indian Bot.Soc.61 :
 410 - 416.

(1985). Canarioxylon
shahpuraensis from the Deccan Intrtrappean
 beds of shahpura district mandla, M.P. Geophy-
tology, 15 (1) : 27 - 32.

(1988). A fossil wood of
 Meliaceae from Intertrappean beds of
 M.P. J. Indian Bot.Soc.67(1,2) :120 - 122.

Trivedi B.S. and Srivastav R. (1982). Aesculoxylon deccanense gen. et sp. nov. from Mohgaonkalan Chhindwara district M.P. J. Indian Bot. Soc. 61 : 426 - 431

and Srivastav R.K. and Bajpai S.K. (1985). Hygro-rhizos deccanii gen. et sp. nov. from the Deccan Intertrappean beds of Mohgaonkalan M.P. India Geophytology 15 (2) : 137 - 140

and Verma C.L. (1971 d). The structure of pseudo-stem and root of Cannites intertrappea gen. et sp. nov. from the Deccan Intertrappean beds of M.P. India. Palaeontographica 132 B : 175 - 185.

(1972). Occurrence of Heliconites mohgaoensis gen. et sp. nov. from the early Eocene of Deccan Intertrappean series M.P. India. Palaeontographica 139 B (5-6) : 78 - 82.

(1979-80). Sabalocaulon intertrappeum gen. et sp. nov. from the Deccan Intertrappean beds of M.P. India. The Palaeobotanist 28 - 29 : 329 - 337

and Ambwani K. (1970). Occurrence of fossil axis (Nymphaeaceae) from Deccan Intertrappean series of Mohgaonkalan M.P. Curr. Sci. 39(10) : 241 - 242.

and

Bajpai S.K.(1982). Halophytic roots from the Deccan Intertrappean beds of M.P.Geophytology 12(1) : 135 - 136.

Trivedi T.K.(1976). Fossil dicotyledonous woods from the Intertrappean beds of Mahurzari. The Botanique 7(2,3): 111 - 118.

Verma J.K.(1950). A fossil dicot wood from the Intertrappean cherts of Mohgaonkalan. Palaeobotany in India VII.Jour. Indian Bot.Soc. 29(1):30

Wadia D.N.(1926). Geology of India for students. Revised Third edition 1953 London

Wensink H, Buelrijk, N.A.I.M. Hebeda E.H. Preiem H.N.A. Verdurmen E.A.T. and Verschur R.H. 1979

Palaeomagnetism and radiometric age determination of the Deccan traps . India.

Proc.Fourth Int.Gondwana Symp. Calcutta 2
:832-844
edition