



BIBLIOGRAPHY

Applewhite, P.B. (1973) Serotonin and norepinephrine in plant tissues.

Phytochemistry, 12 (1) : 191-192

Arrighi, P.E., HSU, T.C., Saunders, F. and G.F. Saunders (1970) Localisation of repetitive DNA in the chromosomes of Microtous agrestos by means of in situ hybridization. Chromosoma, 32 : 224-236

Ascher, P. D. (1967) Self incompatibility in Lilium Longiflorum : A theoretical and experimental approach. Ph.D. Thesis; Univ. Wisconsin, Madison

Ashri, A. and A. Levy (1974) Sensitivity of developmental stages of peanut (Arachis hypogea) embryos and ovaries to several chemical mutagen treatments
Rad. Bot., 14 : 223-228.

Auerbach, Charlotte (1967) The Chemical production of mutations
Science, 158 : 1141-1147.

Bailey, L.H. (1935) "The standard Cyclopedias of Horticulture"
Macmillan, New York.

Bali, P.N. and S. L. Tandon, (1957) Morphological and anatomical studies of a varigated chimaera in Iberis amara L. Indian J. Hort., 14:169-171

Baker H.G. and I. Baker (1979) Starch in angiosperm pollen grains and its evolutionary significance.
Amer. J. Bot., 66 (5): 591-600.

Beal, P.R. (1969) Gytology of the native Australian Passiflora species. I. Chromosome number and horticultural value.

Queens land J. of Agric. and Animal Sci., 26 : 75-81.

Beal, P.R. (1971) Chromosome numbers in some recently introduced species of passiflora in Australia
Queensland J. Agric. Ani. Sci.,
28 : 179-180.

Beal, P.R. (1972) Cytology of the native Australian and several exofic passiflora. Species II.
Chromosome morphology.

Queensland J. of Agri. and Animal Sci.'
30 : 17-18.

Beal, P.R. (1975) Hybridization of p. edulis and p. edulis f. flavicarpa.

Queensland J. of Agric and Animal Sci., 32 (1) : 101-111.

Beckett, K.A. (1960) A hybrid passion flower.

J. of the Royal Horticultural Soc., 85 (Part.I.) : 184-186.

Bennati, E. (1969) Gas Chnmatography of the fluid extract of passiflora incarnata.

Boll. Chem. Farm., 107 (11): 716-720.

Bentham, G. and J. D. Hooker, (1862) Genera plantarum,
London. pp. 318-324.

Bessey, C.E., (1915) The phylogenetic taxonomy of flowering plants

Ann. Missouri Botan. Garden., 2:109-164

*Blakeslee, A.F. and A.G. Avery (1937) Methods of inducing doubling of chromosomes by treatment with colchicine.

J. Heredity., 28 : 392-411.

Blatter, E, and W.S. Millard (1954) Some beautiful Indian Trees, Bombay.

Bobrow, M. and J. Cross (1974) Differential staining of human and mouse chromosomes in interspecific cell hyrids.

Nature, 251 : 77-79.

Bor, N.L. and M.B. Raizada, (1954) Some beautiful Indian climbers and shrubs. Bombay.

Bowden, W.M. (1940) The chromosome complement and its relationship to cold resistance in higher plants.

Chronica Bot., 6 (6) : 123-125.

Bowden, W.M. (1945) A list of chromosome number in higher plants II. Menispermaceae to Verbenaceae
Amer. J. Bot., 32 : 191-201.

Brewbaker, J.L. (1967) The distribution and phylogenetic significance of binucleate and trinucleate pollen grains in the angiosperm.
Amer. J. Bot., 54 (3) : 1969-1083.

Brock, R.D. (1971) The role of induced mutations in plant improvement.

Rad. Bot. 11 : 181-196.

- Brodrick, H.T. (1966) Control of Phytophthora Stem-rot of
gromadillas in S. Africa
Gitrus and subtropical fruit Journal.
508 : 15-17.
- Broertijes; C, and A.M. Van Harten (1978). Application of
mutation breeding methods in the
improvement of Vegetatively propagated
crops.
Ei Sevier Am Ster dam., 296 pp.
- *Cavanilles (1790) Dissertatio (10) de passiflora pp.
439 - 463.
- Celarier, R.P., (1957) The cytogeography of the Bothriochla
ischaemum complex II. Chromosome beha-
viour.
Amer. J. Bot., 44 : 729-738.
- Chakravarty, H.L. (1948) A revision of Indian passifloraceae.
Bulletin of the Botanical Soc. of
Bengal., 2 : 45-71.
- Chang, C.C. (1974) Studies on the causes of unfruitfullness
of yellow passion fruit flowering in
Taiwan.
Taiwan Agric : Quart :, 10(2) 79-89.
- Chin, T.C. (1946) The cytology of polyploid sorghum.
Amer. J. Bot., 33 : 611-614.
- Comings D.E., Avelino E. A. Okada, T. A. and H.E. Wyandt (1973)
The mechanism of C - and G - banding
of chromosomes.
Exp. Cell Res., 77 : 469-493.

- Comings, D.E. (1975) Chromosome banding
J. Histochem. Cytochem., 23 : 461-462.
- Conger, A. D. and L.M. Fairchild, (1953)
A quick method for making smear slides permanent.
Stain Techno. 28 : 281-283.
- Conger. B.V., L.W. Skinner and L.N. Skold (1976)
Variability for components of yield induced in soybeans by seed treatment with gamma radiation, fission neutron, and ethyl-methane sulfonate.
Crop Sci., 16 : 233-236
- Cox, J.E. (1957) Flowering and pollination of passion fruit.
Agric. Gaz. M.S.W., 68: 573-576.
- * Daly, M.M., Mirsky, A.E, and A. Ris (1951)
J. gen. physiol., 34 : 439.
- Darlington, C.D. and E.K. Janaki Ammal (1945)
Chromosome atlas of cultivated plants
Geo. Allen. and Unwin, London. pp. 87-88.
- Darlington, C.D. and L.F. LaCour (1976)
"The handling of chromosomes"
6th Edn. Allen. and Unwin, London.
- Darlington, C.D. and A.P. Wylie (1955)
Chromosome atlas of flowering plants
Geo. Allen. and Unwin, London pp. 75-81.
- Deaven, L. and D.F. Petersen, (1973). The chromosomes of CHO, an aneuploid Chinese hamster cell line : G-band, C-band and auto radiographic analysis. Chromosoma, 41 : 129-144.

*De Candolle, A.P. (1813) Prodromus systematics.

Naturalis Regni Vegetabilis-III:321-336.

Delaunay, (1926). "The chromosomes" by Archana Sharma, 1976,
Oxford and IBH.

Dev, V.G., Warburton, D. and O.J. Miller (1972) Giemsa
banding of chromosomes.
Lancet, l : 1285.

Dixit, G.B. (1979) Cytogenetic and chemotaxonomic studies in
some Passiflora species. Ph.D. Thesis;
Univ. of Bombay.

Continue on page 97..

- * Dobel, P., Rieger, R. and A. Michælis, (1973),
Chromosoma, 43 : 409.
- Drake, John, W. (1969) Mutagenic mechanisms.
Ann. Rev. Genet. : 3 : 247-268
- * Dutrillaux B, de Grouchy, J. Finaz, C. and Lejeune, J. (1971),
Compt. rend. acad. sci. ser. D.273:587.
- * Eiberg, H. (1974) Ibid. 248 : 55
- Engler, A. (1892) Eine Naturlichen Pflanzenfamilien
 1st Edn. pp. 203-211.
- Erdtman, G. (1952) Pollen morphology and plant taxonomy :
 Angiosperms, Almquist and Wiksell,
 Stockholm, Sweden. pp. 71-72.
- Filion, W.G. (1974) Differential Giemsa staining in plants
 I. Blending patterns in three cultivars of
Tulipa. Chromosoma, 49 :51-60.
- * Fischer (1934) As cited from "Taxonomic utilization of
 pollen grain of passifloraceæ :
 I. pollen and spores, 72 (2) & 249-301.
- * Fowler, D.B. and K. F. Mac Green (1972)
Rad. Bot. 12 : 349.
- Francis. R.R. and W.P. Bemis (1974)
 Stomatal size in induced polyploids
 in cucurbita. Hort : Science, 9(2):138.
- Gangstad, V.B. (1938) A morphological study of the leaf and
 tendril of p. Cicerulea. Amer Midland
Mature, 20 & 704-708.
- Gavaselli, N.M. (1970) Studies on the flavonoids of p. incarnata.
Soobsc. Akad. Nauk. Gruz. SSR., 60 (2)
 353-356.

Gavashelli, N.W. (1974) Hydroxy coumarins of passiflora incarnata. I. Khim prig. Soedin (Taskh), 9 (4) : 552.

*Gill, B.S. and G. Kimber, (1974), proc : Natl. Acad. Sci. (US), 71, 1247.

Glotrbach, B. and H. Rimpler. (1968) The flavonoids of passiflora incarnata L., P. quadrangularis : and P. pulchella H.B.K. planta Med., 16 : 1-7.

Graca, J. Da. (1976) Studies on woodiness disease of passion fruit, passiflora edulis in S. Africa phytophylactica, 8 (2) : 37-40.

Green, P. S. (1972) passiflora in pacific Australia Kew Bulletin, 26 (3) : 539-558.

Hagerup O. (1930) Verleichende morphologische and systematische studien über die Ranken und andere vegetative organe der Cueurbi tuceen and passifloren Dam. Bot. Ark., 6 : 1-104.

Harbetova, E. W. and T. Tupy (1964). The growth effect of some sugars and their metabolism in pollen. In pollen physiology and Fertilization. Ed. Linskens. H.F.M. Holland pub. Comp. Amsterdam.

Hardin J.W. (1972) Pollination ecology and floral biology of 4 weedy genera in Southern Oklahoma. South West Natur., 2: 403-412.

- * Harms, H. (1894) In Engler's Botomische Jahrbucher,
15 : 548-633.
- * Harms, H. (1925) In Engler's pflonzenf, 21 : 470-507.
- * Heitz, E. (1927) In "Chromosome number of flowering plants" by Z. Bolkhovskikh et al., 1969.
 (Acad. Sci. USSR).
- Heslop - Harrison, J. (1975) Pollen wall proteins :
 emission and role in incompatibility responses. In the Biology of male gamete, etc. J.G. Duckett and P.A. Racey, Biol. J. Linn. Soc., Suppl. I. 189-202.
- Heslop - Harrison, J; Heslop - Harrison, Y. and J. Barbers (1975)
 The stigma surface in incompatibility responses.
Proc. Roy. Soc. London, Sci. (B) Biol.
188 : 293-303.
- Holm - Nielsen, L.B. (1974) Notes on Central Andean passifloracne.
 Bot. Mot., 127 (3) : 338-351.
- Howlett, B.J., R.B. Knox, JAD Paxton and J. Heslop - Harrison (1975)
 Pollen wall proteins : physicochemical characterization and role in self incompatibility in Cosmos bipinnatus.
 proc. R. Soc. Lond. B., 188 : 167-182.
- Hsu, T.C. (1973) Longitudinal differentiation of chromosomes
Ann. Rev. Genetics, 7 : 153-176.
- Hsu, T.C. (1973) Constitutive heterochromatin C C-bond technique. In : Mobel Symposium Caspersson, T. and Sech. L. (Eds)
23 : 32-33, Academic Press, New York.

- Hutchinson, J. (1959) The families of flowering plants.
 2nd Ed. Vol. I. Dicotyledons,
 pp. 379-384 (Oxford, Clarendon Press).
- Huynh, Kim-Lang. (1972) Etude de l'arrangement du pollen dans
*La fe*trade cheezles
 Angiosperms sur la base de donn'ees;
 Cytologiques. IV - Le genre
passiflora. pollen et spores. 14 (1):
 51-60.
- Jones, N. and H. Ress. (1966) Chiasma frequencies and the
 potential genetic variability of
Lolium populations.
Nature, 23 : 432-433.
- Joshi, A.C. (1933) Some abnormal flowers of
Argemone mexicana L.
J. Indian Bot. Soc., 12 : 255-271.
- Joshnu, D.C. and N. S. Rao (1972) Evolution of leaf shape in Jute.
Indian J. Gen. pl. breeding; 32, 392.
- * Kaufmann, B.P., Gay, H. and M.R. McDonald, (1950),
Cold. Spr. Harb. Symp. Quant. Biol. 14, 85.
- * Kaufmann, B.P. Rowan, M.E. and E.C. Moore, (1951c),
Carnegie Inst. Wash. Yearb., 50 : 203.
- Kaur, J. and J. Nizam (1971) Leaf tip smear technique for
 members of Acanthaceae, J. Cytol. genet.,
 6 : 51-53.
- Kazimierski, T. and E. W. Kazimerstea (1981)
 Polypliods of lupinus rothmaleri
Genet. Pol. 22 (4) : 429-436.

- Khoshov, T.N. (1968) Genetic improvement of ornamentals in India, Vol. 28A 187-198.
 Proceeding of the National Symposium,
 National Botanic gardens, Lucknow, India.
- Khoshoo, T.N. (1976) Some new challenges in mutagenesis.
Indian J. Gen. Pl. breeding., 36 : 132-151
- Killip, E.P. (1938) The American Species of passifloracene.
Field Mus. Nat. Hist. Bot. Serbes
 19, part 1 and 2, pp. 613.
- Kimber, G : Gill. B. S; Rubenstein, J.M. and G.L. Barnhill (1976)
 The technique of Giemsa staining of
 cereal chromosomes. Wheat Inform. Service
 Nos. 41,42 : 55-58.
- Knight, R. J. (1972) The potential for Florida of hybrids
 bet. the purple and yellow passion fruit.
Proc. Florida state Hortic. Soc. Miami,
 288-292.
- Knight, R.J. and H.T. Winter (1963) Effects of Selfing and
 crossing in the yellow passion fruit.
Proc. Florida State Hortic Soc., 76 :
 345-347.
- * Kostoff, D. (1940) Fertility and Chromosome length and
 correlation bet. the chromosome
 length and variability of gametes of
 autotetraploids.
J. Hered. p. 31 : 14-34.
- Kwack, B.A. and I.H. Kim, (1967) An improved method for
 culturing Trdescomtia pollen tubes for
 chromosome analysis.
Cytologia, 32 : 1-7.

- Lavania, U.C. (1978) Differential staining and plant chromosomes - a progress in cytogenetics
Curr : Sci., 47 : 255-260.
- Lavania, U. C. and A. K. Sharma (1979)
Trypsin - orcein banding in plant chromosomes :
Stain technology, SH (5) : 261-263.
- Lawley, P. D. (1968) Methylation of DNA by N - Methyl - N - Nitroso - Urethane and N - Methyl - N - Nitroso - N - Nitroguanidine.
Nature, 218, 580 - 581.
- Lawrence, G. H. M. (1960) Taxonomy of Vascular plants.
Mac millon Company, New York.
- Levan, A., Fregda, K. and A. A. Sandberg (1964)
Nomenclature for centromeric position on chromosomes.
Hereditas, 52 : 201.220.
- Levy, A. and A. Ashri (1973) Differential physiological sensitivity of peanut varieties to seed treatments with the mutagens etheidium bromide, MNNG and sodium azide :
Radiation Bot., 13, pp. 369-373.
- Lewis, D. (1966) The genetic interaction of breeding systems In reproductive biology and taxonomy of vascular plants, ed. J. G. Hawkes, pp. 20-25.
Pergormon Press, Oxford.

Lewis, D. and L.K. Crowe (1958) Unilateral interspecific incompatibility in flowering plants.

Heredity, 12 : 233-56.

* Lewitsky G.A. (1931) The Karyotype in systematics.

Bull : Appl. Bot. Genet. plant.

Breed, 27 : 220-240.

* Linnaeus, C. (1751) Philosophia Botonica pp. 27.

Linskens : H. F. and Heinen (1962) Cutinase - Nachweis in pollen.

Zeit. Bot. 50 : 338-347.

Lloyd, R. M. (1963) Tetraploid passiflora incarnata in North Carolina.

Rhodora, 65 : 79.

Lutomuski, J. and M. Mariaada (1969)

Isolation of Vitexin from flavonoid fraction of P. incarnata.

Herba. pol., 14 (4) : 249-252.

Magoon, M.L. and K. G. Shambulingappa, (1962)

a Cytological and morphological studies on some interspecific hybrids in Eu-Sorghum.

Zeitschrift fur Vererbungslehre, 93, 14-24.

Magoon, M.L. & K.G. Shambulingappa (1962).b.

Cytomorphological studies of some interspecific hybrids in the genus sorghum.

Der Zuchter, 32 : 317-324.

Martin F.W. (1969) Compounds from the stigmas of 10 species

Amer. J. Bot., 56 : 1023-1027.

Martin F.W. (1970)a. The stigmatic exudate of Strelitzia.

phyton. B. Aires, 27 : 47-53.

Martin, F.W. (1970)b. The ultraviolet absorption profile of
stigmatic extracts,

New phytol., 69 : 425-30.

Martin F.W. (1970)c. Compounds of the stigmatic surface of
zeamays. L.

Ann. Bot. 34, 835-42.

Martin F.W. and L. Telak, (1971) The stigmatic secretion of
the sweet potato.

Amer. J. Bot., 58 : 317-22.

Masters, M.T. (1871) Contribution to the Natural History of
the passifloraceae.

Trans. Linn. Soc. London, 27: 543-645.

Masters, M. T. (1872) "Flora of Brasiliensis".

Masters, M.T., (1879) Contributions to the natural history
of passifloraceae.

Tran. Linn. Soc. (London), 27: 595-645.

*Mather, K. and D. De Winton (1941) Adaptation and counter
adaptation of the breeding system in
primula.

Ann. Bot., 5 : 297-311.

* Medicus, (1787) Malvenform, 96-99 (As cited from Killip, E.P.)

*Merker, A. (1973) Hereditas, 75, 280.

Micke, A. (1975) Induced mutations in plant breeding.

Gan. J. Plant Sci. 55.865.

Mok, D.W.S. and M. C. Mok, (1976) A modified Giemsa technique
for identifying bean chromosomes.

J. Hered., 67 : 187-188.

Mukherji, S.K. (1951) Pollen analysis in Mangifera in relation
to fruit-set and taxonomy.

Ibid. 30 : 49-56.

*Muntzing, A. (1938). Sterility and chromosome painting in
intra-specific Galeopsis hybrids
Hereditas, 24 : 117-188.

Nair, P.K.K. (1978) Advances in pollen spore Research
Vol. V. pp. 35-50.

Narayan, R. K. J. and H. Rees (1976).

Nuclear DNA Variation in —

Lathyruns

Chromosoma, 54 : 141-154.

Natarajan, A. T. and S. Natarajan, (1972).

The heterochromatin of Rhoea dischbour;
Hereditas, 72 : 323-330.

Natarajan, A. T. and N. P. Sarma (1974)

Chromosome bonding pattern and the
origin of the B genome in wheat.

Genet. Res., 24 : 103.108.

Nilan, R. A., (1972) Effectiveness and efficiency of radiation
for inducing genetic and cytogenetic
changes. In the use of induced
mutations in plant breeding.

Rad. Bot., 5 (Suppl.) 71-89.

Nilam, R.A. Kleinhofs, A. and E. G. Sideris (1969).

Structural and biochemical concepts
of mutations in flowering plants;
In. Induced mutations in Plants, IAEA,
Vienna, pp. 35-49.

* Nobel Symposium (1972), Application to the normal Karyotype
of R-bond and G-bond techniques
involving protolytic digestion.
In : Chromosome Identification
technique and applications in biology
and medicine. Caspersson, T. and
Zech, L. (ed) P. 23rd Nobel Symposium,
pp. 38-42. Stockholm (The Nobel
Foundation) New York, London
(Academic Press).

Noda, K. and K. J. Kasha (1978) A modified Giemsa Staining
technique for —

Hordeum Species, Stain Tech. 53 (3)
155-162.

Ornduff, R. (1961) Heterostyly in Jepsonia (Saxifragaceae)
Recent Advances in Bot. IX.
International Bot. Congress
Montreal, 1 : 885-887.

Pal, B.P. and S. Krishnamurthi, (1967)
Flowering shrubs, ICAR,
New Delhi.

Pal, B.P. (1973) The Rose in India, ICAR.
New Delhi.

Pandey, Kamla, K. (1968) Colchicine induced change in the self-incompatibility behaviour of Nicotiana.

Genetica, 39 (314) : 257-271.

Pardue, M. L. and J. G. Gall (1970).

The chromosomal localization of mouse satellite DNA.

Science, 168 : 1356 - 1358.

Paris conference (1972) : Standardization in human cytogenetics. Birth defects : Original art Ser VIII, No. 7.

The National Foundation, New York (1972)

Patridge, I. J. (1972) Fertilizing passion fruit in the Sigatoka Valley,

Fiji Agric. Jour., 34 : 97-99.

Patterson, B. D. (1976) Electrolytic leakage induced by chilling in passiflora spp. tolerant to different climates.

Australian J. pl. physiol., 3 (4):435-442.

*Persoon, (1807) As cited from De Canelolle, 1828.

Pickering, R. A. (1980) Attempts to overcome partial incompatibility bet. H. Vulgare and H. bulbosum. Euphytica, 29 (2) Euphytica, 29 (2) : 369-378.

Poethke, W. (1970) On the contents of Passiflora bryonoides and P. incarnata I. Alkaloids Planta. Med. 18 (4) : 303-314.

- Presting, D. (1965) Pollen morphologie der passifloracean.
Pollen et spores, 7(2) : 193-245.
- Randhawa, M. S. (1967) Flowering Trees, New Delhi.
- Rees, H. and K. Ahmed (1963) Chiasma frequencies in
Lolium populations,
Evolution, 17 (4) : 575-579.
- Rees, H. and R. K. J. Narayan (1977)
Evolutionary DNA Variation in Lathyrus
Chromosomes Today; 6 :131-139.
- Rendle, A. B. (1952) The classification of flowering plants.
II. Dicotyledons. Univ. Press ;
Cambridge.
- Robinovich, I. M. (1974) Introduction of some tropical and
subtropical medicinal plants in the USSR.
Farmatsiya., 23 (2) : 38-44.
- Routh, I. (1974) Morphology, anatomy, and development of
pinnate leaf and of the lamina glands in
Passiflora
Acta. Bot. Venez. 9 (1/4) : 363-380.
- * Rundolph, L. F. (1935) Cytogenetics of tetraploid maize.
J. agric. Res., 50 : 591-605.
- Santapau, H. (1966) Common trees, New Delhi.
- *Sarma, N. P., and A. T. Natarajan, (1973)
Hereditas, 74 : 233.
- Sarma, N.P. and S. L. Tandon (1974) : Banding techniques and
plant chromosomes Curr. Sci., 43 :635-637.

- Schertz, K. F. (1962) Cytology, fertility and gross morphology of the induced polyploids of Sorghum Vulgare Canad. J. Genet. Cytol., 4: 179-186.
- Schwanitz, F. (1951) Untersu changen an polyploiden pflanzen XI. chlorophyll gehalt dipoiden and polyploiden.
Pflazen. Ziichter 21 : 30-36.
- Schweizer, D. (1973) Differential staining of plant chromosomes with Giemsa
Chromosoma, 40 : 307-320.
- Schweizer, D. (1974) An improved Giemsa C-banding procedure for plant chromosomes.
Experientia, 30 : 570-571.
- *Seabright, M. (1972) Chromosoma, 36 : 204.
- Sen, S (1965) Chemical basis of orcein breakage
Nucleus (Calcutta) 8 : 63-82.
- Sharma, A. K. (1975) Chromosome banding and repeated DNA.
J. Indian Bot. Soc., 54 : 1-8.
- Sharma, A. K. (1976) "The chromosomes" Oxford and IBH publishing Co.
New Delhi.
- Sharma, A. K. (1977) Orcein banding in plant sciences - Prof. P. Parija felicitation Vol. 1
p. 181.
- Sharma, M. (1962) Pollen morphology of Reinwardtia indica Dum;
Pollen et spores., 4 (2) : 267-272.

- Singh, D.P. (1974) Genetics of some leaf mutations in white jute.
Indian J. Gen. Bl. breeding., 34: 291-293.
- Singh, S.P. and P. M. Drolson (1973) Chemically induced maturity and height mutonts of Sorghum bicolor(L)
Moench. Sorghum New Sl. 16 : 145-146.
- *Smith, F. J., Oud, J. L. and J. H. De Jong, (1973),
Genetica 44 : 474.
- Smith, H. H. (1971) Broadening the base of genetic variability in plants.
J. Heredity, 62 : 265-276.
- Spirlet, M. L. (1965) Taxonomic utilization of pollen grains of passifloracene. I. Pollen et. Spores
7 (2) : 249 - 301.
- Stanley R. G. and H. F. Linskens (1974) Pollen Biology, Biochemistry and Management,
Springer - Verlag. Berlin.
- Stebbins, G. L. (1947) Types of polyploids. Their classification and significance.
Advances in Genet., 1 : 403-429.
- Stebbins, G. L. (1950) "Variation and evolution in plants"
Columbia Univ. Press, New York.
- Storey, W. B. (1950) Chromosome numbers of some species of Passiflora occurring in Hawaii
Pacific Science, 4 (1) : 37-42.

- Summer, A. T., Evans, H. J. and R. A. Buckland (1971)
 New technique for distinguishing
 between human chromosomes.
Nature New Biol., 232 : 31-32.
- Takehisa, S. and S. Utsumi (1973), Heterochromatin and
 Giemsa banding of metaphase chromosomes
 in Trillium Kamtschaticum Pallas.
Nature New Biol., 243 : 286-287.
- Takhjam A. (1969) Flowering plants, origin and dispersal.
 Washington, Smithsonian Institute
 Press. pp. 387.
- Tarakowski, C. (1961) Preliminary investigations on diploid
 and polyploid maize. Ho dowla Roslin
Aklimatyz.
Nasiennictwo, 5 : 117-136.
- Torne, S. G. and N. P. Raut Desai (1975)
 Effect of ionizing radiation on seed
 germination of Passiflora Sp's.
Curr. Sci., 44 (4) : 112-113.
- *Utakoji, T. (1972) Nature, 239 : 168
- Venkat Rao, C. (1949) Contribution to the embryology of
 Sterculiaceae
J. Indian Bot. Soc., 28 : 180-197.
- Vosa, C. G. (1973) A New Stain for the detection of
 constitutive heterochromatin in plant
 and animal chromosomes.
Exptl. Cell. Res., 79 : 463-465.

- Vosa, C. G. (1975) The use of Giemsa and other staining techniques in Karyotype analysis.
Curr. Advances Plant Sci., 6 : 495-510.
- Vosa, C. G. (1977) Heterochromatic Patterns and Specier relationship
Nucleus, 20 : 33-41.
- Vosa, C. G. and Marchi, P. (1972)
Quinacrine Fluores Scence and Giemsa Staining in plants.
Nature (New Biol.), 237 : 191-192.
- Vuilleumier, B. (1967) The origin and evolutionary development of heterostyly in the anjiosperms,
Evol., 21 : 210-226.
- Wang, G.G. (1976) Preliminary studies on the comparison of superior varieties of passion fruits and methods of pollination
Taiwan Agric. Quarterly 12 (2) : 72-78.
- Wang, H. C. and S. Fedoroff, (1972)
Bonding in human chromosomes treated with trypsin.
Nature New Biol., 235 : 52-53.
- Whitaker, D. E. (1972) Passion fruit. Agronomy, processing and marketing.
Tropical Sci. 14 (1) : 59-77.
- Wilde, W. J. J. O. de. (1972)
The idigenous old world passifloras.
Blumea, 20 (1) : 227-250.

Yunis, J. J. and W. G. Yasmineh (1970)

Satellite DNA in constitutive
heterochromatin of the guinea pig.
Science, 168 : 263-265.

Yunis, J. J. and W. G. Yasmineh (1971)

Heterochromatin, Satellite DNA and
Cell function.
Science, 174 : 1200-1290.

* originals not seen.