

CHAPTER - 6

BIBLIOGRAPHY

B I B L I O G R A P H Y

- Ainsworth, G.C. 1961. "Ainsworth and Bisby's Dictionary of the Fungi". 5th Edt., CMI, Kew Surrey, England. pp. 547.
- Ainsworth, G.C. 1973. The Fungi - An Advanced Treatise Vol. IV. Sparrow, F.K. and B. A Taxonomic Reviews and Keys : Sussman, A.S. Basidiomycetes and Lower Fungi. Academic Press, London pp. 504.
- Arunachalam, S.B. 1967. Maharashtra (A study in physical and regional setting and resource development). Seth and Co. Educational Publisher, Bombay-Ahmadabad. pp. 308.
- Bakshi, B.K. 1971. Indian polyporaceae (on Trees and Timber). ICAR Publ., New Delhi, pp. 246.
- Bandoni, R. 1982. On the poroid genera of the Tremellaceae. Oberwinkler, F. Can. Jour. Bot. 60 (6) : 998-1003.
- and Wells, K.
- Bandoni, R.J. 1982. Stibotulasnella: a new genus in the and Oberwinkler, F. Tulasnellaceae. Can. Jour. Bot. 60(10):1875-1879
- Bandoni, R.J. and 1983. On some species of Tremella described Oberwinkler, F. by A. Moller. Mycologia 75(5) : 854-863.
- Banerjee, S.N. 1947. Fungus flora of Calcutta & Suburbs. I Bull. Bot. Soc. Bengal 1 : 37-54.
- *Batsch, ex Fries, 1821. Syst. Mycol. 1 : 342 & 357. (Fide: Bakshi B.K. 1966).

- Bazzalo, M.E. and Wright, J.E. 1982. Survey of the Argentine species of the Ganoderma Lucidium Complex. Mycotaxon 16(1): pp.293-325.
- Berthier, Par.J. 1967. Une Nouvelle clavariacee A Sclerote: Pterula scleroticola Nov. sp. Bull. DE.IA Soc. Mycologique De france Tome 83: 731-737.
- Bessey, E.A. 1968. Morphology and Taxonomy of Fungi. Hafner Publ.Co., New York and London, pp.791.
- *Bers, 1897 Atti I.R.Accad.Sci Lett. Art. Agiati, Ser. 3(3) : 114 (Fide: Gilberston, R.L.et al. 1976)
- Bhide, V.P., Pande A Sathé, A.V., Rao.V.G. and Patwardhan, P.G. 1987. FUNGI OF MAHARASHTRA (Supplement-1). Maharashtra Association for the cultivation of Science, Research Institute, Pune. pp.146
- Bilgrami, K.S. 1979. FUNGI OF INDIA-PART.I. List and References. Today and Tomorrow's Printers and Publishers, New Delhi. pp.467.
- Bilgrami, K.S. 1981. Fungi of India Part-II - Host Index and Addenda. Today and Tomorrow's Printers and Publishers, New Delhi: pp.128.

- Burt, 1917. Ann. Missouri Bot. Gard. 4:326,333 & 345. (Fide: Ginns, J.H.1968).
- Burt, E.A. 1966. The Thelephoraceae of N.America I-XV. Hafner Publ.Co.,New York & London, pp. 354.
- Butler, E.J. and Bisby, G.R. 1960. The Fungi of India (Revised by Vasudeva). ICAR Publ.,New Delhi, pp. 552.
- Cash, Edith K. 1965. A Mycological English-Latin Glossary. Mycologia memoir-I Hafner Publishing Company, New York and London. pp. 152.
- Charles, L.F. 1960. Illustrated Genera of wood Decay Fungi. Burgess Publ.Co., pp.132.
- Chavan, P.B. 1973. The flora of Kas-area from Satara District. M.V.M.Patrika 8(1):3-15.
- Chavan, P.B. and Kulkarni, U.V. 1974. Addition to the Fungi from Maharashtra, India. Ibid. 9(1 and 2): 132-139.
- Cooke Theodore, C.I.E. 1958. The flora of the Presidency of Bombay. Vol. I, II & III.
- Corner, E.J.H. 1950. A Monograph of clavaria and Allied Genera. Oxford University Press, London. pp.740.
- Corner, E.J.H. 1966. The Clavarioid complex of Aphelaria and Tremellodendropsis. Trans. Brit. Mycol. Soc. 49 : 205-211.

- Corner, E.J.H. 1966. Mon. Canth.Fungi, pp.58. (Fide: Corner, E.J.H. 1969).
- Corner, E.J.H. 1969. Notes on cantharelloid fungi. Nova Hedwigia 18 : 783-818 Botany School, University of Cambridge.
- Corner, E.J.H. 1970. Supplement to "A Monograph of Clavaria and allied genera". Beith. Hedwigia 33 : 1-299.
- Crawford, D.A. 1954. Studies on New-Zealand Clavariaceae-I. Trans. roy Soc. N.Z. 82: 617-631.
- Cramer, Verlag Von J. 1973. A study of Cystidia in Effused Aphyllorphales. Nova Hedwigia 24: 515-618.
- Deshpande, C.D. 1971. Geography of Maharashtra. National Book Trust of India, New Delhi, pp. 218.
- Donk, M.A. 1958. The generic names proposed for Hymenomycetes-VIII. Auriculariaceae, Septobasidiaceae, Tremellaceae, Dacrymycetaceae. Taxon 7 : 164-207, 236-250.
- Doman'ski, S. 1984. Mala flora Grzybow. Tom-I (4). Basidiomycetes, Aphyllorphales: Clavariaceae, clavariadelphaceae, clavulinaceae, pterulaceae, Ramariaceae, Stephanosporaceae Gomphaceae(II), Hericiaceae(II). P. 1403

- *Farlow 1908. Rhodog 10 : 12. (Fide:Wojewoda, W. 1981).
- *Fries, 1822. Syst. Mycol. 2(1) 170. (Fide: McNABB, R.F.R. 1966.)
- *Fries, 1838. Epicr.Syst. Mycol. p.405 & 406. (Fide: Bakshi, B.K. 1966.)
- *Fries, 1874. Hym. Eur, p. 585. (Fide: Bakshi, B.K. 1966.)
- Gilbertson, R.L. 1975. Notes on Wood-Rotting Hymenomyces In New Mexico. The Southwestern Naturalist. 19(4):347-360.
- Burdsall, H.H. and Larsen, M.J.
- Gilbertson, R.L. 1976. Fungi that decay Mosquite in Southern Arizona. Mycotaxon 3(3): pp. 487-551.
- Burdsall, H.H. and Canfield, E.R.
- Gilbertson, R.L. 1979. The genus Phellinus (Aphyllorales: Hymenochaetaceae) in Western North America. Mycotaxon 9(1): pp. 51-89.
- Gilbertson, Robert L. 1980. North American Wood-Rotting fungi That cause Brown Rots. Mycotaxon 12: pp. 372-416.
- Gilbertson, R.L. and Blackwell, Meredith. 1985. Notes on Wood-Rotting fungi on Junipers in the Gulf Coast region. Mycotaxon 24: pp.325-348.
- Ginns, James H. 1968. The Genus Merulius-I. Species proposed by Burt. Mycologia 60(6): pp. 1211-1231.

- Ginns, James H. 1976. *Merulius* S.S. and S.I., taxonomic disposition and identification of species. Can.Jour.Bot. 54(1 & 2): pp.100-167.
- Ginns, J. 1984. *Mollicarpus*, Gen.Nov. (Polyporaceae) with notes on *coriolopsis* Byrsina, *Phellinus crocatus*, and *polystictus crocatus* var. *Sibiricus*. Mycotaxon 19 : pp.71-80.
- Hawksworth, D.L. 1974. *Mycologist's Handbook*. An Introduction to the principles of Taxonomy and Nomenclature in the fungi and Lichens. CMI Kew, Surrey, England. pp. 231.
- *Imazeki, 1955. Rew. Mycol. 20 : 159.
(Fide : Bandoni, R. et al. 1982).
- Kamat, M.N. 1961. *Hand-book of Mycology Part-II : Basidiomycetes and Fungi-Imperfecti*. Prakash Publishing House, Poona. pp. 147.
- Kamat, M.N. 1962. *Sixty years of Mycology and Plant Pathology in Bombay-Maharashtra*. Bull. Bot. Soc. Coll.Sci. Nagpur 3 : 68-93.
- Kamat, M.N. 1971. *Fungi of Maharashtra*. Bull.No.1 - Mahatma Phule Krishi Vidyapeeth, Rahuri, M.S. pp. 124.

- Kaul, T.N. and Kapur, B.M. 1987. Indian Mushroom Science-II : Proceeding of the International Conference on Science & Cultivation Technology of Edible fungi. Reg. Res. Lab. Council of Scientific & Industrial Research, Jammu Tawi, pp. 421.
- Lowy, B. 1968. Taxonomic problems in the Heterobasidiomycetes. Taxon 17: 118-127.
- Lowy, B. 1970. Keys to Neotropical Tremellales. Nova Hedwigia 19 : 407-438.
- Lowy, B. 1980. Flora Neotropica Monograph Number 6 (Supplement). Tremellales. The New York Botanical Garden. New York. pp.18.
- Lowy, B. 1981. A New Species of *Dacryopinax* from Brazil. Mycotaxon 13⁽²⁾: pp.428-430.
- Martin, G.W. 1945. The classification of the Tremellales. Mycologia 37 : 527-542.
- Martin, K.L. and Gilbertson, R.L. 1977. Synopsis of Wood-Rotting fungi on spruce in North America. Mycotaxon 6(1):pp.43-77.
- Martin, K.J. and Gilbertson, R.L. 1978. Synopsis of Wood-Rotting Fungi on spruce in North America: II Mycotaxon 7(2): pp.337-356.

- Martin, K.L. and Gilbertson, R.L. 1980. Synopsis of wood-rotting fungi on spruce in North America: III Mycotaxon 10: pp.479-501.
- McNabb, R.F.R. 1965. Some Auriculariaceous fungi from the British Isles. Trans. Brit. Mycol. Soc. 48 : 187-192.
- McNabb, R.F.R. 1965. Taxonomic studies in Dacrymycetaceae II. Calocera (fries) Fries. Ibid., 3 : 31-58.
- McNabb, R.F.R. 1965. Taxonomic studies in Dacrymycetaceae III. Dacryopinax Martin. Ibid., 3 : 59-72.
- McNabb, R.F.R. 1966. Taxonomic studies in the Dacrymycetaceae VII. Ditiola Fries. New Zealand Journal of Botany, 546-557.
- McNabb, R.F.R. 1973. Taxonomic studies in Dacrymycetaceae VIII. Dacrymyces Nees ex Fries. New Zealand J. of Bot. 11: 461-524.
- *Murrill, 1902. Bull Torrey Bot. Cl. 29 : 606.
(Fide. Bazzala, M.E. 1982)
- Oberwinkler, F. 1970. Die Gattungen der Basidiolichenen. Dtsch. Bot. Ges. Neue Folge No. 4: 139-169.
- Oberwinkler, F. and Bandoni, R.J. 1982. A taxonomic survey of the gasteroid, auricularioid Heterobasidiomycetes. Can. J. Bot. 60 : 1726-1750.

- Olive, L.S. 1944. New or Rare Heterobasidiomycetes from North Carolina-I. J.El.Mitch. Sci. Soc. 60 (1) : 17-26.
- Olive, L.S. 1946. New or rare Heterobasidiomycetes from North Carolina-II. J.El.Mitch. Sci. Soc. 62 : 65-71.
- Olive, L.S. 1946. Some taxonomic notes on the higher fungi. Mycologia 38 : 534-547.
- Olive, L.S. 1958. The Lower Basidiomycetes of Tahiti-I. Bull. Torrey Bot. Club 85(1):5-27.
- Olive, L.S. 1958. The Lower Basidiomycetes of Tahiti-I. Bull. Terry.Bot.Club 85(2):89-110.
- Patil, M.S. and Thite, A.N. 1978. Some fleshy fungi from Maharashtra-II. The Botanique 9 : 193-203.
- Patil, M.S. 1978. Some fleshy fungi from Maharashtra-III. Indian Phytopath 31 (1) : 32-35.
- Patil, M.S. and Thite, A.N. 1980. Some fleshy fungi from Maharashtra-II. The Botanique 9 (1-4): 193-202.
- Ramakrishnan, K. 1978. The State of Mycology in India. Kavaka 6 : 1-5.
- Rattan, S.S. 1977. The Resupinate Aphyllophorales of the North Western Himalayas. J. Cramer Publication. pp.427.
- *Reid, D.A. 1973. Persoonia 7 : 293. (Fide : Wojewoda W. 1977).

- Sathe, ^{AN.} et al. 1987. Agaricales of Maharashtra. M.A.C.S.^{S.}
Research Institute, Pune-4.
- Subramanian, C.V. 1958. List of Indian fungi 1952-56.
and Ramakrishnan, K. J. Madras Univ. 26(2): 327-421.
- Talbot, F.H.B. 1965. Studies of Pellicularia and
Associated genera of Hymenomycetes.
Persoonia 3(4). 371-406.
- Thind, K.S. and 1956. The Clavariaceae of Mussorie
Anand, G.P.S. hills-I. J. Ind. Bot. Soc. 35:
171-180.
- Thind, K.S. and 1956. Clavariaceae of the Mussoorie
Dev, S. Hills-V. Ibid., 35 : 512-521.
- Thind, K.S. and 1957. The clavariaceae of the Mussoorie
Dev, S. Hills-VI. Ibid. 36, 92-103.
- Thind, K.S. and 1967. The clavariaceae of India XI.
Rattan, S.S. Proc. Ind. Acad. Sci. 66 B:143-156.
- Thind, K.S. 1961. Clavariaceae of India. I.C.A.R.,
New Delhi pp. 197.
- Thind, K.S. and 1973. The Thelephoraceae of India VI.
Rattan, S.S. Indian Phytopath. 26:485-495.
- Thite, A.N.; 1976. Some fleshy fungi from Maharashtra.
Patil M.S. and The Botanique 7 : 77-88.
More, T.N.
- *Tode, 1790. Fungi Meckl. 1 : 10,
(Fide: Wojewoda, W. 1977).

- Tu, C.C. and Kimbrought, J.W. 1973 Rapid staining technique. Mycologia 65 (4) : 491.
- Vasudeva, R.S. 1962. "Fungi of India". Supplement-I. I.C.A.R. Publ., New Delhi, India. pp.206.
- Wakefield, Elsie M. 1981. Common British Fungi. A guide to the more common large Basidiomycetes of the British Isles. Saiga Publishing Co.Ltd., 1 Royal Parade, Hindhead, Surrey, England.
- O.B.E. and Dennis, R.W.G.
- Wells, K. 1957. Studies of some Tremellaceae. Lloydia 20 : 43-65.
- Wells, K. 1969. New or noteworthy Tremellales from Southern Brazil. Ibid. 61 : 77-86.
- Wojewoda, W. 1977 "Fora Polska" Grzyby (Mycota) VIII. Printed in Poland. Basidiomycetes, Tremellales, Auriculariales, Septobasidiales. pp.334.
- Wojewoda, W. 1981 Mala flora Grzybow. Tom. I (2). Basidiomycetes, Tremellales, Auriculariales, Septobasidiales.
- Wright, J.E. 1970. Agaricostilbum a new genus of Deuteromycetes on Palm spathe, from Argentina. Mycologia 62: 679-682.

- Wright, J.E. 1981. Agaricostilbum : A Auricularioid
Bandoni, R. and Basidiomycete. Mycologia 73(5):
Oberwinkler, F. 880-886.
- Zoberi, M.H. 1972. Tropical Macrofungi-some common
species. The Macmillan Press Ltd.,
London and Basingstoke. pp.158.

..