

Chapter VI

BIBLIOGRAPHY

- Abo-El-Nasar, A., Sellam M. A., A. Abd-Elrazik and M. Rushdi (1981): Effects of strazik D of Sugarcane mosaic virus and its variants on sugarcane and maize plants. *Anzchaedlingskd. Pflanzenschutz, Umweltschutz.*, 54 (9) : 135-138.
- Abo-El-Seoud, M.A, Abdel-Sabour, M.F. and H.I. Abdel-Shafy (1994): Environmental studies of plants grown in soil polluted with cobalt and nickel- 56: *Env. Mgmt. Health Year*, 5(4): 16-21.
- Abrol, Y. P. and Nair, T. V. R. (1977): Studies on soil nitrogenous fertilizer utilization. A new approach. *Fert. News*, 22: 29–34.
- Abrol, Y. P., Dhar, D. and Kumar, P. A., (1988): Nitrogen metabolism. In *Plant Physiological Research in India* (ed. Sen, S. P.), Society for Plant Physiology Biochemistry, New Delhi, pp. 75–83.
- Abrol, Y. P., Kaim, M. S. and Nair, T. V. R. (1976): Nitrogen assimilation, its mobilization and accumulation in wheat (*Triticum aestivum* L.) grains. *Cereal. Res. Commun.*, 4: 431–440.
- Abu-Grab, O. S. and M. K. H. Ebrahim (2000): Physiological response of field-grown onion to some growth regulators. *Egypt. J. Hort.* 27(1): 117-130.
- Adelusi, A. A. and A. O. Lawanson (2004): Disease induced changes in carotenoid of edible yams (*Dioscorea* spp.) infected by *Botryodiplodia theobromae* and *Aspergillus niger*. *Mycopathologia* 98 (1): 49-58.
- Afridi, M. M. R. K, Hewitt E. J. (1964): The inducible formation and stability of nitrate reductase in higher plants. I. Effects of nitrate and molybdenum on enzyme activity in cauliflower (*Brassica oleracea* var. Botrytis). *Journal of Experimental Botany*, 15: 251–271.
- Afridi, M. M. R. K, Hewitt E. J. (1965): The inducible formation and stability of nitrate reductase in higher plants. II. Effects of environmental factors, antimetabolites, and amino-acids on induction. *Journal of Experimental Botany*, 16: 628–645.

- Aftab-Hussain, I. S., Rama Rao, S. and Prasad, T. G. (1993): Influences of zinc on the ribonuclease activity in french beans (*Phaseolus vulgaris*). *Indian J. Plant Physiol.* 36: 71-72.
- Agarwal, M. L., Kumar S., A. K. Goel and M. S. Tayal (1982): Biochemical analysis in leaf spot disease of turmeric. Some hydrolyzing and oxidative enzymes and related chemical metabolites. *Indian Phytopath.*, 35(3): 438-441.
- Agarwala, S. C., Sharma C. P. and A. Kumar (1964): Interrelationship of iron and manganese supply in growth, chlorophyll and iron porphyrin enzymes in barley plants. *Plant physiol.*, 39: 603-609.
- Ahmad, I., S. Owera A. P., J. F. Farrar and R. Whitbrand (1982): The distribution of five major nutrients in barley plants infected with brown rust. *Physiol. Plant Pathol.*, 21 (3) : 335-346.
- Aiyer, A. K. and Yenga Narayan (1966): Field crops of India. Pub. Bangalore Printing and Publishing Co. Ltd., Mysore Road, Bangalore. pp. 564
- Alagiangalingam, M. N., Bhaskaran R. and C. V. Govindaswamy (1977): Effect of potash application on mosaic disease and chlorophyll content in leaves. *Indian potash Jour.*, 2 (2): 6-7.
- Albrigo, L. G. and R. H. Young (1979): Citrus tree decline, Complex and diagnostic identification of blight. *Proc.Fla.State. Hortic Soc.* , 92:61-63
- Ali, A., Sivakami, S. and Raghuram, N. (2007): Effect of nitrate, nitrite, ammonium, glutamate, glutamine and 2-oxoglutarate on the RNA levels and enzyme activities of nitrate reductase and nitrite reductase in rice. *Physiol. Mol. Biol. Plants*, 13: 17–25.
- Allen, P. J. (1942). Changes in the metabolism of wheat leaves induced by infection with powdery mildew. *Amer. J. Bot.*, 29: 425-435.

- Allengton, W. B. and E. F. Laird, Jr. (1954): The infection of *Nicotiana glutinosa* with tobacco mosaic virus as affected by potassium nutrition. *Phytopathology*, 44: 297-299.
- Amar, L., Reinhold, L. (1973): Loss of membrane transportability in leaf cell and release of protein as a result of osmotic shock. *Plant Physiol* 51: 620-625.
- Ambike, V. V. and S. M. Karmarkar (1975): Physiological changes during senescence in *Kalanchoe pinnata* (Lamk). I. Changes in the inorganic ion content of the leaves. *J.Biol. Sci.* 18(1): 33-42
- Ananthanarayana, R., and B. V. Rao (1980): Effect of magnesium on total chlorophyll content of hybrid maize. *Curr. Res.*, 9 (i): 8-9.
- Andrews, S. M. (1986): The partitioning of nitrate assimilation between root and shoot of higher plants. *Plant Cell Environ.* 9: 511-519.
- Anjana, G., Kini, K.R. Shetty, H.S. and H.S. Prakash (2008): Changes in peroxidase activity in sunflower during infection by necrotrophic pathogen *Alternaria helianthi*. *Arch. Phytopathol. Plant Pathol.* 41 (8)
- Anon, (1988): The world viticultural situation in 1987. *Bull OIV* 61: 749-804
- Arinze, A. E. and I. M. Smith (1982): Distribution of polygalacturonase, total phenolic substances, polyphenol oxidase and peroxidase in root zones in sweet potato. *Plant Pathology*, 21(2): 119-122.
- Arnon, D. I., Stout P. R. (1939): Molybdenum as an essential element for higher plants. *Plant Physiology*, 14: 599-602.
- Arora, Y.K. and D.S. Wagle (1985): Inter-relationship between peroxidase, polyphenol oxidase activites and phenolic content of wheat for resistance to loose smut. *Biochem- Physiol. Pflanzen*, 180: 75-80
- Arya, H. C., Shekhawat N. S. and S. D. Purohit (1981): Accumulation of aromatic compounds as related to abnormal growth in plants. *J.Indian bot. Soc.* 60: 247-251.

- Atkinso, D., Jackson, J. E., Sharples, R. O. and W. M. Walkar (1980): Mineral nutrition of fruit trees. Butterworth (Publ.) Inc., Woburn, Mass.
- Atwal, A. S. (1976): Pest of India and South East Asia, 16: Pest of Subtropical and Tropical Fruits. Pub: Kalyani Publication New Delhi: 291-294.
- Aver'yanov, A.A. and V.P. Lapikova (1994): Participation of active forms of oxygen in the mechanism of ferulic acid toxicity. *Biology Bulletin*. N4: 352-357.
- Bailiss, K. W. (1970): Infection of cucumber cotyledons by cucumber mosaic virus and the participation of chlorophyllase in the development of chlorotic lesions. *Ann. Bot.*, 34: 647-655.
- Bains, S.S. and J. S. Jhooty (1978): Relationship between mineral nutrition of muskmelon and development of downy mildew caused by *Pseudoperonospora cubensis*. *Plant and Soil*, 49: 45-90.
- Balasubramainian, K. A. (1981): Chlorophyll content and mineral composition of downy mildew affected chlorotic leaves of sorghum. *Indian Phtopath.*, 34 : (4) : 500-501.
- Balasubramanian, K. A. (1973): Influence of nitrogen and phosphorus fertilizers on the expression of downy mildew of sorghum. *Plant and Soil*, 38: 477-479.
- Balasubramanian, K. A. (1975): Pattern of distribution of certain cations in downy mildew affected sorghum and soil. *Plant and Soil*. 43(3): 621-626.
- Balibrea ME, Dell'Amico J, Bolarón MC, Perez-Alfocea F.(2000). Carbon partitioning and sucrose metabolism in tomato plants growing under salinity. *Physiologia Plantarum* **110**, 503-511.
- Balke, N.E. and T.K. Hodges (1975): Plasma membrane adenosine triphosphate of oat roots. *Plant Physiol*, 55: 83-86

- Bandurski, R.S. (1955): Further studies on the enzymatic synthesis of oxaloacetate from phosphoenolpyruvate and carbon dioxide. *J. Biol. Chem.*, 204: 137-150.
- Baranski, R, Baranska, M. and H. Shulz (2005): Changes in carotenoid content and distribution in living plant tissues, can be observed and mapped in situ using NIR-FT- Raman Spectroscopy. *Planta*, 222 (3): 448-457.
- Barberan,T. F. A., J. D. Msonthi and K. Hostettmann (1988): Antifungal epicuticular methylated flavonoids from *Helichrysum nitens*. *Phytochemistry*. 27: 753-755.
- Baron, M., Arellano, J. B. and Gorge J. L. (1995): Copper and Photosystem II: A Controversial Relationship *Physiol. Plant.*, 94: 174-180.
- Barrett, S. R., Shearer, B. L., Hardy, G. E., St J., (2003): Root and Shoot development in *Corymbia calophylla* and *Banksia brownii* after the application of the fungicide Phosphite. *Australian Journal of Botany*, 50 (2): 155-161.
- Bartakke, S.P. (1977): "Physiological studies in *Aloe barbadensis*" Ph.D. Thesis submitted to Shivaji University, Kolhapur (India).
- Bateman, D. F. (1969): Alteration of cell wall component during pathogenesis by *Rhizootonia solani*. In: Dynamic role of molecular constituents in plant parasite interaction eds. Mirocha, C.J. and I. Uritani, The Bruce Pub. Co. St. Paul Minnesota. pp. 58-59.
- Beale, S. I. (1999): Enzymes have chlorophyll biosynthesis. *Photosynth.*, 60:43-73.
- Becerra, V., Gonzalez, M., Herrera, M. E. and Miano, J. L. (2006): Population dynamics of vine mealybug *Planococcus ficus* Sign. (Hemiptera-Pseudococcidae) in vineyards of Mendoza (Argentina). *Revista-de-la-Ciencias-Universidad-Nacional-de-Cuya*.38 (1): 1-6.
- Beevans, I. and P.R. Hageman (1990): Nitrate reduction in higher plants. *Annu. Rev. Plant Physiol* 20: 495-522.

- Bell, S.J. and P.A. Henschke (2005): Implications of nitrogen nutrition for grape, fermentation and wine *Aust. J. Grape wine Res.* 11(3): 242-295.
- Bennett, J.P. (1945): Iron in leaves. *Soil Sci.* 60: 91-105.
- Bennett, R. N. and R. M. Wallsgrove (1994): Secondary metabolites in plant defense mechanisms. *New Phytol.* 127: 617-633.
- Bentley, W. J., Varela, L. G., Zalom, F. G. Smith, R. J., Purcell, A. H., Phillips, P. A., Haviland, D. R., Daane, K. M. (2006): UC-IPM Management Guidelines. Pub. UC ANR Publication 3448.
- Berger, S., Cwick, K. (1990): Selected aspect of adverse nutritional effect of pesticides. *Ernahrungsphysiol.* 4: 411-415.
- Berger, S., Sinha, A.K. and T. Roitsch (2007): Review: Plant physiology meets phytopathology: Plant primary metabolism and plant-pathogen interactions. *J. Expt. Botany*, 58 (15/16): 4019-4026.
- Betz, H., Schlosser E., Meded, Fac. Landbouwwet (1980): Plant disease product quality. I. Effect of club root (*Plasmodiophora brassicae*, Woronin.) on the quality of three kinds of cabbage. *Rijksuniv. Gent.*, 45 (2) : 141-145.
- Bez-Zinol, A., Vaadia, Y. and S. H. Lips (1971): Nitrate uptake by roots as regulated by nitrate reduction products of the shoot. *Physiol. Plant.*, 24: 288-290.
- Bhargava, P. K. and M. N. Khare (1988): Factors influencing mechanism of resistance in *Alternaria* blight of chickpea. *Indian Phytopath.*, 41(3) 363-366.
- Bhargava, P.K. and M. N. Khare (1988): Factors influencing mechanism of resistance in *Alternaria* blight in chickpea. *Indian Phytopath.* 41(3): 363-366.
- Bhaskaran, R. and T. Ramanathan (1983): Effect of fertilizers and organic manures on Thanjavur wilt of coconut. *Proc. Of National*

Seminar on Management of diseases of oilseed crops, Madurai
(Tamil Nadu Agri. Univ.) pp. 95-98.

Billett, E. E., Billett M. A and J. H. Burnett (1977): Stimulation of maize invertase activity following infection by *Ustilago maydis*. *Phytochemistry*, 16: 1163-1176.

Bin, M. T. M. (2003): The utilization of botanical dusts in the control of foodstuff storage insect pests in kivu (Democratic Republic of Congo). *Cahiers Agricultrue*s 12(1): 23-31.

Binh, L.T., Muoi, L.T., Oanh, H. T. K., Thang, T. D. and D. T. Phong (1990): Rapid propagation of Agave by *invitro* tissue cultire. *Plant cell Tissue Organ culture*, 23(1): 67-70

Biswal, U. C. and Mohanty, P. (1976): Ageing induced changes in photosynthetic electron transport of detached barley leaves. *Plant Cell Physiol.*, 17: 323-331.

Biswas, S. and R. P. Purkayashtha (1988): Induction of resistance in rice plants against sheath rot disease. *Indian Phytopath.* 41(1): 51-56.

Blakeman J. P., Fokkema N. J. (1982) Potential for biological control of plant diseases on the phylloplane. *Annual Review of Phytopathology*, 20: 167-192.

Blanchet, R., Studer, R. and C. Chaumont (1962): some aspects of interactions in the water supply of planted. *Ann. Agron.*, 13: 93-100.

Bonner, J. (1950). Plant Biochemistry. Academic Press, New York.

Bose, B., Sarkar, K. R. and S. M. Mathur (1981): Effect of sugarcane mosaic virus on nitrogen metabolism of *Zea mays* L. *National Academy Science Letters*, 4 (6) : 239-241.

- Boss. P. K. Gardner. R. C. Jansen, B. J. and G. S. and Ross (1995): An. Apple polyphenol oxidase C DNA is up regulated in wounded tissues. *Plant mol. Biol.*, 27: 429-433.
- Boulton, R. (1980): The general relationship between potassium, sodium and pH in grape juices and wines. *American Journal of Enology and Viticulture*, 31: 182 - 186.
- Brag, H. (1972): The influence o f potassium on the transpiration rate and stomatal opening in *Triticum aestivum* and *Pisum sativum*. *Physiol. Plant.*, 26: 250-257.
- Bruce, W, N. and G. C. Decker (1966): Insecticide residues in soybeans grown in soil containing various concentrations of aldrin, dieldrin, heptachlor, and heptachlor epoxide. *Journal of Agricultural and Food Chemistry*, 14: 395-398.
- Burell, M. M. and Rees, P. T. (1974): Metabolism of phenylalanine and tyrosine by rice leaves infected by *Pyricularia oryzae*. *Plant Pathol.* 4: 497-508.
- Cabellc, P., Aguera, E. and De-La-Haba, P. (2006) : Metabolic changes natural ageing in sunflower (*Helianthus annuus*) leaves; expression and activity of glutamine synthetase isoforms are regulated differently during senescence. *Physiol. Plant.*, 128 (1):175-185.
- Cakmak, Z. and H. Marschner (1990): Decrease in nitrate uptake and increase in proton release in zinc-deficient cotton sunflower and buckwheat plants. *Plant and soil*, 129: 261-268.
- Callow, J. A., Long D. E. and E. D. Lithgow (1980): Multiple molecular forms of invertase in maize smut infections. *Physiol. Plant Pathol.*, 16: 19-107.
- Cardini, F. (1983): Carotenoids in ripe green and in autumn senescing leaves of apple trees II. Seasonal changes of free carotenoids and

- Xanthophylls esters and relationship between their content and senescing stage. *G. Bot.*, 117 (1-2): 75-79.
- Cardoso, C. O. N. and N. O. Garraway (1971): Accumulation of phenols and phytoalexins in hypocotyls of bean infected with *Fusarium solani*, F. phaseoli. *Phytopathology*, **61**: 887 (Abstr.)
- Carling, D. E. and D. F. Milliken (1977): Some physiological changes in *Vinca rosea* L. associated with mycoplasma like disorders. *Plant and Cell Physiol.*, 18: 1379-1381.
- Carroll, T. W. and T. Kosuge (1969): Changes in structure of chloroplast accompanying necrosis of tobacco leaves systematically infected with tobacco mosaic virus. *Phytopathology*, 59: 953-962.
- Chadonnet, C. L., Hyvernay, A. and B. Doneche (1997): Effect of Calcium treatment prior to *Botrytis cinerea* infection on the changes in pectic composition of grape berry. *Physiol. Mol. Plant Path.* 50 (4): 213-218.
- Chahal, A. S. and M. S. Kang (1979): Changes in free aminoacids and sugars in the leaves of brown sarson (rape) infected by *Alternaria brassicae*. *J. Res.*, (Punjab Agric. Univ.) 16(1): 57-59.
- Chakraborty, B.N. Dutta, S. and Chakraborty, U. (2002): Biochemical responses of tea plants induced by foliar injection with *Exobasidium vexans*. *Indian Phytopath.*, **55**(1): 8-13.
- Chakravarthy K. and S. K. Biswas (1986): Agave (Sisal) and its need for development in India, In Plantation Crops, opportunities and constraint, Vol, I, Shrivastava, H.C., Vatsy B. and K. K. G. Menon (eds.) Oxford and IBH Publishing company, New Delhi, Bombay, Calcutta: 127-133.
- Chance B., Sies H., Boveris A. (1979): Hydroperoxide metabolism in mammalian organs. *Physiol. Rev.*, **59**: 527-605.
- Chapman, H. D. (1975): Diagnostic criteria for plants and soil. Pub. Eurasia Publishing House (P). Ltd., New Delhi. pp. 793.

- Chattopadhyay, S. R. and A. K. Bera (1980): Phenols and pholyphenol oxidase activity in rice leaves infected with *Helminthosporium oryzae*. *Phytopathology Z.* **98**: 59-63.
- Chen, J. H. and H. H. Hou (1981): Starch, fructan and invertase in corn leaves infected with *Sclerospora sacchari* Miyake. *Plant Protection Bulletin*, Taiway 23(4):201-206.
- Chen, Y. R. and H. Liang (1976): Studies on the steroidal sapogenins of agave parts 3 isolation and identification on steroidal sapogenins from some species of Agave. *Acta Botanica Sinica*, 18(2): 156-162.
- Chinnedurai, G. and Chandrasekharan Nair (1971): Effect of dolichos yellow mosaic on chlorophyll and leaf proteins. *Curr. Sci.*, 40(1): 18.19.
- Chone, X. Lavigne-Cruege, V., Tominaga, T. Van Leeuwen, C., Castagnede, C., Saucier, C. and D. Dubourdieu (2006): Effect of vine nitrogen status on grape aromatic potential: Flavor precursors (S-cystene conjugates), Glutathione and Phenolic contents in *Vitis vinifera* L. cv. Souvignon Blanc. Grape Juice. *J. Int. Sci. Vigne Vin* 40(1): 1-6
- Clark, R. B. (1983); Plant genotype differences in the uptake translocation, accumulation and use of mineral elements required for plant growth plant and soil., 72 : 175-196.
- Clark, R. B. (1984): Physiological aspects of calcium, magnesium and molybdenum deficiencies in plants. *Agronomy Monograph* (2nd edition) Madison, U.S.A.: 99-168
- Clark, R.B. (1984): Physiological aspects of calcium, magnesium and molybdenum deficiencies in plants. *Agronomy Monograph.*, 12 (2nd edition): 99-168. Madison, USA.
- Clarkson, D .T. and J. B. Hanson (1980): The mineral nutrition of higher plants. *Annu. Rev. Plant Physiol.*, 31; 239-298.

- Clarkson, D. T. and J. B. Hanson (1980): The mineral nutrition of higher plants. *Annu. Rev. Plant Physiol.* 31: 239-298.
- Cohen, E. and Schiffmann-Nadel, N. (1976): Relation between catalase activity and fungal survival in lemon fruit infected by *Phytophthora citrophthora*. *Mycopathologia*, 59(1): 47-49.
- Cohen, Y., Reuveni, M. and A. Baider (1999): Local and systematic activity of BABA (DL-3-aminobutyric acid) against *Plasmopara viticola* in grapevines. *European J. Plant Pathol.*, 105:351-361.
- Cole, H., Mackenzie, D., Smith, C. B. and Bergman, E. L. (1968): Influence of various persistent chlorinated insecticides on the macro and micro element constituents of *Zea mays* and *Phaseolus vulgaris* growing in soil containing various amounts of these materials. *Bull. Environ. Contam. Toxicol.*, 3: 141-153.
- Coman, N., Dordea, M., Perseca, T. (1990): The estimation of alcholor and metaxyl on cell division. *Biologia*, 35: 55-60.
- Çömeleko_lu, Ü., Mazmanc_, B., (2000): Pestisidlerin Kronik Etkisine Maruz Kalan Tar_m_çilerinde Karaci_er Fonksiyonlar_n_n _ncelenmesi, *Türk J. Biol.*, 24: 461-466 s.
- Consoli, R. A., G. B. Mendes, N. M., Pereira, J. P. Santos, B. D. S. and M. A. Lamounier (1988): Larvicidal properties of plant extracts against *Aedes fluviatilis* lutz. Diptera Culicidae in the laboratory. *Memorias do Instituto Oswaldo Cruz*, 83(1): 87-94.
- Crisp, P., Wicks, T. J., Troup, G and E. S. Scott (2006a): Mode of action of milk and whey in the control of grapevine powdery mildew. *Aust. Plant Path.* 35(5) 487-493.
- Crisp, P., Wicks, T.J., Lorimer, M. and E. S. Scott (2006b): An evaluation of biological and abiotic controls for grapevien powdery mildew. 1. Greenhouse studies. *Aust.J.Grape wine Res.*12(2): 192-202.

- Dai, G. H., Andary, C, Mondolot-Cosson, L. and Boubals, D. (1995): Histochemical responses of leaves of *in vitro* plantlets of *Vitis* spp. to infection with *Plasmopara viticola*. *Phytopathology* X5: 149-154.
- Daniel, R.S., Thankappan, M. and N. Hrishi (1977): Metabolic changes in Cassava (*Manihot esculenta Crantz*) due to Cassava mosaic virus infection. *Journal of Root Crops.*, 3(1) :39-42.
- Dank, M. L., Fletcher, J. S. and Rice, E. L. (1975): Effects of phenolic inhibitors on growth and metabolism of glucose-UL-14C in pols scarlet rose cell suspension culture. *Am. J. Bot.*, 62: 311-317.
- Danson, J., Wasano, K., and A. Nose (2000): Invertase activities in sheath-blight infected rice selection lines and fungus culture filtrates. *J.General Plant Pathol.*, 66(3): 202-205.
- Dastur, R. H. and J. G. Bhatt (1964): Relation of potassium to Fusarium wilt of flax. *Nature*, 20: 1243-1244.
- Dat, S., Vandenenabeele, E., Van Montagu, M., Inze, D. and F. Van Breusegem (2000): Review: dual action of the active oxygen species during plant stress responses. *Cell Mol. Life Sci.*, 57:719-795.
- Deeken, R. et al. (2002): Loss of the ATK2/3 potassium channel affects sugar loading into the phloem of *Arabidopsis*. *Planta*, 216: 334–344.
- Dekock, P. C., Commissiong, K., Farmer, V. C. and R. H. E. Inkson (1960): Interrelationships of catalase, peroxidase, hematin, and chlorophyll. *Plant Physiol.* 35: 599-604.
- Delas, J., Molot, C. and Soyer, J. P. (1991): Effects of nitrogen fertilisation and grafting on the yield and quality of the crop of *Vitis vinifera* cv. Merlot. In: *Proceedings of the International Symposium on nitrogen in grapes and wine*, Seattle. American Society for Enology and Viticulture: 242- 248.

- Demming-Adams, B. (1990): Carotenoids and photo protectionin plants: a role for Xanthophylls Zeaxanthin. *Biochem. Biophys. Acta*, 1020:1-24.
- Demos, E. K., Woolwine, M. Wilson, R. H. and McMillan, C. (1975):The effects of ten phenolic compounds on hypocotyl growth and mitochondrial metabolism of mung bean. *Ame. J. Bot.* 62: 97–102.
- Demski, J. W. and C. S. Kuhn (1975): Resistant andsusceptible reaction of soybean to pea-nut mottle virus. *Phytopath.*, 665 : 95-99.
- Deshmukh, S. S. and C. D. Mayee (1978): Pearl millet mildew development as influenced by some nutrients. *J.of MAU*, 3(1): 79-80.
- Dewit, H. C. D. (1965): Plants of the world, the higher plants, Volume-II. Pub. Thames and Hudson, London, pp. 340.
- Dharmstaktu, N. S., Prabhakaran, P. K. and P. K. M. Menon (1987): Laboratory study on the mosquito larvicidal properties of leaf and seed extract of the plant *Agave americana*. *J. Trop. Med. Hygi.*, 90(2): 79-82.
- Dhillon, W. S. Bindra, A. S. and H. Raman (1989): Biochemical analysis of healthy and infected leaves to sphaceloma ampalina in different vitis vinifera cultivars II: Role phenols and sugars with disease incidence. *National symposium on epidemiology and forecasting of plant diseases*. In proceedindgs of 41st Annual meeting of Indian phytopathological society New Delhi. Abstract number-185: pp 325.
- Dhingra, R. K., Nirmal Chauhan and S. V. S. Chauhan (1982): Biochemical changes in the floral parts of *Brassica campestris* infected by *Albugo candida*. *Indian Phytopath.*, 14: 726-729.

- Dhumal, K.N. (1983): Physiological studies in sugarcane. Ph.D. Thesis submitted to Shivaji University, Kolhapur, India.
- Dimond, A. E. (1970): Biophysics and biochemistry of the vascular wilt syndrome. *Ann. Rev. Phytopath.* 8: 301-322.
- Dohroc, N.P. (1989): Peroxidase and polyphenol oxidase activities in rhizome rot of ginger. *Indian Phytopath.* 42(1): 163-164 (Short comm.).
- Dong, Y. M., Xu, J. H. and J. F. Guo, (1990): The changes of some enzymes activities from cucumber leaves after inoculation with cucumber powdery mildew. *Acta Botanica Sinica* 32: 160-164
- Duggal, Sucheta, Singh R. A. and T. N Lakhanpol (1981): Physiological studies on potato virus X infected *Capsicum pendulum* plants-I. *Indian J. Mycol. Pl. Pathol.* 11 (1): 84-88.
- Dupont, S. and S. U. Khan (1993): Bound and extractable ¹⁴C residues in canola plants treated with radiolabelled atrazine. *Weed Research*, 33(1): 9-16.
- Dwivedi, Kusum, and P.Shukla (1981). Effect of nitrogen, phosphorus and potash on *Drechslera* leaf spot of mung. *Indian Phytopath.*, 34(2) : 200-202.
- El-Fahaam. Y.M., Fegla, G.I., Wagih, E. E. and H. A. El-Karyoni (1990): Biochemical changes in lettuce plants infected with lettuce mosaic virus. *J. King saud. Univ. Vol 2. Agric. Sci.* (2): 271-277.
- El-Gamassy, A. M., ABDEL-Rahman, A. A., Hassib, M. and M. S. Mandour (1974): Vegetative patterns and water economy of *Agave sisalana* in saline soil. *Z ACKERPFLANZENBAV.*139. (3): 165-171.
- Elstner, F. F. and Heupel A. (1973): On the Carboxylation of α -Keto acids by isolated chloroplasts. *Biochem. Biophys. Acta.*, 325: 182-188.

- Eman, A., Gad, N. and N. Badran (2007): Effet of cobalt and nickel on plant growth, yield and loavonoids contents of *Hibiscus sabdariffa* L. *Aust. J. Basic Appli. Sci.* 1(2): 73-78.
- Engels, C. and H. Marschner (1993): Influence of the form of nitrogen supply on root uptake and translocation of cations in the xylem exudate of maize (*Zea mays* L.). *J. Exp. Bot.*, 44: 1695–1701.
- English, G.L., Nortan, A.P., Gadoury, D., Seem, R. and W. wilcox (2005): Tri trophic interactions among grapevines, a fungal pathogen, and a mycophagous mite. *Eco. Applications*, 15(5): 1679-1688.
- English, G.L., Norton, A.P., Gadoury, D. M., Seem, R.C. and W. F. Wilcox (1999): Control of Powdery mildew in wild and cultivated grapes by a Tydied mite*1. *Bio. Control*, 14(2): 97-103.
- English, G.L., Norton, A.P., Gadoury, D., Seem, R. and W. Wilcox (2007): Biological control of grape powdery mildew using mycophagous mites. *Plant Disease*, 91(4): 421- 429
- Epstein, E. (1972): Mineral nutrition of plant: Principles and Perspectives. *John wiley an sons, Inc.* New York, London, Sydney.
- Epstein, E. (1972): Mineral nutrition of plants: Principles and Perspectives, John Wiley and Sons, Inc. New York. pp. 63.
- Eschrich, W. (1960): Free space invertase, its possible role in phloem unloading. *Ber Dtsch Bot. Ges*, 93: 363-378.
- Evans, J. R. (1989): Photosynthesis and nitrogen relationships in leaves of C₃ plants. *Oecologia*, 78: 9-19.
- Falk, S.P., Gadoury, D.M., Pearson, R.C. and R.C. Seem (1995): Partial control of grape powdery mildew by the mycoparasite *Ampelomyces quisqualis*. *Plant Disease*, 79 (5); 483-490.

- Farkas, G. L. (1978): Senescence and plant diseases. In: *Plant Disease: An Advance Treatise*, ed., by J. G. Hosfall and E. B. Cowling: 391-412. Academic Press, New York. USA.
- Farkas, G. L. and Z. Kiraly (1962): Role of phenolic compound in the physiology of plant diseases and disease resistance. *Phytopathology, Z.* **44**: 105-150.
- Farkas, G. L. and Z. Kiraly (1962): Role of phenolic compounds in the physiology of plant diseases and disease resistance. *Phytopath. Z.* **44**: 105-150.
- Fell, R. D., Rajotte, E. G. and Yader, K. S., (1983): Effects of fungicides sprays during apple bloom on pollen viability and honey bee foraging. *Environ. Entomol.* ,**12**: 1572-1575
- Fernie, A. R., Trethewey, R. N., Krotzky, A. and Willmitzer, L., Metabolite profiling: From diagnostics to systems biology. *Nat. Rev. Mol. Cell Biol.*, 2004, **5**, 763–776.
- Feucht, W. (1994): The localization of phenols at the cellular and tissue level. *Acta Horticulturae.* **381**: 803-815.
- Fleischmann, F, Gotlein, A., Rodenkirchen, H., Lutz, C. and W. Obwald (2004): Biomass, nutrient and pigment content of beech (*Fagus sylvatica*) saplings infected with *Phytophthora citricola*, *P. cambivora*, *P. Pseudosyringae* and *P. undulate*. *Forest pathology*, **34**(2): 79-92.
- Flocco, C. G., Gorranza, M. P., Carvajal, L. G., Loewy, R. M., Rechen de D'Angelo, A. M. and Giulietti, A. M., (2003): Removal of azinphosmethyl by alfalfa plants (*Medicago sativa* L.) in a soil-free system, *The Science of the Total Environment*, **xx** (2003): xxx-xxx.
- Floge.Lock, G.B.(1969) : Sisal, Thirty Year's Research in Tanzania. Pub. Longmans, Green and C.Ltd. London and Harlow: Printed in

- Great Britain by Spottiswoode, Ballantyne and Co Ltd., London and Colchester. pp. 365.
- Forde, B. G. and Lea, P. J. (2007): Glutamate in plants: Metabolism, regulation and signalling. *J. Exp. Bot.*, 58: 2339–2358.
- Fuller, M. M. (1980): Cell ultrastructure in apple fruits in relation to calcium concentration and fruit quality. In: Mineral nutrition of fruit trees. Atkinson *et al.* (Eds.). Butterworth (Publ.) Inc., Woburn, Mass. pp. 51-55.
- Fulton, N. D., Bollenbacher, K. and G. E. Templeton (1965): A toxic metabolite from *Alternaria tenuis* that inhibit chlorophyll production. *Phytopathology*. 55: 49-51.
- Gallacher, A. E. and J. I. Sprent (1978). The effect of different water regimes on growth and nodule development of green house grown *Vicia faba*. *J. Exp. Bot.* 29(109) 413-423.
- Gangopadhyay, S. and S. B. Chattopadhyay (1976): Carotenoids in the resistance of rice leaves brown spot. *Indian Phytopath.*, 29: 86-87
- Gangopadhyay, S. and S. R. Chattopadyay (1977): Carbohydrate contents of rice leaves under varying levels of nitrogen in relation to the infection of *Helminthosporium oryzae*. *Indian J. Mycol. Plant Pathol.*, 6 : 160-165.
- Garg, I. D. and C. L. Mandahar (1976): Physiology of powdery mildew infected leaves of *Abelmoschus esculentus* III. Carbohydrates. *Indian Phytopath.*, 29: 173-177.
- Garg, I. D. and C. L. Mandahar (1977): Effect of net blotch infection on the physiology of barley: Carbohydrate and nitrgogen metabolism. *Indian J. Exp. Biol.* 14: 66-68.
- Gbolade, A. A. (1988): Hecogenin content in incubated *Agave americana* and *Furcraea selloa Marginata*. *Fitoterapia*. 59(3): 241-242.

- Gentry, H. S. (1972): The Agave family in Sonoran. Agric. Res. Service Handbook No.399. U.S.Dept. Agric., Washington. D.C.
- Ghorpade, L. N. (1982): Studies in mineral nutrition and photosynthesis in sugarcane. Ph.D. Thesis submitted to Shivaji University, Kolhapur, (India).
- Ghorpade, L. N. and G. V. Joshi (1982): Effect of sugarcane mosaic virus in sugarcane var. Co 740. *Indian J. Plant Physiol.*, 24 (1): 1-7.
- Gibeaut D. M., Karuppiah, N., Chang, S-R, Brock T.G. , Vadlamudi, B., Kim, D., Ghosheh, N. S., Rayle, D. L., Carpita, N. C. and P. B. Kaufman** (1990): Cell wall and enzyme changes during graviresponsse of the leaf sheet pulvinus of oat (*Avena sativa*). *Plant physiol.*, 94: 411-416.
- Gibeaut, D. M., Karuppiah, N., Chang. S-R, Brock, T. G., Vadlamudi, B., Kim, D., Ghosheh, N. S., Rayle, D. L., Carpita, N. C. and P. B. Kaufman**, (1990) Cell wall and enzyme changes during graviresponse of :the leaf-sheat pulvinus of oat (*Avena sativa*). *Plant Physiol.* 94: 411–416.
- Glass, A. D. M. and Dunlap, J. (1974): Influence of phenolic acids on ion uptake IV. Depolarization of membrane potential. *Plant Physiol.*, 56: 810-806.
- Godse, D. B., More, B. B. and P. L. Patil (1976): Effect of common bean mosaic virus infection on nodulation of mung (*Phaseolus aureus* Roxb.). *J. of MAU.*, 1 (Addi): 370-311.
- Goel, A. K., Kumar, S. and M. S. Tayal (1983): Biochemical alteration induced in *Coriandrum sativum* L. by *Protomyces macrosporus*. Unger. *Indian Bot. Reprt.* , 2 (1): 62-64.
- Goicoechea, N., Aguirreola, J., Cenoz, S., Garcia-Mina, J.M., (2000): *Verticillium dahliae* modifies the concentrations of proline,

- soluble sugars, starch, soluble proteins and abscisic acid in pepper plants. *Eur. J. Plant Pathol.*, 106: 19-25
- Goodwin, T.W. and E.I. Mereer (1983): Introduction to plant Biochemistry (2nd ed.) Pergmon Press, Oxford. New York. Toronto. Sydney. Paris. Frankfuri. pp. 531-566.
- Gopal, R., Dube, B.K. Sinha, P. and C. Hatterijec (2003): Cobalt toxicity effects on growth and metabolism of tomato. *Comm. In Soil Sci. Plant Analysis*, 34 (5-6): 616-628.
- Gordon, S. A. and L. G. Paleg (1961): Formation of auxin from tryptophan through action of polyphenols. *Plant Physiol.* 36: 838-845
- Goswami, B. K., Singh, S. and V. S. Verma (1976): Uptake and translocation of calcium and magnesium in tomato plants as influenced by infection with root knot nematode *Meloidogyne incognita* and tobacco mosaic virus. *Nemato logica*, 22: 116-117.
- Gould S.J., Keller G.A., Subramani S. (1988): Identification of peroxisomal targeting signal located at the carboxy terminus of four peroxisomal proteins. *J. Cell Biol.*, 107: 897-905.
- Graham R. D., Stangoulis J. R. C. (2005): Molybdenum and disease. In: Dantoff L, Elmer W, Huber D, eds. Mineral nutrition and plant diseases. St Paul, MN: APS Press.
- Graham, R.D. (1980): Susceptibility to powdery mildew of wheat plants deficient in copper. *Plant and soil*: 56(1): 181-185 (Short communication).
- Grayer, R. J., F. M. Kimmins, D. E. Padgham, J. B. Harborne and D. V. Ranga rao (1992): Condensed tannins levels and resistance of ground nuts against *Aphis craccivora*. *Phytochemistry*. 31: 3795-3800.
- Greenshields, D.L., Wang, F., Selvaraj, G. and Y. Wei (2004): Activity and gene expression of acid invertases in einkorn wheat (*Triticum monococcum*) infected with powdery mildew. *Can. J. Plant Pathol.* 26: 506-513

- Griffioen, W. A. J. Ietswart, J. H. and W. H. O Ernst (1994): Mycorrhizal infection of an *Agrostis capillaries* population on a copper contaminated soil. *Plant and soil*, 158(1): 83-89
- Gross, G. G. Janse, C. and F. F. Elstner (1977): Involvement of malate monophenols and superoxide radical in hydrogen peroxide formation by isolated cell walls from horse radish (*Armoracia lapathifolia* Gilib). *Planta*, 136: 271-276.
- Grover, H. L., Nair, T. V. R. and Abrol, Y. P., (1978): Nitrogen metabolism of the upper three leaf blades of wheat at different soil nitrogen levels. I. Nitrate reductase activity and content of various nitrogenous constituents. *Physiol. Plant.*, 42: 287-292.
- Guerinot, M. L. and Ying, Vi. (1994). Iron: Nutrition Noxious and not readily available (Update on mineral nutrition). *Plant Physiol.*, 104: 815-826.
- Gupta, J. P. and M. S. Chatrath (1979): Physiology of resistance to anthracnose in guava. *Indian Phytopath.* 32(i): 64-67.
- Gupta, S. K., Gupta, P. P., Kaushik, C. D. and H. K. L. Chawla (1992): Metabolic changes in groundnut leaf due to infection of leaf spot pathogens *Indian Phytopath.* 45(4): 434-438.
- Gupta, S. K., Gupta, P. P., Yadava, T. P., and C. D. Kaushik (1990): Metabolic changes in mustard due to *Alternaria* leaf blight. *Indian Phytopath.* 43(1): 64-69.
- Gururaji Rao G. and G. Rajeswara Rao (1981): Pigment composition and chlorophyllase activity in pigeon pea (*Cajanus indicus* Spreng.) and gingelly (*Sesamum indicum* L.) under NaCl salinity. *Indian J. Exp. Bot.* 19: 769-770
- Gutierrez, L. E. Crocomo, O. J. and C. Rossi (1992): Effects of potassium deficiency and plant maturity on nitrate reductase activity in bean plant (*Phaseolus vulgaris* L.) *Cientifica (Jaboticabal)*, 20 (1): 51-56

Hall, D.A. (1971): The influence of varied calcium nutrition on the growth and ionic composition of plants. Ph.D. Thesis, University of Leeds.

Halsall, D.M. (1980): Calcium nutrition and the infection of *Eucalyptus* seedlings by *Phytopathora cinnamomi*. *Aust. J. Bot.*, 28(1): 19-25.

Hammerschmidt, R., Nuckles, E. M., and J. Kuc (1982): Association of enhanced peroxidase activity with induced systemic resistance of cucumber to *Colletotrichum lagenarium*. *Physiol. Plant Pathol.*, 20 (1):73-82.

Hanson, J. B. (1984): The function of calcium in plant nutrition In: Advances in plant nutrition. (Eds.) Thinker, P.B. and Lauchli, A. 149-208. Praeger, New York.

Hardwiger, L. A. and S. L. Hess (1970): Stimulation of PAL activity and phytoalexin production. *Phytopathology* 60: 332-326.

Hassid, W. Z. and R. S. Bean (1955): Synthesis of disaccharides with pea preparations. *Proc. 3rd Int. Congr. Biochem.* Brussels, pp. 163-165.

Hawker, J. S. Marshner, H., and W. J. S. Downton (1974): Effects of sodium and potassium on starch synthesis in leaves. *Aust. J. Plant Physiol.*, 1: 491-501.

Heath, M. C. 1974): Chloroplast ultrastructure and ethylene production of senescent and rust infected cowpea leaves. *Can. J. Bot.*, 52. : 2591-2597.

Hegde, B. A. and S. M. Karande (1978): Effect of presowing treatment of sodium chloride on the incidence of green ear disease of *Pennisetum typhoides* (Burm) Stapf. And Hubb var HB₃. *Plant and Soil*, 49(3): 551-559.

- Hegde, R. K. (1967). Studies on bean anthracnose organism *Colletotrichum lindemuthianum* (Sacc. and Magn.) Bri. And Cav. in India. Ph. D.Thesis, I.A.R.I. Delhi.
- Hegde, R. K. and R. L. Munjal (1971): Physiological changes in bean pods due to infection of *Colletotrichum lindemuthianum*. *Indian Phytopath.*, 24 : 186-187.
- Helal, M.; Koch, K. and K. Mengel (1975): Effect of salinity and potassium on the uptake of nitrogen and on nitrogen metabolism in young bean plants. *Physiol Plant.*, 35: 310-313.
- Henningsen, K.W. and J.E. Boynton (1974): Macromolecular physiology of plastids. IX. Development of plastid membranes during greening of dark-grown barley Seedlings. *J.Cell Sci.*, 15 : 31-35.
- Henriques, F. (1989): Effects of copper deficiency on the photosynthetic apparatus of sugerbeet (*Beta vulgaris* L.). *J. Plant Physiol.*, 135: 453-458.
- Hermann, K. (1988): On the occurrence of flavonol and flavone glycosidesin vegetables. *Z. Labensmittel Untersuch. Fors.* 186: 1-5.
- Hewitt, E. J. (1963): Essential nutrient elements for plants. In: F. C. Stewardrd. *Plant Physiology*, Vol III. Academic Press, New York: 137-339.
- Hewitt, E. J. and D. J. D. Nicholas (1964): Enzymes of inorganic nitrogen metabolism In: Modern Methods of plants Analysis Vol. VII. H. F. Linsken., B. D. Sanwal and M. V. Tracey (eds.). Springer Verlag. Berlin: 67-172.
- Hildiyal, M. C., Pandey, M. and G. S. Sirohi (1986): Proline content in linseed varieties as influenced by zinc nutrition. *Indian J. Plant Physiol.* 24: 368-374.
- Hocking, P.J. (1980): The composition of phloem exudates and xylem sap from tree tobacco (*Nicotiana glauca* Groh). *Ann. Bot.*, 45: 633–643.
- Honty, K., Hevesi, M. Toth, M., Stefanovits Banyai, E. (2005): Some biochemical changes in pear fruit tissue induced by *Erwinia*

- aymlovora*. Proceedings of the 8th Hungarian Congress on Plant Physiology and the 6th Hungarian Conference on Photosynthesis. *Acta Biologica Szegedienzis*, 49(1-2): 127-129.
- Hopkins, D. L. and R. E. Hampton (1969): Effect of tobacco etch virus infection upon the dark reactions of photosynthesis in tobacco leaf tissue. *Phytopathology*, 59: 1136-1140.
- Horiguchi, T. (1987): Mechanism of manganese toxicity and tolerance of plants. II. Deposition of oxidized manganese in plant tissues. *Soil Sci. Plant Nutr.* 33: 595-606.
- Horsfall, J. G. and A. E. Dimond (1957). Interaction of tissue sugar, growth substances and disease susceptibility. *J. Pflanzenkrnh.* 64. 415-421
- Hsiao T. C. and A. Läuchli (1986): Role of potassium in plant water relations. In: Tinker B., Läuchli A.: Advances in plant nutrition. Praeger Scientific, New York.
- Hsiao, T. C. and A. Lauchli (1986): Role of Potassium in plant water relationships. In: *Advances in Plant Nutrition* Vol.2 (Eds.) B. Tinkler and A.Lauchi. 281-311. Prager Publication New York.
- Hsu, W. and G. W. Miller (1968): Iron in relation to aconitate hydratase activity in *Glycine max* Merr. *Biochim. Biophy. Acta*, 155: 711-713.
- Huber, S. C. (1985): Role of potassium in photosynthesis and respiration. In: Potassium in Agriculture. (Ed.) R.D. Munson, pp. 369-396 *Am. Soc. Agron.* Madison, Wisconsin.
- Hugouvieux, V. *et al.* (2002): Localization, ion channel regulation, and genetic interactions during abscisic acid signalling of the nuclear mRNA cap-binding protein, ABH1. *Plant Physiol.*, 130: 1276–1287.
- Humbert, R. P. (1968): The growing of sugarcane. Elsevier Publishing Co. Amsterdam, London, New york.

- Humbert, R.P. and J. P. Martin (1955): Nutritional deficiency symptoms in sugarcane. *Hawaiian Planter's Record*, 55: 95-102
- Humble, G. D. and K. Raschke (1971): Stomatal opening quantitatively related to potassium transport. *Plant Physiol.*, 48: 447-453.
- Hwang, B. K., W. D. Ibenithal and R. Heitefuss (1983): Age, rate of growth, carbohydrate and amino acid contents of spring barley plants in relation to their resistance to powdery mildew (*Erysiphe graminis* & Sp. *hardei*). *Physiol. Plant Pathol.*, 22(1) :1-14.
- Hwang, B.K. and R. Heitefuss (1986): Sugar composition and acid invertase activity in spring barley plant in relation to adult-plant resistance to powdery mildew. *Phytopathology*, 76 (3): 365-369.
- Hwang, B.K. Kim., K.D. and Y.B. Kim (2008): Carbohydrate composition and acid invertase activity in rice leaves infected with *Pyricularia oryzae*. *J. Phytopathol.* 125 (2): 124-132.
- Hyodo, H. and I. Uritani (1966): A study on increase in O-diphenol oxidase activity during of sliced sweet potato tissue. *Plant Cell Physiol.* 7: 137-144.
- Iland, P. (1988): Grape berry ripening: the potassium story, *Australian Grapegrower and Winemaker* 22-24.
- Iwata, M., Iwamatsu, H., Suzuki, Y., Iwamatsu, H., Suzuki, Y., Watnabe, T. and Sekizawa, Y. (1982): Inducers of host peroxidase from rice blast fungus. *Ann. Phytopathol. Soc. Japan* 48: 267-269.
- Iyengar, A. V. V. (1928): Contributions to the study of spike disease of sandal (*Santalum album* Linn.). The role of plant acids in health and disease. *J. Indian Inst. Sci.*, 11A: 97-102.
- Jacob, A. (1958): Magnesium, the fifth major plant Nutrient. Trans. from German by N. Walker, Staples Press Limited, London.
- Jain, D. C. (1987): Gitogenin-3-O-beta-D-laminaribioside from the aerial part of *Agave cantala*. *Phytochemistry*-(Oxford), 26(6): 1789-1790.

- Jayarajan, R. and K. Ramakrishnan (1968): Studies on the physiology of chilli plants (*Capsicum annum L.*) affected by potato virus Y. I. Effect on metabolism of carbohydrates, organic acids, phenolics and respiration. *Phytopath. z.*, 63: 142-152.
- Jaypal, R. and A. Mahadevan (1968): Biochemical changes in banana leaves in response to leaf spot pathogens. *Indian Phytopath.* 21: 43-48.
- Jin, J. M., Liu, X. K and C. R. Yang (2002a): A new steroidal glycoside from fermented leaves of *Agave americana*. *Zhongguo Zhongyao Zazhi* 27(6): 431-434.
- Jin, J. M., Liu, X. K and C. R. Yang (2002a): A new steroidal saponin from fermented leaves of *Agave americana*. *Acta Botanica Yunnanica* 24 (4): 539-542.
- Jin, J. M., Zhang, Y. J. and C. R. Yang (2004): Four new steroidal constituents from the waste residue of fibre separation from *Agave americana* leaves. *Chem.. Pharm. Bull. (Tokyo)* 52 (6): 654-658.
- Jobic, C., Boisson, A., Gout, E., Rasclle, C., Fevre, M., Cutton, P. and R. Bligny (2007): Metabolic processes and carbon nutrient exchanges between host and pathogen sustain the disease development during sunflower infection by *Sclerotinia sclerotiorum*. *Planta*, 226 (1): 251-265.
- John, B., Shive Jr., Sisler, H. D. (1975): Effects of ancymidol (a growth retardant) and Triarimol (a fungicide) on the growth, sterols and gibberellins of *Phaseolus vulgaris*. *Plant Physiol.*, 57: 640-644.
- Johri, J. K. (1975): Post infection changes in nitrogen metabolis in mosaic virus infected *Carica papaya L.* *Indian Phytopath.* 13: 220-221.
- Johri, J. K. and B. Padhi (1981): Biochemical Changes induced by *Cercospora arachidicola* in groundnut leaves, *Third International Symposium on Plant Pathology*. New Delhi (Abstr. pp.189).

- Jordan, P. W. and P. S. Nobel (1979): Infrequent Establishment of Seedlings of *Agave deserti* (Agavaceae) In the Northwestern Sonoran Desert. *Amer. J.Bot.*, 66 (99): 1079-1084.
- Joshi R. D. and L. N. Dubey (1977): Some studies on histopathology of chilli (*Capsicum annum* L.) II. Changes in number of chloroplast in palisade and spongy cells. *Presented at 29th meeting of the Indian Phytopathological Society*, Bangalore, 1977.
- Kabsch, U. (1982): Changes in carbohydrate metabolism in cucumber leaves infected by *Sphaerotheca fuliginea*. *Zeitschrift fur Pflanzenkrankheiten und Pflanzenschutz*, 83(3): 113-124.
- Kaim, W. and Schwederski, B. (1995): Bio organic Chemistry; Introduction and Guide. Chichester U K: John Wiley and Sons.
- Kaiser, B.N. Gridley, K.L. Brady, J.N. Phillips. T. and S.D. Tyerman(2005): The role of molybdenum in agricultural plant production. *Annals of Botany* 96:745-754.
- Kalyurzhinii, Yu. V., and I. K. Bogdan (1931): Physiological and biochemical features of harmfulness of powdery mildew of apple. *Zakhist Roslin.*, No.28: 66-71
- Kannaiyan, J., Vidhyasekaran P. and T. K. Kandaswamy (1973): Effect of fertilizers application on the incidence of ergot disease of bajara (*Pennisetum typhoides* B&S). *Indian Phytopath.* 26 (2): 355-357.
- Kannaiyan, S. (1999): Botanicals in Pest Control. Inaugural address in the training programme on botanicals in pest management, 1-10, December 1999, at Department of Agricultural Entomology, Tamilnadu Agricultural University, Coimbatore- 641-003
- Kannaiyan, S. and N. N. Prasad (1978). Effect of nitrogen. Phosphorus and potassium on seedling blight pathogen of rice. *Indian Potash Journal*, 3 (4):7-9.

Kannaiyan, S. and Gunasekaran, K. (2001): Plant origin pesticides-Achievements and Prospectus. In: Biological control of Pests. Deshmukh, A.M. (ed.): 14-33.

Kapur, Sashi, Kapur, S. P. and A. S. Rehalia (1978): Studies on some of the biochemical changes occurring in date palm leaves infected by smut. *Indian Phtopath.* 31 (3): 394-395.

Karadge, B.A. (1981): "Physioogical studies in succulents". Ph.D. Thesis submitted to Shivaji University, Kolhapur (India).

Karmarkar, S. M. (1965) "Physiological studies in succulents Plants". Ph.D. Thesis submitted to the University of Bombay (India).

Kaur, M., and K. B. Deshpande (1980) Photosynthetic activities of cowpea plants infected with *Crysiphac palygoni*. *Indian Phytopath.* 33 (22): 344-345.

Kauraw, L. P. (1979): Effect of different soil types, pH and phosphorus leavels on the weat seedling and the incidence of *Phythium graminocolum*. *Plant and Soil*, 53 (4): 551-570.

Kausar, K., M. Akbar, E. Rasul and A. N. Ahmad (1993): Physiological responses of nitrogen, phosphorus and potassium on growth and yield of wheat. *Pakistan J. Agric. Res.*, 14: 2-3

Kazan, K., Gürel, E., (2001): Hastal_klara Dayan_kl_1_n artt_r_lmas_, Özcan, S., Gürel, E., Babao_lu, M., Bitki Biyoteknolojisi II. Genetik Mühendisli_i ve Uygulamalar_, Selçuk Ünv. Bas_mevi, 261-262, 456 s.

Kefeli, V. I. (1978): Natural plant growth inhibitors and phytohormones. Pub. Institute of Plant Physiology, USSR Acad. Sci.

Khan, A. J. Deadman, M. L., Srikandkumar, A., Al-Magbali Y., M. Rizvi, S.G. and J. Al-Sabahi (2001): Biochemical changes in sorghum leaves

- infected with leaf spot pathogen, *Drechslera sorghicola*. *Plant Pathol.J.*, 17(6): 342-346.
- Khatri, H. L. and V. V. Chenulu (1973): Metabolism of resistant and susceptible cowpea varieties infected with cowpea mosaic virus. III. Changes in some aspects of nitrogen metabolism. *Indian Phytopath.* 26: 708-712.
- Khurana, N., Gupta, S. and Chatterjee, C. (2005): Magnesium deficiency induced changes in yield and metabolism of maize. *J. Ind. Bot. Sci.*, 84: 130-134.
- Kiflom, W. G., S. O. Wandiga, P. K. Nganga, and G. N. Kamau (1999): Variation of plant pp'-DDT uptake with age and soil type and dependence of dissipation on temperature. *Environment International*, 25(4): 479-487.
- King, R. L., N. A. Clark, and R. W. Hemken (1966): Distribution, movement, and persistence of heptachlor and its epoxide in alfalfa plants and soil. *Journal of Agricultural and Food Chemistry*, 14: 62-65.
- Kiraly, Z. and A. Gilly (1976): Effects of micronutrients in fertilizers on plant diseases resistance. *Rept. Of the 1st National Symposium of plant immunity*, Nov. 29th to Dec. 2nd (1976).
- Kirkby, E. A. and K. Mengel (1967): Ionic balance in different tissues of the tomato plant in relation to nitrate, urea or ammonium nutrition. *Plant Physiol.*, 42: 6-14.
- Kishor, N. (1990): A new molluscicidal spirostanol glycoside from *Agave cantala*. *Fitoterapia* 61(5): 456-457.
- Kiuge, M. and I. P. Ting (1978): Brassicacean Acid Metabolism: Analysis of an ecological Adaptation. Billings, W.D.,

- Klann, E.M., Hall, B. and A.B Bennett,. (1996): Antisense acid invertase (TIV1) gene alters soluble sugar composition and size in transgenic tomato fruit. *Plant Physiol.*, 112: 1321–1330.
- Kliewer, M. and H. J. Evan (1963): Indentification of cobamide coenzyme in nodules of symbionts and isolation of the B₁₂ coenzyme from *Rhizobium meliloti*. *Plant Physiol.*, 38: 55-59.
- Koch, K. E. (1996): Carbohydrate-modulated gene expression in plants. *Ann. Rev. Plant Physiol.*, 112: 1321-1330.
- Kochian, L. V. (2000): Biochemistry and Molecular Biology of plants. (Eds.) Buchnan B.; Gruissam, W. and Jones, R. *American Society of Plant Physiologists*, pp. 1204-1249.
- Korte, F., Kvesitadze, G., Ugrelkhelidze, D., Gordezian, M., Khatisashvili, G., Buodze, O., Zoalishvili, G. and Coulston, F., (2000): Organic toxicants and plants. *Ecotoxicol Environ. Safe*, 47: 1-26 p.
- Kortekamp, A., Wind R. (1998): Investigating of the interaction of *Plasmopara viticola* with susceptible and resistant grapevine cultivars. *Zeitschrift fr Pflanzenkrankheiten und Pflanzenschutz Germany*, 105(5): 475-488.
- Krause, G. H. and K. A. Santarius (1975): Relative thermostability of the chloroplast envelops. *Planta*, 127: 285-299
- Kukavica, B. and Veljovic-Jovinovic, S. (2004). Senescence related changes in the antioxidant status of ginkgo and birch during autumn yellowing. *Physiol. Plant.*, 22:321-327.
- Kulkarni, D. K. and U. K. Kulkarni (1978): Physiology of mango leaves infected by *Capnodium ramosum* Coke: II Mineral contents. *Biovigyanam*, 4: 173-174.
- Kumar, A. and A. G. Alexander (1972): Effect of manganese deficiency on leaf chlorophyll and certain enzymes in sugarcane raised in sand culture. *J. Agric. Univ. Puerto Rico*. 26: 75-79.

- Landge, S. B. (1988): Physiological studies in *Agave cantala* Roxb. M.Phil. Thesis submitted to Shivaji University, Kolhapur, (India).
- Lawerence, G. H. M. (1951): Taxonomy cf vascular plants. MacMilan, New Delhi, pp.775
- Lebeda A., Janèová D., Luhová L. (1999): Enzymes in fungal plant pathogenesis. *Phyton-Ann. Rei Bot.*, **39**: 51–56.
- Lebeda A., Luhová L., Sedláøová M., Janèová D. (2001): The role of enzymes in plant-fungal pathogens interactions. *J. Plant Dis. Prot.*, **108**: 89–111.
- Lecerf, J. M. (2006): Polyphenols in juices and processed fruits and vegetables. In: Functional claims of article, 13. Pub. Pasteur Intitute, Lille France.
- Leigh, R. A. and R.G. Wyn Jones (1984): A hypothesis relating critical potassium concentrations for growth to the distribution and functions of this ion in the plant cell. *New Physiol.*, **97**: 1-13.
- Lele, A. and K. G. Mukerji (1979): Metabolic changes caused by virus infection in cucumber and French bean. *Indain Phytopath.*, **32**: 236-241.
- Lesovoi, M. P., Kravets, A. F. and L. N. Shelekhova (1981): Investigation of the degree of activation of peroxidase isozymes in connection with inheritance of immunological reaction of weat to the pathogen by brown rust. *Fiziologiya I Biokhimiya Kul Turnykh Rastenii*. **13(3)**: 263-268.
- Levitt, J. (1956). The Hardiness of plants' pp-278. Academic Press New York.
- Lewitt, J., (1980): Responses of plants to environmental stresses. Vol: 1, pp 3-18 (Academic press, New York, U.S.A).
- Lichtenstein, E. P. (1959): Absorption of some chlorinated hydrocarbon insecticides from soils into various crops. *Journal of Agricultural and Food Chemistry*, **7**: 430-433.

- Lichtenstein, E. P. (1960): Insecticidal residues in various crops grown in soils treated with abnormal rates of aldrin and heptachlor. *Journal of Agricultural and Food Chemistry*, 8: 448-451.
- Lichtenstein, E. P. and K. R. Schulz (1960): Translocation of some chlorinated hydrocarbon insecticides into the aerial parts of pea plants. *Journal of Agricultural and Food Chemistry*, 8: 452-456.
- Lichtenstein, E. P. and K. R. Schulz (1965): Residues of aldrin and heptachlor in soils and their translocation into various crops. *Journal of Agricultural and Food Chemistry*, 13: 57-63.
- Lichtenstein, E. P., G. R. Myrdal, and K. R. Schulz (1965): Absorption of insecticidal residues from contaminated soils into five carrot varieties. *Journal of Agricultural and Food Chemistry*, 13: 126-131.
- Lieberman. M. (1979). Biosynthesis and action of ethylene. *Ann. Rev. Plant Physiol.*, 30:539-591.
- Lilly, U. G. and H. L. Bennett (1951): Physiology of fungi McGraw Hill Book Co. -New York.
- Lingle, J. C., Tiffin, L. O. and J. Brown (1963): Iron compounds and Plant nutrition. *Ann. Rev. Plant Physiol.*, 19: 239-248.
- Linser, H. and K. Herwig (1968): Relationships between wind, transpiration and nutrient traslocation in flax with particular regard to a varied water and potash application. *KaliOBriefe, Fachgeb*; 2:2.
- Lipskaya, G. A. (1980): Cobalt and structural functional organization of leaf. Izdatesfvo Beloruskogo Gosudarstvenogo Universityeta Minsk. pp 144.
- Lodh, S. B. Ravel, P. and S. Singh (1971): Studies on nitrogen metabolism in tomato (*Lycoperisicon esculentum* Mill.) infected with tomato leaf curl virus. *Indian J. Expi. Biol.*, 9 (2): 281-283.

- Loercher, L. and Y. L. Liverman (1964): Influence of co on leaf expansion and oxidative phosphorylation. *Plant Physiol.*, 39: 720-725.
- Lorimer, G. H., Badger, M. R and J. J. Andrews (1976): The activation of ribulose 1, 5- bisphosphate carboxylase by carbondioxide and magnesium ions. Equilibrai, kinetics a suggested mechanism and physiological implications. *Biochemistry*. 15: 529-536.
- Low P.S., Merida J.R. (1996): The oxidative burst in plant defense: Function and signal transduction. *Physiol. Plantarum*, 96: 532-542.
- Luhova, L. Leveda, A., Hedererova, D. and P. Pec (2003): Activites of amine oxidase, peroxidase and catalase in seedlings of *Pisum sativum* L under different light conditions. *Plant Soil Environ*, 49 (4): 151-157.
- Luthra, Y. P. Joshi, U. N., Gandhi, S. K. and S. K. Arora (1988): Biochemical alterations in downy mildew infected Lucerne leaves. *Indian Phytopath.*, 41(1): 100-106.
- Machenaud, J., Henri, R., Dieuaide- Nouhanni, M., Pracros, P., Renaudin, J.and S. Eveillard (2007): Gene expression and enzymatic activity of invertase and sucrose synthase in *Spiroplasma citri* or stolbur phtyoplasma infected plants. *Bull. Insectology*, 60(2): 219-220.
- Magyarosy, A. C., Schurmann, P. and B. B. Buchanan (1976): Effect of powdery mildew infection on phososynthesis by leaves and chloroplasts of sugarbeets. *Plant Physiol.*, 57: 486-489.
- Mahadevan, A. and R. Sridhar (1982): Methods in physiological Plant Pathology. Sivakami Publication, Madras. pp-5-8, 36.
- Mahmud, Y. A. G., Ebrahim, M. K. H. ar.d M. M. Aly (2004): Influence of some plant extracts and microbioagents on some physiological traits of faba bean infected w.th *Botrytis fabae*. *Turk. J. Bot.* 28: 519-528.

Majumdar, M. and S. P. Raychaudhuri (1978): Changes in water, carbohydrates and nitrogen contents of pea plants during the pathogenesis of *Fusarium solani* infection. *Ann. Phtopathol. Soc. Jpn.* 48. 199-201.

Maksymiec, W. (1997): Effect of copper on cellular processes in higher plants. *Photosynthetica*, 34: 321-342.

Mali. V. R., Nirmal, D. D. and F. S. Patil (1977): Effect of alfalfa mosaic virus (ASMV) on the growth and nitrogen content of soybean. *J. of MAU*. 2 (3): 276-277.

Malkin, R. and Niyogi, K. (2000): Biochemistry and Molecular Biology of Plants, (Eds), Buchanan, B.; Gruissem, W and Jones , R. *American Soc. Plant. Physiol.*, pp. 568-628.

Mandahar, C. L. and I. D. Garg (1973): Metabolic changes in leaf tissue of groundnut infected with rosette mosaic virus. *J. Indian Bot. Soc.* 52: 214-218.

Mandckhot, A. M., Singh, D. P., Basu Chaudhary K. C., and J. N. Singh (1979): Chemical changes in maize leaves in response to leaf spot pathogen. *Indain Phtopath.* 32(4): 658-660.

Mani, M. and Jayraj, S. (1976): Biochemical investigations on the resurgence of rice blue leaf hopper *Zygina maculifrons* (Motch.). *Indian J. Exp. Biol.*, 14: 636-637.

Mansfield, J. W. (1983): Antimicrobial compounds. In: Biochemical Plant Pathology (Callow, J.A., Ed.), John Wiley and Sons Ltd., U. K. pp-237-265.

Maratte, H. (1973): Changes in polyphenol oxidases and peroxidases in muskindon (*Cucumis melo* L.) infected by *fusarium oxysporum* F. sp. Melonis. *Physiol. Plant pathol.* 3: 29-49.

- Marcucci, M. C., Filiti, N., (1984): Germination of pear and apple pollen as influenced by fungicides. *Gartenbauwissenschaft*. 49, 28-32.
- Marimuthu, T. and T. K. Kandaswamy (1981): Role of soluble sugars in the resistance or susceptibility of green gram varieties to bacterial leaf blight caused by *Xanthomonas phaseoli*. *Curr. Sci.* 50(14): 643-645.
- Marschner, H. (1986): Mineral nutrition of higher plants. Pub. Academic Press, New York.
- Marschner, H. (1997): Mineral nutrition of higher plants. 2nd ed. Acad. Press Inc., London.
- Martinelli, L. (1997): Regeneration and genetic transformation in the *Vitis*. Ph. D. dissertation, Agricultural University of Wageningen, Wageningen. The Netherlands.
- Martinez, C., Geige, J.P., Bresson, E., Daniel, J.F., Dai, G.H., Andray, A. and M. Nicole (1996): Isoperoxidases are associated with resistance of cotton to *Xanthomonas campestris* pv. *malvacearum*. In: Plant Peroxidase: Biochemistry and Physiology, Obinger, C., Burner, U., Eberman, R., Penel, C. and H. Greppin, eds. University of Geneva, *Stress and disease*: 322-327.
- Massaux, F.C. Misso, C. Tchiendji and M. Lacroix (1977): Study of the host parasite relation between grey rust (*Hemileia coffeicola*) and the coffee tree (*Coffea canephora*, var. robusta) in Cameroon. *Collog. Sci. Int. Café. (CR)*, 8: 533-535.
- Matile, P. and E. Martinoia (1982): Catabolism of Carotenoids: Involvement of peroxidase. *Plant Cell Reports* 1: 244-246.
- Matile, P. and E. Martinoia (1982): Catabolism of Carotenoids: Involvement of peroxidase. *Plant Cell Reports*, 1: 244-246.
- Matsumoto, M., Osaki, M., Nuyim, T., Jongskul, A., Eam, P., Kitaya, Y., Urayama, M., Watanabe, T., Kawamukai, T., Naramura, T.,

- Nithond, C., Shinano, T. and Todano, T. (1998): Nutritional characteristics of sago palm and oil palm in tropical peat soil. *Journal of Plant Nutrition*, 21(9): 1819-1841.
- Matta, A. Gentile, I. and Giai, I. (1969): Accumulation of phenols in tomato plants infected by different forms of *Fusarium oxysporum*. *Phytopathology*, 59: 515-513.
- Maximov, N.A. (1929): Internal factor of frost and drought resistance in plant. *Protoplasma*, 7: 259-291.
- Mayer, A. M. and E. Hard (1973): Polyphenol oxidases in plants. *Phytochemistry* 18: 193-215
- Mazelis M. and Ingraham, L. L. (1962): The pyridoxal phosphate deplendant oxidative decarboxylation of methioine by peroxidase. II. Identification of methyl thio-propionamide as a product of the reaction. *J. Biol. Chem.* 237: 109-112
- Melidossian, H. S., Seem, R. C., English, L. G., Wilcox, W. F. and D. M. Gadoury (2005): Suppression of grapevine powdery mildew by a mycophagous mite. *Plant Disease*, 89(12): 1331-1338.
- Melo, G.A., Shimizu, M.M. and P. Mazzafera (2006): Polyphenol oxidase activity in coffee leaves and its role in resistance against coffee leaf miner and coffee leaf rust. *Phytochemistry*, 67 (3): 277-285.
- Mendgen, K., and Nass, P. (1988). The activity of powdery mildew austoria after feeding the host cells with different sugars, as measured by potentiometric cyanine dye. *Planta (Berlin)*, 174: 283–288.
- Mengel, K. and E. A. Kirkby (1982): “Principles of plant nutrition” 3rd ed. Int. Potash. Inst. Bern, Switzerland.
- Mengel, K. and E. A. Kirkby (1996): Principles of Plant Nutrition, ed. 4, pp 147-9. Panina Publishing Corporation New Delhi.

- Mengel, K. and E.A. Kirkby (1982): Principles of plant nutrition, Publisher: International Potash Institute P.O. Box, CH- 3048 Worblaufen0ern / Switzerland (3rd ed.) pp. 655.
- Milavec, M., Ravnikar. M. and M. Kovac (2001): Peroxidases and photosynthetic pigments in susceptible potato infected with potato virus Y^{NTN}. *Pl. Physiol. Biochem.* 39(10): 891-898 (Abst.)
- Mishra, D., Waywood, E. R. (1968): The effect of BZI and kinetin on the nicotinamide and nucleotide content of senescence wheat leaf. *Can. J. Bot.* 46: 167-178.
- Misra, A. and B. Padhi (1981): Physiological alterations due to white rust infection in *Ipomoea reoptcns*. *IIIrd Intern. Sym. On Plant Pathol.* (Abstr.)pp. 57.
- Misra. A. K. Rao, N. N. R. and M. M. Ganapati (1981): Zinc deficiency in coorg mandarin associated with Phtopathora population in soil, *IIIrd Intern. Symp. On plant Pathology*. New Delhi, (Abstr.). pp.38.
- Mitchell, D.T. (1982). Invertase activity in leaf tissues susceptible and resistant to wheat stem rust. *Transactions of the British Mycological Society*, 78(1): 173-176.
- Mitra, D. K. and M. Majumdar (1977): Changes in total phenolic content and polyphenol oxidase activity in brinjal (*Solanum melongena*) as a result of little leaf infection. *Proc. Indian natn. Sci. Acad.* 43(6): 228-231
- Mitra, D. K. and U. K. Sengupta (1980): influence of little leaf disease on photopsynthesis and chlorophyll content in brinjal (*Solanum melongena* Linn.) leaf tissues. *Ann. Agric. Res.*, 1(1): 108-111.
- Mitra, J. and K. Raghu (1989): Effects of DDT on the growth of crop plants. *Environmental Pollution*, 61: 157-170.

Mizuno, N., Inazu, O. and Kamada (1982): Characteristics of concentrations of copper iron and carbohydrates in copper deficient wheat plants. In : Proceedings of the Ninth International Plant Nutrition Colloquim, Warwick, "England" (A Scaife ed.). *Common. Agric. Bur.*, Pub. Farnham Royal, Bucks. pp. 396-399.

Mlicoka, Luhova, L., Pec, P. and A. Lebeda (2004): The role of active oxygen species in defense of *Lycopersicon* spp. against *Oidium neolycopersici*. *Acta fylotechnica zootechnica* vol. 7, 2004, Special number, Proceedings of the XVI, Slovak and Czeck Plant Protection Conference organized at Slovak Agricultural University in Nitra, Slovakia.

Mlikota Gabler F, Smilanick JL, Mansour M, Ramming DW, Makcey BE (2003): Correlations of morphological, anatomical, and chemical features of grape berries with resistance to *Botrytis cinerea*. *Phytopathology*, 93: 1263-1273.

Mogle, T. R. and C. D. Mayee (1981a): Alterations in the nutrient level in susceptible, moderately resistant and resistant pearl millet lines following downy mildew infection. *Indian J. Mycol. Plant Pathol.* 11(2): 189-194.

Mogle, T. R. and C. D. Mayee (1981b): Changes in reducing sugars, starch and free amino acid accompanying downy mildew infection in resistant, moderately resistant and susceptible lines of pearl-millet. *Indian J. Mycol. Plant Pathol.* 11(1): 61-65.

Mohan, R., Murugappan V., Doraiswamy, S. and T. Marimuthu (1978): Changes in mineral content in chilli leaves to graded doses of potash and its effect on Xanthomonas infection. *Indian Potash Journal*, 3: 2-4.

- Mohapatra, N. K. (1982): Post-infection changes in sugar content of groundnut leaves infected with *Cercospora personata*. *Geobios*, 9 (5/6): 246-248.
- Mohr, H. and P. Schopfer (1995): Plant physiology. Springer-Verlag, Berlin.
- Montalbini P. and M. Marte (1972): Relazione tra perossidase, catecolo ossidase e catalase in fogli di fagiolo infette da *Uromyces phaseoli* (Pers) wint. In rapporto all a resistenza ed all susceptibilita. *Phtopath. Medit.*, 11: 37-41.
- Montalbini P., Buonauro R., Umesh-Kumar N.N. (1995): Peroxidase activity and isoperoxidase pattern in tobacco leaves infected with tobacco necrosis virus and other viruses inducing necrotic and non necrotic alternations. *J. Phytopathol.*, 143: 295-301.
- Moore, A.E. and B.A. Stone, (1972). Effect of infection with TMV and other viruses on the level of β -1, 3-glucan hydrolase in leaves of *Nicotians glutinosa*. *Virology*. 50:791-798.
- Morard, P. (1973): Contribution to the study of the potassium nutrition of sorghum. Thesis University , Toulouse.
- Mulder, D. (1950): Mg-deficiency in fruit trees on sandy and clay soils in Holland. *Plant and soil*, 2: 145-157.
- Mullins M. G., Bouquet, A., Williams, L. E. (2000): Biology of the grapevine. Cambridge: Cambridge University Press.
- Murumkar. C. V. (1986): Physiological studies in chickpea (*Cicer aeritinum* L.) A Ph. D. Thesis. Submitted to Shivaji University, Kolhapur, India.
- Nagy, N.E., Fossdal, C.G. Dalen, L.S. Lornborg A and H.I. Johnson (2004): Effects of rhizoctonia infection and drought on peroxidase and chitinase activity in Norway spruce (*Picea abies*). *Physiol. Plant* 120 (3): 465-473

Naik, M. K., Hiremath, P.C. and S.V. Hiremath (1988): Post-infectional changes in the betelvine leaves infected with *Colletotrichum gloeosporioides*. *Indian Phytopath.*, 41(3): 370-372

Nambiar, K. K. N. and K. Ramakrishnan (1969): Studies on pigeon pea sterility mosaic disease VII. Effect on mineral metabolism, *Proc. Indian Acad. Sci.*, 70B: 37-41

Narayanaswamy, P. and K. Ramakrishnan (1966): Studies in the sterility mosaic disease of pigeon pea. IV. Changes in activity of enzymes in diseased plants. *Proc. Indian Acad. Sci.*, 64B: 75-82.

Nash, R. G., M. L. Beall Jr., and E. A. Woolson (1970): Plant uptake of chlorinated insecticides from soils. *Agronomy Journal*, 62: 369-372.

Natr, L. (1975): Influence of mineral nutrition of photosynthesis and the use of assimilates. In: photosynthesis and different Environments. Cooper, J.P. (ed.). Cambridge Univ. Press, Cambridge-London-New York-Melbourne. pp. 537-555.

Nátr, L. (2002): Fotosyntetická produkce a výživa lidstva. ISV, Praha.

Neill, S. T. Desikan, P., Clarke, A. Hurst, R. D. and J. F. Hancock (2000): Hydrogen peroxide and nitric oxide as signaling molecules in plant. *J. Exp. Bot.*, 53: 1237-1247.

Nema, A. G. (1991).; Changes in chlorophyll, nitrogen, amino acid and some enzyme contents in betelvine leaves infected with *Xanthomonas campestris* Pv. Delticola. *Indian Phytopath.* 41: 370-372.

Nicholas, D. J. D. and A. Nason (1955): Role of molybdenum as a constituent of nitrate reductase from soybean leaves. *Plant physiol.* 30: 135-138.

Niebroj, W.K. and Kozubsk (1964): Influence of cobalt on the activity of some specific and unspecific phosphatases. *Acta Histo. Chem.*, 19: 337-342.

- Nobel, P. S. (1977): Water relations of lowering of *Agave deserti*. *BOT GAZ.*, 138 (1): 1-6
- Oerke, E. C., (1994): Estimated crops losses due to pathogens, animal pests and weeds. In: Oerke E. C., Dehne H. W., Schönbeck, F., Weber, A. (eds.), *Crop Production and Crop Losses: Estimated Losses in major foods and Cash Crops*, pp: 72-88. Elsevier, Amsterdam.
- Okey, E. N. Duncan, E. J. Sirju-Charan, G. and T. N. Sreenivasan (1997): *Phytophthora* canker resistance in cocoa: Role of peroxidase, polyphenol oxidase and phenylalanine ammonia lyase. *J. Phytopathology*. 145: 295-299.
- Oliverira, C. Ferreira, A. C. Costa, P. Guerra, J. and P. G. de Pinho (2004): Effect of some viticultural parameters on the grape carotenoid profile. *J. Agric. Food Chem.* 52 (13): 4178-4184.
- Omar, A. D., Granett, J., De Benedictis, J. A. and M. A. Walker (1995): Effects of fungal root infections on the vigor of grapevines infested by root feeding grape phylloxera. *Vitis*, 34 (3): 165-170
- Ong, A. S. H. and Tee, E. S. (1992): Methods Enzymol., 213: 142-167
- Orchard, J. E. and K. Hardwick (1988): Photosynthesis, carbohydrate translocation and metabolism of host and fungal tissues in coca seedlings infected with *Crinipellis perniciosa*. In: 10th International Cocoa Research conference.
- Padmanaban P. Alexander, K. C. and N. Shanmagam (1988): Some metabolic changes induced in sugarcane by *Ustilago scitaminea*. *Indian Phytopath.* 41(2): 229-232.
- Palit, S., Sharma, A. and G. Talukder (2008): Effect of cobalt on plants. *The Botanical Review* 60(2): 149-181.
- Pang, X., Halaly, T., Crane, O., Keilin, T., Keren-Keiserman, A., Orgrodovitch, A., Galbraith, D. and O. Etti (2007): Involvement of calcium signaling in dormancy release of grape buds. *J. Expt. Bot.* 58 (12): 3249-3262.

Panopoulos, N. J., Faccioli, G. and A. H. Gold (1972): Effect of curly top disease on uptake, transport and compartmentation of calcium. *Phytopathology*, 62: 43-49.

Pant, G. (1988): On the spermicidal activity of the constituents of rhizomes of *Agave cantala*. *Fitoterapia* 59(4): 340-341.

Pant, G., Sati, O. P., Miyahara, K. and T. Kawasaki (1986): A spirostanol glycoside from *Agave cantala*. *Phytochemistry*-(Oxford), 25 (12): 2895-2896.

Pant, G., Sati, O. P., Miyahara, K. and T. Kawasaki (1987): Search for molluscidicidal agents, Saponins from *Agave cantala* leaves. *Int. J. Crude Drug Res.* 25(1): 35-38.

Parashar, A. and P. Lodha (2007): Phenolic estimation in *Foeniculum vulgare* infected with ramularia blight. *Ann. Plant Prot. Sci.* 15(2): (online)

Parashar, A. and P. Lodha (2008): Quantification of total carbohydrates and related enzymes in *Ramularia* blight infected fennel plant. *Annal. Plant. Prot. Sci.*, 16 (2): (online).

Parmar, V. S., Jha, H. N., Gupta, A. K., Prasad, A. K. Gupta, S., Boll, M. and O. D. Tyagi (1992) : New antibacterial tetratriacontanol derivatives from *Agave americana* L. *Tetrahedron*, 48(7): 1281-1284.

Parmar, V. S., Jha, H. N., Gupta, A. K. and A. K. Prasad (1992): Agamanone, a favanone from *Agave americana* *Phytochemistry* (Oxford) 31 (7): 2567-2568.

Parthasarathi, K. (1977): Physiology of spiked sandal. *All India symposium on physiology of host pathogen interaction*. Madras. Nov. 25-26, 1977, pp 327-337.

- Parthasarathi, K. and P. S. Rao (1962): Studies on sandal spike. Part II. Physiological significance of the disturbed iron balance in the spike disease of sandal (*Santalum album* Linn.). *Proc. Indian Acad. Sci.* 558: 285-289.
- Parthasarathi, K., Gupta, S. K. and C. R. Rangaswamy (1976): Distribution of chlorophylls activity and levels of chlorophylls activity and levels of chlorophylls a and b in sandal (*Santalum album* Linn) affected by spike disease. *Experientia*, 32: 1262-1263.
- Parthasarathi, K., Rangaswamy, C. R. and D. R. C. Babu (1977): On a relation of low phosphoglucomutase activity to starch accumulation in spiked sandal. *Experientia*, 33: 999-1000.
- Pathak, R. R. Ahmad, A. Lochab, and N. Raghuram (2008): Molecular physiology of plant nitrogen use efficiency and biotechnological options for its enhancements. In: Special section: Reactive nitrogen in Indian Agriculture, Environment and health. *Current sci.* 94(11): 1394-1403
- Patil, B. D. and U. K. Kulkarni (1977a): Physiological changes in sunflower leaves due to infection of *Puccinia helianthi*. Schw. *Indian Phytopath.* 30(4): 560-561.
- Pawar, K.B. (1997): Germination studies in some crop species with special reference to allelopathic effects. Ph.D. Thesis submitted to Shivaji University, Kolhapur, India.
- Peana, A., T. Moretti, Mil D. L., Manconi, V., Desole, G. and P. Pippia (1997): Anti-inflammatory activity of aqueous extracts and steroid saponins of *Agave americana*. *Planta Medica*, 63(3): 199-202.
- Pearson, R. C. and A. C. Gohen (1988): Compendium of grape diseases. APS Press, St. Paul, USA.
- Peoples, T. R. and D. W. Koch (1979): Role of potassium in carbon dioxide assimilation in *Medicago sativa* L. *Plant Physiol.*, 63: 878-881.

- Peoples, T. R., Koch D. W. (1979): Role of potassium in carbon dioxide assimilation in *Medicago sativa* L. *Plant Physiol.*, 63: 878–881.
- Pero, R. W. and C. E. Main (1970): Chlorosis of tobacco induced by alternariol manotethyl ether produced by *Alternaria tennise*. *Phytopathology*, 66: 1570-1573.
- Person, C. D., Sambroski, J., Forysth F. R. (1957): The effect of BZI on detached wheat leaves. *Can. J. Bot.* 180: 1294-1295.
- Peru, R. W. and C. B. Main (1970): Chlorosis of tobacco induced by altlernariol produced by *A. tenuis*. *Phytopathology*, 60: 1570-1573.
- Perur, N. G., Smith, R. L. and H. H. Wiebe (1961): Effect of iron chlorosis on protein fractions of corn leaf tissues. *Plant Physiol.*, 36: 736-739.
- Pessarakli, M. (2005): Handbook of photosynthesis (second Ed.). Pub.CRC press, Taylor and Francis group
- Petrie, P., Trought, M. C. T., Howell, G. S., and G. D. Buchan (2002): The effect of leaf removal and canopy height on whole-vine gas exchange and fruit development of *Vitis vinifera* L. Sauvignon blanc, *Australian Grapevine Physiology Workshop*, Canberra.
- Pfeiffer, I. and U. Kutschera (1995): Sucrose metabolism and cell elongation in developing sunflower hypocotyls. *J. Exp. Bot.*, 46: 631–638.
- Pfeifhofer, H.W. (2007): On the pigment content of Norway spruce needless infected with *Chrysomyxa rhododendri* and the carotenoids of the fungus aeciospores. *Eur. J. Forest Patho.*, 19(5-6): 636-369.
- Pfluger R., and K. Mengel, (1972): Dis photochemische activatat Von chloroplasten aus unters chledlich mit Kalium ernahrten pflunrum. *Plant Soil*, 36: 417-425.
- Pfluger, R. and K. Mengel (1972): The photochemical activity of chloroplasts obtained from plants with a different potassium nutrition. *Plant and Soil*, 36: 417-425.

- Pillonel, C. (1993): Interaction of benzimidazol-N-sulfonamide with the cytochrome b and b/c complex in *Phythium alphanidermatum*. *Pesticide Sci.* 43: 107-113.
- Pinheiro, C., Chaves, M. M., Ricardo, C. P., (2001): Alterations in carbon and nitrogen metabolism induced by water deficit in the stems and leaves of *Lupinus albus* L. *J. Exp. Bot.* 52: 1063-1070
- Pinton, R., Cakmak, I. and Marschner, H. (1993): Effect of zinc deficiency on proton fluxes in plasma membrane enriched vesicles isolated from bean roots. *J. Exp. Bot.*, 44: 623-630.
- Pinton, R., Cakmak, I. and Marschner, H. (1994): Zinc deficiency enhanced NAD (P) dependent superoxide radical production in plasma membrane vesicles isolated from roots of bean plants. *J. Exp. Bot.*, 45: 45-50.
- Pokhriyal, T. C., Sachdev, M. S., Grover, H. L., Arora, R. P. and Abrol, Y. P. (1980): Nitrate assimilation in leaf blades of different age in wheat. *Physiol. Plant.*, 48: 477-481.
- Prakahs, O, Kalra, S.K. Tandon, D.K. and M.A. Raoof (1989): incidence of powdery mildew in mango panicles and biochemical changes. *Indian Phytopath.* 42(1): 185-186.
- Prasad, B. K. Singh, R. N. and N, Narayan (1989): Biochemical changes in nitrogen and carbohydrate in coriander infected with *Protomyces macrosporus* *Indian Phytopath.*, 42(3): 426-430.
- Prasad, B., Verma, O. P. and L. N. Daftari (1976): Biochemical changes in safflower leaves caused by rust infection. *Indian Phytopath.* 29: 91-93.
- Prasad, D. D. K. and Prasad, A. R. K. (1987): Effect of lead mercury on chlorophyll synthesis in moong bean seedlings. *Phytochemistry*, 26:881-883,
- Prasad, S. M. and H. S. Sahambi (1980): Biochemical Changes brought about by sesamum phyllody. *Indian Phtopath.* 33(4): 617-618.

- Prasad, V. (1986): Alterations in enzyme activity during induced antiviral state by leaf extracts. *J. Indian Bot. Soc.* **65**: 90-94.
- Prasad, V., Srivastava, P., and H.N. Verma (1989): Changes in phenol-oxidizing enzymes upon induction of systematic antiviral resistance in tomato plants. In: Proceedings of 41st Annual meeting of Indian Phytopathological Society, New Delhi. National Symposium epidemiology and forecasting of plant diseases. *Indian Phytopath.*, **42**(1): 279.
- Prasad, Y. (1979): Zinc in the control of flax wilt, *Indian Phytopath.*, **32**: 61-63.
- Preusser, E., Khalil F. A., Göring, H. (1981): Regulation of activity of the granule-bond starch synthetase by monovalent cations. *Biochem. Physiol. Pfl.*, **176**: 744-752.
- Price, C. A., Clark, H. E. and H. E. Funkhouser (1972): Functions of micronutrients in plants. In: Micromutrients in Agriculture. *Soil Sci. Soc. of America*; Madison / Wisconsin, pp. 731-742.
- Przymusi_ski, R., Ruci_ska, R. and Gwó_d_, E.A., (2004): Increased accumulation of pathogenesis-related proteins in response of lupine roots to various abiotic stress, *Environmental and Experimental Botany*, **52**: 53-61
- Purohit, S. D., Shekhawat N. S., K. G. Ramawat and H. C. Arya (1979): Role of some oxidative enzymes and metabolites in sesamum phyllody. *Indian J. Exp. Biol.*, **17**:714-716.
- Purohit, S.D., K. G. Ramawat and H. C. Arya (1980): Metabolic characteristic at enzymatic levels of *Achyranthes* leaves infected with white rust. *Indian J. Exp. Biol.* **18**(1) : 98-99
- Putter, J. (1974): 'Peroxidases. Methods of Enzymatic analysis. (Ed.) Bergmeyer, H.U. Acad Press. Inc. New. York. Z. 865-690.

- Qudri, S. M. H. and K. S. Deshpande (1982). Studies on root collar rot of safflower caused by *Rhizoctonia batatiocola*. *Indian Botanical Reporter*, 1 (2): 141-143.
- Raghuram, N. and Sopory, S. K. (1999): Roles of nitrate, nitrite and ammonium in the phytochrome regulation of nitrate reductase gene expression in maize. *Biochem. Mol. Biol. Int.*, 47: 239-249.
- Rajput, M. K. K., Ansari, A. H., Mehdi, S., and A. M. Hussain (1988): Effect of N and P fertilizers alone and in combination with OM on the growth and yield of Toria. *Sarhad J. Agri. Res.*, 4: 3-6
- Rama Rao, D. A. and M. Sreenivasaya (1923): Contributions to the study of the spike disease of sandal (*Santalum album* Linn.) Chemical composition of healthy and spiked sandal stems. *J. Indian Inst. Sci.*, 11A. 241-243.
- Ramachandran, K., G. Pathmanabhan, K. Chendrayan and C. Padmanabhan (1980): Deranged mineral metabolism in ragi infected with ragi mosaic virus. *Curr. Res.* 9 (5): 87-88.
- Ramiah, M., P. P. Vidhyasakarna, T. K. Kandaswami (1973a): Effect of yellow vein mosaic virus infection on the mineral metabolism of bhendi leaves. *Madras Agric. J.*, 60: 507-608.
- Ramiah, M., P. Vidhyasakaran and T. K. Kandaswamy (1973b). Changes in the activities of oxidative enzymes in yellow mosaic virus infected bhendi leaves. *Madras Agric. J.* 60: 609-610.
- Rangaswami, G. and A. Mahadevan (1999): Diseases of crop plants-In India, 11: Diseases of fruit plants: 381-387.
- Rangaswami, G., Narasimhanna, M. N., Kesavisanathan, K. and Jolly, M. S. (1978): Manual on sericulture, Volume 1, Mulberry cultivation. Food and Agriculture Organization of the United Nations, Rome ., pp. 150.

Rao, R.N. singh, R.N., Narayan, N.Singh, S.P., Kumar, S. and B.K. Prasad (1990): Respiration and viability of stored radish seeds due seedborne Aspergillus Flavus. *Indian Phytopath.* 43: 197-200.

Rao, S. C., B. Srenivasa Rao and V. Damodaran Naidue (1978): Effect of nitrogen on the biochemistry of rice leaves in relation to bacterial leaf streak diseases. *Indian Phytopath.* 31: 547-548.

Rathi, Y.P.S., Bhatt, A. and U.S.Singh (1986): Biochemical changes in pigeon pea (*Cajanus cajan* (L.) Millsp.) leaves in relation to resistance against sterility mosaic disease. *J. Biosci.*, 10(4): 467-474.

Rathmall, W.G. (1973): phenolic ccmpounds and phenylalanine ammania lyase activity in relation to phytoalexin biosynthesis in infected hypocotyls of *Phaseolus vulgaris*. *Physiol. Plant Pathol.*, 3: 259-267.

Ray, P. M. (1962): Destruction of indoacetic acid. IV Kinetics of enzyme oxidation. *Arch. Biochem. Biophys.* 96: 199-209

Raychaudhuri, S.P. and Anupam Varma (1980): Sandal spike. *Rev. Plant Pathol.*, 59 (3): 99-107.

Razungles, A., Bayonove, C. L. Cordonnier, R. E. and J. C. Sapis (1988): Grape carotenodis: changes during the maturation period and localization in mature berrices. *Am. J. Enol. Vitic.*, 39(1) : 44-48.

Redalen, G. (1980): Effect of fungicides on polen germination and fruit set in raspberries. *Gartenbauwiss Ecschaft.* 45. 248-251

Reddy, G. V. P. and K. C. D. Urs (1997): Growth regulator activity of the xerophytic perennial plant *Agave Cantala* Roxb. On Diamondback moth *Plutella xylostella*. Lepidoptera yponomeutidae. *Insect Sci. Appli.* 12 (4): 439-442.

Reddy, K. J. and K. V. N. Rao (1979): Effect of Zinc on growth and metabolism of two varieties of *Cicer aerientinum*. *Indian J. Plant Physiol.* 22: 254-261.

- Reddy, P.B. and S.M. Reddy (1988): Role of oxidase and cell wall degrading enzymes in the fruit-rol of coccinia caused by *Rhizoctonia solani*. *Indian Phytopath.* 41(1): 138-141 (Short comm.).
- Reddy, V. K. and S. M. Reddy (1987): Screening of indigenous plants for their antifungal principle. *Pesticides* (Bombay), 21(9): 17-18.
- Reddy, Y. A. and Prasad, T. G. (1999): Potential application of growth regulators in mulberry. In: *Advances in mulberry sericulture*. (Eds.) Devaiah, M. C., Narayanaswamy, K. C. and Maribashetty, V. G., Pub. CVG Publications, Bangalore, India, pp. 123-144.
- Regupathy, A. and S. Jayaraj (1973): Physiology of sesamum phyllody disease and its influence on the infestation of the leaf hopper vector *Orosius albicinctus* Dist. *Phytopath. Z.*, 78: 66-88
- Reis, E. M., R. J. Cook and B. L. Mcneal (1982): Effect of mineral nutrition on take-all of weat (*Triticum aestivum* Fielder). *Phytopathology*, 72(2):224-229.
- Rendle, A. B. (1956): The classification of flowering plants. II. Dicotyledons. Cambridge University Press, London.
- Rengel, Z. and D. C. Elliott (1992): Mechanism of aluminium inhibition of net $^{45}\text{Ca}^{2+}$ uptake by *Amaranthus* protoplasts. *Plant Physiol.*, 98: 632-638.
- Retig, N. (1974): Changes in peroxidase and polyphenol oxidase associated with natural and induced resistance of tomato to Fusarium wilt. *Physiol. Plant Pathol.* 4: 145-150
- Reyes, A.A. (1975): Phytotoxicity of benomyl to saffron. *Phytopath.*, 65: 1-6.
- Rice, E. A. (1979). Allelopathy- an upto date. *Bot. Rev.* 45:15-109.
- Roberts, D. M. and A.C. Harmon (1992): Calcium-modulated proteins: targets of intracellular calcium signals in higher plants. *Ann. Rev. Plant Physiol. Plant Mol. Biol.*, 43: 375-414.

Robson A. D. and Reuter D. J. (1981): Diagnosis of copper deficiency and toxicity. In: "Copper in soils and plants". (Eds.) Longerangan J. F.; Robson A. D. and Graham R. D. Pub. Academic Press, London. pp. 287-312.

Rogiers S.Y., M. Whitelaw-Weckert, M. Radovanovic-Tesic, L.A Greer, R.G. White and C.C. Steel: Effects of spray adjuvants on grape (*Vitis vinifera*) berry microflora, epicuticular wax and susceptibility to infection by *Botrytis cinerea*. Australasian Plant Pathology (in press).

Rogiers, S. Y. Greer, D. H. Hatfield, J. M., Orchard, B. A. and M. Lieller (2006): Mineral sinks within ripening grape berries (*Vitis vinifera* L.). *Vitis* 45(3):115-123.

Roitsch, T., Baliberea, M.E., Hofmann, M., Proels, R., and A.K. Sinha (2003): Extracellular invertase: Key metabolic enzyme and PR protein. In: Regulation of Carbon Metabolism, Special Issue,: *J. Expt. Botany*. **54** (382): 513-524.

Rolland, F., Baena-Gonzalez, E. and Sheen, J. (2006): Sugar sensing and signalling in plants: Conserved and novel mechanisms. *Annu. Rev. Plant Biol.*, **57**: 675-709.

Romheld, V. and H. Marschner (1981): Rhythmic iron stress reactions in sunflower. *Physiol. Plant.* **53**: in press.

Rosen, C. J., E. L. Bergman, S. H. Smith (1980): Leaf elemental composition and bean yellow mosaic virus interrelationship in *Phaseolus vulgaris* L. *J. Plant Nutr.* **2**(3): 283-303.

Rosenow, D. T., Quisenberry, J. E., Wendt, C. W. and Clark, L. E. (1983): Drought tolerant sorghum and cotton germplasm. In: Plant production and management under drought conditions. (Eds.) Stone, J. F. and Wills, W. O. Pub. Elsevier, Amsterdam, Netherland, pp. 207-222.

- Rouchaud, J., Moons, C. and Meyer, J. A. (1983): Effects of selected insecticides and herbicides on free sugar contents of carrots. *J. Agric. Food Chem.*, 31: 206-210.
- Rtiz, A., Martinez, V. and A. Cerada (1994): Effect of osmotic shock and calcium on growth and solute composition of *Phaseolus vulgaris* plants. *Physiol Plant.*, 91: 468-476.
- Rubin, B.A. and Chetverikova, E.P. (1955) On the role of oxidative processes in the resistance of cabbage to *Botrytis cinerea*. *Biokhem Plodou I ovoshei Akad Nauk SSSR Last Biokhim im A. N. Bakha*, 3: 43-78 (Original in Russian) *Chem. Abst.* **50**: 2754.
- Ruhl, E. (2000): Effect of rootstocks and K supply on pH and acidity of grape juice, *Acta Hort.*, 512: 31-38.
- Ruiz, E., and H.P. Ruffner (2002): Immunodetection of Botrytis-specific inveratase in infected grapes. *J. Phytopathol.*, **150**(2): 76-85.
- Russell, R. S. and D. T. Clarkson (1976): Ion transports in roots system. In: perspectives in experimental biology, Savies, P.S. and N. Sunderland (Eds.) Vol.2.Botany. Pergmon Press, Inc: New York. pp. 401-411
- Ryan, J.D. Gregory, P. and W. M. Tingey (1982): Phenolic oxidase in glandular trichomes of *Solanum bertautti*. *Phytochemistry*. 21: 1885-1887.
- Sadale, A.N. (2007): Physiological studies in *Sesbania grandiflora* (Linn) Po.r: Stress physiology. Ph.D. Thesis submitted to Shivaji University Kolhapur. India.
- Sahastrabudhe, K. R., Deshpande, T. L., Kibe, M. M., Joshi, K. V. and G. K. Zende (1969): Broad Soil zones of Maharashtra. Research Bulletin number 21, Department of Agriculture, Maharashtra, India.

Saladin, G., Magne, C., Clement, C., (2003): Physiological stress responses of *Vitis vinifera* L. to the fungicides fludioxonil and pyrimethonil. *Pesticide biochemistry and Physiology*, 77: 125-137

Salama, E. S. A., K. A. Sabet, H. M. El-said and R. N. Fawazy (1975): Studies on mineral composition and growth of broad bean (*vicia faba*) plants infected with broad bean mosaic virus (BBMV). *Agricultural Research Review*. 53 (2): 135-142.

Sandmann, G. and P. Boger (1983): The enzymatological function of heavy metals and their role in electron transfer process of plants. In: "Encyclopedia of Plant Physiology. New Series" (Eds.) A. Lauchli and R. Bielecki. Vol. 15A pp. 563-596. Springer-Verlag, Berlin and New York.

Sankpal, S.D. (1981): Physiological studies in sugarcane (post infection physiological changes in smut infected sugarcane var. Co.740). Ph.D. Thesis, Shivaji University, Kolhapur (India).

Sankpal and J.D. Nimbalkar (1979): Effect of smut infection on sucrose metabolism in sugarcane. *Indian Phytopath.*, 32 (2):306-307

Sankpal., S.D. and J.D. Nimbalkar (1980): Physiological studies in smut infected sugarcane var. Co 740. *Indian J. Exp.Biol.* 18(1): 95-96.

Santhakumari, P. and M. Chandrasekharan Nair (1981): Post infectional changes in total carbohydrates and phenolics in the various parts of the leaf spot incited by *Colletotrichum gloeosporioides* on *Hydrangea hortensia*. *Indian phytopath.* 34(4): 470-471.

Santra, S. C. (1983): Biochemical localization of starch bodies around infected region in wart infected potato plants. *Indian Phytopath.* 36(2):335-336.

- Sarkar, K. R. and R. D. Joshi (1977): Effect of little leaf disease on the contents of certain essential nutrient elements in brinjal. *Indian Phytopath.* 30: 429-430.
- Sasikumaran, S., T. K. Kandaswamny and P. Vidhyasekaran (1979). Physiology of tomato plants affected by leaf curl virus. *Indian Acad.Sci.* 32(3): 44-449.
- Sastri, B. N. (1936): Physiology of the spike disease of sandal. *Proc. Indian Acad. Sci.,* 3B (3): 444-449.
- Sastry, K. S. M and T. K. Nariani (1962): Effect of host nutrition on growth and susceptibility of tobacco plants to infection with tobacco leaf curl virus. *Indian J.agric. Sci.,* 32: 288-293.
- Sastry, K. S. M. (1963): Effect of copper nutrition on multiplication and concentration of sunn hemp mosaic virus. *Curr. Sci.,* 32:519-520.
- Sastry, K. S. M. (1964): Effect of trace elements on multiplication and concentration of sunn hemp mosaic virus. *Indian J.Exp. Biol.,* 2 : 185-189
- Sati, O. P. Miyahara, K. and T. Kawasaki (1986): Spirostanol glycosides from *Agave cantala*. *Phytochemistry*-(Oxford), 25(6): 1491-1494.
- Sati. O. P. Pant, G., Miyahara, K. and T. Kawasaki (---): Cantalasaponin-1, a novel spirostanol bisdesmoside from *Agave cantala*. *J. Natu. Products (Lloydia)* 48(3): 395-399.
- Satisha, J., Doshi, P., Adsule, P. G. (2008): Influence of rootstocks on changing the pattern of phenolic compounds in Thompson Seedless grapes and its relationship to the incidence of powdery mildew. *Turk. J. Agric.* 32: 1-9.
- Scandalios J.G. (1994): Regulation and properties of plant catalases. CRC Press, Boca Raton, Florida.

- Scarpoari, L. M., Meinhardt, L.W., Mazzafera, P., Pomella, A.W.V., Schiavinato, M. A., Cascardo, J. C. M. and G. A. G. Pereira (2005): Biochemical changes during the development of witches' broom: the most important disease of cocoa in brazil caused by *Crinipellis perciosa*. *J. Exp. Bot.*, 56(413): 865-877.
- Scarponi, L., Vischetti, C. and del Buono, D., (2001): Imazamox in maize, uptake, persistence and interference on protein and carbohydrate formation. *Ital. J. Food Sci.*, 13(2): 213-220.
- Schactzman, D. P., Treeby, M., Thomas, M. P. and B. S. Mpelasoka (2003): A review of potassium nutrition in grapevines with special emphasis on berry accumulation. *Austr. J. Grape Wine Res.* 9 (3): 154-168.
- Scheible, W. R., Gonzalez-Fontes, A., Lauerer, M., Muller-Rober, B., Caboche, M. and Stitt, M. (1997): Nitrate acts as a signal to induce organic acid metabolism and repress starch metabolism in tobacco. *Plant Cell*, 9: 783-798.
- Schipper, A. L. Jr. And C. J. Mirocha (1969): Mechanism of starch depletion in leaves of *Phaseolus vulgaris* infected with *Uromyces phaseoli*. *Phytopathology*, 59: 1722-1727.
- Schwarze, P. (1954): Beziehimgn zwischen peroxyblserdktion Eiw eisipiegel- und chlorophyll bildung. *Planta*, 44:491-502.
- Seaker, E. M., E. L. Bergman and C. P. Romaine (1982): Effects of magnesium on tobacco mosaic virus0infected eggplants (*Solanum melongena* cultivar long purple). *J.Am. Soc. Hortic. Sci.* 170. (1): 775-778.
- Seely, G. R. (1977): In: The intact chloroplast. Brader, J. (ed.) Vol.2. P.1. Elsevier.

- Serovova, Z. Y. (1961): Ob izmenenii aktivnosti peroksidazy i katalazy v resteniyakh, podvergshikhsya infektsii. *Dokt. Akad. Nauk., SSRS*: 475-477.
- Sestak, Z. (1985): Chlorophylls and Carotenoids during leaf ontogeny. In : Czechoslovak Academy of Sciences: photosynthesis During leaf Development. *Academic Praha*. pp. 76-106.
- Shamaulgenu, K. G. (2003): Grape Cultivation and Processing. *Agrobios* (India), Jodhpur.
- Shankar, M. A. (1997). Hand book of mulberry nutrition. Multiplex, Karnataka, Agrochemicals, Bangalore. pp.-21.
- Shankarlingam, T., T. Singh, G. Rao, S. Srinivas and V. Thirupathaiah (1980): Peroxidase, Phenoloxidase and total phenols in the spinach leaves infected with *Fusarium equiseti*. *Curr. Sci.*, 49 (15): 594-595.
- Shanmugavelu, K. G. (2003): Grape cultivation and processing. *Agribios* (India), Jodhpur.
- Sharma J. P. Mishra, B. and K. Jha (1992): Biochemical relationship in resistant and susceptible cultivars with *Turcicum* leaf blight disease in maize. *Indian Phytopath.*, 45 (2): 241-243.
- Sharma, B. K. (1999): Antifungal properties of biocontrol agents and plants extract against causal fungi of yellows and rhizomes rot of ginger. *J. Bio. Cont.* 12(1): 77-80.
- Sharma, J. (2003): Fertigation in grapes. NRC, Grapes Technical Bulletin number 4, Pune, India.
- Sharma, J. (2005): Diagnosis of nutritional disorders and management in grapevine. NRC Grapes Technical Bulletin number 7, Pune, India.
- Sharma, S. C. and O. P. Sati (1982): A spriostanol glycoside from *Agave cantala*. *Phytochemistry* (oxford), 21 (7): 1820-19821.

- Sharma, S. G. Ram Narayan, Sangam Lal and C. Chaturvedi (1983): Role of phenolic compounds in resistance of maize to leaf blight caused by *Drechslera* state of *Cochlioborus heterostrophus*. *Indian Phytopath.*, 36. (1): 43-46
- Sharma, Shanti S., Sharma Shashi and V. K. Rai (1988): Possible involvement of phenolic compounds in stomatal movements. In: *International Congress of Plant Physiology*, New Delhi. pp. 113.
- Shekhawat, N. S., H. C. Jain, and H. C. Arya (1980): Accumulation of aromatic aminoacids, the precursors of auxin and phenols in pearl-millet infected with *Sclerospora graminicola*. *Comp. Physiol. Ecol.* 5 (1): 39-42.
- Shevchenko, A., Budzanivska, I., Shevchenko, T. Pclischuk, V. and D. Spaar (2004): Plant virus infection development as affected by heavy metal stress. *Arch. Phytopath. Plant Protection*, 37(2): 139-146.
- Shevchenko, I. P., E. I. M. Golovchak, O. Serede (1980): In: Seed treatment with trace elements. Eds. Vlasyuk, P.A.Izd. Naukova dumke: Kiev, USSR. pp: 189-193.
- Shkolnik, M. V. A. (1984): Trace elements in plants. Pub. Elsevier, Amsterdam, Netherlands.
- Shoeb, H. A., El-Sayed, M. M. and L. A. Refahy (1986): The molluscicidal properties of Agavaceae: *Agave decepiens* and *Agave americana* var. marginata. *Egypt. J. Pharm. Sci.*, 25(1-4): 115-126.
- Shukla, K., R. D. Joshi (1981): Effect of sugarcane mosaic virus on seed constituents of sorghum (*Sorghum vulgare* Pers.) *National Academy Sciency Letters*.4 (5): 191-193.
- Shultz, H. R., Lohnhertz, O, Bettner, W., Balo, B., Linsenmeier, A., Jahnisch, A., Muller, M., Gaubatz, B., and Varadi, G. (1998): *Vitis*, 37: 191-192

- Siddaramiah, A. L., N. Vasuki, T. D. Barama Goudar, S. Lingaraju and R. K. Hegde (1979): Biochemical changes in rust infected leaves of groundnut. *Indian Phytopath.*, 32 :640-641.
- Siddiqui, Z. S. (1997): Effect of systemic fungicides on total protein, carbohydrate and phenolic contents of *Solanum melongena* and *Avena sativa*. *Appl. Ent. Phytopath.*, 64: 17-22.
- Siddiqui, Z. S. and Khan, S., (2001): Effect of Systemic Fungicides and Insecticides on Absorption Spectra, Chlorophyll and Phenolic constituents of *Vigna radiata* (L.) Wilczek. *Pakistan Journal of Biological Sciences*, 4 (7):812-814.
- Siddiqui, Z. S. and S. Ahmed (2002): Effects of systemic fungicides on protein, carbohydrates, aminoacids and phenolic contents of susceptible (Maxipak) and resistant (Povan) varieties of *Triticum aestivum* L. *Turk. J. Bot.*, 26: 127-130.
- Siddiqui, Z. S., Ahmed, S. and S. Gulzar (1997): Effect of topsin-M (Methylthiophenate) and Bayleton (Triademifon) on seedling growth, biomass, nodulation and phenolic content of *Sesbania sesban*. *Bangl. J. Bot.* 26(2): 127-130.
- Siddiqui, Z. S., Ahmed, S. and Shaukat, S. S., (1999): Effect of Systemic Fungicide (Topsin-M) and Insecticide (Dimecron) on germination, seedling growth, Phenolic constituent of *Pennisetum americanum* L., *Pakistan Journal of Biological Sciences*, 2 (1): 182-184
- Siddiqui, Z. S., Ahmed, S. and Stres, A., (1999): Effects of Systemic fungicides on germination, seedling growth, DNA, RNA and Phenolic constituent of *Brassica campestris* L. *Pakistan Journal of Biological Sciences*, 2 (4): 1350-1351.
- Silva, M. P. and C. P. P Ricardo (1992): b-Fructosidases and in vitro dedifferentiation-redifferentiation of carrot cells. *Phytochemistry*, 31: 1507–1511.

Simmons, T.J. and Ross, A.F. (1971): Enhanced peroxidase activity associated with the induction of resistance to tobacco mosaic virus in hypersensitive tobacco. *Phytopathology*, 60: 383-384.

Sindha Mathar, A. and P. Vidhyasekaran (1978): Physiology of resistance to rust in sunflower. *Indian Phytopath.*, 31:289-293.

Sing, S. S., Gupta, P. and A. K. Gupta (2005): Agricultrual science, 5: Production of major fruits (Pomology). Pub. Kalyani Publications: 177-180.

Singh R. and R. P. Srivastava (1974b): Studies on the rosette virus infected groundnut (*Arachis hypogea* L.) III. Effect on carbohydrate and phosphorus metabolism. *Acta Botanica Indica*, 2: 33-36.

Singh, A. and K. K. Singh (1983b): Biochemical changes and aflatoxin production in guava fruits by by *Aspergillus flavus* and *A. parasiticus*. *Indian Phytopath.*, 36 (2): 365-366.

Singh, B. P. and A. K. Verma (1974): Influence of hollyhock yellow mosaicvirus on flowering and chemical composition of hollyhock leaves. *Indian Phytopah.* , 27: 72-72.

Singh, H., P. D. Agarwal, G. Bhattacharya and I. Sethi (1982): Changes in chloroplast pigments in wheat leaves infected with *Puccinia graminis* Tritici. *Phytopath.Z.*104 (3):193-201

Singh, K., U. S. Shukla and S.C. Srivastava (1967): Grassy shoot disease of sugarcane.I.Role of manganese in albinism, *Indian Phtopath.*, 20 : 369-373.

Singh, P. (1997): Fertiliser management and related policy issue in forage crops production. In: Plant nutrient needs, supply, efficiency and policy issue: 2000-2005 (Publ.) National Acad. Agric. Sci., New Delhi, pp-217-237.

Singh, R. and B. N. S. Murthy (1991): Use of Thompson seedless as male parent in grape hybridization programme. *Maharashtra J. Horticulture*, 5(2): 11-13.

Singh, R. and R. B. Singh (1979): Changes in chlorophyll contents, primary productivity and carbohydrate fractions of mung bean due to mungbean severe mosaic virus infection. *Indian J. Plant Path.*, 15(1/4): 55-63.

Singh, R. and R. B. Singh (1983a): Changes in chemical composition of mung bean fruits due to mung bean severe mosaic virus infection. *Indian Phytopath.* 36. (1): 129-131.

Singh, R. and T. P. Mall (1974): Studies on the nodulation and nitrogen fixation by infected leguminous plants. I. Effect of arhar mosaic virus infection on nitrogen value, nodulation and nitrogen fixation in some pulse crops. *Plant and soil*, 41: 279-286.

Singh, R. S. and R. N. Khanna (1969): Effect of certain inorganic chemicals on growth and spore germination of *A. tenuis* Auct. The fungus causing core rot of mandarin oranges of India. *Mycopath. Mycol. Agric.* 37(1): 89-96.

Singh, R. S., Chaub, N. Singh, V. L. Ashani and R. Singh (1970): Observations on the effects of host nutritions and seed, soil and foliar treatments on the incidence of downy mildew. I.A. Preliminary report. *Indian Phytopath.* 23: 209-215.

Singh, S. J. (1983): Changes in enzymatic activity of pumpkin plant infected with watermelon mosaic virus. *Journal of Turkish Phytopathology*. 12: 32-38.

Sivaprakasam, K., M. Jagadeesan and C. Kannapiran (1976a): Effect of little leaf disease on the iceral metabolism of brinjal (*Solanum melongena* L.). *Annamalai Univ. Agric. Res. Annual.* 6: 146-150.

Sivaprakasam, K., M. Jagadeesan, C. Kannapiran, K. Pillayarsaimy (1976b). Changes in the mineral content of black gram leaves due to leaf crinkle virus. *Madras agric. J.* 63 (2): 123-125.

Smart, R. a. R., MD (1991): *Sunlight Into Wine. A Handbook for Winegrape Canopy Management*, Underdale, South Australia, Australian Industrial Publishers.

Snyder, E. (1936): Susceptibility of grape rootstocks to root knot nematode. *United States Depts. Agric. Gr.*, 405: 1-15.

Sohi, H. S. and R. D.Rawal (1977): Role of certain physiological factors responsible for resistance to rust and septoria leaf sport disease in cowpea. *All India symposiums on physiology of host- pathogen interaction*, pp. 391-398.

Sreenivasulu, P. and M. V. Nayudu (1980): Effect of infection bychlorotic spot virus on carbon 14 labelled carbon dioxide fixation in leaves of groundnut (*Arachis hypogaea*). *Indian J. Exp. Biol.*, 18(8): 832-835.

Srinivasan, K. and S. Chelliah (1979): Preference of the leafhopper vector *Hishimonus phycitis* (Distant.) for egg plants infected with little leaf mycoplasma with reference to certain biochemical and histochemical changes. *Workshop held at Univ. Agric. Sci.Bengalore* (Indian). pp. 14-22

Srivastava, S.K. (2008): Peroxidase and polyphenol oxidase in *Brassica juncea* plants infected with *Macrophomina phaseolina* (Tassai) Goid. and their implication in disease resistance. *J. Phytopathol.* 120(3): 249-254.

- Srobarova, A. Nadubinska, M., Eged, S., Altomare C., and G. Kogan (2004): Treatment with antagonist Trichoderma and cell-wall polysaccharide decreases maize root rot infestation by *F. verticillioides* and fusaric acid production. *Acta futotecchnica et zootechnica*, 7 Special number proceedings of the XVI. Slovak and Czech Plant Protection Conference organized at Slovak Agricultural University in Nitra, Slovakia: 293-300.
- Stall, R. E., C. C. Hortenstine and J. R. Iley (1965): Incidence of Botrytis gray mold in relation to a calcium-phosphorus balance. *Phytopathology*. 55: 447-449.
- Steel, C. C. and M. Keller (2000): Influence of UV-B irradiation on the carotenoid content of *Vitis vinifera* tissues. *Biochemical society Transactions*, 28 (6): 883-885.
- Strogonov, B. P. Kabanov, V. V., Shevjakova, N. I., Lapina, L. P., Komizero, B. I. and B. A. Popov (1970): Structure and function of plant cells under salinity. *Mosco Nauk*.
- Sturm, A. (1996): Molecular characterization and functional analysis sucrose-cleaving enzymes in carrot (*Daucus carota* L.). *J .Exp. Bot.* 47: 1187-1192.
- Suelter, C. H. (1970): Enzymes activated by monovalent cations, *Science*, 169: 789-795.
- Sugha S. K. and B. M. Singh (1990): spikelet nutrients of rice and their relation to glume blight. *Indian Phytopath.*, 43 (2): 186-191.
- Sukumaran, D., Parashar. B. D. and K. M. Rao (1994): Molluscicidal properties of *Agave americana* and *Balanites aegyptica*. *Int. J. Pharm* 32(3): 232-238.
- Suseno, H. and R. E. Hampton (1966). The effect of three strains of tobacco mosaic virus on peroxides and activity in *Nicotiana tabacum*. *Phytochemistry*, 5: 819-822.

- Sutton, B.G. (1975): The path carbon in succulent plants at night. *Aust. J. Plant Physiol.*, 2: 377-388.
- Sutton, P.N. Gilbert, M.J. Williams, L.E. and J.L. Hall (2007): Powdery mildew infection of wheat leaves changes host solute transport and invertase activity. *Physiologia Plantarum*, 129 (4): 787-795.
- Suwalsky, M., Benites, M., Narris, B., Sotomayor, P., (2000): Toxic effects of the fungicide benomyl on cell membranes. Comparative Biochemistry and Physiology Part C: *Pharmacology, Toxicology and Endocrinology* Vol. 125/1: 111-119
- Swain (1977): Secondary plant compounds of protective agents. *Ann. Rev. Plant. Physiol.*, 28: 479-501.
- Swamy, P. M. (1991): The role of calcium in plant growth and development. Recent Advances in Plant Biology, Narendra Publishing House: 77-90.
- Tanaka, K. and K. Sugahara (1980): Role of Superoxide dismutase in the defense against SO₂ toxicity and induction of superoxide dismutase with SO₂ fumigation *Res. Rep. nat. Inst. Environ. Stud.* 11 (Studies on the effects of Air pollutants on plants and mechanism of phtotoxicity): 155-164.
- Tang, Md., Kashem A., Salam, K. A. Samad, M.A. and N. Absar (2005): Nutritional changes of four varieties of mulberry leaves infected with fungus (*Cercospora moricola*). *Pakistan J. Biol. Sci.* 8(1): 127-131.
- Tanne, E., and P. Spigel-Roy (1973): Mineral content of healthy and leafroll infected leaves of the grape (cv. Mission). *Rivista di Patologia Vegetale.*, 9(3): 227-234.
- Tayal, M. S., S. M. Sharma and M. L. Agarwal (1981): Studies on the polyphenols, proteins, chlorophylls, IAA- oxidase and amylases of

- normal and false smut infected leaves of *Phoenix sylvestris*. *Indian Phtopath.*34 (3): 337-339.
- Thakre, S. K. and Saxena, S. N. (1972): Effect of soil application of chlorinated insecticides on amino acid composition of maize (*Zea mays*). *Plant Soil*, 37: 415-418.
- Thind, S. K. Monga, P. K. and S. S. Cheema (1989): Some of the biochemical alterations in the summer mocng infected with mung bean yellow mosaic and leaf crinkle virus. *National symposium on epidemiology and forecasting of plant diseases*. Proceedings of 41st Annual meeting of Indian phytopathological society, New Delhi. Abstract number 169. pp. 321.
- Thipyapong. P. and J. C. Stiffens (1997): Tomato polyphenol oxidase differential respionse of the polyphenol oxidase F. Promotor to injuries and wound wound signals. *Plant Physiol.*, 115: 409-418.
- Thornber, J. P. and R. S. Alberte (1977): In : *Encyl. Plant. Physiuol.*, Trebst. A. and M. Avron (eds.), N.S. Vol. 5 pp.574 - Springer-Verlag.
- Tinto, W. F., Simmons-Boyce, J. L., Mclean, S. and W. F. Reynolds (2005): Constituents of *Agave americana* and *Agave barbadensis*. *Fitoterapia* 76(6): 594-597.
- Tisdale, S. L. and W. L. Nelson (1984) Soil Fertility and Fertilizers, 3 rd Ed. pp: 68–73. McMillan Publ. Co., Inc., New York
- Tofazzal H. Alam Z. and N. Absar (1999): changes in different nutrients and enzyme contents in mango leaves infected with colletotriehum glucosporioids *Indian Phytopath.*, 32: 352-359
- Tort, N. and Türky_Imaz, B., (2003): Physiological effects of Captan fungicide on Pepper (*Capsicum annuum* L.) plant. *Pakistan Journal of Biological Sciences*, 6 (24): 2026-2029.

- Tort, N., Dereboylu, A. E. and Turkiyilmaz (2006): Morphological and physiological effects of a fungicide with a Tirama agent on some corn culture forms. *J. Food. J. Food. Sci.* 29: 67-79.
- Trolldenier, G. (1982): Interactions between powdery mildew infections, potassium nutrition and fungicide application on the yield of two spring barley cultivars. *Phytopath.Z.* 104(4): 337-344.
- Tymowska-Lalanne Z., and M., Kreis (1998): The plant invertases physiology, biochemistry and molecular biology. *Adv. Bot. Res.* 28: 71-117.
- Tziveleka, L.S, Kalidas, A.; Hegedus, A.; Kissimon, J.; Promobona, A.; Horvath, G and Argyroudi-Akoyunoglou, J. (1999). The effect of cadmium on chlorophyll and light harvesting complex biosynthesis in greening plants. *Z. Natureforsch*, 54c:740-745.
- Ulrich, A. and F. J. Hills (1967): Principles and practices of plant analysis. In soil testing and plant analysis., Part-II (Ed.) G.W. Hardy, PP.11-24 Soil Society of America Special Pub. Number 2.
- Ulrich, A. and K. Ohki (1966): Potassium In: H.D. Chapman: Diagnostic Criteria for plants and soils. University of California. Riverside Dif. of Agric. Science. 362-393.
- Uniyal, G. C., Agrawal, P. K. Sati, O. P. and R. S. Thakur (1991b): A spirostane hexaglycoside from *Agave cantala* fruits. *Phytochemistry-* (Oxford), 30 (12) 4187-4189.
- Uniyal, G.C., Agrawal, P. K., Sati, O. P. and R. S. Thakur (1991a): Agaveside C and steroidal glycoside from *Agave cantala*. *Phytochemistry-* (Oxford). 30(12): 4187-1339.
- Uniyal, G.C., Agrawal, P.K., Thakur, R.S. and O. P. Sati (1990): Steriodal glycosides from *Agave cantala*. *Phytochemistry-(Oxford)*, 29(3): 937-940.
- Unwin, P. T. H. (1991) Wine and the vine; and historical geography of viticulture and the wine trade. Routledge, London.

- Uritani, I. and Akazawa, T. (1959): Alteration of the respiratory pattern in infected plant. In *Plant Pathology* (Horsfall, J.G. and Dimond A.E., Eds.) Vol. I, pp. 349-390 Academic press, New York.
- Usher, G. (1971): A Dictionary of Plants. CBS Publishers and Distributors, Dehli. pp. 619.
- Vaithilingam, C. and V. Ragunathan (1977): Effect of potassium on the incidence of stem rot disease of rice (*Oryza sativa L.*) *Indian Journal of Plant Protection.*, 5(2) : 157-160.
- Vajpayee, P.; Tripathi, R. D.; Rai, U. N., Ali, M. B. and Sing, S. N.(2000): Chromium accumulation reduces chlorophyll biosynthesis, nitrate reductase activity and protein content of *Nymphaea alba*. *Chemosphere*, 41: 1075-1082.
- Varshney, I. P., Jain, D. C. and H. C. Srivastava (1981): Cantalanin A, a new saponin from the leaves of *Agave cantala*. *J. Natu Products.* (Lloydia). 44(6):662-663
- Varshney, I. P., Jain, D. C. and H. C. Srivastava (1982b): A tri glucoside of hecogenin from fruits of *Agave cantala*. *Phytochemistry* (Oxford), 21(1): 239-240.
- Vaugha, K.C. and S.O. Duke (2006): Function of polyphenol oxidase in higher plants. *Physiologia Plantarum*, 60 (1): 106-112.
- Vega, J. M., Herrera, J., Aparicio, P. T., Paneque, A. and M. Losada (1971): Role of molybdenum in nitrate reduction by *Chlorella*. *Plant physiol.* 48 (3): 194-299.
- Ven Stevenick, R. F. M. (1965): The significance of calcium on the apparent permeability of cell membranes and the effect of substitution with other divalent ions. *Physiol. Plant.*, 18; 54-69.
- Verma, A. and M. K. K. Pillai (1991): Bioavailability of soil-bound residues of DDT and HCH to certain plants. *Soil Biology and Biochemistry*, 33(4): 347-352.

Verma, A.K. and B.P. Singh (1977): Metabolic changes induced by greening, tristeza and complex form in Kagzi lime (*Citrus aurantifolia*). *Indian J.Exp. Biol.*, 15:811-814.

Verma, H.N. and Prasad, V. (1988): Metabolic alterations associated with host mediated systematic antiviral resistance. *Indian Phytopath.* 41(3): 332-325.

Vidhyasekaran, P. (1975): Physiology of finger millet plants with toxin produced by *Helminthosporium*. *Indian Phtyopath.* 32(4) 523:528.

Vidhyasekaran, P. and D. Kandaswamy (1971): Effect of soil fertility on the physioliogy of corn plants in relation to helminthosporiose disease incidence. *Phtopath.z.*, 72: 11-20.

Vidhyasekaran, P. and D. Kandawamy (1972): Carbohydrate metabolism of *Phaseolus aureus* infected with obligate and facultative parasites. *Indian Phytopath.* 25 : 48-54.

Vijaya Rao, V., P. Nandi and S. P. Raychaudhuri (1967): Effet of zinc and iron nutrition on potato virus x in tomato. *Proc. 1st Intern.Symp.on Plant pathology.*: 779-785.

Vijaykumar, C. S. K. and A. S. Rao (1980): Physiological changes in *Alteranaria* infected wheat leaves. *Phytopath.* 98.:76-83

Vincent, J. B., Crowder, M. W. and B. A. Averill (1992): Hydrolysis of phosphate monoesters: a biological problem with multiple chemical solutions. *Trends Biochem. Sci.* 17:105-110.

Virgin, H.I. (1965): Chlorophyll formation and water deficit. *Physiol. Plants.*, 18(4): 994-100.

- Vora, A. B., Patel J. A. Vyas, A. V. Patel, B. R. and H. C. Patel (1974): Carbohydrate metabolism of *Sorghum* seedlings under low moisture level. *Geobios.*, 1(6): 164-167.
- Vrscaj, V. T. Hribar, J. and T. Kosmeri (2005): The impact of vinification method on contents of free amino nityrogen and praline in malvasia wines. *Rivista di viticoltura e di Enologia*. 58 (2-4): 119-130.
- Wagih, E. E. and R. H. A. Coutts (1982): Feroxidase, polyphenol oxidase and ribonuclease in tobacco necrosis virus infected or mannitol osmotically stressed cowpea and cucumber tissue I. Quantitative alterations. *Phytopath.z.* 104 (): 1-12.
- Wakhloo, J. L. (1965): Evidence for Indole-3-acetic acid and tryptophan in the shoot of *Solanum nigrum* and the effect of potassium nutrition on their levels. *Planta. (Berl)*. 65: 301-314.
- Walter, J. M. (1967): Hereditary resistance to disease in tomato. *Annu.Rev.Phytopathol.* 5:131-162.
- Walton, V. M. and K. L. Pringle (2004): Vine mealy bug, *Planococcus ficus* (Signoret) (Hemiptera- Pseudococcidae), a key pest in South African vineyards. A Review. *South African J. Enology Viticulture*, 25(2): 54-62.
- Watson, J. D. (1965): Molecular Biology of the Gene. T. E. Benjamin (Ed.). New York, P. 494.
- Waughman, G. J. and Bellamy, D. J. (1981): "Movement of cations in some plants species prior to leaf senescence" *Ann. Bot.*, 47: 141-195.
- Welch, R. M. and W. A. Norvell (1993): Growth and nutrient uptake by barley (*Hordeum vulgare* L. cv. Herta) studies using an N (2-hydroxyethyl) ethylene dinitrilotriacetic acid buffered nutrient

- solution technique II. Role of zinc in the uptake and root leakage of mineral nutrients. *Plant Physiol.* 101: 627-631.
- Weste, G., M. A. Chaudhri, M. Haukka and K. Vithanage (1980): The influence of root infection by *Phytophthora cinnamomi* on mineral content of certain native species. *Phytopath. Z.* 99: 205-214.
- White, P. J. (1993): Characterization of high-conductance, voltage-dependent cation channel from the plasma membrane of rye roots in planar lipid bilayers. *Planta*, 191: 541–551.
- Williams C. M. J., Maier, N. A., Bartlett, L. (2004): Effect of molybdenum foliar sprays on yield, berry size, seed formation, and petiolar nutrient composition of ‘Merlot’ grapevines. *Journal of Plant Nutrition* 27: 1891–1916.
- Winkler, A. J. (1970): General Viticulture. University of California Press, Berkeley, Los Angeles, London. pp.609.
- Wojtaszek P. (1997): Oxidative burst: an early plant response to pathogen infection. *Biochem. J.*, 322: 681-692.
- Woodson, W. R. and H. Wang (1987): Invertases of carnation petals: partial purification, characterization and changes in activity during petal growth. *Physiol. Plant*, 71: 224–228.
- Wutscher, H. K., C. Hardesty (1979): Zinc and phenolics in the wood and incidence of citrus blight in a grove containing eight selections of Hamlin orange’. *Proc. Fla. State Hortic. Soc.*, 92: 70-72
- Wyn Jones, R. G., Brady, C. J., Speirs, J. (1979): Ionic and osmotic relations in plant cells. In: Laidman D.L., Wyn Jones R.G.: Percent advances in the biochemistry of cereals. Acad. Press, London.
- Yadav, S. R. and M. M. Sardesai (2002) Vitaceae and Leeaceae In: Flora of The Kolhapur District. Shivaji University Kolhapur, India. pp. 129-132.

- Yadawa, R. B. R., C. K. Mathi and K. Vellaichamy (1973): Note on the investigation on the mineral accumulation of arevanut palm affected by yellow leaf disease. *Indian J. agri. Sci.* 43:892-894.
- Yamada, Y. (1960): The effect of cobalt on the growth of pollen. II. Differential acquisition of Co-60 in the style of *Lilium longifolium*. *Bot. Mag. Kokyo*, 73: 471-421.
- Yokosuka, A., Mimaki, Y., Kuroda, M. Y. Sashida (2000): A new steroid saponin from the leaves of *Agave americana*. *Planta Medica* 66 (4): 393-396.
- Yoshida, S., Cock J. H. and F. T. Parao (1972): Physiological aspects of high yield. Int. Rice Res. Inst. Rice breeding, pp. 455-469.
- Young, A. J. (1991): The protective role of carotenoids in higher plants. *Physiol. Plant*, 83: 702-708
- Zimmer, W. and R. Mendel (2008): Molybdenum metabolism in plant. *Plant Biology* 1(2): 160-168.
- Zins, A. B., D. L. Wyse, and W. C. Koskinen (1991): Effect of alfalfa roots on movement of atrazine and alachlor through soil. *Weed Science*, 39: 262-269.
- Zinselmeier C, Schussler JR, Jone RJ, Westgate ME. 1995. Low ater potential disrupts carbohydrate metabolism (*Zea mays* L.) varies. *Plant Physiology* 107, 385-391.
- Zrenner, R, Schu"ler, K. and U. Sonnewald (1996): Soluble acid invertase determines the hexose-to-sucrose ratio in cold-stored potato tubers. *Planta* 198: 246–252.

- Bhargava, B. S. and K. L. Chadha (1993): Leaf nutrient guides for fruit crops. In: Advances in Horticulture, Vol-2 Fruit crops. Pub. Malhotra Publishing House, New Delhi, India.
- Bilgrami, K.S. and H.C. Dube (1976): A textbook of modern plant pathology. Pub. Vikas Publishing House, Pvt. Ltd. pp. 202-225.
- Chavan, S.B. et al., (1995): Influence of weather parameters on conidia formation in powdery mildew of grape. *Indian Phytopath.* **48**: 40-44.
- *Chopin, F. et al. (2007): The *Arabidopsis* ATNRT2.7 nitrate transporter controls nitrate content in seeds. *Plant Cell*, 19: 1590–1602.
- Cohen, Y., Wang, W., Ben-Daniel, B.H. and Y. Ben-Daniel (2006): Extracts of *Inula viscosa* control downy mildew of grape caused by *Plasmopara viticola*. *Phytopath.* **96**(4): 417-424.
- De Melo Abreu, S., Caboni, P., Pirisi, F.M., Cabras, P., Alves, A. and V.L. Garau (2006): Residues of fungicide famoxadone in grapes and its fate during wine production. *Food Additives and Contaminants*, **23**(3): 289-294.
- Falk, S.P., Pearson, R.C., Gadoury, D.M., Seem, R.C. and A. Sztejnberg (1996): *Fusarium proliferatum* as a biocontrol agent against grape downy mildew. *Phytopath.* **86**(10): 1010-1017.
- Kedge, V.V. (2008): “*Invitro* studies in *Vitis vinifera* L.” Ph.D. Thesis submitted to Shivaji University, Kolhapur (India).
- Kennelly, M.M., Gadoury, D.M., Wicox, W.F., Magarey, P.A and R.C. Seem (2005): Seasonal development of ontogenetic resistance to downy mildew in grape berries and rachises. *Phytopath.* **95**(12): 1445-1452.
- Musetti, R., Vecchione, A., Stringher, L., Borselli, S., Zulini, L., Marzani, c., D’ Ambrosio, M., di-Toppi, L.S. and I. Pertot(2006): Inhibition of sporulation and ultrastructural alterations of grapevine downy mildew by the endophytic fungus *Alternaria alternata*. *Phytopath.* **96**(7): 689-698.

- Patil, J.A., Patil, A.J. and S.P. Govindwar (2003): Biochemical effects of various pesticides on sprayers of grape gardens. *Indian J. Clinical Biochem.* **18**(2): 16-22.
- Rao, K.D., Jindal, P.C. and R. Singh (2007): screening of grape germ plasm against powdery mildew (*Uncinula necator*) (Schw.) Bur disease under *in vivo*. *Agri. Sci Digest* **27**(2): 113-115.
- Sharma, J. (2006): Grapevine nutrition. Pub. Maharashtra Rajya Draksh Bagaitdar Sangh, Pune.
- Singh, R.P. (2005): Plant pathology. Pub. Kalyani Publishers, Ludhiana.
- *Singh, R. S. and J. S. Chohan (1977): *Indian Phytopath.* **30**: 237-241.
- Williams, M.G., Magarey, P.A and K. Sivasithamparam (2007a) difference in zoospore germination and host penetration in response to temperature among Western Australian isolates of *Plasmopara viticola*. *Austr J. Agri.Res.* **58**(7): 702-710
- Williams, M.G. Magarey, P.A. and K. Sivasithamparam (2007b): Influence of environmental factors on germination of *Plasmopara viticola* sporangia sourced from Mediterranean Western Australia. *Phytopath. Med.* **46**(2): 225-229.

- Arnon, D. I. (1949). Copper enzymes isolated chloroplasts: Polyphenol oxidase in *Beta vulgaris*. *Plant Physiol.* **24**: 1-15.
- Folin O. and Denis W. (1915): A calorimetric estimation of phenol and phenol derivatives in urine. *J. Biol. Chem.*, **22**: 305-308.
- Hawk P.B., Oser B.L. and Summerson W.H. (1948): Rapid quantitative determination of eight mineral elements in plant tissue by systematic procedure involving use of flame photometer. *Soil. Sci.* **66**: 459-466.
- Khare, C. B. (1952). Medicinal plant in India. *Springer Verlag* Berlin.
- Kirk J.O.T. and Allen R. L. (1965): Dependence of Chloroplast pigment synthesis on protein synthesis. Effect of actidione. *Arch. Biochem. Biophys. Res. Commun.* **1**: 523-530.
- Maehly A.C. (1954): Methods in biochemical analysis (Eds. Glick D.) (Publ.) Interscience Publishers Inc. New York. Pp – 385-386.
- Mahadevan A. and Sridhar R. (1982): methods in physiological plant pathology (II Eds.) (Publ.) Sivakami Indra Nagar, Madras.
- Nelson, N. (1944). A photometric adaptation of the Somogyi method for determination of glucose. *J. Biol. Chem.*, **153**:375-380.
- Sadasivam, S. and Manickam, A. (1992). Biochemical method for agricultural science, Willey, Eastern Ltd. pp. 105.
- Sekine, T., Sasakawa, T., Morita, S., Kimura, T. and Kuratom, K. (1965). cf. laboratory manual for physiological studies of Rice (Eds.) Yoshida,S., Forno, D., Cook, J.B. and Gomez, K.A. Pub. International Rice Research institute, Manila, India. 1972.
- Singh, R. P. (2005). *Plant Pathology*, (Publ.) Kalyani Publishers New Delhi.
- Toth, S.J., Prince, A. L., Wallace, A. and Mikkelsen, D. S. (1948). Rapid qualitative determination of eight mineral elements in plant tissues by systematic procedure involving use of flame photometer. *Soil Sci.*, **66**: 456-466.
- Uppal, S.K. and Kanwar, R.S. (1992). Foliar enzymatic activities in relation to sucrose accumulation in plant and ratoon crops of sugarcane. *Indian J. Plant Physiol.*, **35(4)**: 328- 334.