

References to
Literature Cited

REFERENCES

- Agashe S.N. (1977). Prototaxopitya andrewsii a new combination for Prototaxoxylon andrewsii Agashe and Chitnis. Geophytology, 7(2) : 278-279.
- _____ & Chitnis S.R. (1971). Studies on the fossil gymnosperms Part-3 : Prototaxoxylon andrewsii, a species of taxinean wood from the Lower Gondwana Strata. Palaeontographica, 133 (1-3) : 52-60.
- _____ & Gowda P.R. (1979). Anatomical study of Gymnospermous wood from Lower Gondwana of Maharashtra. Phytomorphology, 28 : 269-275.
- _____ & _____ (1982). Studies of fossil gymnospermous wood Part-IV: Two new species of petrified woods from the Lower Gondwana (Permian) strata. Indian J.Bot., 4 : 73-78.
- ~~X~~ Banerjee M. (1973). On the occurrence of Buriadia heterophylla (Feistm.) Seward & Sahni in the Raniganj Stage (Upper Permian) of Indian Lower Gondwana. J.Geol. Soc. India 14(4) : 428-431.
- _____ (1978 b) : Genus Glossopteris Brongniart and its stratigraphic significance in the Palaeozoics of India Part-I A revisional study of some species of the genus Glossopteris. Bull.Bot.Soc.Bengal, 32: 81-125.
- _____ (1987). Karharbari - a formation or biozone. The Palaeobotanist, 36 : 37-50.

* Agarwal & Prasad; Jan 81 M
L. Gondwana woods from
Maharashtra to be referred,
(announced in Palaeontographica)

- Bhattacharyya A.K. (1963). The assemblage of megaplant fossils from the Lower Gondwana rocks of the western part of the Auranga Valley Coalfield, Palamau district, Bihar. Quart. J.Geol.Soc., 35 : 123-128.
- Biradar, N.V. & Bonde, S.D. (1981). Nandorioxylon saksenae gen. et. sp.nov. A new gymnospermous wood from Lower Gondwana Strata. Indian J.Bot., 4 : 73-78.
- Bunbury C.J.F. (1861). Notes on a collection of fossil plants from Nagpur, Central India : Q.Jl.Geol.Soc.Lond., 325-346.
- Chandra,A. & Srivastava A.K. (1982). Plant fossils from the Talchir & Coal bearing formations of South Rewa Gondwana Basin India and their biostratigraphical significance. Palaeobotanist, 30 : 143-167.
- Chandra,S. & Chandra A. (1987). Vegetational changes and their climatic implications in coal bearing Gondwana. The Palaeobotanist, 36 : 74-86.
- _____ & Prasad M.N.V. (1981). Fossil plants from the Kamthi formation of Maharashtra and their biostratigraphic significance. Palaeobotanist, 29 : 99-121.
- _____ & Rigby J.F. (1981). Lycopsida, Sphenopsida & Cycadaceous remains from the Lower Gondwana of Handappa Orissa. Geophytology, 11 : 214-219.
- _____ & _____ (1983). The Filicates from the Lower Gondwanas of Handappa, Orissa. Palaeobotanist, 31 : 143-147.

____ & Surange K.R. (1975). Fertile Bracts and scales of Glossopteris fructifications from the Lower Gondwanas of India. The Palaeobotanist, 24, (3) : 195-201.

____ & ____ (1976). Cuticular studies of the reproductive organs of Glossopteris Part-I - Dictyopteridium feistmanteli sp.nov. attached on Glossopteris tenuinervis. Palaeontographica, 156-B(4-6) : 87-102.

____ & ____ (1977). Cuticular studies of the reproductive organs of Glossopteris Part-2 Cistella gen.et.sp.nov. attached on Glossopteris taenioides Feistmantel. Palaeobotanist, 23 : 161-164.

____ & ____ (1977 a). Cuticular studies of the reproductive organs of Glossopteris Part-2 Cistella type fructifications. Plumsteadostrobus dlipticus gen. et. sp.nov. attached on Glossopteris taenioides Feistmantel. Palaeobotanist, 23(30) : 161-164.

____ & ____ (1977 b). Cuticular studies of the reproductive organs of Glossopteris Part-3 Jambadostrobus and Venuststrobus ^{ste} on Glossopteris leaves. Palaeontographica. 146B : 127-152.

____ & ____ (1977 c). Cuticular studies of the reproductive organs of Glossopteris Part-4 Venuststrobus indicus sp.nov. Palaeobotanist, 23(3) : 149-160.

____ & ____ (1977 d). Some scale leaves and sporangia from Raniganj Coal field India. Palaeobotanist, 24(3) : 245-253.

- Chitaley, S.D. (1949). On a new species of Dadoxylon,
D. chandensis sp.nov. from the District Chanda, C.P.
Journ. Ind. Bot. Soc., 28(3) : 172-180.
- Chitnis, S.R. & Vagyan, B.A. (1979). Additions to the
Glossopteris Flora from the Kamthi beds near Satnātri,
district Nagpur (M.S.) Geophytolog, 9(1) : 62-64.
- Cotter, Gde.P. (1917). A revised classification of the Gondwana
system. Rec. Geol. Surv. Ind., 48 : 23-33.
- Feistmantel, O. (1876). Notes on age of some fossil floras of
India Rec. Geol. Surv. India, 9(2) : 28-42.
- _____. (1879). The fossil flora of the Gondwana system
Lower Gondwana. The flora of the Talchir-Karharbari
beds. Mem. Geol. Surv. India, Pal. Ind. Ser. XII, 3 : 1-64.
- _____. (1881). The fossil flora of the Gondwana system-II.
The flora of Damuda, Panchet Division Mem. Geol. Surv.
India, Pal. Ind. Ser. X, 3(2) : 1-149.
- _____. (1882). The fossil flora of the South Rewa Basin.
Mem. Geol. Surv. Ind. Pal. Ind. Ser. XII, 4(1) : 1-52.
- _____. (1886). The fossil floras of the Gondwana System-IV.
The fossil flora of some of the coal-fields in Western
Bengal. Ibid, 4(2) : 1-66.
- Fox, C.S. (1931). The Gondwana System and related formations.
Mem. Geol. Surv. Ind., 58 : 1-241.
- _____. (1934). The Lower Gondwana Coal-fields of India.
Mem. Geol. Surv. Ind., 59.
- Hughes, T.W.H. (1881). Notes on South Rewa Gondwana basin.
Mem. Geol. Surv. India, 14 : 126-138.

- ____ (1884). Southern coal fields of Rewa Gondwana basin.
Mem. Geol. Surv. India, 21(3) : 72.
- Kar, R.K.(1968). Studies in Glossopteris flora of India 36. Plant fossils from Barren measures succession of Jharia coal field. The Palaeobotanist, 16(3) : 243-248.
- King, W.(1881). Geology of Pranhita-Godavary Valley. Mem. Geol. Surv. India, 18 : 151-311.
- Kraus, G. (1870). In Schimper W.Ph.Traite du Palaeontologia Vegetable Du la flora due Monde Primitif dens ses rapports avec les formation geologiques et al. flora due Monde actuel. J.B.Bailliere et Fils Paris, 2: 381.
- Krause R. & Dolianti (1958). Gymnospermen holzer sur dem Palaeozoikum Brasiliens. Palaeontographica, 104 B(4-6) : 115-137.
- Kulkarni, S. (1971). Barakaroxylon monoconnalosum sp.nov. from Jharia Coal field. Palaeobotanist, 18(3): 309-311.
- Lasker et al. (1977). Evolution of Gondwana Coal basins. 4th Int.Gond.Symp.Calcutta, Sec.IV: Environment & Origin of Coal deposits : 1-21.
- Lele, K.M.(1955). Plant fossils from Parsora in the South Gondwana basin, India. The Palaeobotanist, 4: 23-24.
- ____ (1962). Studies in the Indian Middle Gondwana Flora-1. On Dicroidium from the South Rewa Gondwana Basin. Palaeobotanist, 10(1-2) : 48-68.
- ____ (1964). The problem of Middle Gondwana in India XXII. International Geological Congress India Part-IX. Proc.of Sec.Q.Gondwanas, New Delhi : 181-202.

_____. (1966). Quest for the early traces and subsequent development of Glossopteris flora in the Talchir Stage : Symposium of Floristics and Stratigraphy of Gondwana Land. Birbal Sahni Institute of Palaeobotany, Lucknow : 85-97.

Lepekhina, V.C. (1972). Woods of Palaeozoic pycnoxylic gymnospermus with special reference to North Eurasia representatives. Palaeontographica, 138-B(1-4) : 44-106.

Mahabale, T.S. & Vagyan, B.A. (1980). On the occurrence of Kamthioxylon. A new Genus of Gymnospermous wood from Adhari (Maharashtra). Biovigyanum, 6 : 131-134.

Maheshwari, H.K. (1965). Studies in the Glossopteris Flora of India, 24. On two new species of fossil wood from the Raniganj Stage of Raniganj Coal field, Bengal. Palaeobotanist, 13 : 148-152.

_____. (1965 a). Studies in the Glossopteris flora of India-22. On some species of genus Glossopteris from the Raniganj Stage of East Raniganj Coal field, Bengal. Ibid, 13(2) : 129-143.

_____. (1965 b). Studies in Glossopteris flora of India-23. On two fructifications from the Raniganj Stage of Raniganj Coal field, Bengal, India. The Palaeobotanist, 13(2) : 144-147.

_____. (1965 c). Studies in the Glossopteris flora of India-24. On the two new species of fossil woods from Raniganj Stage of Raniganj coal field, Bengal, India. Ibid, 13(2) : 148-152.

- ____ (1966). Studies in the Glossopteris flora of India-28.
On some fossil woods of Raniganj Stage of Raniganj
coal field, Bengal, India. Ibid, 15(3) : 243-257.
- ____ (1972). Permian wood from Antarctica and Revision
of some Lower Gondwana wood taxa. Palaeontographica,
138-B : 1-43.
- ____ & Prakash, G. (1965). Studies in the Glossopteris
flora of India-21. Plant megafossils from the
Lower Gondwana Exposures along Bansali river in
Rajmahal Hills, Bihar. Palaeobotanist, 13(2): 113-128.
- ____ & Tiwari, R. (1986). Maheshwariella spinicornuta a
new gymnospermous seed from Karharbari formation.
Palaeobotanist, 35(1) : 69-72.
- Maithy, P.K. (1965). Studies in the Glossopteris flora of India
-18. Gymnospermic seeds and seed bearing organs from
Karharbari beds of Giridih Coal field, Bihar.
Palaeobotanist, 13(1) : 45-46.
- ____ (1965 a). Studies in the Glossopteris flora of India-17.
On the genus Rubidgea Tate. Ibid, 13(1) : 42-44.
- ____ (1965 g). Studies in the Glossopteris flora of India-32.
On the genus Cangmopteris Mc Coy. Ibid, 14(1-3) :
46-51.
- ____ (1966). Palaeobotany and stratigraphy of Karharbari
Stage with particular reference to Giridih coal field,
India in Symposium on Floristics of Stratigraphy of
Gondwana land, B.S.I.P., Lucknow : 102-109.

- ____ (1969). Palaeobotany and stratigraphy of the coal bearing beds of Daltonganj coal fields, Bihar. Palaeobotanist, 17(3) : 265-274.
- ____ (1969 a). Studies in Glossopteris flora of India-39. On some new plant fossils from Karharbari beds, Ciridih coal fields, Bihar, India. Ibid, 18(2):167-172.
- ____ (1969 b). The contemporaneity of Karharbari flora in Gondwana in Santapati If et al. (eds.) J.Sen.Mem. Vol.Bot.Soc., Bengal, Calcutta. 274-298.
- ____ (1971 a). Fossil flora at the Barakar Stage in Auranga coal field. The Palaeobotanist, 19(1) :70-75
- ____ (1971 b). The Lower Gondwana Plants of India and other stratigraphic significance. Septime Congress International de Stratigraphic et. de. Geologic du Carbonifere, Kerfald : 385-390.
- ____ (1974 a). Megafloristic subdivisions of Damuda Series in Aspects and Appraisals of Indian Palaeobotany (eds.) Surange et al., B.S.I.P. Lucknow : 386-391.
- ____ (1977). Revision of some fossil plants from the Karharbari formation Ciridih coal field, Bihar, India. Palaeobotanist, 23(3) : 220-222.
- Medlicott, H.B. (1872). Notes on the Lomentas or the Infra-Trappean formation of Central India. Rec.Geo.Surv. Ind., 5(5) : 115-120.
- ____ & Blanford, W.T.(1879-1887). A manual of Geology of India. Chiefly compiled from the observation of the Geological Survey 1 : 1-144 & 2 : 445-817.

Oldham R.D. (1893). A manual of Geology of India : 1-543.

2nd Edition, Calcutta.

Pande, B.G. (1988). Kamthi - a new concept. Palaeobotanist,
36 : 51-57.

Pant, D.D. & Gupta, K.L. (1968). Cuticular structure of some Indian Lower Gondwana species of Glossopteris Bgt. Pl.1. Palaeontographica, 124-B : 45-81.

_____ & Nautiyal, D.D. (1965). Seed bearing Ottokaria life fructifications from India. Nature, 207(4997) : 623-624.

_____ & _____ (1966). On two peculiar fossils of Karharbari Stage, India. Symposium on Floristics and Stratigraphy of Gondwana land, B.S.I.P., Lucknow : 98-100.

_____ & _____ (1967). On the structure of Buriadia heterophylla (Feistmantel) Seward & Sahni and its fructification : Phil.Trans.R.Soc., London 252(774) : 27-48.

_____, _____ & Misra, L. (1981). Giridia india gen et. sp.nov. : The possible cone of Phyllotheca indica Bunbury. Palaeontographica, 176-B : 144-178.

_____, _____ (1984). On the morphology and structure of Ottokaria zeilleri sp.nov. - a female fructification of Glossopteris. Palaeontographica, 193-B : 127-152.

_____, _____ & Singh Sudha (1976). Cuticular structure and affinities of Cheiro phyllum lacerata (Feistmantel) n.comb. Palaeobotanist, 25 : 353-359.

- ____ & ____ (1979). Caulophyllites indica gen et. s.nov.
from the Giridih coal field, India. Palaeontographica,
169-B : 107-115.
- Pareek, H.S.(1969). Some observations on the lithology of coal
bearing beds and nature of coal of the major Gondwana
basins of India Gondwana stratigraphy, I.U.C.S.Unesco,
Paris : 883-904.
- Plumstead E.P. (1958 a). Further fructifications of the Glosso-
pteridae and a provisional classification based on
them. Trans.GeoL.Soc.S.Africa, 61 : 51-76.
- Prakash U.& Srivastava, S.K.(1959). On a new species of
Spiroxylon curr.Sci., 28 : 446-448.
- Prasad, M.N.V.(1978). Australoxylon from the Kamthi beds of
Lower Gondwana, India Curr.Sci., 47(16): 597.
- ____ (1982). An annotated synopsis of Indian Palaeozoic
gymnospermous woods. Rev.Palaeobot.Palynol., 38 :
119-156.
- ____ (1986). Xylotophoflora of the Kamthi format Indian
Lower Gondwana with remark on the biostratigraphic
importance of its taphoflora. Palaeontographica Abt.
B.Bd. 201 : 111-134.
- ____ & Chandra, S. (1978 a). First record of Taxopitys
from the Indian Lower Gondwana. Curr.Sci., 47(10):348.
- ____ & ____ (1978 b). Australoxylon from the Kamthi
beds of Lower Gondwana India. Curr.Sci., 47(16): 597.
- ____ & ____ (1981). Two species of Australoxylon from
the Kamthi formation of Chandrapur District,Maharashtra
Geophytology, 11(1) : 1-5.

- Rajanikanth, A. & Sukh Dev (1989). The Kota formation: fossil flora and stratigraphy. Geophytology, 19(1): 52-64.
- Sastri, M.V.A., Acharya, S.K., Shah, S.C., Satsangi, P.P., Ghosh, S.C., Raha, P.K., Singh, G. and Ghosh, R.N. (1977a) Stratigraphic lexicon of Gondwana formations of India. Geol. Surv. India, Musc. Publ., 36 : 1-99.
- Sen, J. (1953). Principles and problems of microfossil correlation of India coal seams with special reference to Karharbari. Bull. nata. Inst. Sci. India, 2: 129-140.
- Srivastava, A.K. (1977). Palaeobotanical evidence for presence of Karharbari Stage in the Auranga coal field, Bihar, Megaflora. Palaeobotanist, 23(3) : 206-219.
- Srivastava, P.N. (1957). Studies in the Glossopteris flora of India-4. Glossopteris, Gangmopteris from the Raniganj Coal field. Palaeobotanist, 5(1) : 1-45.
- Srivastava, S.C. (1973). Palynostratigraphy of the Giridih coal field. Geophytology, 3(3) : 184-194.
- Surange, K.R. (1966). Distribution of Glossopteris flora in Lower Gondwana formation of India. Symp. Florist. Strat. Cond. Land., B.S.I.P. Lucknow, : 55-68.
- (1974). Other Lower Gondwana Gymnospermous Plants. In Aspects and Appraisal of Indian Palaeobotany, B.S.I.P., Lucknow : 170-178.
- & Chandra, S. (1973). Partha a new type of female fructifications from the Lower Gondwana of India. Palaeobotanist, 20 : 356-366.
- & (1974). Fructification of Glossopteridae from India. Palaeobotanist, 20(3) : 356-360.

- ____ & Lele, (1956). Studies on the Glossopteris f. Par
of India-6. Plant fossils from Talchir beds of South
Rewa Gondwana Basin. Palaeobotanist, 5(2): 82-90.
- ____ & P.K.Maitly (1962). Studies in the Glossopteris flora
of India-14 : Two new fossil woods from the Lower
Gondwanas of India. Palaeobotanist, 11 : 96-101.
- ____ & Saxena, Y.N.(1958). Studies in the Glossopteris flora
of India-10. Dadoxylon barakarens sp.nov. from the
Jharia coal field, India.
- Tate, R. (1867). On the secondary fossils from South Africa.
Quat.J.Ceol.Soc.Land, 23 : 139-174.
- Vagyani,B.A. & Jamane, M.R.(1984). A new species of
Agathioxylon from the Kamthi formation of Chandrapur
district, Maharashtra. Proc.Spl.Indi.Geo.Con., Poona,
pp. 181-183.
- ____ & Mahabale, T.S.(1972). A new species of fossil
Gymnospermous wood Planoxylon Stopes from Adhari
(M.S.) Palaeobotanist, 21(2) : 211-215.
- ____ & Raju,A.V.V. (1982). A new species of fossil
Gymnospermous wood Araucarioxylon Krause from
Nandori, Maharashtra State. Biovigyanum, 7 : 11-13.
- Varadpande, V.G.(1977 a). Dadoxylon satnauriense a new species
of petrified gymnospermous wood from the Lower
Gondwana of India. J.Univ.Poona Sc.Tech., 50:159-162.