

VI REFERENCES

- Agnihotrudu, V. 1960. Meliola albizziae Hansf. and Deight. from Assam. Curr.Sci.; 29 : 149
- Ainsworth, G.C. 1963. Ainsworth and Bisbay's Dictionary of the fungi. (5th Edt.) CMI, Key Survey, 577 pp.
- Ainsworth, G.C. 1971. Ainsworth and Bisbay's Dictionary of the fungi. (6th Edt.) CMI, Key Surrey, 663 pp.
- Ainsworth, G.C., K.Federic, Sparrow and S.Sussman. 1973. The Fungi An Advance Treatise. Vol. 4A : Taxonomic Reviews with Keys;; Ascomycetes and Fungi Imperfectii Publ. Academic Press, London, pp.621.
- Alexopoulos, C.J. and C.W. Mims, 1979. Introductory Mycology (Bred. edn.) Wiley Eastern Ltd., New Delhi, pp.631.
- Anahosur, K.H. 1969. Ascomycetes of Coorg (India)-I. Sydowia; 23 : 57-62.
- * Arnaud, G. 1918. Les Asterinees. Ann. Ecole Natl. Agric. Montpellier (N.S.) 16 : 1-288.
- Arx, V. and E.Muller. 1975. A Re-evaluation of the Bitunicate Ascomycetes with Keys to families and genera. Studies in Mycology, 9 : 160.
- Ayers, T.T. 1935. Paarasitism of Dispira cornuta. Mycologia, 27: 235-261..
- * Bal, S.N. and A.C. Dutta, 1922. A few species of Meliola growing on different host plants. Journ. Dept. Sci., Univ. Calcutta 1 : 1-4.
- * Barnett, H.L. 1963. The nature of mycoparasitism by fungi. Ann. Rev. Microbiol., 11: 11-14.

- Barnett, H.L. and V.G.Lilly, 1958. Parasitism of Calcurisporium parasiticum on species of Physalospora and related fungi West va Univ. Agr.Expt. Sta. Bull..., 420 : 1-37.
- * Barr, M.E. 1976. Perspectives in the Ascomycotina. Mem. New York Bot. Gard., 28: 1-8.
- * Batista, A.C., W.A.Cavalcanti and H.S. Maia. 1965. Novos binomis do genero Meliola. Atas Inst. Micol Recife, 399 : 253-289.
- * Batista, A.C. and H.S.Maia. 1960. Algumas especies de Amazonia Theiss. e Amazoniella Bat. & Maia. Broteria, 29 : 73-84.
- * Batista, A.S., H.S. Maia and J.L.Bezerra. 1966. Melila spp. de centro e sul America Atas Inst.Micol Recife, 3: 238-286.
- * Batista, A.C., H.S.Maia and M.L. Farr. 1962. Meliolaceae dos generos Chaetomeliola Cif., Irenopsis stev., Laeviomeliola Bat. Univ. Recife Inst. Micol. Publ., 218 : 1-23.
- * Batista, A.C., H.S.Maia, J.A.Lima, A.S. Garnier and G.E.P. Peres, 1963. Alguns Meliola identificados no IMUR. Ibid. 237-: 3-68.
(Univ. Recief. Inst. Micol. Publ.) 23.
- * Batista, A.C., A.S.A.Silva and J.L. Bezerra. 1965. Balladynocallia n.gen. e. outros Meliolaceae. Atas Inst. Micol. Recife; 396: 215-243.
- ✓ Beeli, M. 1920. Note sur le Genre Meliola Fr. Bull. Jard. Bot. Eslute, 7: 89-160.
- Benjamin, R.K. 1959. The merosporangiferous mucorales. Mycologia, 4: 321-433.

- Benjamin, R.K. 1961. Addenda to "The merosporangiferous mucorales". Mycologia, 6 : 11-19. ?
- Benjamin, R.K. 1963. Addenda to "The merosporangioferous mucorales". Mycologia : 5 : 273-288. ?
- Bessy, E.A. 1950. Morphology and Taxonomy of Fungi (reprint 1979). Vikas Publ. House Pvt.Ltd., Bangalore, pp.791.
- Bessey, E.A. 1961. Morphology and taxonomy of fungi. Hafner Publishing Company, New York and London, pp.791.
- Bhide, V.P., Alka Pande, V.G.Rao and P.G.Patwardhan, 1987. Fungi of Maharashtra supplements I. Publ. by Maharashtra Association for Cultivation of Science Research Institute, Pune, pp.146.
- Bilgrami, K.S., Jamaluddin and M.A. Rizwi, 1979. Fungi of India. Part-I. List and References. Today and Tomorrow's Printers and Publishers, New Delhi, 467 pp.
- Bilgrami, K.S., Jamaluddin and M.A. Rizwi, 1981. Fungi of India. Part-II Today's & Tomorrow's Printers and Publishers, New Delhi 140 pp.
- * Boosalis, M.G. 1956. Effect of soil temperature and green manure amendment of unsterilised soil on parasitism of Rhizoctonia solani by Penicillium vermiculatum and Trichoderma sp. Phytopath., 46: 473-478.
- * Boosalis, M.G. 1964. Hyperparasitism. Ann. Rev. Phytopathol., 2: 363-376.
- * Booth, C. 1966. The genus Cylindrocarpon. Mycol. Pap. CMI, 104: 1-56.

- ✓ Bornet, E. 1851. Etudes Sur L'Organisation des Especies qui composent le genre Meliola. Ann. Sci.Nat. Bot., Ser. III, 16: 257.
- Bose, S.K. and E.M.Muller, 1964. Central Himalayan Fungi-I. Indian Phytopath., 17 : 141-155.
- * Bretz, T.W. and F.H. Berry, 1964. A technique for utilising adhesive tape for mounting and photographic fungi. Pl. Dis. Reporter, 48 : 514.
- ✓ Budathoki, Usha and P.N.Singh, 1994. Some new black mildews from Kathmandu valley. Indian Phytopath., 47(4) : 379-380.
- * Burgeff, H. 1924. Untersuchungen uber sexualstat and parasitismus bei mucorineea I. Botan. Abhanal. Herausgegeben Von Dr.K. Goebel, 4 : 1-135.
- Butter, E.C. 1956. Mycologia, 48 : 345-348. (quoted by V.W.Cochrane, 1958). L ref ?
- Butler, E.J. and G.R.Bisby, 1931. The Fungi of India Part-II Imp. Coun. Agric. Res. India, Monogr. I. XVIII pp. 237.
- Butler, E.E. and M.P.Mann. 1959. Use of cellopane tape for mounting and photographing phytopathogenic fungi. Phytopath., 49 : 231-232.
- Ciferrri, R. 1955. Observations of Meliolaceous Hyphales from Santo Domingo; Sydowia, 9 : 296-335.
- ✓ Clements, F.E. and C.L.Shear, 1931. Genera of Fungi. Hafner Publishing Company, New York, 496 pp. 158 pl. (reprint 1957).

- * Cooke, M.C. 1880. Fungi of India. Grevillea; 8 : 96.
- * Cooke, M.C. 1884. Some exotic fungi Ibid., 12 : 85.
- * Couch, J.N. 1926. Heterothallium in Dictyuchus, a genus of the water moulds. Ann.Bot., 89: 295-309.
- Dearness & Bartholomew, 1924. Mycologia, 16 : 175.
- Deighton, F.C. and K.A.Pirozynski, 1972. Microfungi V. more hyper-parasitic Hyphomycetes. Mycol. pap., 128 : 34.
- Dennis, R.W.G. 1968. British Ascomycetes. J. Cramer, Lehre pp. 455, Plates, 77.
- * De-Vay, J.E. 1956. Mutual Relationship in Fungi Ann. Rev. Microbiol., 10: 115-140.
- Dobbs, C.G. and M.P. English, 1954. Piptocephalis xerasphila sp. nov. parasitic on non-mucorine hosts. Brit. Mycol. Soc.Trans., 37 : 375-389.
- * Doidge, E.M. 1917, South African Perisporiales. Trans. Roy South Africa 5 : 713-750.
- * Doidge, E.M. 1920. South African Perisporiaceae. Ibid., 8: 137-143.
- Drechsler, C. 1938. New zoopagaceae capturing and consuming soil Amoebae. Mycologia, 30 : 128-132.
- Drechsler, C. 1943. A new nematode capturing Dactylella and several related hyphomycetes. Mycologia, 35 : 339-362.
- Ellis, J.P. 1974. Some thalloid meliolas. Trans. Brit. Mycol. Soc., 63: 93-98.

- * Ellis, M.B. 1950. A modification of the 'Necol' technique for mounting microfungi. Trans. Brit. Mycol. Soc., 63 : 93-98.
- Ellis, M.B. 1960. 'Necol Mounts' In : Herbarium I.M.I. Hand Book, 24-36, CMI, Kew Surrey, London.
- Ellis, M.B. 1968. Dematiaceous Hyphomycetes. IX. Spiropes and Pleurophragmium Mycol. Pap., 114 : 5-8.
- Ellis, M.B. 1971. Dematiaceous hyphomycetes. Commonwealth Mycological Institute, Kew Surrey, England, 608 pp.
- Ellis, M.B. 1976. More Dematiaceous hypomycetes. Commonwealth Mycological Institute, Kew Surrey, England 507 pp.
- * Emmons, C.W. 1930. Cicinnobolus cesatii, a study in host parasite relationships Bull. Torrey Botany Club., 57: 421-442.
- * Eriksson, O.E. 1966. On Eudarluca caricis (Fr.) O. Eriks, comb. nov., a cosmopolitan urediniculous pyrenomycete Botan. Notiser, 119 : 33-59.
- Eriksson, O.E. 1981. The families of bitunicate ascomycetes. Opera Botanica ; 60: 1-220.
- Eriksson, O.E. 1982a. Outline of the Ascomycetes. Mycotaxon; 15: 203-248.
- Eriksson, O.E. 1982 b. Revision of "Outline of Ascomycetes 1982". Systema Ascomycetum; 1 : 1-16.
- Eriksson, O.E. 1983. Outline of the Ascomycetes 1983. Systema Ascomycetum, 2 : 1-37.
- Eriksson, O.E. and D.L. Hawksworth. 1986. Outline of the Ascomycetes, 1986. Systema Ascomycetum, 5 : 185-324.

✓ Eriksson, O.E., L. David and D.L.Hawksworth, 1987. Outline of the Ascomycetes. Systema ascomycetum, 6(2) : 259-338.

Eriksson, O.E. and Jing-Zhu Yue 1988. The pyrenomycetes of China, an annotated checklist. printed at University of Umea, pp.88.

fics? Farr, M.L. 1969. Some "black' mildew" sooty mould" and "fly speak" fungi and their hyperparasites from Dominia. Can. J. Bot., 47: 369-381.

* Flegal, T.W., 1980. Semipermanent microscope slides of microfungi using a sticky tape technique. Canad. J. Microbiol., 24 : 551-553.

✓ * Gaillard, A. 1891. Les Hyphopodies myceliennes des Meliolas. Bull.Soc.Mycol. France, 7 : 99-101.

✓ * Gaillard, A. 1892. Le Genre Meliola, Paris, 164 pp.

Gamble, J.S. 1899. On determination of the fungi which attack forest trees in India. Indian Forester, 35 : 431-438.

Gaumann, E.A. 1952. The Fungi. Description of their morphological features and evolutionary development (Transl. by F.L.Wynd.). Hafner Publishing Co., London, 420 pp.

* Gaumann, E.A. 1964. Die Dilze Birkhauser Verlag. Basel, pp.541.

Goos, R.D. and J.H. Anderson 1972. Meliolaceae of Hawaii. Sydowia Annls. Mycologic Sr.II, 26 (1-6) : 73-80.

Goos, R.D. and R.V.Gessner, 1975. Hyphal modifications of Sphaerulina pedicellata appressoria or hyphopodia ? Mycologia; 67 : 1035-1038.

- ✓ Goos, R.D. and L.Palm. 1979. Early stages in colony development in genus Meliola. Can.J.Bot., 57 : 461-464.
- Gordon, C.C. and C.G.Shaw, 1960. A new genus of the Meliolaceae on the roots of Solanum species. Mycologia; 52 : 327-333.
- Gregory, S. and J.Taylor, 1995. Molecular sequence Data and classification of the order Meliolales. IMC-5 Abstract : Biology of the Meliolales (Symposium), Vancouver, Canada.
- Gupta, B.K. and C.Gupta, 1985 a. New records from India. Ind. Phytopath., 38 : 389-390.
- Gupta, B.K. and C.Gupta, 1985 b. Some new fungi from Uttar Pradesh, Ibid, 38 : 576.
- * Gwynne Vaughan, H.C.I. 1922. Fungi (Morphology), London, 232 pp.
- ✓ Hansford, C.G. 1946. The foliicolous ascomycetes, their parasites and associated fungi Mycol. Pap., 15 : 1-240.
- Hansford, C.G. 1957. New or Interesting tropical fungi-VI. Sydowia, 10 : 41-100.
- ✓ Hansford, C.G. 1961. The meliolaneae, a monograph. Sydowia Beihefte, 2 : 1-806.
- Hansford, C.J. 1963. The meliolineae supplement. Sydowia, 16 : 302-323.
- ✓ Hansford, C.G. and M.J. Thirumalachar, 1948. Fungi of South India. Farlowia, 3 : 285-314.
- * Haskins, R.H. 1963. Morphology, nutrition and host range of a species of Pythium. Canad.J.Microbiol., 9 : 451-457.

Hansford & Dodge
c 1961?

← * Haskins, R.H., A.P.Tulloch and R.G.Micetich. 1964. Steroids and the stimulation of sexual reproduction of a species of Pythium. Canad. J.Microbiol., 10 : 187-195.

Hawksworth, D.L. 1974. Mycologist's Hand Book : An Introduction to the Principles of Taxonomy and Nomenclature in the Fungi and Lichens. CMI Kew Surrey, England pp.231.

Hawksworth, D.L., B.C.Sutton and C.G. Ainsworth, 1983. Ainsworth and Bisby's dictionary of the fungi. (7th Ed.), Kew : Commonwealth Mycological Institute, pp. 412.

* Hosagoudar, V.B. 1985a. Comments on some meliolaceous fungi earlier reported from India. J.Econ. Tax. Bot., 6 : 249-252.

* Hosagoudar, V.B. 1985b. Miscellaneous fungi from South India. Ibid. 7 : 45-47.

Hosagoudar, V.B. 1986. Meliola petrakii Stev. & Rold. A new record to India. J.Econ. Tax. Bot., 8(2) : 473-474.

✓ Hosagoudar, V.B. 1987 a. The Meliolaceae of Idukki Hydroelectric project Area, Kerala. Ph.D. Thesis. Bharathiar Univ., pp.297.

✓ Hosagoudar, V.B. 1987 b. Meliolaceae of South India-II. Sydowia: 40: 113-121.

Hosagoudar, V.B. 1987 c. Meliolaceae of South India. J.Econ. Tax. Bot., 11(1) : 157-159.

Hosagoudar, V.B. 1988 a. Meliolaceae of South India-III. Indian J. Bot. 11 (2): 185-187.

Hosagoudar, V.B. 1988 b. Meliolaceae of South India-IV. Ind. bot. Reprtr., 7: (1 & 2): 58-60.

Hosagoudar, V.B. 1988 c. Meliolaceae of South India-V. Nova Hedwigia; 47 (3 & 4) : 535-542.

Hosagoudar, V.B. 1989 a. A new variety of Meliola carissae Doidge from India. Curr. Sci., 58 (3) : 145-146.

Hosagoudar, V.B. 1989 b. Meliolaceous fungi from the state of Kerala, India-I. Mycotaxon, 36 (1) : 243-244.

Hosagoudar, V.B. 1990. Meliolaceous fungi from the State of Kerala, India-II. Mycotaxon; 37 : 220, 221, 235 and 250.

Hosagoudar, V.B. 1991 b. Meliolaceae of South India-VIII. Cryptogamic Botany; 2 (2-3) : 183-187.

Hosagoudar, V.B. 1991 c. Meliolaceae of South India-IX. Nova Hedwigia; 52 (3-4) : 497-503.

Hosagoudar, V.B. 1991 a. The genus Armatella (P.Henn.)Theiss.and Sydow (Meliolaceae) in India, J.Econ.Tax.Bot.,15(1):195-202.

Hosagoudar, V.B. and R.D. Goos. 1989. Meliolaceous fungi from the State of Kerala, India-I. Mycotaxon, 36 (1): 221-247.

Hosagoudar, V.B. and R.D.Goos. 1990 a. Meliolaceae of South India-VII. Mycotaxon; 37 : 403-411.

Hosagoudar, V.B. and R.D. Goos. 1990 b. Meliolaceous fungi from the State of Kerala, India-II. Mycotaxon, 37 : 217-272.

Hosagoudar, V.B. and R.D. Goos. 1991. Meliolaceae of South India-X. Mycotaxon; 42 : 125-147.

Hosagoudar, V.B. and J.N.Kapoor. 1985. New technique for mounting Meliolaceous fungi. Indian Phytopath. 38 : 548-549.

- Hosagoudar, V.B. and M.Mohanan, 1985. A new medium for mounting meliolaceous fungi. Curr. Sci., 54 : 1131-1132.
- Hosagoudar, V.B., M.S.Patil and N.P.Balkrishnan. 1989. Taxonomic Notes on Indian Meliolaceae. J.Econ. Tax.Bot., 13(1) : 78-82.
- Hosagoudar, V.B. and V.S. Raju. 1985. Taxonomic notes on two species of Meliola Fr. described from Maharashtra. J.Econ. Tax. Bot., 6 : 717-718.
- * Hughes, S.J. 1978. New Zealand Fungi. 25 Miscellaneous species. Newzealand J.Bot., 16 : 311-370.
- Hughes, S.J. 1981. Mucronate hyphopodia of Meliolaceae are Phialides. Can.J.Bot., 59 : 1514-1517.
- Hughes, S.J. and K.A.Pirozynski. 1995. Endomeliola Gen. nov. Meliolaceae. IMC-5 Abstract : Biology of the Meliolales (Symposium), Vancouver, Canada.
- * Huguenin, B. 1969. Micromycetes due pacifique sud. VII - Meliolinees de Nouvelle-caledonie. Rev. Mycol., 34 : 23-61.
- Kamal, M.S. Singh and R.P.Singh, 1982. Fungi of Gorakhpur-XX. Indian J. Mycol. Pl. Pathol., 12 : 71-73.
- Kamat, M.N., P.G.Patwardhan, V.G. Rao and A.V.Sathe, 1972. The fungi of Maharashtra. Mahatma Phule Vidyapeeth Publ. pp. 276.
- ✓ Kapoor, J.N. 1967. Notes on Indian Meliolinae. Indian Phytopath., 20 : 151-160.
- Kar, A.K. and N.Bhattacharyya, 1982. Records of some pyrenomycetes from India. Ibid., 35 : 39-46.

- ✓ * Kar, A. K. and M.K. Maity, 1970a. Pyrenomycetes of West Bengal (India)-I. Nytt. Mag. Bot., 17 : 81-89.
- ✓ * Kar, A.K. and M.K. Maity, 1970 b. New Meliolineae from West Bengal (India), Sydowia; 24 : 59-68.
- ✓ * Kar, A.K. and M.K. Maity, 1971. Additions to the Pyrenomycetes of West Bengal (India). Nova Hedwigia; 21 : 279-285.
- ✓ * Kar, A.K. and M.K. Maity, 1972. The Pyrenomycetes of West Bengal (India) - V. Norw. J. Bot., 19 : 243-251.
- * Karling, J.S. 1942 a. Parasitism among the chytrids. Ame. Jour. Botany, 29 : 24-35.
- * Karling, J.S. 1942 b. The Plasmodiophorales. New York J., pp. 144.
- * Katumoto, K. 1962. On the genus Artallendea Batista & Maia. Bull. Fac. agric. Yamaguti Univ. 13 : 291-296.
- Keener, P.D. 1934. Biological specialisation in Darluca filum. Bull. Torrey Bot. Club., 61 : 475-490.
- * Kenneth, R. and P.K. Issar. 1964. Cephalosporium species parasitic on Helminthosporium (sensu lato). Can. Jour. Plant. Sci., 44: 182-187.
- Kanizel) Kobayasi, Y. 1941. The genus Cordyceps and its allies. Tokyo Bunrika Daikaya, B. 5: 53-260.
- Lim, G. 1975. Some sooty moulds and Black mildews from Singapore and the Malaay Peninsula. Reinwardita; 9 : 197-213.
- * Lindau, G. 1897. Perisporiales. In Engler and Prantl. Die Naturlichen pflanzenfamilien, 1325.
- * Lutrell, E.S. 1951. Taxonomy of the Pyrenomycetes. Univ. Mimsouri stud., 24 (3) : 1-120.
- Lutrell, E.S. 1955. The Ascostromatic Ascomycetes. Mycologia; 47: 511-532.
- ✱ Maity, M.K. 1978. Leaf-inhabiting pyrenomycetes of West Bengal-II. Indian J. Mycol. Res., 16 : 23-26.
- * Martin, G.W. 1941. Outline of the fungi. Stud. Nat.Hist. Univ. of Iowa, 18 : 1-64.

- ✓* McAlpine, D. 1897. New South Wales Fungi. Proc. Linn. Soc. New South Wales, 22 : 38.
- Miller, J.H. 1949. A revision of the classification of the Ascomycetes with special emphasis on the pyrenomycetes. Mycologia, 41 : 99-127.
- ✓* Montagne, C. 1938. Plants celluliaries in Ramon de la sarga Hist. Pol. Nat. isla cuba. Arther Bertrand, Paris, 326 pp.
- Muller, E. and V.Arxx. 1962. Die Gattungen der didymosporen pyrenomyceten. Beitr. Kryptog Flora Schwiez II (2) : 922.
- Muller, E. and J.A.von Arxx, 1973. Pyrenomycetes, Meliolales, Coronophorales, Sphaeriales. In The Fungi An Advanced Treatise Edt. by Ainsworth et al. Vol. 4A : Publ. Academic Press New York, London, 87-152.
- * Nair, L.N. 1971. A note on Meliola juttingii Hansf. on Pandanus odoratissimus L. from Kerala Curr. Sci., 19 : 527-528.
- Nair, L.N. and V.P.Kaul. 1983. Indian Meliolineae : Two new species and a new variety of Meliola. Sydowia; 36 : 204-207.
- Nair, L.N. and V.P.Kaul. 1984. Hyperparasites of Meliola; Kavaka; 12 : 49-51.
- * Nicot, J. 1962. Les moisissures des champignons superieurs. Liste Prelliminaire des especes recoltees in 1959, 1960, 1961. Bull. Soc. Mycol. France; 78 : 221-238.
- Patil, C.R. 1990. Studies of some Indian fungi. Ph.D. Thesis, Shivaji Univ., Kolhapur (M.S.), pp. 518.
- Patil, D.B. 1991. Taxonomical studies in the Ascomycetous fungi from South Western Maharashtra, M.Phil. Thesis, Shivaji Univ. Kolhapur (M.S.), pp. 100.
- Patil, M.S. 1989. Taxonomic Notes on Inian Meliolaceae. J.Econ. Tax. Bot., 13(1) : 80-81.
9. Patil, M.S. and A.B.Pawar. 1986. Studies on Meliolaceae of India-II Indian Phytopath, 39(3) : 361-367.
- Patil, M.S. and A.N.Thite, 1974. Some Ascomycetous fungi from Maharashtra. M.V.M. Patrika, 9 : 104-110.

- ✓ Patil, M.S. and A.N.Thite, 1977. Fungal Flora of Radhanagari. J.Shivaji Univ., 17 : 149-162.
- ✓ Patil, M.S. and A.N.Thite, 1980. Fungal Flora of Mahabaleshwar (M.S.), ibid., 20: 61-67. — ?
- Patil, Shalan D. 1984. Studies of some Indian Fungi. M.Phil. Thesis, Shivaji Univ., Kolhapur (M.S.), pp.179.
- Petrak, E. 1924. Mycologische Notizen V. Ann. Mycol. 22 : 1182.
- Patouillard, 1926. Ab seaver et chardon scient surv. virg. Ist. Bot., 8 (1) : 103.
- Pendergrass, W.R. 1950. Studies on Plasmodiophoraceous parasite. Octomyxa brevilleghiae. Mycologia; 42: 279-289.
- Petch, T. 1945. tomentosum Schrad. Brit. Mycol. Soc. Trans., 28: 101-109. 9
- ← Rao, P.N. 1967. Hyperparasites on some Ascomycetes from Hyderabad, India. Mycopathol. Mycol. Appl., 33 : 161-166.
- Rao, V.G. and D.V. Narendra. 1974. Some noteworthy Ascomycetes from India. J. Mycol. Pl. Pathol., 4 : 171-176. ?
- Saccardo, P.A. 1882. Sylloge fungorum 1 : 39, 60, 162, 222.
- Saccardo, P.A. 1883. Ibid., 2 : 579, 466.
- Saccardo, P.A. 1891. Ibid., 9 : 379, 413, 416, 954, 1002.
- , —, — 1895. Ibid., 11 : 253, 260, 275, 356, 367.
- Saccardo, P.A. 1899. Ibid., 14 : 456, 470, 641, 653, 693, 701.
- Saccardo, P.A. 1902. Ibid., 16 : 413, 424, 603, 646, 1125, 1141.
- Saccardo, P.A. 1905. Ibid., 17 : 546, 817, 839, 875, 885.
- Saccardo, P.A. 1913. Ibid., 22 : 33, 167, 503.
- Saccardo, P.A. 1926. Ibid., 24 : 578, 580, 581, 584.

very dirty, must only be used

- Saccardo, P.A. 1928. Ibid, 26 : 231.
- Saccardo, P.A. and P. Sydow. 1905. Syll. Fung., 17 : 537.
- Sarbhoy, A.K. 1983. Avanced Mycology (A Text Book). Today and Tomorrow's Print. and Publ, New Delhi, pp. 324.
- Sarbhoy, A.K. 1994. Present status and future prospects of Mycology in India. Indian Phytopath., 47 (1) : 1-18.
- Sarbhoy, A.K., D.K.Agarwal and J.L. Varshney. 1986. The Fungi of India, 1977-81. Associated Publishing Company, New Delhi pp. 274.
- Sarbhoy, A.K., Girdharilal and J.L. Varshney. 1975. The Fungi of India 1967-71. Navyug Traders New Delhi pp.150.
- * Savile, D.B.O. 1979. Fungi as aids in the higher plants classification. Bot. Rev., 45 : 377-503.
- * Seeler, E.V.Jr. 1943. Several fungicolous fungi. Farlowia; 1: 119-133.
- Shingo, A.L. 1960. Parasitism of Gonatobotryum fuscum on species of Ceratocystis. Mycologia; 52 : 584-598.
- Smith, J.H. 1924. On the early growth rate of the individual fungus hypha. New Phytologist; 23 : 65-78.
- * Sparrow, F.K. Jr. 1960. Aquatic Phycomycetes (2nd ed.), 1187 pp. Univ. of Michigan Press, Ann. Arbor Michigan, U.S.A.
- Srinivasulu, B.V. 1974. Genus Meliola from Maharashtra State. Nova Hedwigia Beih. 47 : 421-437.
- Srivastava, S.L. and R.Topal, 1981. A new record of Meliola from Garhwal Himalayas. Geophytology; 11: 264-265.
- * Stevens, F.L. 1916. A convenient, little known method of making micromounts of fungi. Phytopath., 6 : 367.

- * Stevens, F.L. 1918. Meliolicolous parasites and commensales. Bot. Gaz., 65 : 228-235.
- * Stevens, F.L. 1925. Hawaiian fungi. Bernice P. Bisop Mus. Bull., 19 : 1-189.
- ✓* Stevens, F.L. 1927. The Meliolineae-I Ann. Mycol., 25: 405-469.
- ✓* Stevens, F.L. 1928a. The Meliolineae-II. Annls. Mycol., 26: 244.
- ✓* Stevens, F.L. 1931. A misnomer in the use of the term sooty mould. Philipp. Agric., 19 : 549.
- * Stevens, F.L. and E.F. Roldan, 1935. Philippine Meliolineae. Philipp. Journ. Sci., 56 : 47-80.
- * Subhedar, A.N. and V.G. Rao. 1977. Some hitherto undescribed species of Ascomycetes from India. J. Univ. Poona Sci. & Tech., 50 : 25-31..
- ✍* Sydow, H. and P. Sydow. 1914. Fungi from Northern Palawan. Philipp. J. Sci., 9 : 157-189.
- Sydow, H. and P. Sydow 1917. Beitrag zur kenntnis der Philippinen. Inseln. Ann. Mycol., 15 : 238.
- Takhtajan, A.L. 1980. Outline of the classification of flowering plants (Magnoliophyta). The Botanical Review, 46 (2): 225-359.
- Tarr, S.A.J. 1972. Principles of Plant Pathology, London, Macmillan.
- * Thaxter, R. 1897. Contributions from the cryptogamic laboratory of Harvard University. XL New or Peculiar zygomycetes 2. Syncephalastrum and Syncephalis, Bot. Gaz., 24: 1-15.
- * Theissen, F. 1912. Zur Revision der Gattung Dimerosporium, Beih. Bot. Centrl., 2 (29) : 45-73.

Sydow & Sydow 1914-6

- ✓ * Theissen, F. 1913a. Hemisphaeriales. Ann. Mycol., 11 : 468-469.
- * Theissen, F. 1913 b. Uber einige microthyriaceen. Ann. Mycol.,
11 : 499.
- ✓ * Theissen, F. and H.Sydow. 1915a. Synoptische Tafeln. Ann. Mycol.
11 : 468-469.
- ✓ Theissen, F. and H.Sydow. 1915b. Die Dothideales. Annls. Mycol.,
13 : 149-746.
- Theissen, F. and H. Sydow, 1917. Synoptische Tafeln Hemisphaeriales
Myriangiales, Perisporiales, Trichothyriaceae. Mycologia.,
15 : 389-491.
- Thirumalachar, M.J. and R.C. Lacy 1951. Notes on some Indian
Fungi. Sydowia, 5 : 124-128.
- ✓ Thite, A.N. 1975. Ascospore germination in Meliola jasminicola.
Indian Phytopath., 28 : 94-96.
- ✓ Thite, A.N. and U.K. Kulkarni, 1973. Additions to Sooty Moulds
of Maharashtra. J.Shivaji Univ., 6 : 161-166.
- ✓ Thite, A.N. and U.K.Kulkarni, 1978. Studies on Indian Meliolaceae-
II. ibid., 18 : 209-217.
- Thite, A.N. and C.R. Patil, 1985. Additions to sooty moulds of
Maharashtra-III. Geophytology, 15 : 82-86.
- Thite, A.N. and M.S.Patil, 1982. Studies of Indian Meliolaceae-I.
Kavaka, 10 : 29-34.
- Thite, A.N. and Shalan D.Patil, 1983. Studies of Indian Meliolaceae-
III. Geophytology; 13(1) : 125.
- * Thom, C. and K.B.Raper. 1945. A manual of the Aspergilli. The
Williams and Wilkins Co., Baltimore.

- Tilak, S.T. and Rao, R. 1968. Second supplement to the Indian fungi (1962-67). ~~Tilak and Rao Publ.~~ Aurangabad, pp.312. ?
- ✓ Toro, R.A. 1952. Study of the tropical American Black Mildews. J.Agric. Porto Rico, 36: 24-87.
- Uppal, B.N., M.K.Patel and M.N.Kamat. 1935. The fungi of Bombay, Bull. Bombay, Dept. Agric. 176 pp.
- Vasudeva, R.S. 1962. The Fungi of India. Supp.I. Indian Council of Agricultural Research, New Delhi, pp.206.
- ✓ Von Hohnel, F. 1907. Pseudosphaeriaceae. Sitzb. Akad. Wiss. Wein, 116 : 129-132.
- ✓ Von Hohnel. 1918. Ueber den zusammenhang von Meliola mit den microthyriaceen. Ber Deutsch. Bot. Ges, 36 : 471-473.
- * Ward, H.M. 1883. On the morphology and development of perithecium of Meliola, a genus of tropical epiphyllous fungi. Philop. Trans., 174 : 583-599.
- * Ware, W.M. 1933. A disease of cultivated mushrooms caused by Verticillium mathousei sp. nov. Ann. Bot., 47: 763-786.
- Whaley, J.W. and H.L. Barnett. 1963. Parasitism and nutrition of Gonatobotrys simplex. Mycologia; 55 : 199-210.
- * Winter, G. 1887. Die pizle in Rabenhorst L. Kryptogamen Flora Von Deutsch. Oest. und. schw. 12 : 1-928.
- Wright & Griffin 1968. The genus Ceratocystis in Ontario Can. J. Bot., 46 : 697.
- Yarwood, C.E. 1973. Pyrenomycetes : Erysiphales In : G.C. Ainsworth, F.K. Sparrow and A.S.Sussman (Eds.) The fungi, An Advanced Treatise Vol. IV A, pp.71-86, Academic Press, New York.