

REFERENCES

REFERENCES

- Abdullahi, A. E.; 2004; Weed Survey in Cotton (*Gossypium hirsutum* L.) and Sunflower (*Helianthus annus* L.); Fields in the Pandamatenga Plains of North Eastern Botswana; *South African Journal Of Plant and Soil*; **21**(1): 21-24.
- Ali Masood; 1993; Studies on Crop-Weed competition in Chickpea (*Cicer arietinum* L.) Musatrd (*Brassica juncea* L.) intercropping; *Indian Society of Weed Science*; **2**:39-40.
- Ambika, S. R., S. Poornima; R. Palanraj, S. C. Sati and S. S. Narwal; 2003; Allelopathic Plants.10.*Lantana camera* L.; *Allelopathic Journal*; **12**(2): 147-161.
- Anderson, E., 1952; Cf. *Weeds of the World*; King, L.J.; Wiley Eastern Pvt. Ltd., New Delhi-110049; 1974.
- Australia National Parks And Wildlife Service (ANPWS); 1991; Plant invasions the incidence of environmental weeds in Australia; *Australian Government Publishing service (AGPS)*; xiii: 188.
- Bahulekar, C. M.; 1984; Aapla Satara; Mavla Prakashan, Satara 415002.
- Bailey, L.H. and E. Z. Bailey; 1941; Cf. *Weeds of the World*; King, L.J.; Wiley Eastern Pvt. Ltd., New Delhi-110049; 1974.
- Barevadia, T. N., B. H. Patel and M.I.Meisuriya;1993;Weed Competition Studies In wheat Cultiver GW503; *Ind. Soc. Of Weed science*; **Vol II**:36-38.
- Bansal, G. L.; 1993; Allelopathy and Weed Science; *Indian Society Of weed Science*; **I**:288-287.
- Barua, I. C. and A. K.Gogoi; 1993; Eco-diversity of common weeds in rice fields of Assam; *Ind. Soc. Of Weed science*; **2**:19-23.
- Baruah, C. K. and G. C. Sharma; 1992; Phytosociological studies of Weed Flora of paddy fields at Jalukhabari, Assam; *Advances in Plant Sciences*; **5**(2): 470-476.
- Batanouny, K. H., W. Stichler and H. Ziegler; 1991; Photosynthetic pathways and ecological distribution of *Euphorbia* species in Egypt; *Oecologia*; **87**(4): 565-569.
- Bhadoria, R.B.S., P. C. Jain and S. S. Tomar; 2000; Crop- weed competition in Clusterbean (*Cymopsis tetragonobola*) under rainfed conditions; *Annals of Arid Zone*; **35**(1):79-81.
- Bhaskar, A. and K.G. Vyas; 1988; Studies on competition between Wheat and *Chenopodium album* L.; *Weed Research*; **28**:53-58.

- Bhattacharya, S.P., P. Paul, S. Maity, A. J. Karmarkar, and S. Sarkar; 2003; Bio-efficacy of sulphonyl urea herbicides in controlling weeds of wheat; *Journal Of Intercademicia (India)*; 7(2):169-173.
- Bhattacharyya, G. and S. M. Pandya; 1996; Distribution Studies On Exotic Weeds of Saurashtra (India); *Ad. Plant Sci.*; 9(1): 29-32.
- Bhattacharyya, G. and S.M. Pandya; 1996; Ecological assessment on Agroecosystem of Saurashtra with special reference to weeds; *Ad. Plant Sci.*; 9(1): 153-158.
- Bhattacharyya, G.; 1995; Studies on Weed flora of Saurashtra, Gujarat; *Journal of Economic and Taxonomic Botany*; 19(2):371-383.
- Bhowmik and K. Malay; 2002; Optimization of Pretilachlor dose for Weed management in transplanted Rice; *Annals of Plant Protection sciences (India)*; 10(1):131-133.
- Bouhache, M., C. Boulet, A. Chougrani; 1994; Floristic Agronomic aspects of weeds in the Loukkos region of Morocco; *Weed Research (Oxford)*; 34 (2) 119-126.
- Brenchley, W. E.; 1920; Cf. *Weeds of the World*; King, L.J.; Wiley Eastern Pvt. Ltd.; New Delhi-110049; 1974.
- Campbell, E. M.; 1923; Cf. *Weeds of the World*; King, L.J.; Wiley Eastern Pvt. Ltd., New Delhi-110049; 1974.
- Chaisattapagon, C. and N.Q. Zhang; 1992; Identifying effective criteria for weed detection using machine vision; *Paper-American Society Of Agricultural Engineers*; 92-3576, 19 pp.
- Chandurkar, P. J.; 1971; *Plant Anatomy*, Oxford and IBH Publishing Company.
- Chaudhary, G. R.; 2000; Weed-Population dynamics and fennel (*Foeniculum vulgare*) growth as influenced by Integrated Weed Management; *Indian Journal Of Agronomy (India)*; 45(20):421-428.
- Chhokar, R. S., 2002;Weed Management in rapseed mustard, *Intensive Agriculture*; XXXX (9-10):31-33.
- Chirila, C., L. Ungurean, E. Matel and E. Calmus; 1991;The anatomy of some weeds used as tinctorial plants, *Coronilla varia and Erigeron annuus; Lucrari Stiintifice Agronomic Nicolae Balcescu*', bucuresti, Seria A, *Agronomie*; 34(1):23-33.
- Cooke. T.; (1967); *Flora of The Presidency of Bombay*, Vol.1, 2, 3; Botanical Survey of India, Calcutta.

- Cussans, W., F. B. Cooper, D. H. K. Wavies and M.R. Thomas; 1994; Survey of the Incidence of the *Bromus* species as weeds of winter cereals in England, Wales and parts of Scotlands; *Weed Research*; **34**:361-368.
- Das, T. K. and N. T. Yaduraju; 1995; Crop- weed competition Studies in some Kharif crops. Part II, Nutrient uptake and yield reduction; *Annals of Plant Protection sciences*; **35**(1):79-81.
- Dass, R. P., R. Yamdagni, V. P. Ahlawal, Suneel Sharma; 1992; Survey of Weed flora in Vineyards (grapes) of Hisar district Haryana; *Journal of Horticultural Sciences*; **21**:1-3.
- Deokule, S. S.; 1991; Pharmacognostic Study of leaf Of *Crotalaria retusa* L.; *Biovigyanum*; **17**(2): 77-82.
- Derkson, D. A., A. G. Thomas, G. P. Lafond, H. A. Loepky and C.J. Swanton; 1994; Impact of Agronomic Practices On Weed communities fallow within tillage systems; *Weed Science*; **42**(2): 181-194.
- Deshpande, R. M., W.S. Powar, P. S. Mankar, P. N. Bonde and A.N. Chinmote; 2006; Integrated Weed Management in rainfeed Cotton (*Gossypium hirsutum* L.); *Indian Journal of Agronomy (India)*; **51** (1): 68-69.
- Deshpande, Sandhya D., B.D. Sharma & M.P. Nayar; 1993; *Flora of Mahabaleshwar and Adjoinings, Maharashtra*, Vols. I; Botanical Survey of India, Calcutta.
- Deshpande, Sandhya D., B.D. Sharma & M.P. Nayar; 1995; *Flora of Mahabaleshwar and Adjoinings, Maharashtra*, Vols. II; Botanical Survey of India, Calcutta.
- Devi, L.G., N.N. Potty, C.T. Abraham and G. Thomas; 1993; The weed flora in Sugarcane field of Palghat district; *Journal of Tropical Agriculture*; **31**(1):137-139.
- Dhopre A.M. and Manual Livera-M; 1989; *Useful Techniques For plant scientists*; Publication of Forum for Plant Physiologists, Akola-444001 (M.S.) India.
- Dhyan, V. C. and R. D. Misra; 2007; Dynamics of weeds and their management through herbicides in zero tilled Wheat (*Triticum aestivum*); *Indian Journal of agronomy (India)*; **77** (5): 314-316.
- Erasmo, E.A.L., L. L. A. Pinheiro and N. V. Costa; 2004; Phytosociological survey of weed communities in flooded rice areas cultivated under different management systems; *Planta Daninha*; **22**(2): 195-201.

- Firehun Yirefu and Tana Tamado; 2006; Weed flora in the Rift Valley Sugarcane plantations of Ethiopia as influenced by soil types and agronomic practices; *Weed Biology and Management*; **6**(3): 139-150.
- Fournet, J.; 1993; Phytoecological characteristics of weed populations in Sugarcane and Banana plantations in Basse Terre (Guadeloupe); *Weed Research (Oxford)*; **33**(5):383-385.
- Fraga, M.I.; E. Sahuqilla, J. C. Baleato; 1993; Evolution of the Weed flora in maize in Galicia throughout the crop; *Spanish Weed Science Society*; 54-56.
- Garcia Lopez, M. C. and C. Zaragoza; 1995; Comparision of weed flora in argon in 1977 and in 1991-1992; *Sociedad Espanola de Malherbologia*; 115-119.
- Ghadiri, H. and M.L.Bayat; 2004; Effect of Row and Plant Spacing on weed competition with Pinto Beans (*Phaseolus vulgaris L.*); *J. Agri. Sci. Technol*; **6**:1-9.
- Gill, B. S., G. S. Randhawa and S. S. Saini; 2002; Integrated Weed Management in Fenugreek (*Trigonella foenum-graceum*); *Indian Journal of Agronomy (India)*; **47** (2): 284-288.
- Goel, U., D. B. Saxena and A. K. Gupta; 1994; Allelopathic potential of *Chenopodium album L.* *Allelopathy Journal*; **1**(2):105-113.
- Goertzen, L. R. and E. Small; 1993; The defensive role of trichomes in black medick (*Medicago lupulina*, Fabaceae); *Plant Systematics and Evolution*; **184** (1-2):102-111.
- Gupta Arun, S.P. Joshi, R. K. Manhas, Lokender Singh; (2003); Impact of soil variables on the weed diversity in major cereal crops of Doon valley; *Journal of Hill Research*; **16**(2):91-93.
- Gupta, M.; 1992; Effect of Growth regulators on foliar stomata of *Vicia faba L.*; *Adv. Plant Sci.*; **5**(2): 483-495.
- Gupta, O. P.; 2005; *Weed management Principles and Practices*; Agrobios (India) Jodhpur- 342002.
- Gutte, P.; 1994; Weeds in fields and plantations, origin distribution and diversity of Cuban; *Plant genetic resources*; **4**:457-507.
- Hakanson, S.; 1995; Weeds in Agricultural Crops. 3. Life forms, C₃ and C₄ Photosynthesis and plant Families in a Global Perspective; *Swedish Journal of Agricultural Research*; **25**(4): 163-171.
- Halimie, M. A., M.R. Ahmed, M. A. Shaikh; 1994; Survey of weed flora of Sugarcane crop in Faisalabad district; *Pakistan Sugar Journal*; **8**(4): 7-10.

- Harper, R. M.; 1944; Cf. *Weeds of the World*; King, L.J.; Wiley Eastern Pvt. Ltd., New Delhi-110049; 1974.
- Hildago, B., M. Saavera, L. Gareia- toress; 1990; Weed flora of dryland crops in the Cordoba region, Spain; *Weed Research*; **30**:309-318.
- Hilu, K. W. and John L. Randall; 2003; Convenient Methods For Studying Grass Leaf Epidermis; *Taxon*; **33**(3): 413-415.
- Holdynski, C.; 1991;Botanic and ecological characteristics of weed communities with *Echinochloa crusgallii* (L.) P.B. in Zulawy muds; *Acta academie Agriculture ac Technicae Olstenensis, Agricultura*; **53**:19-29.
- Inderjit and K. M. M. Dakshini; 1994; Allelopathic Effect Of *Pluchea Lanceolata* (Asteracece) on characteristics of four soils and tomato and Mustard growth; *American Journal Of Botany*; **81**(7):799-804.
- Ivashchenko, A. A.; 1993; Characteristics of the Effect of Weeds; *Sakharnaya Svekla*; **2**:32-33.
- Jain, K. K., K.K. Agarwal and C.L. Nakhtore; 1997;Weed dynamics of Kharif and Rabi Season at Research farm of JNKVV (M.P.); *World Weeds*; **4**:137-141.
- Joshi. N. C.; 2001; *Manual Of Weed Control*; Researchco Publications; Delhi –110051.
- Kadam, D. A., V. P. Khandekar, S. H. Mahamulkar, A. B. Powar, R. B. Thoke, D. N. Jadhav, P. R. Patil, V. C. Karande, R. B. Dhage, C. T. Karande, B. A. Kore, S.S. Gaikwad, Y. T. Shinde; 2004; *Steps in Practical Botany*; Rayat Prasad Prakashan, Satara; pp.14.
- Kardage, B. A.; 1981; Physiological Studies In Succulents; *Ph.D. Thesis*, Shivaji University, Kolhapur (M.H.) India.
- Kathiresan, G; 2000; Evaluation of cultural methods of Weed Control in Sugarcane (*Saccharum officinarum*); *Indian Journal of Agronomy (India)*; **45**(4):804-807.
- Katiyar Pratibha and S. S. Kolhe; 2001; Medicinal Weeds Of Raipur Region in Chhattisgarh Plains; *Journal Of Medicinal and Aromatic Plant Sciences*; **22/23**(4A/1A): 455-460.
- Kawabata Osamu and Roy K. Nishimoto; 2003; Temperature and rhizome chain effect on sprouting of purple nutsedge (*Cyperus rotundus*) ecotypes; *Weed Science*; **51**:348-355.
- Keller, B. A., V. N. Lumbimenko, A. I. Malzer, B. A. Fedtschenko, R. J. Roshevitz and Kamensky, K. V.; 1934; Cf. *Weeds of the World*; King, L.J.; Wiley Eastern Pvt. Ltd., New Delhi-110049; 1974.

- Khare Archana, S.P. Srivastava, P.K. Singh; 2004; Weed Flora of Paddy crop of Banda district; *Flora and fauna (Jhansi)*; **10**(1):15-18.
- King, L. J., 1974; *Weeds of the World*; Wiley Eastern Pvt. Ltd.; New Delhi-110049.
- Kochhar, S.L.; 1981; *Economic botany in the tropics*; Macmillan India Ltd., Madras-600041.
- Krishnamurthy, K., M. K. Munegowda and A. Jagadish; 1993; Ecological Weed Survey In Karnataka; *Indian Society Of weed Science*; I: 43-52.
- Kumar Virender, B. D. Yadav and Ashok Yadav; 1996; Crop- weed competition in Clusterbean under rainfed conditions; *Annals of plant Protection Sciences*; **35**(1):79-81.
- Lal, R., S. N. L. Srivastava and Mehar Chand; 2006; Integrated Weed Management for Sugarcane (*Saccharum officinarum*) plant ratoon cropping system; *Indian Journal of Agronomy (India)*; **51** (4): 251-255.
- Laloo, R. C.; 2004; Ecological studies of the weed flora of different crop fields in high altitude and heavy-rainfall area of Meghalaya; *Flora and fauna (Jhansi)*; **10**(2):93-97.
- Lawrence, H. M.; 1958; *Taxonomy Of Vascular Plants*; The Macmillan Company, New York.
- Li. M.; 1993; Distribution of C₃ and C₄ Species of *Cyperus* in Europe; *Photosynthetica*; **28**(1): 119-126.
- Lowell, C. and J. W. Lucansky; 1986; Vegetative anatomy and Morphology of *Ipomoea hederifolia* (Convolvulaceae); *Bulletin of Torrey Botanical Club*; **113**(4):382-89.
- Mack, R.N.; 1995; Understanding the process of Weed invasions: the influence of environmental stochasticity, Farnham, UK; *British Crop Protection Counsil (BCPC)*; 65-74.
- Maheshwari, P.; 1929; Cf. Chandurkar, P. J.; *Plant Anatomy*, Oxford and IBH Publishing Company; 1971.
- Maheshwari, P.; 1930; Cf. Chandurkar, P. J.; *Plant Anatomy*, Oxford and IBH Publishing Company; 1971.
- Malik, R.K. and Samunder Singh; 1994; Weed flora in gram, raya crops in Haryana State; *Journal of Research* ; **24**(1): 7-14.

- Manandhar Sailaza, Bharat B. Shrestha and Hari D.Lekhak; 2007; Weeds of Paddy fields at Kirtipur, Kathmandu; *Scientific World*; **5**(5).
- McConnell, J. and R. Muniappan; 1991; Introduced ornamental plants that have become weeds on Guam; *Micronesia*; **3**:47-49.
- Memon, R. A., G. R. Bhatti and S. Khalid; 2003; Weed diversity of wheat crop in Khairpur district, Sindh (Pakistan); *Pakistan Journal of Weed science research* ; **9**(1-2):99-103.
- Milanova, S. and M. Valkova; 2004; Weed Seeds Viability under the Water Conditions; *Herbologia* ; **5**(1): 7-11.
- Mishra, R.; 1968; Cf. *Fundamentals Of Ecology*; M.C.Dash; Tata McGraw-Hill Publishing Company Ltd.; New Delhi, 1993.
- Muniyappa, T. V.; Ramchandra Prasad and K. Krishnamurthy; 1986; Cf. Weed dynamics Of Kharif and Rabi season at Research farm of JNKVV, Jabalpur (M.P.); Jain, K.K., K.K. Agarwal and C.L. Nakhtore; *The World Weeds*; **4**:137-141; 1997.
- Naik, V. N.; 1998; Flora of Marathwada Vol. 1 and Vol. 2; *Amrut publication*, Aurangabad,431003.
- Nandal, T. R. and M. L. Pandita; 1990; Studies on Crop-weed competition in Brinjal; *Indian Journal of Weed Science*; **20**(3): 9-14.
- Nayital, S. C., J. Sharma and C. M. Singh; 1989; Crop -weed competition studies in Maize Under Kulu Valley Conditions; *Indian Journal of Weed Science*; **21**(1-2):47-50.
- Northam, F. E. and R.H. Callihan; 1994; New weedy grasses associated with downy brome; Intermountain Research Station, USDA Forest Service; **Int-313**: 211-212.
- Oudhia, P.; S. S. Kolhe and R.S. Tripathi; 1999; Allelopathic Effect of Medicinal weed *Datura stramonium* L. on Rice; *Crop Res.*; **18**(1):46-49.
- Oxford English dictionary; 1933; Cf. *Weeds of the World*; King, L.J.; Wiley Eastern Pvt. Ltd., New Delhi-110049; 1974.
- Paliwal, G. S. and Lalita Kakkar; 1971; Studies on the leaf anatomy of *Euphorbia*-I foliar venation and laticifers in *E. thymifolia* Linn; *Recent trends in plant Anatomy*; 145-146.
- Paradkar, N. R., S. P. Kucrchania and J. P. Tiwari, 1992;Weed survey in wheat fields of Satna and Rewa districts of Madhya Pradesh; *JNKVV Research journal*; **26** (2): 12-14.

- Paradkar, N. R., R. K. Saraf and J. P. Tiwari; 1993; Weed flora of winter vegetables of Satpura region of Madhya Pradesh; *JNKVV Research Journal*; **26** (2): 15-16.
- Paradkar, N. R., J. P. Tiwari and S. P. Kucrchania; 1989; Survey of Kharif weeds in Rewa division of Madhya Pradesh; *Indian Journal of weed Science*; **21**(1-2): 31-36.
- Paradkar, N. R., S. P. Kucrchania, J. P. Tiwari and S. K. Jain; 1992; Weed survey in kharif oilseed crops at Damoh district of Madhya Pradesh; *JNKVV Research journal*; **26** (2):12-14.
- Parker, C.; 1993; Weeds in Bhutan; *British Crop Protection Council (BCPC)*; **3**: 1137-1142.
- Pathak, A.S.;1999; *Maharashtra State Gazetteers (Satara District)*; Director, Government Printing, Stationary and Publications, Bombay.
- Patil, T. M.; 1980; Physiological Studies In *Parthenium hysterophorus*; *Ph.D. Thesis*; Shivaji University, Kolhapur (M.H.) India.
- Phukan Rupa and S.N. Phukan; 2008;Weed flora of low land rice fields of Lakhimpur district, Assam and it's Economic significance; *Nature Enviroment and Pollution Technology*; **7**(1):127-128.
- Popay, A. I., T.I. Cox, A. Ingle and R. Kerr; 1994; Effect of soil disturbance on weed seedling emergence and it's long term decline; *Weed Research (Oxford)*; **34**(6): 403-412.
- Porwal, M. K.; 2000; Economics Of Weed Control measures in Winter Maize (*Zea mays*); *Indian Journal of Agronomy (India)*; **45** (20):344-347.
- Prakash, V.; A. K. Pandey, R. D. Singh and V. P. Mani; 2000; Integrated Weed Management in winter onion (*Allium cepa*) under mid-hill conditions of North Eastern Himalayas; *Indian Journal of Agronomy (India)*; **45** (4): 816-821.
- Prasad Harihar and Y. Ojha; 1993; Effect of Competition on Leaf Area Index in a Crop-weed Community; *Ad. Plant Sci.*; **6**(1): 98-102.
- Procopio, S.O.; E. A. Ferreira, E. A. Silva, A. A. Silva and R. J. N. Rufino; 2003; Anatomical studies of leaves in weeds largely occurring in Brazil. V – *Leonurus Sibiricus*, *Leonitis hepetaeifolia*, *Plantago tomentosa* and *Sida gazlovii*; *Planta Daninha*; **21**(3):403-411.
- Qasem, J. R.; 1993; Allelopathic Effect of some common weeds on growth of Wheat and Barley, *Dirasat Series B. Pure and Applied Sciences*; **20**(2):5-28.

- Quershi, R., G. R. Bhatti and A.S Ghangro; 2001; Survey of weed communities of Sugarcane (*Saccharum officinarium* Linn.) crop in district Sukkur, Sindh, Pakistan; *Hamdard Medicus (Pakistan)*, **44**(2): 107-111.
- Rahman, M.A., M. A. Gaffer and M. S.U. Bhuiya; 1990; Critical Period of weed competition in Wheat; *Bangladesh Journal Of Scientific and Ind. Research*; **25** (1-4):37-44.
- Rao, S. R. S. and K. Narmada, 1994; Leaf architecture in some Amaranthaceae; *Feddes Repertorium*; **105**(1-2):37-44.
- Raunkiaer; 1934; Cf. *Fundamentals Of Ecology*; M. C. Dash; Tata McGraw-Hill Publishing Company Ltd., New Delhi; 1993.
- Rico, E., J.M. Velasco, A. Paster and C. Caricaja; 1991; Analysis of the Weed flora of irrigated crops in South Western castile and Leon; *Sociedad Espanola de Malherbologia*; 146-151.
- Rothe, S. P. and R.C. Deshmukh; 1997; Survey of Common weeds of Kharif and Rabi crop fields from Akola district; *Rayat Research Journal*; **5**(2):67-82.
- Rowan F. S., Tammy L. Sage, Robert W. Pearcy and Thomas Borsch; 2007; The taxonomic distribution of C₄ photosynthesis in Amaranthaceae sensu stricto; *American Journal of Botany*; **94**:1992-2003.
- Ruijven, J. Van, G. B. Deyn and F. Berendse; 2003; Diversity reduces invisibility in experimental plant communities; *The role of Plant species; Ecology Letters*; **6** (10): 910-918.
- Sanchis, A., M. Guara and J. A. Alcober; 1993; Weed flora in the fields of non-irrigated crops in Valencia Province; *Spanish Weed Science Society*; 66-69.
- Sandhu, K.S. and Tarlok Singh; 1993; Weed composition in Rice fields of Punjab; *Journal of Research*; Punjab Agricultural university; **30**(3-4):127-134.
- Sarada, S., G. Sreekandan and B.R. Reghunath, 2004; Growth and Yield of Medicinally Valuable Weed Flora in Oil palm Plantations Of Kerala; *Geobios*; **31**(4):241-244.
- Saraswat, V. N.; 1993; Major weeds of Indian agriculture-their distribution and ecology; *Indian Society Of weed Science*; **I**: 35-41.
- Schippers, P., S. J. Ter Borg, J. M. Groenendaal, J. M. Van and B. Habekotte; 1993; What makes *Cyperus esculentus* (yellow nutsedge) an invasive species? A Spatial model approach; *British Crop Protection Counsil (BCPC)*; **2**:495-504.

- Schroeder, D., H. Mueller-Schaerper, C.S. Stinson; 1993; A European Weed Survey in 10 major crop systems to identify targets for Biological control; *Weed Research* (Oxford); **33**(6): 449-458.
- Sellers, B.A., Reid J. Smeda, G. William, J. Jhonson, Andrew Kending and Mark R. Ellersieck; 2003; Comparative growth of six *Amaranthus* species in Missouri; *Weed Science*; **51**:329-333.
- Shafiq, M., M. Z. Iqbal and I. Habib; 1992; Phytosociological studies around the industrial areas of Landhi, Karachi, Pakistan; *New Agriculturist*; **3**(2):179-188.
- Sharma Rajvir; 2004; Integrated Weed Management in Kharif Maize; *Intensive Agriculture*; **XXXXIII** (5-5):110-112.
- Sharma Rajvir; 2004; Weed Management in Rabi Crops; *Intensive Agriculture*; **XXXXII** (11-12): 3-4.
- Sharma, B. D., S. Karthikeyan, N. P. Singh and P. Laxminarasimhan; 1996; *Flora of Maharashtra State, Monocotyledons*; Botanical Survey Of India, Calcutta.
- Sharma, R. C. and V. K. Paradkar; 2000; Chemical weed control in Guava (*Psidium guajava* L.)Orchards; *Advances In Plant Science Research (India)*; **12**:108-109.
- Sharma, R. K. and U.K. Shrivastava; 2002; Weed Control in Soybean (*Glycine max*); *Indian Journal Of Agronomy (India)*; **47** (2): 269-272.
- Shoukat Ara, A. R. Naqshi and G. M. Dar; 1995; Weed flora of cultivated fields of Gurais Valley Kashmir; *Journal of Economic and Taxonomic Botany*; **19**(2): 293-302.
- Singh Raj and C. S. Patel, 1992; Crop weed competition in groundnut under mid altitude of Meghalaya; *Indian Journal of Hill Farming*; **5**(2) 89-93.
- Singh Tarlok, K.S. Sandhu and J. Kaur; 1993; Weed flora of winter and rainy season crops in Kapurthala and Jalandhar districts of Punjab; *Indian Society Of Weed Science*; **2**:1-4.
- Singh, K.; 2000; Weed Management in potato (*Solanum tuberosum*) grown at different fertility levels in North-east hill; *Indian Jou. Of Agronomy (India)*; **45**(2):407-410.
- Singh, N. P. and S. Karthikeyan; 2000; *Flora of Maharashtra State, Dicotyledons* (Vol.1); Botanical Survey Of India, Calcutta.
- Singh, N. P., P. Laxminarasimhan, S. Karthikeyan and P. V. Prasanna; 2001; *Flora of Maharashtra State, Dicotyledons* (Vol.2); Botanical Survey Of India, Calcutta.

- Singh, P., V. Nepalia and S.S. Tomar; 2006; Effect of Weed Control and Nutrient management on Soybean (*Glycine max*) Productivity; *Indian Journal Of Agronomy (India)*; **51** (4): 314-317.
- Singh, R. K., D. N. Shukla and Nirmal De; Effect of Biofertilizers; 2006; Fertility level and weed Management on weed growth and yield of late sown Chickpea (*Cicer arietinum*); *Indian Journal Of Agricultural sciences*; **76** (9): 561-63.
- Sit Arun Kumar; Malay Bhattacharya; Biswanath Sarkar and V. Arunachalam; 2007; Weed floristic composition in palm gardens in plains of Eastern Himalayan region of West Bengal; *Current Science*; **92**(10): 1434-1439.
- Smith, M. C. and M. Webb; 1993; A survey of weed problems in region of Mali; *British Crop Protection Council (BCPC)*; **3**:1155-1160.
- Solereder, Hans; 1995; *Anatomy of plants*, Vol I, Vol. II, Dicotyledons; Ajay Book Service, New Delhi, India.
- Somani, L. L.; 1992; *Dictionary Of Weed Science*; Agrotech Publishing Acadamy, Udaipur-313001.
- Spehar, C.R.; 2003; Morphological differences between Amaranthus *cruentus*., cv BRS Alegria, and the weed species *A. hybridus*, *A. retroflexus*, *A. viridis* and *A. spinosus*. *Planta Daninha*; **21**(3): 403-411.
- Stalter, R., D. T. Kincaid and E.E. Lamont; 1992; Alien plants at orient Beach State Park, New York and a Comparison with five coastal sites; *Northeastern Weed Science Society*; 106-110.
- Streibig, J. C.; 1979; Numerical Methods Illustrating the Phytosociology of crops in relation to weed flora; *Journal Of Applied Ecology*; **16**:577-587.
- Streibig, T. C., C. Andersen and W. M. Blacklow; 1993; Crop management affects the community dynamics of Weeds Fornham, U. K.; *British Crop Protection Counsil (BCPC)*; **2**:487-494.
- Subramanian, S. A.; Mohamad Ali and R. Jayakumar; 1997; *All About Weed Control*; Kalyani Publishers, New Delhi -110002.
- Subramanyam, N. S.; 1997; *Modern Plant Taxonomy*; Vikas Publishing House Pvt. Ltd., New Delhi.

- Sukhadia, N. M., B.B. Ramani, M. M. Modhwadi and K.B. Asodaria; 2000; Integrated Weed Management in groundnut (*Arachis hypogaea*)-Wheat (*Triticum aestivum*) crop sequence; *Indian Journal Of Agronomy (India)*; **45** (2): 253-256.
- Sumath, V., V. Chandrika, A. M. Babu and A. V. Nagmani; 2000; Integrated Weed Management in groundnut (*Arachis hypogaea*); *Indian Journal of Agronomy (India)*; **45** (2): 765-770.
- Suseelamma, M. and Venkata Raju R. R.; 1994; Effect of *Digera muricata* (L.) mart. Extracts on the germination and seedling growth of groundnut; *Allelopathy Journal*; **1**(1):53-57.
- Tadulingum, C. and G.Venkatnarayana;1985; *A Handbook Of Some South Indian Weeds*. Periodical Expert Book Agency, Delhi-110032.
- Teresa Merlee and Kulkarni; 1991; Phytosociological studies on three species of *Polygala* Lin. viz. *P. bolbothrix* Dun. *P. crotolarioides* Ham and *P. glaucooides* Linn.; *Biovigyanum*; **17**(2):105-110.
- Thakur, C.; 1984; *Weed science*; Metropolitan Book Co. Pvt. Ltd.; New Delhi –110002.
- Thomas, W. L.; 1956; Cf. *Weeds of the World*; King, L.J.; Wiley Eastern Pvt. Ltd., New Delhi-110049; 1974.
- Tiwari, S. N., A. N. Tiwari and A. K. Tripathi; 2005; Effect of Herbidal Weed Mangement on wheat (*Triticum aestivum*) productivity and weed growth; *Indian Journal Of Agricultural Sciences*; **75**(9):569-71.
- Tripathi, J. S., R. D. Vaishya and S. S. Singh; 1993; Weed flora of rice ecosystem in Eastern Uttar Pradesh during rainy season; *Ind. Soc. Of Weed Science*; **2**:8-10.
- Tripathi, S. S. and Govindra Singh; 1993;Crop-weed competition Studies in Fenugreek (*Trigonella foenum-gracum* L.); *Ind. Soc. Of Weed Science*; **II**: 41-43.
- Tull Jethro; 1731; Cf. *Weed Management Principle and Practices*; Gupta, O.P.; Agrobios (India) Jodhpur- 342002; 2005.
- Tyagi, R. C., A. K. Tyagi, R. S. Karwasra and B. R. Singh; 1993; Crop Weed competition in Maize; *Indian Society Of Weed Science*; **II**:36-38.
- Umarani, R. and Jacqueline A. Selvaraj; 1996; Effect of Weed and Crop densities on Seed quality of Soybean; *World Weeds*; **3**:107-111.
- Vaishya, R. D., Shere Singh and A.L. Rajput; 1993; Effect of Different Weeds on the Yield of Wheat (*Triticum aestivum*); *Indian Journal Of Agronomy*; **38**(1):115-116.

- Veeramani, A., A. Palachamy, S. Ramasamy and G. Rangaraju; 2000; Integrated Weed Management in Soybean (*Glycine max*) under different moisture regimes and Population densities; *Indian Journal of Agronomy (India)*; **45** (4): 740-745.
- Weber, G., K. Elemo and S.T.O. Lagoke; 1995; Weed Communities in Intensified cereal – Based cropping Systems of the Northern Guinea Savanna; *Weed Research*; **35**:167-178.
- Williamson, M.; 1993; Invaders weeds and the risk from genetically manipulated organisms.; *Experientia*; **49**(3):219-224.
- Yadav, S.R. and M.M. Sardesai; 2002; *Flora Of Kolhapur District*. Shivaji University, Kolhapur.
- Zhang Ze- Pu; (2004); *Weed management in Rice*; Oxford and IBH Publishing Co-Pvt. Ltd. New Delhi.
- Ziska, L. H.; 2003; Evaluation Of Yield loss In Field *Sorghum* form a C₃ and C₄ Weed with increasing CO₂; *Weed Science*; **51**:914-918.

