

BIBLIOGRAPHY

- Abebe, T., Guenzi, A. C., Martin, B. and Cushman, J. C. (2003). Tolerance of mannitol-accumulating transgenic wheat to water stress and salinity. *Plant-Physiology*. **131(4)**: 1748-1755.
- Aggarwal, R. K. and Lahiri, A. N. (1977). Influence of vegetation on the status of organic carbon and nitrogen of the desert soils. *Science and Culture* **43**:533-535.
- Aggarwal, R. K., Gupta, J. P., Saxena, S. K. and Muthana, K. D. (1976). Studies on soil physico-chemical and ecological changes under twelve years old five desert tree species of western Rajasthan. *Indian Forester* **102**:863-872.
- Ahmad, R. and Huq, Z. (1974). Some Physiological and biochemical studies on spinach growing on saline soil. *Pak. J. Bot.* **6**: 49-52.
- Albert, R. and Pope, M. (1977). Chemical composition of halophytes from the Neusiedter lake region in Austria. *Oecologia*, **27** : 157- 170.
- Alberto, F., Bignon, C., Sulzenbacher, G., Henrissat, B. and Czjzek, M. (2004). The three dimensional structure of invertase (beta fructosidase) from *Thermotoga maritime* reveals a bimolecular arrangement and a evolutionary relationship between retaining an invertase glucosidase. *J.Biol. Chem.* **279 (18)**: 18903- 189010.
- Anderson, D. M. W. and Farquhar, J. G. K. (1982). Gum exudates from the genus *Prosopis*. *Internl. TreeCrops J.* **2**:15-24.

- Aronson, J. A. (1989). Haloph. A data base of salt tolerant plant of the world. James A. Aronson office of arid land studies. The university of Arizona Tulson Arizona.
- Ashraf, M. and McNeilly, T. (1990). Responses of four *Brassica* species to sodium chloride. *Enviro. and Exp. Bot.* **30**: 475-487.
- Ashraf, M., Arfan, M. and Ahmad, A. (2003). Salt tolerance in okra: Ion relations and gas exchange characteristics. *Journal-of-Plant-Nutrition.*; **26(1)**: 63-79.
- Ayer, A.D. (1952). Seed germination as affected by soil moisture and salinity *Agros. J.* **44**: 82-84.
- Ayoub, A.T. (1974). Effect of calcium on sodium salinization of beans (*Phaseolus vulgaris* L.). *J. Exp. Bot.* **25**: 245-252.
- Azcon-Bieto, J. (1986). The control of photosynthetic gas exchange by assimilate accumulation in wheat. In: Marcelle, R., Clijsters, H., Poucke, M. von (eds.). biological control of photosynthesis Martinus Nijhof, Dordrecht. *The Netherlands*.
- Azevedo, R. G. (1987). Algaroba na alimentação e farmacopeia do homem rural Norte-Riograndense. *Revista da Associação Brasileira de Algaroba (Mossoró)* **1**:67-96.
- Baião, V. B., Gomes, J. C., Sant'anna, R. and Cruz, R. (1987). Chemical characteristics of mesquite beans (*Prosopis juliflora*) and amino acid composition of concentrate and a protein isolate. *Arquivos de Biologia e Tecnologia* **30**:275-286.

- Balasubbramaniam, R., Thilo, R., Ahmed, B. Ralf, S., Burnhard, H., Ahlert, S. and Jatta, P. (2006). *Aster tripolium* L. and *Sesuvium portulacastrum* L.: Two halophytes two strategies to survive in habitat. *Plant physiology and Biochemistry*, **44**(5-6):395-404.
- Balibrea, M. E., Delp, A. J., Bolarfu, M. C. and Perez, A. F. (2002). Carbon partitioning and sucrose metabolism in tomato plant growing under salinity. *Physiol. Plant.* **110** :503-511.
- Balke, N, E. and Hodges, T. K. (1975). Plasma membrane adenosine triphosphatase of oat roots. -*Plant Physiol.* **55**: 83-86.
- Bandyopadhyay, B., Nandy, A. K., Mallick, R. and Chatterjee, A. (1990). A comparative study on the effect of gamma-irradiation on growth and biomass yield in certain fuel-wood species. *Indian Forester* **116**:392-402.
- Barret-Lennard, E.D., Robson, A.D. and Greenway, H. (1982). Effect of Phosphorus deficiency and water deification phosphate activity from wheat leaves. *J. Exp. Bot.***33**:682-693.
- Bazzaz, F.A. (1973). Seed germination in relation to salt concentration in three populations of *Prosopis farcata*. *Oecologia*. **13**: 73 -80
- Bernstein, L. (1975). Effect of salinity and sodicity on plant growth. *Ann. Rev. Phytopathology*. **13**: 295- 312.
- Bhatia, N. P., Adholey, A. and Sharma, A. (1998). Biomass production and changes in soil productivity during long term cultivation of *Prosopis juliflora*

- (Swartz) DC inoculated with VA mycorrhiza and *Rhizobium* spp. in a semi-arid wasteland. *Biol. Fertil. Soils*. 26: 208-214.
- Bielecki, R. L. and Ferguson, I. B. (1983). Physiology and metabolism of phosphate compounds (Eds. A. Lauchi and R.L.Bielecki). In: Inorganic plant Nutrition. *Encyclopedia of plant physiology, New series*, 15. pp. 422-449. Springer-verlag New York.
- Binet, P. (1971) L'amylolyse chez des disques foliaires d' *Aster tripolium* L. Role des phosphorylases (1, 4 glucose: orthophosphate glucosyl transferase). *Bull. Soc.Bot. Fr.*, 118: 307- 318.
- Bonhert, H. J., Nelson, D. E. and Jensen, R.G. (1995). Adaptations to environmental stresses. *Plant Cell* 7: 1099-1111.
- Bottacin, A., Cacco, G. and Saccomani, M. (1985). Nitrogen absorption and assimilation in NaCl resistant and NaCl susceptible millet genotype (*Pennisetum americanum*). *Can.J.Bot.* 63:517-520.
- Bowman, B. J., Berenski, C. J. and Jung, C. Y. (1985). Size of the plasma membrane H⁺- ATPase from *Neurospora crassa* determined by radiation inactivation and comparison with the sarcoplasmic reticulum Ca²⁺ - ATPase from skeletal muscle. *J. Biol. Chem.* 260: 8726-8730.
- Brower, C. J., Jowarski, J. G. and Ohlrogge, J. B. (2000). Lipid in Biochemistry and molecular Biology of Plants, Buchanan, B.: *American Society of Plant Physiology*.

- Bruria, H. and Feigin, A. (2005). Interactive effect of chloride and nitrate on photosynthesis and related growth parameter in tomato photosynthetic 28: 549-554.
- Buchner, P., Takahaschi, I.I. and Hawkesford, M.J. (2004). Plant sulphate transporters: coordination of uptake, intercellular and long distance transport. *Journal of Experimental Botany* 404:1765-1773.
- Burkart, A. (1976). A monograph of the genus *Prosopis* (Leguminosae subfam. Mimosoideae). (Part 1 and 2). Catalogue of the recognized species of *Prosopis*. *Journal of the Arnold Arboretum*. 57:219-249 and 450-525.
- Burkart, A. and Simpson, B. B. (1977). The genus *Prosopis* and annotated key to the species of the world. pp. 201-215. In: Mesquite: Its Biology in Two Desert Ecosystems. (Ed.) B. B. Simpson. Dowden, Hutchinson and Ross, Stroudsburg, Pennsylvania, USA.
- Burley, J., Hughes, C. E. and Styles, B. T. (1986). Genetic systems of tree species for arid and semiarid lands. *Forest Ecology and Management* 16:317-344.
- Bussler, W. (1963). A Die Entwicklung Von calcium – Mangel Symptomen. *Z. Pfl anzenernahr. Dueng Bodenkd*, 100: 53-58.
- Caceres, A., Menendez, H., Mendez, E., Cohobon, E., Samayoa, B. E., Jauregui, E., Peralta, E. and Carrillo, G. (1995). Antigonorrhoeal activity of plants used in Guatemala for the treatment of sexually-transmitted diseases. *Journal of Ethnopharmacology*. 48:85-88.

- Caldwell, C. R. and Haug, A. (1981). Temperature dependence of the barley root plasma membrane bound Ca^{2+} and Mg^{2+} dependant ATPase. *Physiol. Plant.* **53** : 117-124.
- Camara, Z., Jos, M., Garcia, S. F., Martinez, V., Nieves, M. and Cerda, A.(2004). Effect of NaCl on citrus cultivars. *Agronomie (Paris)*. **24(3)**: 155-160.
- Campbell, W.H. (1999). Nitrate reductase structure, function and regulation. Bridging the gap between Biochemistry and Physiology . *Annu. Rev. Plant Physiol. Mol. Biol.* **50**: 277-303.
- Carles, J., Carmes, J., Magny, J. and Pulou, R. (1969). The distribution of zinc and its toxicity in plant. *Flacadsci, C. B. (Paris)*. Ser D **268**: 516-519.
- Catalán, L. A. and Balzarini, M. (1992). Improved laboratory germination conditions for several arboreal *Prosopis* species - *Prosopis chilensis*, *P. flexuosa*, *P. nigra*, *P. alba*, *P. caldenia* and *P. affinis*. *Seed Science and Technology*. **20**:293-298.
- Chadwick, C. C., Goormaghtigh, E. and Scarborough, G. A. (1987). A hexameric form of the *Neurospora crassa* plasma membrane H^{+} - ATPase. *Arch. Biochem. Biophys.* **252**: 348-356.
- Chakrabarti, N. and Mukherji, S. (2003). Growth regulator mediated changes in leaf area and metabolic activity in mungbean under salt stress condition. *Indian J. of Plant Physiol.* **7(3)**:256-263.
- Chaves, M.M. and Pereira, J.S. (1992). Water stress, CO_2 and climate change. *J. Exp. Bot.* **43**: 1131-1139.

- Chock, A. B. and Titus, E. O. (1973). Alkali metal ion transport and Biochemical activity. In : Lippard S. J. (ed.) Current research topics in bioinorganic chemistry. Wiley inter Science New York.
- Chung, C. N., Inouye, H., Model, P. and Beckwith, J. (1980). *J. of Bacteriol.* **142**: 726.
- Clark, R.B. (1984). Physiological aspects of calcium, magnesium and molybdenum deficiencies in plants. *Agronomy Monograph* (Second Eds.). Madison, U.S.A. 992-996.
- Clarkson, D. T. and Hanson, R.M. (1980). The mineral nutrition of higher plants. *Annual Rev. of Plant Physiol.* **31**:239-298.
- Coleman, J. and Gettins, P. (1983). Alkaline phosphatase, solution , structure and mechanism. In : *Advances in Enzymology*. Eds. A. Meister. An Interscience publication John Wiley and Sons New York, Chichester, Brisbane, Toronto, Singapore. pp .382-452.
- Cooke, D. T. and Burden, R. S. (1990). Lipid modulation of plasma membrane-bound ATPase *Physiol. Plant.* **78** : 153-159.
- Crammer, G.R., Lauchli, A. and Polito, V.S. (1985). Displacement of Ca^{2+} by Na^{+} from the plasma lemma of root cells. A primary response to salt stress? *Plant Physiol.* **79**: 207-277.
- Curti, G., Massardi, F. and Lado, P. (1993). Synergistic activation of plasma membrane H- ATPase in *Arabidopsis thaliana* cells by turgor decreases and by fusicoccin. *Physiologia plantarum* **87**: 592-600.

- Dafni, A. and Neghi, M. (1978). Variability in *Prosopis farcta* in Israel: seed germination as affected by temperature and salinity. *Israel Journal of Botany* **27**:147-157.
- Dagar, J. C. and Tomar, O. S. (2002). Utilization of salt affected Soil and Poor Quality water for Sustainable Biosaline Agriculture in Arid and Semiarid Regions of India . 12th ISCO Conference Beijing.
- De Oliveira, V. R. and Pires, I. E. (1990). Pollination efficiency of *P. juliflora* (Sw) DC in Petrolina, Pernambuco.pp. 233-239. In: The Current State of Knowledge on *Prosopis juliflora*. (Eds.) M. A. Habit and J. C. Saavedra. FAO, Rome, Italy.
- Demiral, T. and Turkan, I. (2006). Exogenous glycinebetaine affects growth and proline accumulation and retards senescence in two rice cultivars under NaCl stress. *Environmental-and-Experimental-Botany*. **56(1)**: 72-79.
- Deuticke, B. and Haest, C.W.M. (1987). Lipid modulation of transport proteins in vertebrates Cell Membrane. *Annu. Rev. Plant Physiology*. **49** : 221-235.
- Dhawan, S. R. (1995). Allelopathic potential of *Prosopis* for containing the spread of *Parthenium hysterophorus* Linn. *Advances in Plant Sciences* **8**:289-292.
- Dhawan, S. R. and Gupta, S. K. (1996). Allelopathic potential of various leachate combinations towards SG and ESG of *Parthenium hysterophorus* Linn. *World Weeds* **3**:135- 144.
- Diagne, O. (1996). Utilization and nitrogen fixation of *Prosopis juliflora* in Senegal. Pp.1.29-1.40. In: *Prosopis* :Semiarid Fuelwood and Forage Tree;

- Building Consensus for the Disenfranchised. (Eds.) P. Felker and J. Moss.
Centre for semi arid forest resources, Kingsville, Texas, USA.
- Díaz Celis, A. (1995). Los Algarrobos. CONCYTEC, Lima, Peru.
- Diego, A.M., Martarg, R.G., Carlos, A.M. and Marco, A.O. (2004). The effect of salt stress on growth, nitrate reduction and proline and glycine betaine accumulation in *Prosopis alba*. *Brazilian J. Plant Physiol.* **16**(1) :39-46.
- Downton, W. J. S. (1977). Photosynthesis in salt stressed grape vines. *Aust. J. Plant Physiol.* **4**: 183-192.
- Drumond, M. A. (1986). IInd International conference in *Prosopis* (Recife) Brazil.
- Drumond, M. A. (1990). Foliar analysis of species of the genus *Prosopis* in the Brazilian semi-arid region. pp. 307-311. In: The Current State of Knowledge on *Prosopis juliflora*. (Eds.) M. A. Habit and J. C. Saavedra. FAO, Rome, Italy.
- Dubey, P. (1998). A Plan for Tree Improvement with *Prosopis juliflora* in Uttar Pradesh, India. Queensland Forestry Research Institute, Gympie, Queensland, Australia.
- Duff, M.G.S., Sarath, G. and Plaxton, W.C. (1994). The role of acid phosphatase in plant phosphorus metabolism, *Physio. Plant.* **90**:791-800.
- Duff, S.M.G., Lefebvre, D.D. and Plaxton, W.C. (1991). Purification, characterization and subcellular localization of an acid phosphatase from

- Brassica nigra suspension cells. Comparison with phosphoenol-pyruvate phosphatase. *Arch. Biochem. Biophys.* **286**: 226-232.
- Dufour, J. and Goffeau, A. (1980). Molecular and Kinetic properties of the purified plasma membrane ATPase of the yeast *Schizosaccharomyces pombe*. *Eur. J. Biochem.* **105**: 145-154.
- Dwivedi, R. S., Joshi, Y. C., Quador, A. and Bal, A. R. (1980). Developing the parameters for salt tolerance in case of wheat crop *Internl. symp.* Salt affected soils, Karnal, India. 494-501.
- Egan, T.P., Ungar, I. A. and Meekins, J.F. (1997). The effects of NaCl, KCl, Na₂SO₄ and K₂NO₄ on the germination of *Atriplex prostrate* (Chinopodaceae). *J.Plant. Nutri.* **20**: 1723-1730.
- Ehasanpour, A. A. and Amini, F. (2003). Effect of salt and drought stress on acid phosphatase activities in alfalfa (*Medicago sativa* L.) explants under in vitro culture. *Afr. J. Biotechnol.* **2**:13-135.
- El-Floury, M. M. and Jung, J. (1970). Changes in enzyme activity in wheat seedlings grown under soil stress conditions. *Plant Physiol.* **46** (Suppl.) :60.
- El-Keblawy, A. and Al-Rawai, A. (2005). Effects of salinity temperature and light on germination behavior of the invasive *Prosopis juliflora*. *J. Arid. Environ.* **61**: 555-565.
- El-Sharkawi, H. M., Farghali, K. A. and Sayed, S. A. (1997). Trifactorial interactive effects of nutrients, water potential and temperature on

- carbohydrate allocation to the embryonic axis of desert plant seeds. *Journal of Arid Environments* **35**:655-664.
- Epstein, E. (1969). Mineral metabolism . In "Plant Biochemistry" Bonner S.J. and Varner J.E. (Eds.) Academic press, London and Orlando 438 -466.
- Eschrich, W. (1980). Free space Invertase, its possible role in phloem unloading. *Ber. Dtsch. Bot. Ges.* **93**:363-378.
- Eskew, D. L., Welch, R. M., and Cary, E. E. (1983). Nickel: an Essential micronutrient for legumes and possibly all higher plants. *Science* **222**: 621-623.
- Evans, H. J. and Sorger, G.L. (1966). Role of mineral elements with emphasis on univalent cations. *Ann. Rev. plant. Physiol.* **17** : 47-76.
- Everad, J. D., Gucci, R., Khan, S. C., Flore, J. A. and Loescher, W. H. (1994). Gas exchange and carbon partitioning in the leaves of celery (*Apium graveolens* L.) at various levels of root zone salinity. *Plant Physiol.* **106**: 281-292.
- Fageria, N. K. (1985). Salt tolerance of rice cultivars. *Plant and soil*, **88**: 237-243.
- Fan, Z., Chang, Q., Tian, C., Yavaki, S., Okada, A. and Liu, C. (1993). Genesis and characteristic of salt-affected soil in Tarim Basin Zn: Ichiqui M. ed. Proceedings of the Japan-China International symposium on the study of the mechanism of desertification. Tokio: Science and Technology Agency 219-226.
- Farquhar, G. D. and Sharkey, T. D. (1982). Stomatal conductance and photosynthesis. *Annu. Rev.Plant Physiol.* **33**:317-345.

- Felker, P. and Clark, P.R. (1982). Position of mequite (*Prosopis* species). Nodulation and nitrogen fixation (Acetylene reduction) in 3m long phraetophytically stimulated soil columns. *Plant and Soil* **64**:297-305.
- Felker, P., Cannell, G. H. and Clark, P. R. (1981). Variation in growth among 13 *Prosopis* (mesquite) species. *Experimental Agriculture* **17**:209-218.
- Fen, Y. H., Jia C. and Chen, W. X. (2001). Effects of salt stress on the activity and the amount of tonoplast H^+ -ATPase from pea roots. *Acta Botanica Sinica* **43** (6):586-591.
- Fernandes, F.M., Arrabaca, M. C. and Carvalho, L.M.M. (2004). Sucrose metabolism in *Lupinus albus* L. Under salt stress. *Biologia plantarum*. **48** (2): 317-319.
- Fitter, A. H. and Hay, R.K.M. (1987). In "Environmental Physiology of Plants". 22nd Edition Academic Press London. Chapter-I Introduction 3:16, Chapter 6. Ionic toxicity 225-259 and Chapter 9. An Ecological perspective 330-346.
- Flasinski, S., Zamorski, R. and Kotowska, U. (1989). The effect of water and acid phosphatase activity in oilseed rape. *Acta-societatis-Botanicorum-Poloniae*. **58**(1):47-58.
- Floreto, A. T. (1993). Effect of salinity on growth and acid composition of *Ulva pertusa* Kjellman (Chlorophyta). *Botanica Marina* **37**(2) :151-155.

- Flowers, T. J. (1972). Salt tolerance in *Suaeda maritima* (L.) Dum. The effect of sodium chloride on growth, respiration and soluble enzymes in a comparative study with *Pisum sativum* L. *J. Exp. Bot.* **23**:310-321.
- Fox, T.C. and Gueriot, M.L. (1998). Molecular biology of cation transport in plants. *Annu. Rev. Plant Physiol. Mol. Biol.* **49**:669-696.
- Foyer, C.H. (1988). Feedback inhibition of photosynthesis through source-sink regulation in leaves. *Plant Physiol. Biochem.* **26**: 483-492.
- Frechili, S., Lasa, B. Ibarretxe, L., Lamsfus, C. and Apario, T. P. (2001). Pea Responses to saline stress is affected by the source of nitrogen nutrition (ammonium or nitrate). *Plant Growth Regul.* **35**: 171-179.
- Gaikwad, D. K. (1995). Physiological studies in grain *Amaranth* A Ph.D. thesis submitted to Shivaji University, Kolhapur. (India)
- Gaikwad, S.G. (1988). Physiological studies in Millets, A Ph.D. Thesis submitted to Shivaji University, Kolhapur (India).
- Garbquriioo, J. and Dupont, F. M. (1988). NaCl induces a Na⁺/ H⁺ antiporter in tonoplast vesicles from barley roots. *Plant Physiol.* **86** :231-236.
- Gellatty, K., Moorehead, G.B.G., Duff, S.M.G., Lefebvre, D.D. and Plaxton, W.C. (1994). Purification and acid Phosphatase having significant phosphotyrosine phosphatase activity. *Plant Physiol.* **106**: 223-232.
- Gibeaut, D.M., Karuppiyah, N., Chang, S. R., Brock, T.G., Valdamudi, B., Kim, D., Ghoshen, N. S., Royle, D.L., Carpita, N.C. and Kaufman, P.B. (1990). Cell

- wall and enzyme changes during graviresponse of the leaf sheath pulvinus of oat (*Avena sativa*) *Plant Physiology*, **94**:411-416.
- Gibson, T.S. (1988). Carbohydrate metabolism and phosphorus /salinity interaction in wheat (*Triticum aestivum* L.). *Plant and Soil*.**111**:25-35.
- Gill, P.K., Sharma, A. D., Singh, P. and Bhullar, S.S. (2003). Changes in germination, growth and sugar contents of *sorghum bicolor* (L.) Moench seeds under various abiotic stresses. *Plant Growth Regulation*. **40** :157-162.
- Gomes, A. V. and De Muñiz, G. I. B. (1990). Wood structure and ultrastructure of *Prosopis caldenia*, *P. chilensis* and *P.juliflora* and influence of ecological factors. pp. 195-216. In: The Current State of Knowledge on *Prosopis juliflora*. (Eds.) M. A. Habit and J. C. Saavedra. FAO, Rome, Italy.
- Gorham, J., Huq les, L. and Wyn Jones, R.G. (1980). Chemical composition of salt marsh plants from Ynys Mon (Anglesey). The concept of Physiotypes. *Plant cell Environ*. **3** : 309-318.
- Gorham, J., Wyn-Jones, R.G. and Mc Donnel, E. (1985). Some mechanism of salt tolerance in crop plants. *Plant Soil* **89**:15 -40.
- Gouiah, H., Ghorbal, M.H. and Touraine, D. (1994). Effect of NaCl on flow of N and mineral ion and NO₃ reductase rate within whole plant of salt sensitive bean and salt tolerant cotton. *Plant Physiol*.**105**:1407-1418.
- Grager, M., Abadle, B. and Marchis-Mouren, G. (1975). Limited action of Trypsin on Porcine pancreatic amylase: Characterization of the fragments. *FEBS*, **56**:189.

- Graham, J. D. (1960). Morphological variation in mesquite (*Prosopis*, Leguminosae) in the lowlands of northeastern Mexico. *Southwestern Naturalist* 5:187-193.
- Grattan, S.R. and Grieve, C.M. (1992). Mineral element acquisition and growth response of plants grown in saline environment. *Agriculture Ecosystems and Environment* 38: 275-300.
- Greenway, H., Gunn, A. and Thomas, D. A. (1966). Plant responses to saline substrates. VIII Regulation of ion concentrations in salt sensitive and halophytic species. *Aust. J.Biol. Sci.* 19 :741-756.
- Grierson, D., Edwards, R. and Hobson, G. (1991). Salt stress induces partial ripening of the nor tomato mutant but expression of only some ripening-related genes. *Journal of plant Physiology* 139 (2): 140-145.
- Gupta, J. P., Rao, G. G., Gupta, G. N. and Ramana Rao, B. V. (1983). Soil drying and wind erosion as affected by different types of shelterbelts planted in the desert region of western Rajasthan, India. *Journal of Arid Environments* 6:53- 59.
- Gupta, R. K. and Balara, G. S. (1972). Comparative studies on the germination, growth and seedling biomass of two promising exotics in Rajasthan desert (*Prosopis juliflora* (Swartz) DC and *Acacia tortilis* (Forsk.) Hayne ssp. *tortilis*). *Indian Forester* 98:280-285.
- Gurumurti, K., Raturi, D.P. and Bhandari, H.C.S. (1984). Biomass production in energy plantations of *Prosopis juliflora*. *Indian Forester* 110: 879-894.

- Hahne, K. S. and Schuch, U. K. (2004). Responses of nitrate and ammonium on growth of *Prosopis Velutina Simmondsia Chinensis* Seedlings. Plant sciences Department University Of Arizona , Tucson, AZ 85721.
- Hawker, J. S., Marschner, H. and Downton , W.J.S. (1974). Effects of sodium and potassium on starch synthesis on leaves. *Aust. J. Plant Physiol.* 1:451-501.
- Hawker, J.S. and Walker, R.R. (1978). Effect of sodium chloride on expansion rates and invertase activity of leaves. *Aust. J. Plant Physiol.* 5: 73-80.
- He, T. and Cramer, G.R. (1993). Growth and ion accumulation of two rapid cycling *Brassica species* differing in salt tolerance. *Plant and Soil* 153: 19-31.
- Helal, H. M. and Mengel, K. (1979). Nitrogen metabolism of young barley (*Hordeum vulgare*)plants as affected by NaCl salinity and K. *Plant and Soil*.51 : 457-462.
- Helal, M., Koch, K. and Mengel, K. (1975). Effect of salinity and potassium on the uptake of nitrogen and on nitrogen metabolism in young bean plants. *Physiol. Plant.* 35: 310-313.
- Hemaltha, K.P. and Prasad, D.S. (2002). Purification, physicochemical properties and subcellular location of alkaline inorganic pyrophosphates from Sesame (*Sesamum indicum* L.) cotyledons. *Biochem.Cell. Bio.* 80 (2): 215-224.
- Hendrick, W. M. and Hans, W.H. (2003). Subcellular compartmentalization of pyrophosphate and alkaline pyrophosphate in leaves. *Institut fur Biochemie der Pflanze, Gottingen, F.R.G.*

- Hepler, P.K. and Wayne, R.O. (1985). Calcium and Plant development. *Annual Rev. of Plant Physiol.* **36**:397-439.
- Hermoni-Levine, M. and Rahamimoff, H. (1990). Role of the phosphate $\rightarrow$ lipid environment in modulating the activity of the rat brain synaptic plasma membrane Ca^{2+} -ATPase. *Biochem.* **29**: 4940-4950.
- Higgins, T.J. V., Zawar, I. A. and Jacobson, J. V. (1976). GA_3 and mRNA synthesis. *Nature.* **260**:166-289.
- Hilu, K. W., Boyd, S. and Felker, P. (1982). Morphological diversity and taxonomy of California mesquites (*Prosopis*, Leguminosae). *Madroño* **29**:237-254.
- Hodges, T. K. (1976). ATPases associated with membranes of plant cells - In Encyclopedia of Plant Physiology (A. Pirson and M. H. Zimmermann, eds). Vol. 2A, pp. 260-283. Springer-Verlag, Heidelberg. ISBN 0-387-074-52-X.
- Hollander, V. P. (1971). Acid phosphatase. In: Boyer, P.D. (Ed.). The enzymes IV A Academic Press, New York. NY, pp. 449-498.
- Horovitz, C.T. and Waisel, Y. (1970). Different ATPase system in glycophytic and halophytic plant species. *Experientia* **26**:941-42.
- Hsiao, T.C. and Xu, L.K. (2000). Sensitivity of growth of roots verses leaves water stress biophysical analysis and relation to water transport. *J. Exp. Bot.* **51**: 1595 -1616.

- Hunziker, J. H., Poggio, L., Naranjo, C. A. and. Palacios, R. A. (1975).
Cytogenetics of some species and natural hybrids in *Prosopis*
(Leguminosae). *Canadian Journal of Genetics and Cytology* **17**:253-262.
- Hyashi, H.A., Sakamoto, A., Nonaka, H., Chain, T.H.H. and Murata, N. (1988).
Enhanced germination under salt condition of seed of transgenic
Arabidopsis with a bacterial gene (cod A) for cholineoxidase *J. Plant Res.*
111: 357 -362.
- Indulkar, B. S. and More, S. D. (1985). Interactive effect of nature of salinity and
nitrogen on growth and nutrient composition of *sorghum* . *J. Indian Soc.*
Soil Sci., **33 (8)**:641-645.
- Jacob, J. and Lawlor, D.W. (1992). Dependence of photosynthesis of sunflower
and maize leaves on phosphate supply, Ribulolse-1-5-bisphosphate
carboxylase/ Oxygenase activity and Ribulose 1-5-bisphosphate pool size.
Plant Physiol. **98** : 801-807.
- Jacobson , J.V., Scandalos, J.G. and Varner, J.E. (1970).Multiple forms of amylase
induced by GA in isolated barley aleurone layers. *Pl. Physiol.* **45**:367-371.
- Jagtap, S.S. (1991). Physiological study of salt tolerance in some cultivars some
cultivars of *Sorghum bicolor* Linn. M. Phil. Thesis submitted to Shivaji
University, Kolhapur. (India).
- Jahan, M., Ahmad, I. and Naqvi, S. N. H. (1990). Toxic and teratogenic effects of
juliflorine and Margosan-O on the *Musca domestica* L. larvae. *Proceedings*
of Pakistan Congress of Zoology **10**:293-299.

- Jauh, G.Y. and Yen, H.E. (2006). Functional characterization of ice plant SKD1, an AAA-type ATPase associated with the endoplasmic reticulum-Golgi network, and its role in adaptation to salt stress. *Plant Physiology* **141(1)**: 135-146.
- Jefferey, S. R. and Critchley, C. (1985). Effect of salt stress on the growth, ion content, Stomatal behaviour and photosynthetic capacity of a salt sensitive species *Phaseolus vulgaris* *Plant(Berl.)* **164 (2)**: 151-162.
- Jesckhe, W. D. (1973). K⁺ Stimulated Na efflux and selective transport in barley roots. An "Ion transport in plants". Anderson, W. P. (Ed.) Academic Press London and New York. 285-296.
- Johansson, F., Sommarin, M. and Larson, C. (1993). Fusaric acid activates the plasma membrane H⁺-ATPase by a mechanism involving the C-terminal inhibitory domain. *The plant cell*. **5** : 321-27.
- Johnston, M. C. (1962). The North American mesquites, *Prosopis* sect. *Algarobia* (Leguminosae). *Brittonia* **14**:72-90.
- Joolka, N. K., Singh, J. P. and Khera, A. P. (1977). Mineral composition of grape as affected by chloride and sulphate salts of sodium in soils. *Indian J. Agric. Sci.* **47**: 201-203.
- Joshi, A.J. and Hinglajia, H. (1999). Effects of chloride and sulphate on seed germination in *Prosopis juliflora* (SW) DC. Growing at 3 edaphically different habitats. *J. Indian. Bot. Soc* **78 (1-2)**:99-101.

- Joshi, G.V. (1976). Studies in photosynthesis under saline conditions. P. L. 480 Project Report. Shivaji University, Kolhapur, (India).
- Kannan, N. R. and Doraiswamy, S. (1993). Management of cowpea aphid borne mosaic virus (CAMV) using plant products. *Madras Agricultural Journal* **80**:393-395.
- Karadage, B.A. and Chavan, P.D. (1983). Physiological studies in salinity tolerance of *Sesbania aculeata* Poir. *Biol. Plant.* **25** :412 – 418.
- Karlsson, J. (1975). Membrane-bound potassium and magnesium ion stimulated inorganic pyrophosphatase from roots and cotyledons of sugar beet (*Beta vulgaris* L.). *Biochim. Biophys. Acta.* **399**:356-363.
- Kashem, M. A., Saltuna, N., Ikeda, T. and Hari, H. (2000). Alteration of starch-sucrose translocation in germinating wheat seed under Sodium chloride salinity *J. of Plant Biol.* **43**:121-127.
- Kawarasaki, Y., Nakano, H. and Yamane, T. (1996). Purification and some properties of wheat germ acid phosphatase. *Plant Sci.* **119**:67-77.
- Kawasaki, T., Akiba, T. and Mritsugu, M. (1983). Effects of high concentrations of sodium chloride and polyethyleneglycol. On the growth and ion absorption in plants. *Plant Soil.* **75** : 75-86.
- Kazmi, S. M. H. and Singh, R. (1992). Wood anatomy of exotics grown in India. 3. *Prosopis juliflora* (Sw.) DC. (Leguminosae). *Journal of the Timber Development Association of India.* **38**:39-42.

- Kelley, P. M. and Izawa, S. (1978). The role of chlorine ion in Photosystem-II electron transport and hydroxylamine inhibition. *Biochim. Biophys. Acta.* **502**: 198-210.
- Kenedy, E. P. (1961). Biosynthesis of complex lipids. *Fed Proc.* **20**: 934. *Annual Review.*
- Kent, N. L. (1941). Absorption, translocation and ultimate fate of lithium in the wheat plant. *New Phytol.* **40** :291-298.
- Khan, D., Ahmad, R. and Ismail, S. (1987). Germination, growth and ion regulation in *Prosopis juliflora* (Swartz) DC under saline conditions. *Pakistan Journal of Botany.* **19**:131- 138.
- Khan, D., Ahmad, R. and Ismail, S. (1987). Germination growth and ion regulation in *Prosopis juliflora* under saline condition. *Pakistan journal of Botany.* **19**: 131- 138.
- Khan, M.A. and Ungar, I.A. (2002). Influence of dormancy regulating compounds and salinity on the germination of *Zygophyllum simplex* L. seeds. *Seed Sci. Technol.* **30**: 507 -514.
- Killian, S.E. (1990). A study on the germinative behavior of the seeds of some *Prosopis* species.pp.277-295.In:The Current State of Knowledge on *Prosopis juliflora*.(Eds.) M.A. Habit and J.C. Saavedra.FAO,Rome,Italy.
- Kolbus, G. and Janicka, R. M. (2004). Modulation by cytosolic compounds of proton pump activities in plasma membrane and tonoplast from *Cucumis sativus* roots during salt stress.*Physiol. Plant.* **121(1)**: 84-92.
- Khan, M. A. and Ungar, I. A (1985). The role of hormones in regulating the germination of polymorphic seeds and early seedling growth of *Atriplex triangularis* under saline conditions. *Physiologia Plantarum*, **63(1)**: 109-113.

- Kornberg, A. (1962). *Horizons in Biochemistry*, Academic Press, New York and London, pp 416.
- Kosk, K.D. and Bzdega, T. (1988). Activation of the erythrocyte Ca^{2+} -ATPase by either self association or interaction with calmodulin. *J. Biol. Chem.* **263**: 18184-18189.
- Kosk, K.D. and Bzdega, T. (1990). Effects of calmodulin on erythrocyte Ca^{2+} -ATPase activation and oligomerization. *Biochemistry*. **29** :3772-3777.
- Kramer, D., Lauchli, A., Yeo, A. R. and Gullasch, J. (1977). Transfer cells in root of *Phaseolus coccineus* :Ultrastructure and possible function in exclusion of the sodium from the shoot. *Annu. Bot.* **41**: 1031-1040.
- Krause, G. H., Virgo, A. and Winter, K. (1995). High Susceptibility to inhibition of young leaves of tropical forest trees. *Planta.* **197**: 583 -591.
- Krishnamurthy, R. (1991). Amelioraton of salinity effect in salt tolerant rice (*Oryza sativa* L.) by foliar application of putrescine. *Plant Cell Physiol.* **35** (5):699-703.
- Krishnan, V.A. and Gnanam, A. (1988). Properties and regulations of Mg^{++} dependent chloroplast inorganic pyrophosphatase from *Sorghum vulgare* leaves. *Arch. Biochem. Biophys.* **260**(1): 277-284.
- Kuiper, D., Sommarin, M. and Kylin, A. (1991). The effect of mineral nutrition and benzyl adenine on the plasmlemma. ATPase activity from roots of wheat and *Plantago major* ssp *pleiosperma*. *Physiol. Plant.* **81**:169-174.

- Kuiper, P.J.C. (1968). Lipids in grape roots in relation to chloride transport. *Plant Physiol.* **43**: 1367-1371.
- Kuiper, P.J.C. (1984). Functioning of plant cell membrane under saline condition: Membrane lipid composition and ATPase, In: Staples RC. Tolliessen DH. eds. Salinity tolerance in plants. New York. Wiley, 67-76.
- Kulkarni, S. and Nautiyal, C. S. (1999). Effects of Salt and pH stress on Temperature-Tolerant *Rhizobium* sp. NBRI330 Nodulating *Prosopis juliflora*. *Current Microbiology*. **40**: 221-226.
- Kumar, A., Shivkumar, P., Rai, A. M. and Banerjee, A. C. (1998). Genetic improvement of *Prosopis juliflora*. pp. 79-81. In: *Prosopis* Species in the Arid and Semi-Arid Zones of India. (Eds.) J. C. Tewari, N. M. Pasiecznik, L. N. Harsh and P. J. C. Harris. *Prosopis* Society of India and the Henry Doubleday Research Association, Coventry, UK.
- Kvalheim, A. (1967). Geochemical prospecting in Fennoscandia. Interscience, New York, London.
- Lacan, D. and Durand, M. (1995). Na⁺ and K⁺ Transport in excised soybean roots. *Physiol. Plant.* **93**: 132-138.
- Lanfermeijer, F. C. and Prins, H. B. A. (1994). Modulation of H⁺-ATPase activity by fusicoccin in plasma membrane vesicles from oat (*Avena sativa* L.) roots. *Plant Physiology* **104**:1277-85.

- Larher, F., Goas, G., Le, R.D., Geaed, J and Hamelin, J. (1983). Bound four amino butaric acid root nodules of *Medicago sativa* and other nitrogen fixing plants. *Plant Science letters* **29**:315-326.
- Lila, A. and Ehsanpour, A. (2006). The effect of ascorbic acid on salt induced alfalfa (*Medicago sativa* L.) in *in vitro* culture. *Nigerian Society for experimental Biology* **18(2)**: 63-69.
- Liljenberg, E. S. (1992). The effect of water deficit stress on plant membrane lipid progress in *Lipid Research* **31**: 335-343.
- Lima, P. C. F. (1990). Performance of species of the genus *Prosopis* at 24 months of age in Petrolina. pp. 63-67. In: The Current State of Knowledge on *Prosopis juliflora*. (Eds.) M. A. Habit and J. C. Saavedra. FAO, Rome, Italy.
- Lin, H., Salus, S.S. and Schumakar, K.S. (1997). Salt sensitivity and the activities of H⁺ ATPase in cotton seedling. *Crop Sci.* **37**:190-197.
- Lopez Villagra, G.M. and Galera, F.M. (1992). Soil salinity–sodicity effects on germination, survival and development in four populations of *Prosopis strombulifera* (Lam) Benth.(Fabaceae: Mimosoideae). In :Dutton R.W. Ed. *Prosopis species; aspects of their value research and development*. CORD; University of Durham. NC. 219- 223.
- Loupassaki, M.H., Chartzoulakis, K.S., Digalaki, N.B. and Androulaski, I.I. (2002). Effects of salt stress on concentration of nitrogen, phosphorus, potassium, calcium, magnesium, and sodium in leaves, shoot and roots of six olive cultivars. *J. Plant Nutrition.* **25 (11)**: 2457-2482.

- Luna, R. K. (1996). *Prosopis juliflora* (Swartz) DC. In: Plantation Trees. International Book Distributors, Delhi, India.
- Maghembe, J. A., Kariuki, E. M. and Haller, R. D. (1983). Biomass and nutrient accumulation in young *Prosopis juliflora* at Mombasa, Kenya. *Agroforestry Systems* 1:313-321.
- Makler, R. L., Hammel, J. E. and Harder, R.W. (1985). The influence of crop rotation and tillage method on the distribution of extractable boron in Northern Idaho Soil Sci. **39**: 67-73.
- Ma-Li-qing., Han-Zhen-hai., Zhou-Er-feng. and Xu-Xue-feng (2006). Na⁺ compartmentalization in the leaves of *Malus Zumi* and *Malus baccata* under salt stress. *Xibei-Zhiwn-Xuebao*. **26(7)**: 1378-1383.
- Marienetti, G. V. (1967). Lipid chromatographic analysis. Vol. No. 1. *Marcel Dekker*. New York.
- Marschner, H. (1986). In: "Mineral nutrition of higher plants". Academic Press New York.
- Martin, S. C. (1948). Mesquite seeds remain viable after 44 years. *Ecology* **29**:393.
- Martin, T.J.F. (1998). Phosphoinositide lipid as signaling molecules common themes for signal transduction cytoskeleton regulation and membrane trafficking . *Annu. Rev. Cell. Biol.* **14**: 231-264.
- Mass, E.V. and Hoffman, G.J. (1971). Crop salt tolerance current assessment. *ASCE J. Irrig and Drainage* DV **103**:115-134.

- Mass, E.V. and Nieman, R.H. (1978). Physiological of plant tolerance to salinity. In: Crops Tolerance to suboptimal land conditions, (Ed.) G.A. Jung. *Amer. Soc. Agron. Spec. Pub. 32 Capt. 13*: 277-299.
- Matsumoto, H. and Yamaya, T. (1984). Increase in alkaline phosphates activity in Cucumber roots during calcium starvation. *Plant cell Physiol.* **22**: 1137-1140.
- McLachlan, K. D. and De Marrco, D. G. (1982). Acid phosphatase activity of intact roots and phosphorus nutrition in plants. III. It's relation to phosphorus garnering by wheat and a phosphorus status. *Aust. J. Agric. Res.* **33**: 1-11.
- Medd, R., Padigiam, A., Lorrai, A., Murgia, B., Agro, B.F., Castagnolla, M. and Floris, G. (2002). Purification and properties of a nucleotide pyrophosphatase from lentil seedlings. *J. Protein Chem.* **19(3)**:209-214.
- Meier, G. S. and Kaiser, W. M. (1988). Ion homeostasis in chloroplasts under salinity and mineral deficiency. *Pant Physiol.* **87**: 822-827.
- Memon, A.R., Chen, Q. and Boss, W. F. (1989). Inositol phospholipids activate plasma membrane ATPase in plants. *Biophys. Acta.* **687** : 329-332.
- Mengel, K. and Kirby, E. A. (1982). In : "Principles of plant nutrition" Intern. Potash Inst. Switzerland.
- Michelet, B. and Boutry, M. (1995). The plasma membrane H^+ -ATPase :A highly regulated enzyme with multiple physiological functions. *Plant Physiology* **108**: 1-6.

- Mieteenen, P. (1989). Nitrogenase activity in *Prosopis juliflora* seedlings inoculated with Rhizobium isolates from eastern Kenya. *Nitrogen fixing Tree research reports*. 7: 110-111.
- Mimura, T., Kura, H. M., Tsujimura, T., Ohnishi, M., Miura, M., Okazaki, Y., Mimura, M., Maeshima, M. and Washitani, N. S. (2003). Rapid increase of vacuolar volume in response to salt stress. *Planta (Berlin)*. 216(3): 397-402.
- Misra, N. and Dwivedi, U.N. (1990). Nitrogen assimilation in germinating *Phaseolus aureus* under saline stress. *J. Plant Physiol* 135: 719-724.
- Mittal, R. and Dubey, R.S. (1992). Mitochondrial acid phosphatase and adenosine try phosphatase activities in germinating rice seeds following NaCl salinity stress. *Indian J. Plant Physiol*. 35(2):174-181.
- Mooney, H. A., Simpson, B. B. and Solbrig, O. T. (1977). Phenology, morphology, physiology. pp. 26-43. In: Mesquite, Its Biology in Two Desert Ecosystems. (Ed.) B. B. Simpson. Dowden, Hutchinson and Ross, Inc., Stroudsburg, Pennsylvania, USA.
- Moore, J. Jr. Ed. (1993). Lipid metabolism in plant. *CRC Press, Boca. Raton, F.L.*
- Morabito, D., Jolivet, Y., Prat, D. and Dizen-gremel, P. (1996). Differences in the physiological responses of two clones of *Eucalyptus microtheca*. Selected for their salt tolerance. *Plant Sci*. 114: 129-139.
- Munnik, T., Irvine, R.F. and Musgrave, A. (1998). Phospholipid signaling in plant. *Biochim. Biophys. Acta*. 1389 :222-272.

- Munns, M. (2002) .Comparative physiology of salt and water stress. *Plant Cell Environ.* **135**: 719 -724.
- Munoz, J.L., Nicolas, G. and Villalobs, N. (1990). Cytokinin effects on mobilization in chickpea. *Plant Physiol.* **93**: 1011-1016.
- Murumkar, C.V. and Chavan, P.D. (1990). Influence of salt stress on phosphorus metabolism in leaves of chickpea *Cicer arietinum* L. *Indian Bot. Reprt.* **9(2)**: 56-60.
- Mutha, N. and Burman, U. (1998). Effect of seed weight and sowing depth on germination and seedling quality of *Prosopis juliflora*. pp. 43-45. In: *Prosopis* Species in the Arid and Semi-Arid Zones of India. (Eds.) J. C. Tewari, N. M. Pasiecznik, L. N. Harsh and P. J. C. Harris. *Prosopis* Society of India and the Henry Doubleday Research Association, Coventry, UK.
- Muthana, K. D. and Arora, G. D. (1983). *Prosopis juliflora* (Swartz) D.C. A fast growing tree to bloom the desert. Central Arid Zone Research Institute, Jodhpur, India, CAZRI Monograph No. 22.
- Muthukumarsamy, M. and Pannerselvam, R. (1997). Effects of triadimefon and salinity stress on carbohydrate metabolism in radish seedlings. *Indian J. Plant Physiol.* **2 (3)**: 242-244.
- Nabil, M. and Coudert, A. (1995). Effect of sodium Chloride on growth, tissue elasticity and solute adjustment in two *Acacia nilotica* subspecies. *Physiol. Plant.* **93**: 217 -224.

- Nagaraju, A. and Prasad, K.S.S. (1998). Growth of *Prosopis juliflora* on pegmatite tailing from from Nellore Mica Belt, Andra Pradesh, India *Environmental Geology*. **36** (3-4): 320-324.
- Nakamura, Y., Tanaka, K., Otha, E. and Sakata, M. (1990). Protective effect of Ca^{++} on elongation of the intracellular concentration of K^{+} on intact mung bean roots under high NaCl stress. *Plant Cell Physiol*. **31**: 815 -821.
- Nassery, H., Ogata, P.G. and Maas, E.V. (1979). Sensitivity of Sesame (*Sesamum indicum*) to various salts. *Agron. J.* **71**(4):595- 597.
- Nieman, R.H. and Clark, R.A. (1976). Interactive effect of salinity and phosphorus nutrition on the concentration of phosphste and phosphsate esters in mature photosynthesizing Corn leaves. *Plant Physiol*. **57**: 157 -161.
- Niggli, V., Adunyah, E. S. and Curafoli, E. (1981). Acidic phospholipids, unsaturated fatty acids, and limited proteolysis mimic the effect of calmodulin on the purified erythrocyte Ca^{2+} -ATPase. *J. Biol. Chem.* **256**: 8588-8592.
- Nigwekar, A.S. (1988). Physiological studies in horse-gram (*Dolichos Biflorus* L.). A Ph.D. thesis submitted to Shivaji University, Kolhapur. (India).
- Nilsen, P., Rundel, P. and Sharifi, M. (1981). Summer water relation of the desert phreatophyte *Prosopis glandulosa* in the Sonoran desert of southern Callifornia. *Oecologia*. **50**: 271 -276.
- Niu, X., Bressan, R. A., Hasegawa, P. M. and Pardo, J. M. (1995). Ion homeostasis in NaCl stress environments. *Plant Physiol*. **109**:735-742.

- Nui, X., Damsz, B., Kononowicz, A.K., Bressan, R.A. and Hasagawa, P.M. (1996). NaCl- induced alternations in both the cell structures and tissue specific plasma membrane H⁺ ATPase gene expression. *Plant Physiology*. **111**: 679-86.
- Nukaya, A., Masui, M. and Ishida, A. (1982). Salt tolerance of green soy-beans (*Glycine max*) as affected by different salinities in soil culture. *J. Jpn. Sci.* **51** (1): 62-69.
- Ohlorogge, J. B. and Jowarski, J. G. (1997). Regulation of fatty acid synthesis. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* **48**: 109.
- Olmos, E. and Hellin, E. (1997). Cytochemical localization of ATPase plasma membrane and acid phosphatase by cerium based in a salt adapted cell line of *Pisum sativum*. *J.Exp. Bot.* **48**:1529-1535.
- Ortiz, A., Martinz, V. and Cerda, A (1994). Effects of osmotic shock and calcium on growth and solute composition of *Phasiolus vulgaris* plants. *Physiol. Plant.* **91**: 468-476.
- Palmgren, M. G. (1991). Regulation of plant plasma membrane H⁺-ATPase activity. *Physiol. Plant.* **83**: 314-323.
- Pan, S. (1987). Characterization of multiple acid phosphates in salt stressed spinach leaves. *Aust J. Plant Physiol.* **14**:117-124.
- Pan, S. M. (1983). The effect of salt stress on the betain aldehyde dehydrogenase in spinach. *Taiwania* **28**: 128-137.

- Parida, A.K. and Das, A.B. (2004). Effect of NaCl stress on nitrogen phosphorus metabolism in a true mangrove *Bruguiera parviflora* grown under hydroponic culture. *J. of Plant Physiol.* **161** (8): 921-928.
- Pasiecznik, N. and Felker, P. (1992). Mechanical cleaning of *Prosopis* seed. *Nitrogen Fixing Tree Research Reports* **10**:186-188.
- Pasiecznik, N., Felker, P., Harris, P.J.C., Harsh, L.N., Cruz, G., Tewari, J.C. Cadoret, K. and Maldonado, L.J. (2001). The *Prosopis juliflora*, *Prosopis pallida* complex : A Monograph. HDRA, Coventry, UK.
- Pasiecznik, N.M., Vall, A.M., Mountou, S.N., Danthu, P., Murch, J., McHugh, M.J. and Harris, P.J.C. (2005). Discovery of a life history shift: precocious flowering in an introduced population of *Prosopis*. *Biological Invasion*. **8**:1681-1687.
- Passera, G. and Albuzio, A. (1978). Effect of salinity on photosynthesis and photorespiration of wheat species .(*Triticum durum* cv. PEPE-2122 and *T.aestivum* cv. Marzotto).
- Patel, R. R. and Safaya, V. (1986). Value added chemicals from biomass. pp. RRP1-RRP4. In: The Role of *Prosopis* in Wasteland Development. (Ed.)V. J. Patel. Javrajbhai Patel Agroforestry Center, Surendrabag, Gujarat, India.
- Patel, V. J. (Ed.). (1986). The Role of *Prosopis* in Wasteland Development. Jivrajbhai Patel Agroforestry Center, Surendrabag, Gujarat, India.

- Pathre, U. V., Sinha, A. K., Shirke, P. A. and Sane, P. V. (1998). Factors determining the midday depression of photosynthesis in trees under monsoon climate. *Trees* **12**: 472-481.
- Pathre, U.V., Sinha, A. K., Shirke, P. A. and Sane, P. V. (1995). Midday decline in trees. In: Mathis, P. (ed.): *Photosynthesis from light to Biosphere*. Vol. V. pp 67-70. Kluwer Acad. Publ, Dordrecht. Boston-London.
- Patil, T. M., Mirajkar, P. B., Hegade, B. A. and Joshi, G. V. (1983). Influence of soil salinity on morphology, rate of carbon assimilation, photosynthetic products and enzyme activities in a *Sorghum* hybrid CSH-5. *Ind. J. Plant Physiol.* **XXVI (2)**: 155-162.
- Pedehenko, V. K., Nasirova, G. F. and Palladina, T. A. (1990). Lysophosphatidylcholine specifically stimulates plasma membrane H⁺ ATPase from corn roots.- *FEBS Lett.* **275**: 205-208.
- Penheiter, A.R., Duff, S.M.G. and Sarah, G. (1997). Soybean root nodule acid phosphates. *Plant Physiol.* **114**:597-604.
- Perez, A. and Tambelini, C. (1995). Effect of saline and water stress and early aging on the *Algarroba* seed germination, *Pesquisa Argopecuaria. Brassileria* **30**: 1289-1295.
- Perry, G. (1998). *Prosopis. Flora of Australia.* **12** : 7-13.
- Pessarakli, M. (2005). Growth responses and nitrogen-15 absorption of desert saltgrass under salt stress. *Journal-of-Plant-Nutrition.* **28(8)**: 1441-1452

- Pessarakli, M., Marcum, K. B. and Kopee, D. (2005). Growth responses and nitrogen-15 absorption of desert saltgrass under salt stress. *J. of Plant Nutrition*. **28(8)**:1441-1452.
- Pfluger, R. and Mengel, K. (1972). Dis photochemische activatat von chloroplasten aus unterschiedlich mit Kalium ernahrten Pflunzen. *Plant Soil*. **36**: 417-425.
- Phills, B.R., Peck, N. H., Mac Donald, G. E. and Robinson, R.W. (1979). Differential responses of *Lycopersicon* and *Solanum* Species to salinity *J. Amer. Soc. Hort. Sci.* **104**: 349-352.
- Poljakoff, M.A. and Gale, J. (1975). In :Plant in saline Environment. Springer-Verlag. Berlin.
- Poynton, R. J. (1990). The genus *Prosopis* in southern Africa. *South African Forestry Journal*. **152**: 62-66.
- Prospisilova, J. and Santrucek, J. (1994). Stomatal patchiness.-*Biol.Plant*.**36**: 481-510.
- Qudar, A., Joshi, Y.C., Bal, A.R. and Rana, R.S.(1980). Chemical treatments to enhance cereal production in salt affected soils. Intern. Symp. Salt affected soils, Karnal. India.468: 417.
- Rains, D.W. (1972). Salt transport by plant in relation to salinity. *Ann. Rev. Plant Physiology*. **23**: 367- 388.
- Raizada, M. B. and Chatterji, R. N. (1954). A diagnostic key to the various forms of introduced mesquite (*Prosopis juliflora* DC). *Indian Forester* **80**:675-680.

- Rajput, S. S. and Tewari, M. C. (1986). Some studies on the utilisation of biomass of *Prosopis* spp. pp. SSR1-SSR9. In: The Role of *Prosopis* in Wasteland Development. (Ed.) V. J. Patel. Javrajbhai Agroforestry Center, Surendrabag, Gujarat, India.
- Ramoliya, P.J., Patel, H.M., Joshi, J.B. and Pandey, A.N. (2006). Effect of salinization of soil on growth and Nutrient Accumulation in Seedlings of *Prosopis cineraria*. *J. of Plant Nutrition*. **29**:283-303.
- Randall, D.D. and Tolbert, N.E. (1971). 3-phosphoglycerate phosphatase in plants II. Distribution physiological considerations and comparison on with phosphoglycerate phosphatases. *Plant Physiol.* **48**: 480-487.
- Rao, K.R. and Gnanam, A. (1990). Inhibition of nitrate and nitrate reductase activity by salinity stress in *Sorghum vulgare*. *Phytochemistry* **29**: 1047-1049.
- Rasi, C.F., Pgliarello, M.C., Olivari, C. and De Michelis, M.I. (1993). Controlled proteolysis mimics the effect of fusicoccin on the plasma membrane H⁺ ATPase. *Plant Physiology*. **103**: 391-98.
- Rathert, G. (1982). Influence of extreme K:Na ratios and high substrate salinity on plant metabolism of crops differing in salt tolerance. VII. Relations between carbohydrates and degradative enzyme in salt stress. *Journal of plant Nutrition*, **5**: 1401-1413.
- Rathert, G. and Doering, H.W. (1981). Influence of extreme K: Na ratios and high substrate salinity on plant metabolism of crops differing in salt tolerance.

IV. Ionic specific salinity, effect of amylase in leaves of bushbean and sugarbeet plant. *J.Plant. Nutrti.* **4**: 261- 277.

Ravikovitch, S. and Porath, A. (1967). The effect of nutrients on the salt tolerance of crops. *Plant soil.* **26** :49-71.

Rawsan, H. M., Richards, R. A. and Munns, R. (1988). An examination of selection criteria for salt tolerance in wheat, barley and triticales genotypes. *Aust. J. Agric. Res.* **39**:759-772.

Rea, P. A. and Sander, D. (1987). Tonoplast energization: Two H⁺-pump, one membrane. *Physiol. Plant.* **71**: 131-141.

Reddy, C. V. K. (1978). *Prosopis juliflora*, the precocious child of the plant world. *Indian Forester* **104**:14-18.

Reilly, M.L. (1982). Nutrition, senescence and productivity in cereals. In "Proceedings of Ninth International Plant Nutrition Colloquium", vol 2 , cCAB, pp. 533-538.

Rhodes, D. and Hanson, A.D. (1993). Quaternary ammonium and tertiary sulphonium compounds in higher plants. *Annu. Rev. Plant Physiol. Mol. Biol.* **44**: 357-384.

Rich, C. J. (1968). Mineralogy of soil potassium. In: Kilmer V. J., Youngs S.E., Brady N. C. (eds.). The role potassium in agriculture. *Am. Soc. Agron.* Madison, pp 79-96.

Robert, S.K. and Tester, M. (1997). A patch clamp study of Na⁺ transport in maize roots. *J. of Exp. Bot.* **48**:431-440.

- Robinson, W.O. and Wheatstone, R. R. (1950). The accumulation of barium in soils and plants. Tech. Bull. US Dept. Agric., Washington Dc, pp 1-36.
- Roitsch, T., Balibrea, M. F., Hoffmann, M., Proels, R. and Sinha, A. K. (2003). Extracellular invertase : Key metabolic enzyme and PR protein. *J. Exp. Bot.* **54(382)**: 513-524.
- Romani, G., Marre, M.T., Bonetti, A., Cerana, R. Lado, P. and Marre, E. (1983). Effect of abrassinosteroid on growth and electrogenic proton extrusion in maize root segments. *Physiologia Plantarum.* **59**:528-33.
- Rothert, G. and Doering, R.G. (1981). Influence of extreme K: Na ratio and high substrate salinity on plant metabolism of crops differing in salt tolerance. IV. Ion specific salinity effects on amylases in leaves of bushbean and sugerbeet plants. *J.Plant Nutri.***4**:261- 277.
- Ryan, J., Miyamoto, S. and Stroehlein, J.L. (1975). Salt and specific ion effects on germination of four grasses. *J. Range Manage.* **28** : 61- 64.
- Sagi, M., Savidov, N.A., L'Vov, N.P. and Lips, S.H. (1997). nitrate reductase and molybdenum cofactor in annual rye grass as affected by salinity and nitrogen source. *Physiol. Plant.* **99**: 546-553.
- Sakamoto, A. and Murata, N. (2002). The role of glycine betaine in the protection of plants from stress: Clue from transgenic plants. *Plant cell environ.* **25**: 163 -171.
- Salim, M. (1989). Effect of salinity and relative humidity on growth and ionic relation of plants. *New Phytol.***113**: 13- 20.

- Sanchez, H. C. , Martinez, G. N. , Guerrero, R. A. , Valdes, R. S. and Delano, F. J. (2004). Trypsin and alpha-amylase inhibitors are differentially induced in leaves of amaranth (*Amaranthus hypocondriacus*) in response to biotic and abiotic stress. *Physiologia Plantarum*. **122(2)**: 254-264.
- Sangwan, V., Babber, S. and Varghese, T. (1997). Effect of chloride salinity of relative growth and solute content of *Cicer arietinum* L. calli. *Indian J. Of Plant Physiol*. **2(1)**: 26-28.
- Santos, and Pereira (1986). *Prosopis* species in the Arid and Semi-Arid Zones of India.(Eds.) Tewari, J. C., Pasiecznik, N. M., Harsh, L. N. and Harris, P. J. C. *Prosopis* Society of India and the Henry Doubleday Research Association, Coventry, UK.
- Schachtman, D. P. and Munns, R. (1992). Sodium accumulation in leaves of *Triticum* species that differs in salt tolerance. *Aust. J. Plant Physiol*. **19** : 331-340.
- Schatzmann, H.J. (1983). The red cell calcium pump. – *Annu. Rev. Physiol*. **45**: 303-312.
- Scherer, G.F.E. and* Andre, B. (1989). A rapid response to a plant hormone : Auxin stimulates phospholipase A₂ *in-vivo* and *in-vitro*. *Biochem. Biophys. Res. Commun*. **163**: 111-117.
- Schroeder, J. I., Allen, G. J., Hugouvieux, V., Kwak, J. M. and Waner, D. (2001). Guard cells signal transduction. *Annu. Rev.Plant Physiol. Plant Mol. Biol*. **52**: 627-658.

- Schuler, I., Milon, A., Nakatani, Y., Qurisson, G., Albrecht, A. M., Benveniste, P. and Hartman, M. A. (1991). Differential effect of plant sterols on plant sterols on water permeability on acyl chain ordering of soybean phosphatidylcholine bilayer *Proc. of Natul. Acad.Sci.*
- Scifres, C.G. and Brock, J.H. (1969). Moistures –temperature interrelation in germination and early development of masquit. *J. Range Manage.* **22** : 453-458.
- Senthilkumar P., Jithesh, M. N., Parani, M., Rajalakshmi, S., Praseetha, K. and Parida, A. (2005). *Current Sci.* **89**(8).
- Serrano, R. (1989). Structure and function of plasma membrane ATPase. *Annu. Rev. Plant Physiol. Plant Mol. Bio.* **40**:61-94.
- Sestak, Z. (ed.) (1985). Photosynthesis during leaf development Academia, Praha; Dr.W. Junk Publ., Dordrecht-Boston-Lancaster.
- Sharma, B. D. and Gupta, I. C. (1989). Effect of trees cover on soil fertility in western Rajasthan. *Indian Forester* **115**:348-354.
- Sharma, B. M. (1968). Chemical analysis of some desert tree. pp. 248-251. In: Proceedings of the Symposium on Recent Advances in Tropical Ecology. Varanasi, India.
- Sharma, B. M. (1984). Scrub forest studies-foliar and soil nutrient status of *Prosopis juliflora* DC. *Indian Forester.* **110**:367-374.

- Sharma, S.K. (1995). Studies on growth, water relation and distribution of Na, K and other ions in wheat under short term exposure to salinity. *Ind J. Plant Physiol.* **XXXVIII** (3): 233-235.
- Shirke, P. A. (2001). Leaf photosynthesis, dark respiration and fluorescence as influenced by leaf age in an evergreen tree, *Prosopis juliflora*. *Photosynthetica*. **39** (2): 305-311.
- Shirke, P.A. (2002). Physiological and biochemical behaviour of leaves of *Prosopis Juliflora* in response to diurnal and seasonal variations. A Ph. D. thesis Dr. R. M. Lohia Avadh University (Faizabad) India.
- Shirke, P.A. and Pathre, U.V. (2004). Influence of leaf-to –air vapour pressure deficit (VPD) on the biochemist and Physiology of photosynthesis in *Prosopis juliflora*. *J. Exp. Bot.* **55**(405): 2111-2120.
- Shukla, P. C., Talpada, P. M. and Pande, M. B. (1984). *Prosopis juliflora* pods, a new cattle feed source. Animal Nutrition Department, Gujarat Agricultural University, Anand, Gujrat, India.
- Siftel, P., Santrucek, J., Lang, M., Braunova, Z., Simkova, M. Synkova, H. and Lichtenthaler, H. K. (1993). Age dependence of photosynthetic activity, chlorophyll fluorescence parameters and chloroplast ultrastructure in *Aurea* and green forms of *Nitociana tobaccum*. Sulsu mutant. *Photosynthetica* **29** : 81-94.

- Silveira, J. A. G., Melo, A. R. B., Viegas, R.A. and Oliveira, J.T.A. (2001).
Dsalinity induced effects on nitrogen assimilation related growth in cowpea
plants *Exp. Bot* **46**: 171-179.
- Simmons, S. and Butter, L.G. (1969). Alkaline inorganic pyrophosphatase of
maize leaves. *Biochim. Biophys. Acta*. **172**:150-157.
- Simpson, B.B., Neff, J.L. and Moldenke, A.R. (1977). *Prosopis* folwers as
aresources. Pp. 84-107. in: Mesquite,Its Biology in Two Desert Shrub
Ecosystems (Ed.) B.B. Simpson. Dowden, Hutchinson and Ross,
Stroundsburg, Pennsylvania,USA.
- Singh, G. (1992). The role of *Prosopis* in Reclaming high pH soil and in meeting
Fire wood and Forage needs of small Farmers. *Central soil Salinity
Research Institute*, Karnal.
- Singh, G. (1995). An agroforestry practice for the development of salt lands using
Prosopis juliflora and *Letochloa fusca*. *Agroforestry System* **29**: 61-75.
- Singh, G. (1996). In: semiarid fuel wood and forage tree : bulding consensus for
the disen franchised (eds.) Felher, P. and Moss, J. Cent Center for semiarid
forest resources . Texas A. and Muniver Kingsville, Texas, pp 1-3/1-27.
- Singh, G. and Singh, N. T. (1993). Mesquite for the revegetation of salt lands.
Bulletin No.18. Central Soil Salinity Research Institute, Karnal, Haryana,
India.

- Singh, G.(1996). The role of *Prosopis* in reclaiming high pH soils and in meeting firewood and forage need of small farmers. pp.1.3-1.27. In :*Prosopis: Semiarid Fuelwood and Forage Tree; Building Consensus for the Disenfranchised*. (Eds.) P.Felker and J.Moss. Center for Semi-Arid Forest Resources, Kingsville,Texas,USA.
- Singh, G., Abrol, I. P. and Cheema, S. S. (1990). Effects of irrigation on *Prosopis juliflora* and soil properties of an alkali soil. *International Tree Crops Journal*. **6**:81-99.
- Singh, S. K. and Lal, P. (1969). Effect of Khejri (*Prosopis specigera* L.) and Babool (*Acacia arabica*) trees on the soil fertility and profile characteristics.*Annalsof the Arid zone*. **8**: 33-36.
- Singh, S.K., Singh, S.S., Pandey, V.D. and Mishra, A.K. (2006). Factors modulating alkaline phosphates activity in the diazotrophic rice-field cyanobacterium, *Anabaena oryzae*. *World Journal of Microbiology and Biotechnology*. **22(9)** : 927-935.
- Sosa, L.A., Llales, A., Reinoso, H., Reginato, M. and Luna, V. (2005).Osmotic and specific ion effects on the germination of *Prosopis strombulifera* (Lam.) Benth. *Ann. Bot.* **96**:261-267.
- Spencer, D.B., Chen, C.P. and Hulett, F. M.(1981). Effect of cobalt on the synthesis and activation of *Bacillus licheniformis* Alkaline phosphatase. *J. Bacteriol.* **145**:926-933.

- Srivastava, K. K. and Mishra, D. K. (1998). Diseases of *Prosopis juliflora* in Rajasthan. pp. 109-110. In: *Prosopis Species in the Arid and Semi-Arid Zones of India*. (Eds.) J.C. Tewari, N. M. Pasiecznik, L. N. Harsh and P. J. C. Harris. *Prosopis Society of India and the Henry Doubleday Research Association, Coventry, UK*.
- Staswick, P. E., Papa, C., Hung, J. and Rhee, Y. (1994). Purification of the major soybean leaf acid phosphatase that is increased by seed, pod removal. *Plant Physiol.* **104**: 49-57.
- Stewart, J. L., Dunsdon, A. J., Kishk, M. A. and Aly, M. K. (1993). Screening of non-industrial tree species on reclaimed desert land in Middle Egypt. *Journal of Arid Environments* **25**:375-385.
- Stinzi, A. and Brower, J. (2000). The Arabidopsis male sterile mutant, *opr*³ lack the 12-oxophytodienoic acid reductase required for jasmonate synthesis. *Proc. Natl. Acad. Sci. USA* **97**: 10625-10630.
- Storey, R. and Wyn Jones, R. G. (1978). Salt stress and comparative physiology in the gramineae. II. Ion relations of 2 salt water stressed barley cultivars California Mariout and Arimar. *Aust. J. Plant Physiol.* **5(6)**: 801-816.
- Strain, B. R. (1978). Physiological ecology of some woody desert perennials in the south western . United state Environ. Physiol. Ecol. Plant. pp. 27-39.
- Strogonov, B. P. (1964). Physiological basis of salt tolerance of plants. Trans. Poljakoff. Mayber, A. and Mayber A. M. *Israel Program Sci. Transl., Jerusalem*. pp. 279.

- Strum, A. (1996). Molecular characterization and functional Analysis of sucrose cleaving enzyme in carrot (*Dacus carota* L.). *Exp .Bot.* **47**: 1187-1192.
- Strum, A. (1999). Invertase primary structures, Functions and Roles in plant development and sucrose partitioning. *Plant Physiol.* **121**: 1-7.
- Sumithra, K., Jutur, P.P., Carmel, B.D. and Reddy, A.R . (2006). Salinity-induced changes in two cultivars of *Vigna radiata*: responses of antioxidative and proline metabolism. *Plant-Growth-Regulation.* **50(1)**: 11-22.
- Sundararaj, D. D., Balasundramaniyan, G. and Soundrapandian, G. (1966). Pretreatment of the seeds of *Prosopis juliflora* DC for improving germination. *Madras Agricultural Journal.* **53**:259-261.
- Sundarraaj, T., Kurucheve, V. and Jayaraj, J. (1996). Screening of higher plants and animal faeces for the fungitoxicity against *Rhizoctonia solani*. *Indian Phytopathology.* **49**:398-403.
- Swami, P. M. and Reddy, C.V.S. (1991). Amelioration of NaCl salinity stress by calcium chloride: Lipid peroxidation superoxide dismutase and catalase activities . *Proc. Indian Natl. Sci. Acad. Part. B. Biol. Sci.* **57**: 267-289.
- Szabolcs, I. (1979). Review of research on salt affected soils. Natural Resources Research XV, Unesco, Paris.
- Szabolcs, I. (1989). Salt affected soils, Boca Raton, CRC Press .
- Sze, H. (1985). H translocating ATPase. Advances using membrane vesicle. *Annual review of plant physiology* **36**: 175-208.

- Taize and Zeiger (1998). Plant physiology. (Second edition) Sinauer associates Inc. Publisher, Sunderlands, Massachusetts USA.
- Tamura, T., Minamikawa, T. and Koshiba, T. (1982). Acid phosphatase in cotyledons of germinating *Vigna mungo* seeds. *Plant Cell Physiol.* **23**: 155-179.
- Tawfic, H. A., Abo-El-Soad, I. A. and Maria, A. M. (1975). Effect of salt concentration on the growth and internal structure of cowpea plants. *Ann. Agric. Sci. University of Ain Sshams.* **20(2)**: 171-185.
- Tazel, M. I., Abdalla, M. M. and Showki, M. E. and Mohamed, S. A. (1980). Plant growth and water use efficiency as affected by soil moisture stress under sodium : calcium : magnesium ratio *Egypt. J. Soil Sci.* **20(2)**:169-180.
- Tewari, D. D. (1998). Economics and Management of Nontimber Forest Products: A Case Study of Gujarat, India. Oxford and IBH Publishing Co. PVT. Ltd, New Delhi, Calcutta, India.
- Tobe, K., Li, X. and Omasa, K. (2000). Seed germination and radicle growth of halophyte, *Kalidium capsicum* (Cninopodiaceae). *Annals of Botany.* **85**: 391-396.
- Tozly, I., Moore, G. A. and Gey, C. (2000). Effect of NaCl concentration on stem elongation dry mass production and micronutrient of *R. Trifoliata* .*Aust. J. of Plant Physiol.* **27 (1)**:35-42.

- Tyagi, W., Singla, P., Nair, S., Reddy, M.K. and Sopory, S.K. (2006). A novel isoform of ATPase subunit from pearl millet that is differentially regulated in response to salinity and calcium. *Plant Cell Reports*. **25(2)**: 156-163.
- Tymowska-Lalannae, Z. and Kries, M. (1998). The plant invertases physiology, biochemistry and molecular biology. *Adv. Bot. Res.* **28**: 71-117.
- Ungar, I.A. (1978). The effect of salinity and hormonal treatment on growth and ion uptake of *Salicornia europaea*, Societe Botanique de France, *Actualities Botaniques*. **125**: 94 -104.
- Ungar, J. (1998). Halophyte seed germination in a mediterranean. *Botanic Review*. **44**: 233-264.
- Valluvaparidasan, (1994). Symposium on sustainable agriculture for dry lands on the Deccan platue (2005). 316.
- Varshney, A. (1996). Overview of the use of *Prosopis juliflora* for livestock feed, gum, honey, and charcoal, as well as in combating drought and desertification: a regional case study from Gujarat, India. pp. 6.35-6.4. In: *Prosopis: Semiarid Fuelwood and Forage Tree; Building Consensus for the Disenfranchised*. (Eds.) P. Felker and J. Moss. Center for Semi-Arid Forest Resources, Kingsville, Texas, USA.
- Varshney, A.K. (1995). Survey reveals alarming advance of desert. In times of India in regional data. 1711- 1795.

- Venkatesan, A., Chellappan, K. P. and Venkatesalu, V. (1997). Salinity stress on mineral nutrition and growth of *Ipomoea pes-caprae* Sweet. *Geobios* **24**: 112-118.
- Vianello, A. and Macri, A. (1999). Proton pyrophosphatase from higher plant mitochondria. *Physiol. Plant.* **105** : 763-768.
- Viegas, R. A., Fausto, M. J. M., Queiroz, J. E., Rocha, I. M. A., Silveira, J. A. G. and Viegas, P. R. A. (2004). Growth and total N-content of *Prosopis Juliflora* (SW.) D.C. are stimulated by low NaCl levels *Braz. J. Plant Physiol.* **16(1)**:65-68.
- Viegas, R. A., Melo, A. R. B. and Silveira J.A.G., (1999). Nitrate reductase activity and proline accumulation in cashew in response to NaCl salt shock. *Rev. Bras. Fisiol. Veg.* **11**: 21-28.
- Viegas, R. A., Silveira J. A. G. Junior, A. R. L., Queiroz, J. E. and Fausto, M. J. M (2001). Effects of NaCl salinity on growth and inorganic solute accumulation in young cashew plants. *Braz J. Agric. Environ. Engin.* **5**: 216-222.
- Vimal, O. P. and Tyagi, P. D. (1986). *Prosopis juliflora*: chemistry and utilization. pp. OVP1-OVP8. In: The Role of *Prosopis* in Wasteland Development. (Ed.) V. J. Patel . Javrajbhai Patel Agroforestry Center, Surendrabag, Gujarat, India.
- Virgina, R.A., Lmbard, J.S.L., Favre, W.M., Jarrell, Bryan, B.A. and Shearer, G. (1984). Nitrogen fixation efficiency, natural ^{15}N abundance and

- morphology of Mesquite (*Prosopis glandulosa*) root nodule. *Plant and Soil*. **79**: 273-283.
- Waisel, Y. (1972). Biology of halophytes . *New York Academic Press*.
- Wakinchi, N., Kimura, S., Tanaka, M., Yoshikiyo, O. and Saburo, O. (1982). Effect of sodium salt on cation uptake of rice and barley plants . *Kobe Daigaku. Nova Kubu Kenkyu Hokoku*. **15 (1)**: 135-140.
- Walker, R.R. and Leigh, R.A. (1981). Characterisation of a salt-stimulated ATPase activity associated with vacuoles isolated from storage roots of red beet (*Beta vulgaris* L.). *Planta* **153(2)**:140-149.
- Warrag, M. O. A. (1994). Autotoxicity of mesquite (*Prosopis juliflora*) pericarps on seed germination and seedling growth. *Journal of Arid Environments* **27**:79-84.
- Watad, A. E. A., Reuveni, M., Bressan, R.A. and Hasegawa, P.Oh. (1991). Enhanced net K⁺ uptake capacity of NaCl adapted cells. *Plant Physiol.* **95** : 1265- 1269.
- Weil, M., Krausgrill, B. A. and Rausch, T. (1994). A-17-KDa. Nicotiana tobacum cell wall peptide act as an *in-vitro* inhibitor of the cell wall isoform of acid invertase. *Planta* **193**:438-445.
- Weimberg, R. (1975). Effect of growth in highly salinized media on the enzymes of the photosynthetic apparatus in pea seedlings. *Plant Physiol.* **56**: 8-12.

- Weimberg, R. (1986). Growth and solute accumulation in 3 weeks old seedlings of *Agropyron elongatum* stressed with sodium and potassium salt. *Physiol. Plant.* **67**: 129-135.
- Wild, (2003). Soil, land and food managing the land during the twenty first century : Cambridge U. K. Cambridge University Press. *J. Exp. Bot.* **57(5)**. 1025-1043.
- Wyckoff, H.W., Handschumacher, M., Murthy, H. M.K. and Sowdski, J.M. (1983). The three dimensional structure of alkaline phosphatase from *E. coli*. In : Advances in enzymology, New York, Chichester, Brisbane, Toronto, Singapore. 453-480.
- Yan, X., Liao, H., Melanie, C.T., Steve, E.B. and Lynch, J.P. (2001). Induction of a major leaf acid phosphatase does not confer adaptation to low phosphorus availability in common bean. *Plant Physiol.* **125**: 1901-1911.
- Yeo, A. R., Lauchli, A. and Cramer, D. (1977). Ion measurement by X-ray micro analysis in unfixed, frozen hydrated plant cells of species differing in salt tolerance. *Planta*. **34**: 35-38.
- Yousef, A. N. and Sprent, J. I. (1983). Effects of NaCl on growth, nitrogen incorporation and chemical composition of inoculated and NH_4NH_3 Fertilized *Vicia faba* (L.). *Plants J.Exp. Bot.* **34 (145)**: 941-950.
- Yousuf, M. and Gaur, M. (1998). Some noteworthy insect pests of *Prosopis juliflora* from Rajasthan, India. pp. 91-94 In: *Prosopis* Species in the Arid and Semi-Arid Zones of India. (Eds.) J. C. Tewari, N. M. Pasiecznik, L. N.

Harsh and P. J. C. Harris. *Prosopis* Society of India and the Henry Doubleday Research Association, Coventry, UK.

Zeng, U., Wu, Y., Avigne, W. T. and Koch, K. E.(1990). Rapid repression of maize invertase by low oxygen. Invertase/Sucrose synthase balance, sugar signaling potential and seedling survival. *Plant Physiol.* **121(2)**: 599-608.

Zoerb, C., Stacke, B., Trumitz, B. and Denter, D. (2005). Does H⁺ pumping by plasma membrane limit leaf growth ATPase in maize during 1st phase of salt stress. *Journal of plant nutrition and soil Science* **168 (5)**: 550-557.