

BIBLIOGRAPHY

- Abdin, M. Z., Ahmad, A., Khan, N., Khan, I., Jamal, A. and Iqbal, M. (2003). Sulphur interaction with other nutrients. In: Y. P. Abrol and A. Ahmad (eds). Sulphur in plants, pp. 359-374. Kluwer Academic Publishers, Dordrecht.
- Adams, J. F. and Hartzog. (1980). The nature of yield response of florunner peanuts to lime. *Peanut Sci.*, 7:120-123.
- Adams, J. F., D. L. Hartzog and D. B. Nelson, (1993). Supplemental Calcium application on yield, grade and seed quality of runner peanut. *Agron. J.*, 85:86-93.
- Ahmad, A. and Abdin, M. Z. (2000). Interactive effect of sulphur and nitrogen on the oil and protein contents and on the fatty acid profiles of oil in the seeds of rapeseed (*Brassica campestris* L.) and Mustard (*Brassica juncea* L. Czern. and Coss.). *J. Agron. Crop Sci.* 185:49-54.
- Ahmed, A. M., Heikal, M. D. and Shaddad, M. A. (1979). Growth, Photosynthesis and fat content in some oil producing crops as influenced by some salinization treatment. *Phyton*, 19(3/4):259-268.
- Alam, S. M. (1983). Effect of aluminium on dry matter and mineral content of rice. *J. sci. tech.*, 7:1-3.
- Andrew, C. S., A. D. Johnson and R. L. Sandland, (1973). Effect of Al on the growth and chemical composition of some tropical and temperate pasture legumes. *Austral. J. Agric. Res.*, 24:325-339.
- Aniol, A. & Gustafson, J. P. (1984). Chromosome location of genes controlling aluminum tolerance in wheat, rye & triticale. *Can. J. Genet. Cytol.* 26:701-705.
- Aniol, A. (1984). Induction of aluminum tolerance in wheat seedlings by low doses of aluminium in the nutrient solution. *Plant physiol.*, 75:551-555.
- Aniol, A. (1984a). Introduction of aluminum tolerance into aluminum sensitive wheat cultivars. *Z. Pflanzenzuchtg.* 93:331-339.
- Aniol, A. (1984b). Induction aluminum tolerance in wheat seedlings by low doses of aluminum in nutrient solution. *Plant Physiol.* 75:551-555.
- Aniol, A. (1995). Physiological aspects of aluminum tolerance associated with long arm of chromosome 2D of the wheat (*Triticum aestivum*) genome. *Theor. Appl. Genet.* 91:510-516.
- Aniol, A. and L. Madej. (1996). Genetic variation for aluminum tolerance in rye. *Vortr. Pflanzenz., chtg.* 35:201-211.
- Anthony, H. C. Huang. and Robert, A. Moreau. (1978). Lipases in the storage tissues of peanut and other oil seeds during germination. *Planta*, Volume 141, Number 1 pp. 111-116.
- Anuradha, M., Lakshmi, P. and Narayanan, A. (1995). Phosphorus nutrition in plants *Agro. Ann. Rev. plant physiol* (B & A). II (Ed. Purohit, S. S.) pp. 339-370.
- Appelqvist, L. A. (1977). Relationship between the use of fertilizers and the production of lipids *Methods Enzymes* 8:115-118.
- Ashraf, C. M. and Abu-Shakra (1978). Wheat seed germination under 1 pw temperature and moisture. *Agron. J.* 70:135-139.
- Ashraf, M. and Orooj, A. (2005). Salt stress effects on growth, ion accumulation and seed oil concentration in an arid zone traditional medicinal plant ajwan (*Trachyspermum ammi* (L.) Sprague) *Journal of Arid Environment*. Vol. 64,

Issue 2, pp 209- 220.

- Asp, H., Bengtsson, B. and Jensen, P. (1988). Growth and cation uptake in spruce (*picea abies* Karst). grown in sand culture at various aluminum supply. *Plant Soil* **111**:127-133.
- Baba, I., Inada, K. and Tagima, K. (1965). Mineral nutrition and occurrence of physiological diseases in mineral nutrition of rice plants. Proceedings of symposium at the international Rice research station. Pp.173-198.
- Bache, B. W. (1983). The role of buffering in determining surface water composition. *Water science and Technology*, **15**:33-45.
- Balakumar, T; M. Sivaguru, M. R. J. James, Anbudurai, P. R. (1992). Impact of aluminium toxicity on growth and efficiency of nutrient metabolism in some tropical rice cultivars. *Tropical-Agriculture*, **69**:211-216; 42 ref.
- Balakumar, Thiruvambalam. (2000). Mechanisms of Aluminium Toxicity and Tolerance in plant-perspective and prospective. *Advances in plant physiology*, Vol. 3 *plant physiol. Biochem. Plant Mol. Biol.* 2000. Ed. A. Hemantaranjan Scientific publishers (India) Jodhpur, 2000 pp 321-333.
- Basha, S. K., Mahaboob and Rajeswara Rao, G. (1980). Effect on phosphorus deficiency on growth and metabolism in peanut (*Arachis Hypogaea* L.). *Indian J. plant physiol.*, **23**:273-277.
- Basu, U., D. Godbold, and G. J. Taylor. (1994b). Aluminium resistance in *Triticum aestivum* associated with enhanced exudation of malate. *J.plant physiol.* **144**:747-753.
- Basu, U., Good, A. G., Aung, T., Slaski, J. J., Basu, A. Briggs, K. G. and Taylor, G. J. (1999) A. 23-kDa, root exude polypeptide co-segregates with aluminum resistance in *Triticum aestivum*. *Physiol. Plant.* **106**: 53- 61.
- Basu., U. Basu, And G. J. Taylor. (1994a). Induction of microsomal membrane proteins in roots of an aluminum-resistant cultivar of *Triticum aestivum* under conditions of aluminum stress *Plant Physiol.* **104**:1007-1013.
- Beevers, V. and Hegeman, R. (1969). Glyoxysomes of castor bean endosperm and their relation to gluconeogenesis. *Ann. N. X. Academic. Sci.* **168**:313-324.
- Bennet, R. J., Breen, C. M. and Fey, M. V. (1985). Aluminum uptake sites in the primary roots of *Zea mays* L – S. *Afr. J. Plant soil.* **2**:1-7.
- Bennet, R. J., Breen, C. M. and M. V. Fey (1985). The primary sites of aluminium injury root of *Zea Mays* L. *S. Afr. J. pol. Soil.* **2**:8-17.
- Bennet. R. J., and C. M. Breen.(1991). The aluminum signal: New Dimensions to mechanisms of aluminum tolerance. *Plant and Soil* **134**:153-166.
- Bergmeyer Hans Ulrich (1974). Methods of enzyme analysis (Vol-2) academic press Inc, New York, San Francisco, London, pp 673-684.
- Beringer, H. and M. A. Taha. (1976). ^{45}Ca lculm absorption by two cultivars of groundnut (*Arachis hypogaea* L.). *Exp. Agric.*, **12**:107-111.
- Bewley, J. D. and Black, M. (1999). Seeds physiology of development (2nd Ed.) plenum press, New York and London
- Bewley, J. D. and Black, M. (1978). "Physiology and Biochemistry of seeds in relation to germination. Vol. I, Development, germination and growth". Springer, Verlag, Berlin.
- Bhamburdekar, S. B. (2002). Germination studies in pigeonpea (*Cajanus cajan* L.) Ph. D. thesis, Shivaji University, Kolhapur, India. pp.104.

- Biachi-Hall, C. M., Carter, T. E., Rufty, T. W., Arellano, C., Boerma, H. R., Ashley, D. A. & Burton, J. W. (1998). Heritability & resource allocation of aluminum tolerance derived from soyabean PI 416937. *Crop. Sci.* **38**:513-522.
- Bielecki, R. L. (1973). Phosphate pool, phosphate transport and phosphate availability. *Annu. Rev. Plant Physiol.* **24**:225-52.
- Blamey, F. P. C., D. C. Edmeads, and D. M. Wheelar (1990). Role of root cation-exchange capacity in differential aluminum tolerance of Lotus species. *J. Plant. Nutr.* **13**:729-744.
- Blancaflor, E. B., Jones, D. L. and Gilroy, S. (1998). Alterations in the cystskeleton accompany aluminum-induced growth inhibition and morphological changes in primary roots of maize. *Plant Physiol.* **118**:152-172.
- Bledsoe, R. W. and Harris, H. C. (1950). Influence of mineral deficiency on vegetative growth, flower and fruit production and mineral composition of the peanut plant. *Plant physiol.*, **25**:63-77.
- Bohn, H., B. L. McNeal and G. A. O'Connor. (1979). Soil Chemistry . J. Wiley and Sons Inc. New York.
- Borlaug, N. E. and C. R. Dowswell, (1997). The acid lands: One of agriculture's last fronties. In: *Plant-soil Interaction at low pH*. Moniz, A. C. et al., (eds). Brazilian Soil Science Society. pp. 5-15.
- Broomfield, S. M. (1987). Simple tests for the assessment of aluminum and manganese level in acid soils. *Aust. J. Exp. Agric.* **27**:399-404.
- Buchanan, B. B., Gruissem, M and R. L. Jones (2000). Biochemistry and Molecular Biology, I. K. International Pvt. Ltd. New Dehli.
- Cakmak, I. and Horst, W. J. (1991). Effect of aluminium on Lipid peroxidation Superoxide dismutase, catalase, and peroxidase activities in root tips of soyabean (*Glycine max*). *physiol. Plant.* **83**:463-468.
- Cambraya, J. Dires, F. J. Esterao, M. D. Mand Otiva, M. A. (1983). Effect of aluminium on the levels of magnesium, iron and manganese and copper in sarghum, *Rev. cerea.*, **30**:45-54.
- Carver, B. F. and J. D. Ownby, (1995). Acid Soil Tolerance in wheat. *Advances in Agronomy* **54**:117-173.
- Catt, J. A. (1985b). Natural soil acidity. *Soil use and management*, **1**:8-10.
- Chalmers, A. G. (1995). Review of information on lime loss and changes in soil pH gained from ADAS experiments. *Soil use and management* **1**:17-19.
- Cheniae, G. M. and Martin, I. F. (1986). Sites of manganese function in photosynthesis. *Biochem. Biophys. Acta*, **153**:819-837.
- Chinoy, J. J. and Co-workers (1969). APL 480 project report submitted to Gujarat University, Ahmedbad, India.
- Claire, L. C., D. C. Adriano, K. S. Sajwan, S. L. Abel, D. P. Thoma and J. T. Driver. (1991). Effects of selected trace metals on germinating seed of six plant species. Water, Air and Soil pollution, 59 pp. 231-249.
- Clark, R. B; B. I. Wallace and P. R. Furlani, (1981). Effect of trace elements deficiencies and excess on mineral nutrients in sorghum. *J. Plant. Nutr.* **3**:357-374.
- Clarkson, D. T. and Hanson, J. B. (1980). The mineral nutrition of higher plants. *Ann. Rev. plant physiol.*, **31**:239-298.

- Clarkson, D. T. and Sanderson, J. (1971). Inhibition of the uptake and long distance transport of calcium by aluminium and other polyvalent cations. *J. Expt. Bot.*, **22**:837-851
- CMIE (2001). Economic Intelligence Service: Agriculture centre for monitoring Indian Economy PVT. Ltd pp 322.
- Cobbet, C. S. (2000). Phytochelations and their roles in heavy metal detoxification. *Plant Physiol.* **123**:825-832.
- Cocker, K. M., Evans, D. E. and Hodson, M. J. (1998). The amelioration of aluminum toxicity by Silicon in higher plants: Solution chemistry or an *in Planta* mechanism? *Physiol. Plant.* **104**:608-614.
- Cox, F. R., G. A. Sullivan and C. K. Martin, (1976). Effect of Calcium and irrigation treatments on peanut yield, grade and seed quality. *Peanut Sci.*, **3**:81-85.
- Cox, F. R., K. K. Nicholaids, P. H. Reid, D. L. Hallock and D. C. Martins (1970). Nutrient concentration in Virginia type peanut during the growing seasons. North Carolina Agaric. *Exp. Str. Tech Bull.*, 204.
- Cox, F. R. and P. H. Reid. (1964) calcium-boron nutrition as related to concealed damage in peanuts. *Agron. J.* **56**:173-176.
- Cox, F. R., J. F. Adams and B. B. Tucker, (1982). Liming Fertilization and mineral nutrition pp.139-163. In (H. E. pettee and C. T. young eds). peanut science & technology. American peanut research and Educational Society Inc. Yoakun, Texas USA.
- Craford, S.A. and Wilkens, S. (1997) Ultrastructural changes in root cap cells of two Australian native grass species following exposure to aluminum *Aust. J. Plant Physiol.* **24**:195-174.
- Cregman, P. D. and Scott, B. J. (1998). "Agriculture and the environmental imperative" Eds. J. Prattey, A. Robertson, CSIRO Publishing: Colling wood PP- 98 – 108.
- Cw MacDiarmid and RC Gardner 'Al toxicity in yeast. A role for Mg?' plant physiology Vol+12, 1101-1109 (1996) *American society of plant* :
- D. D. Ben miled, M. Zarrouk., A. cherif (2000). sodium chloride effects on lipase activity in germinating rape seeds. *Biochemical society Transactions*. Volume 28 part 6 pp. 899-902.
- Dandsay, J. P. S. and Sachar, R. C. (1978). Hormonal control of peroxidase activity in germinating mungbean cotyledons. *Phytochemistry*, **17**(6):1017-1019.
- De. La. Fuente, J. M. Ramirez-Rodriguez, V., Cabrera-Ponce., J. L. and Herrera-Estrella, L. (1997). Aluminum tolerance in transgenic plants by alteration of citrate synthase. *Science*. **276**:1566-1568.
- Degenhardt, J. Larsen, P. B., Howell, S. H. and Kochian, L. V. (1998). Aluminum resistance in the *Arabidopsis* mutant *alr-104* is caused by an aluminum-induced increase in rhizosphere pH. *Plant Physiol.*, **117**:19-27.
- Dekock, P. C., Commisiong. K., Farmer, V. C. and Inkson R. H. E. (1960). Interrelationship of catalase, peroxidase, hematin and chlorophyll. *Plant physiol.* **35**:599-604.
- Deleers, M., Serrais, J. P. and Wufert, E. (1985). Micromolar concentration of Al induce phase separation aggregation and dye release in phosphatidyl serine containing lipid Vesicles. *Biochem. Biophys. Acta.*, **813**:195 -200.
- Delhaize, E. and Ryan, P. R. (1995). Aluminum toxicity and tolerance in plants. *Plant Physiol.* **107**: 315-321.

- Delhaize, E., Hebb, D. M., Richards, K. D., Lin, J. M., Ryan, P. R. & Gardner, R. C. (1999). Cloning & expression of wheat (*Triticum aestivum* L.) Phosphatidylserine synthase cDNA: Overexpression in plants alters the composition of phospholipids. *J. Biol. Chem.* 274:7082-7088.
- Delhaize, E., P. R. Ryan, and P. J. Randall. (1993). Aluminum Tolerance in wheat (*Triticum aestivum* L.) II: Aluminum-stimulated Excretion of malic Acid from Root Apices. *Plant Physiol.* 103:695-702.
- Di Caferina, Giuliani, Rotunno, De Caro, Fagella,(2007). Influence of salt stress on seed yield and oil quality of two sunflower hybride. *Annals of Applied Biology*, Vol. 151. no.2.
- Dickert, J. W. and Rozacky, (1969). Isolation and partial characterization of manganin, a new manganese protein from peanut seeds. *Arch. Biochem. Biophys.*, 134:473-477.
- Dixit, V., Pandey, V. and Shyam, R. (2001). Differential antioxidative responses to Cadmium in roots and leaves of (*Pisum sativum* L. cv. Azad). *J. Exp. Bot.* 52:1101-1109.
- Duke, J. A. (1978). The quest for tolerant germplasm. In *crop tolerance to suboptimal land condition*, ed. G. A. Jung., pp. 1-61. *American Society of Agronomy* Special publication, No. 32.
- Durieux, R. P.; Bartlett, R. J; Magdoff, F. R (1995). "Separate mechanisms of aluminium toxicity For nitrate uptake and root elongation" *plant and soil*, 172:2, 229-234; 29 ref.
- Dwivedi, R. Snehi (1986). Mineral nutrition and scope of breeding groundnut for nutrient deficiency resistant in 'Recent advances in groundnut productivity research'. Proceedings a summer Institute held at NRCG, Junagadh (India). pp 68-75.
- Elison, B. Blancaflor 2, David L. Jones 2 and Simon Gilroy (1998). Alteration in cytoskeleton accompany aluminium induced growth inhibition and morphological changes in 'primary root of maize 1' *Plant Physiol.* 118:159-172.
- Ellis, S. and Mellor, A. (1995). Soil and environment. A volume in the routledge physiological environment. Series edited by Keith Richards University of Cambridge, pp-51.
- Epstein, E. (1972). In mineral nutrition of plants: principles and perspectives. john willey and sons Ins., New York, pp. 412.
- Eswaran, H., P. Reich and F. Beinroth. (1997). Global distribution of soils with acidity. In :*plant-soil Interactions at low pH*. Moniz, A. C. et al., (eds). Brazilian Soil Science Society. pp.159-164.
- Ezaki B., Koyanagi, M. Gardner, R. C. & Matsumoto, H. (1997). Nucleotide sequence of a cDNA for GDP dissociation inhibitor (GDI) which is induced by aluminum (Al) ion stress in tobacco cell culture (accession no. AF012823) (PGR 97-133). *Plant Physiol.* 115, 134.
- Ezaki, B., Gardner, R. C., Ezaki, Y. and Matsumoto, H. (2000). Expression of aluminum-induced genes in transgenic *Arabidopsis* plants can ameliorate aluminum stress and/or oxidative stress. *Plant Physiol* 122:657-665.
- Ezaki, B., Sivaguru, M. Ezaki, Y., Matsumoto, H. and Gardner, R. C. (1999). Acquisition of aluminum tolerance in *Saccharomyces cereviae* by expression of the *BCB* or *NtGDI 1* gene derived from plants. *FEMS Microbiol. Lett.* 171:81-87.

- Fageria, N. K. and Carvalho, J. R. P. (1982). Influence of aluminium in nutrient solution on chemical composition in upland rice cultivars. *Plant Soil.* **69**:31-44.
- FAO, 1991. World Soil Resources Report 66 Rome, Italy.
- Fazil, I. S., Abdin, M. Z., Jamal, A. and Ahmad, S. (2005). Interactive effect of sulphur and nitrogen on lipid accumulation, acetyl-CoA concentration and acetyl-CoA carboxylase activity in developing seeds of oil seed crop (*Brassica campestris* L. and *Eruca sativa* mill.). *Plant Sci.* **168**:29-36.
- Fernando C. Lidon; Maria G. Barreiro; Jose C. Ramalho; and Joaquim A. Lauriano, (1999). "Effect of Aluminium Toxicity on Nutrient Accumulation in Maize shoots: Implications on Photosynthesis." *Journal of plant Nutrition* **22**(2), 397-416.
- Fiske, C. H. and Subbarow, Y. (1925). *J. Biol. chem.*, **66**:575. — Title
- Foth, H. D. (1990). *Fundamentals of soil science*. Wiley, New York.
- Fowler, D., Cape, J. N. and Leith, I. D. (1985). Acid inputs from the atmosphere in the United Kingdom. *Soil use and management*, **1**:3-5.
- Fox, L. P., Pursey, W. K. and H. I. Nakade (1965). The role of horse radish peroxidase in indole-3-acetic acid oxidation. *Biochemistry*, **4**:2754-2763.
- Foy C. D. (1988). Plant Adaptation to acid, aluminum-toxic soils. *Commun. Soil. Sci. Plant anal.* **19**:959-987.
- Foy, C. D. (1974). Effects of aluminum on plant growth. In the plant root and it's development (E. W. Carson, ed), pp 601-642. University press of Virginia, Chariottes ville, VL.ISBN O-81309- 0411-0.
- Foy, C. D. and A. L. Fleming. (1978). The physiology of plant tolerance of excess available Al and Mn in acid soils. In: Jung, G. A. (ed.) *Crop tolerance to Suboptimal Land Conditions*, ASA spec. pub. No. 32. AM. Soc. Of Agron., Madison, Wisconsin, pp, 301-328.
- Foy, C. D. Leafever, H. N., Schwartz, J. W. and Flemming, A. L. (1974). Aluminium tolerance of wheat cultivars related to region of origin *Agron. J.*, **66**: 751-758.
- Foy, C. D. (1984a). Physiological effects of hydrogen aluminium and manganese toxicities in acid soil. *Agro Monogr*, **12**: 57-97.
- Foy, C. D. W. H. Armiger, L. W. Briggle, and D. A. Reid. (1965). Differential aluminium tolerance of wheat and barely varieties in acid soils. *Agro. J.* **57**: 413-417.
- Foy, C. D., R. L. Chaney and M. C. White (1978). *Ann. Rev. plant physiol.* **29**:511-566.
- Foy, C. D. (1984). Physiological effects of hydrogen, aluminum and manganese toxicities in acid soil In: *Soil Acidity and liming*. Adams F. (ed). *American Society of Agronomy*, Inc. Madison WI. pp. 57-97.
- Foyer, C. H., Lelandais, M. AND Kunert, K. J. (1994). Photocoxidative stress in plants. *Plant Physiol.* **92**:696-717.
- Furlani, P. R. and R. B. Clark, (1981). Screening Sorghum for aluminum tolerance in nutrient solutions *Agron. J.* **73**:587-593.
- Gallego, F. J. & Benito, C. (1997). Genetic control of aluminum tolerance in rye (*Secale cereale* L.) *Theor. Appl. Genet.* **95**:393-399.
- Gallego, F. J., Lopez-Solanilla, Figueiras, A. M & Benito, C. (1998). Chromosomal location of PCR fragments as a source of DNA markers linked to aluminum tolerance genes in rye. *Theor. Appl. Genet.* **96**:426-434.

- Gasper, T. H., Penel, C., Thorpe, T., and H. Greppin (1982). Peroxidases 1970-1980. Their biochemical and physiological roles in higher plants. Pub. University of Geneva, Geneva Switzerland.
- Gerzabek, M. H. and Edelbaucer, A. (1986). Aluminium toxicity in corn (*zea mays L.*). Influence on aluminium on the yield and nutrient contents. *Bodenkultur*, 37:309-317.
- Gopalchari, N. C. (1963). Changes in the activities of certain oxidizing enzyme during germination and seedling development of *phaseolus mungo* and *Sorghum Vulgare*. *Indian J. Exp. Biol.*, 1(2):98-100.
- Grabski, S. Arnoys, E., Bush, B. and Schindler M. (1998). Regulation of actin tension in plant cells by kinases and phosphatases *Plant Physiol.* 166:279-290.
- Graham, R. D. (1979). Transport of copper and manganese to the xylem exudate of sunflower. *plant cell Environ.*, 2:139-143.
- Gravin, D. and B. carver. (2003). Role of the genotype in tolerance to acidity and aluminium Toxicity pp 387-406 in Z. Rengel (ed). Handbook of soil acidity. Marcel. Dekker, New york.
- Guerrier, G. (1982). Sodium, Calcium and potassium absorption during ionic interactions in the germination phase of *Raphanus sativus*. *Can. J. Bot.*, 60:1639-1646.
- Gunse, B., Poschenrieder, Ch. and Barcelo, J. (1997) Water transport properties of roots and root. cortical cells in Proton- and Al-stressed maize varieties. *Plant Physiol.* 113:595-602.
- Hare, P. D. and Cress, W. A. (1997). Metabolic implications of stress induced proline accumulation in plants. *Plant Growth Regul.* 21:79-102.
- Harris, H. C. (1949). Effect on the growth of peanut of nutrient deficiencies in the root and the pegging zone. *Plant physiol.*, 24:150-161.
- Hartwell, B. L. and F. R. Pember. (1918). The presence of Al as a reason for the difference in the effect of so-called acid soils on barley and rye *soil science*, 6:259-279.
- Haug, A. (1984). Molecular aspects of Al-toxicity *CRC Crit. Rev. Plant Sci.*, 1:345-373.
- Haug, A., Shi, B. and Kitorello, V. (1994). Aluminium interaction with phosphoinositide associated signal transduction. *Arch. Toxicol.*, 68:1-7.
- Hawk, P. B., Oser, P. L. and Summerson, W. H. (1984). Practical physiological chemistry. P. b. The Blackistone co., U. S. A.
- He, Tand Cramer, G. R.(1993a). Cellular responses of two rapid cycling *Brassica* species, *B. napus* and *B. carinata* to seawater salinity. *Physiol. Plant.* 87:54-60.
- Hede, A. R., B. Skovmand and J. Lopez-Cesatr, (2001). Acid soils and Aluminum Toxicity. pp.172-183.
- Hede, A. R., B. Skomand, N. Bohorovam, J. M. Ribaut, D. Gonzalez de Leon, and O. Stolen (2001C). Expression of rye aluminum tolerance in primary triticale. In preparation.
- Hede, A. R., B. Skovmand, J. M. Ribaut, D. Gonzalez-de-Leon, and O. Stolen. (2001a). Evaluation of aluminium tolerance in a spring rye collection using two hydroponic screening techniques. Submitted to plant breeding.
- Henderson, M. and J. D. Ownby (1991). The role of root cap mucilage secretion in aluminum tolerance in wheat. *Current Topics in Plant Biochemistry and*

Physiology 10:134-141.

- Hills, M. J. and D. J. Murphy, (1988). A highly activate soluble diacylglycerol synthesizing system from developing rapseed, *Brassica nupus L.* *J. Biochem.*, **249**: 687-693.
- Hodson, M. J. and Wilkins, D. A. (1991). Localization of aluminum in the root of Norway spruce (*picea abies*) inoculated with *paxillus involutus*. *New phytol.*, **118**:273-278.
- Horiguchi, T. (1988). Mechanism of Manganese toxicity and tolerance of plants IV. Effects of silicon on alleviation of manganese toxicity of rice plant. *Soil Sci. Plant. Nutri.* **34**:65-73.
- Hornung, M. (1985). Acidification of soils by trees and forests. *Soil use and management*, **1**:24-28.
- Hornung, M., Reynolds, B., Stevens, P. A. and Neal, C. (1987). Increased acidity and aluminium concentration in streams following afforestation. In: proceedings of the international symposium on Acidification and water pathways. Norwegian National Committee for Hydrology, Bolkesjo, Norway, 259-268.
- Horst W. J. Wagner A, Marschner H (1983) Effect of aluminum on root growth cell division rate and mineral element in roots of vigna unguiculata genotypes review z *Pflanzeophysiol* **109**:95-103.
- Horst, W. J. (1995). The role of apoplast in aluminum toxicity and resistance of higher plants: A review. *Z. Pfanzenernaehr Bodenkd.* **158**:419-428.
- Horst, W. J. and Goppel, H. (1986). Aluminium-tolerance von Ackerbohne (*Vicia faba*), Lupine (*Lupinus luteus*), Gerste (*Hordeum vulgare*) and Roggen (*Secale cereale*). II- Minerals to fidgehalte in SproBe b and Warzeln in Abangigkeit vom Aluminium An-gebot. *Z. pflazen physiol. Bodenk.*, **149**:94-109.
- Horst, W. J., A. Wagner, and H. Marsher. (1982). Mucilage protects root meristems from aluminum injury. *Z. Pflanzenphysiol. Bd.* **105**:435-444.
- Horst, W. J., Pshel, A. K and Schmohl, N. (1997) Induction of callose formation is a sensitive marker of genotypic aluminium sensitivity in maize *Plant Soil* **192**: 23-30.
- Howeler, R. H. and L. F. Cadavid. (1976). Screening of rice cultivars for tolerance to Al toxicity in nutrient solutions as compared with a field Screening method. *Agron. J.*, **68**:551-555.
- Huang, J. W., Pellet, D. M., Papernik, L. A. and Kochian, L. V. (1996). Aluminum interactions with voltage-dependent calcuim transport on plasma membrance vesicles isolated from roots of aluminum-sensitive and resistance wheat cultivars. *Plant Physiol.* **110**:561-569.
- Huang, A. H. C. and Moreau, R. A, (1978). *Planta*, **141**:111-116. *T-HIE*
- Hue, N. Y., G. R. Craddock, and F. Adams. (1986). Effect of organic acids on aluminium toxicity in subsoils. *Soil. Sci. Society of America J.* **50**:28-34.
- Hutton, D. and Stumpf, P. K. (1969). Characterization of the B-oxidation systems from maturing and germinating Castor b bean seeds. *Plant physiol.*, **44**:508-516.
- Ioana, M. (1969). Physiological changes during the germination of some legume seeds. *Luerari of mt. Inst. Agron (N. Balecescusera)*, **12**:299-306.
- Ivanova, T. M.; Devydove, M. A. and Rubin, B. A. (1967). On catalytic function of peroxidase. *Biochemiya*, **32**:607-611.

- Jamal, S. N., Iqbal, M. Z. and Athar, M. (2006). Effect of aluminum and chromium on the growth and germination of mesquite (*Prosopis juliflora* (Swartz) Dc). *Int. J. Environ. Sci. Techn.*, Accepted for publication.
- Jan, F. (1991). Aluminium effect on growth nutrient net uptake and transport in 3 rice (*Oryza sativa*) cultivars with different sensitivity to aluminium. *physiol. plant*, **83**:441-448.
- Jayasundara, H. P. S., B. D. Thomson, and C. Tang. (1998). *Advances in Agronomy* **T-11e** **63**:77-151.
- Jones, D. L., Kochian, L. V. and Gilroy, S. (1998). Aluminum induces a decrease in cytosolic calcium concentration in BY-2 tobacco cell cultures, *Plant Physiol.* **116**:81-89.
- Jones, V. J., Stevenson, A. C. and Battarbee, R. W. (1986). Lake acidification and the land-use hypothesis: a mid-post-glacial analogue. *Nature*, **322**:157-8.
- Kamoj, R. K. and Nainawatee, H. S. (1978). Peroxidase isoenzyme changes in germinating soyabean varieties. *Seed Res.*, **6**(2):140-144.
- Keser, M., Neubauer, B. F., Hutchinson, F. E. and Verrill, D. B. (1977). Differential aluminium tolerance of sugar-beet cultivars as evidenced by anatomical structure.-*Agron. J.* **69**:347-350.
- Kidd P. S., Llugany M, Poschenriederc, Gunse B, Barcelo, J. (2001). The role of root exudates in aluminum resistance and silicon induced amelioration of aluminum toxicity in three varieties of maize (*zea may* L.) *J. Exp. Bot.* **52**:139-52.
- Kidd, S. Petra and Proctor, John (2000). Effect of aluminium on the growth and mineral composition of *Betula pendula* Roth *Journal of Experimental Botany* Vol. 51 No. 347, pp. 1057-1066.
- Kidd, S. Petra and Proctor, John (2001). Why plants grow poorly on very acid soils: are ecologists missing the obvious? *Journal of Experimental Botany* Vol. 52 No. 357, pp. 791-799.
- Kinraide T. B., Parker D. R. (1990). Apparent phytotoxicity of mononuclear hydroxy aluminum to four dicotyledonous species, *Physiol Plant* **79**:283-288.
- Kinraide, T. B. (1993). Al enhancement of plant growth in acid rooting media. A case of reciprocal alleviation of toxicity by two toxic cations. *Physiol. plant*, **88**:619-625.
- Kinraide, T. B. (1997). Reconsidering the rhizotoxicity of hydroxyl, sulphate, and fluoride complexes of aluminum. *J. Exp. Bot* **48**:1115-1124.
- Klimashevsky, E. L., Markova, Y. U. A., Seregina, M. L., Grodzinsky, D. M. and Kazarenoko, T. D. (1970). Specificity of the physiological resistance of different varieties of pea plant to mobile aluminum. *Fiziologiya Raspenij*. 17 pp. 458-465.
- Knight, H. and Knight, M. R. (2001). Abiotic stress signaling pathways: Specificity and cross-talk. *Trends Plant Sci.* **6**:262-267.
- Kochain L. V. Jones D. L. (1997) Aluminum toxicity and resistance in plants In: Yokel R. A., Golub M. S. (eds) Research issues in Aluminum Toxicity Taylor Francis, Washington DC, pp 69-89, ISBN-1560326484.
- Kochain, Owen A. Hoekenga and Miguel A. Pineros. (2004). How do crop plants tolerate acid soils? Mechanisms of Aluminum tolerance and phosphorus efficiency. *Ann. Rev. Plant. Biol.* **2004**, **55**:459-493.

- Kochian, L. V. (1995). Cellular mechanism of aluminium toxicity and resistance in plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol.*, **46**:237-260.
- Kolmeier, M. Felle, H. H. and Horst, W. J. (2000). Genotypical differences in aluminum resistance of maize may be expressed in the distal part of the transition zone. Is reduced basipetal auxin flow involved in inhibition of root elongation by aluminum? *Plant Physiol.* **122**:945-956.
- Kondo, K. and Morita, Y. (1965). Studies on phyto-peroxidase (I) on the isolation of phyto-oxidase. *Bull. Res. Inst. Food Sci., Kyoto University.* **4**:12-23.
- Ku, H. S.; yang, S. P. and pratt, H. K. (1970). Ethylene production and peroxidase activity during tomato fruit ripening. *Plant cell physiol.*, **11**:241-246.
- Kumar Aravind and S. S. Purohit (2003). "Mineral Nutrition The inorganic support", In plant physiology fundamentals and applications IIInd Edition published by Agrobios (India). pp 145-170.
- Larsen, P. B., Degenhard, J., Tai, C. Stenzler, L. M., Howell, S. H. and Kochian, L. V. (1998) Aluminum-resistance *Arabidopsis* mutants that exhibit altered pattern of aluminum accumulation and organic acid release from roots. *Plant Physiol.* **117**:9-18.
- Larsen, P.B., Tai, C.Y., Kochian, L.V. and Howell, S.H. (1996) Arabidopsis mutants with increased sensitivity to aluminum. *Plant Physiol.* **110**, 743-751.
- Lauchli, A. and pfluger, R. (1978). Potassium transport through plant cell membranes and metabolic role of potassium in plants. proc. 11th Congr. Int. potash Inst. Bern., pp 111-163.
- Lazof, D. B., Goldsmith, J. G., Rusty, T.W. and Linton, R.W. (1994) Rapid uptake of aluminum into cells of intact soybean root tips. A microanalytical study using secondary ion mass spectroscopy. *Plant Physiol.* **106**, 1107- 1114.
- Lee, C. R. (1971). Influence of Al on plant growth and tuber yield of potatoes. *Agron. J.*, **63**; 363 – 364
- Lee, J. and Pritchard, M. W. (1984). Aluminium toxicity expression on nutrient uptake, growth and root morphology of *Trifolium repens* L. cv. Grassland Huia, *Pl.soil.*, **82**:101-109.
- LeNoble, M. E., Blevins, D. G. Sharp, R. E. and Cumbie, B. G. (1996) Prevention of aluminum toxicity with supplemental boron. I. Maintenance of root elongation cellular structure. *Plant. Cell Environ.* **19**, 1132-1142.
- Leveque, M. and Beley, J. (1959). A contribution to the study of the mineral nutrition of groundnuts (*Arachis hypogaea* L.) In 'An introduction to physiology of field crops'(Eds. A. Shiv Raj). pp 272. oxford and IBH publishing Co., New Delhi.
- Levitt, J. (1956). "The Hardiness of plants". pp. 278. Academic press, New york.
- Li, K.F., Ma, J.F. and Matsumoto, H. (2000) Pattern of aluminum-induced secretion of organic acids differs between rye and wheat. *Plant Physiol.*, **123**, 1537- 1543.
- Lidon , F. C., Azinheira, H. G. and Barreiro, M. G. (2000). Aluminum toxicity in maize: Biomass production and nutrient uptake and translation. *J. Plant Nutr.* **23**:151-160.
- Lidon , F. C., Barreiro, M. G., Ramalho, J. C. and Lauriano, J. A. (1999). Effect of aluminum toxicity on nutrient accumulation in maize shoots: Implications on photosynthesis. *J. Plant Nutr.* **22**:397-416.

- Lidon, F. C; Ramalho, J. C, Barroiro, M. C. (1998). "Aluminium toxicity modulates nitrate to ammonia reduction". *Photosynthetica*, **35**:2, 213-222; 31 ref.
- Lidon, F.C. and Henriques, F.S. (1999). Oxygen metabolism in higher plant chloroplasts. *Photosynthetica*, **29** : 245-279.
- Lindberg, S. (1990). Aluminum interaction with K⁺ and 45Ca²⁺ fluxes in three cultivars of sugar-beet (*Beta vulgaris*). *Physiol. Plant* **79**:275-282.
- Lindberg, Sylvia and Griffith (1993). Aluminium-Effects on ATPase activity and lipid composition of plasma membrane in Sugar Beet Roots.
- Lindhauer, M. G. (1989). The role of K⁺ in cell extention growth and storage of assimilates. In: proceedings of 21st international potash institute Lovain-la-Neure/Belgium pp. 161-187.
- Lindsay, W. L. (1979). Chemical equilibria in soils. John Wiley, New York.
- Little, R. (1988). Plant soil interaction at low pH: Poblem solving genetic approach. *Commun. Soil Sci. Plant Anal* **19**:1239-1257.
- Lorenc-plucinska, G. (1995). Effect of aluminium on free inorganic phosphate level in scots pine roots. *Arboretum-kornickie* **40**:135-141.
- Lowry, O.H., Rosenbrough, N. J. ,Furr, A.L. and Randall, R.J.(1951).Protein measurment with the folinphenol reagent. *J.Biol.Chem.*, **193**:262- 275.
- Lukaszewski, K.M. and Blevins, D.G. (1996) Root growth inhibition in boron-defecient in aluminum stressed squash may be a result of impaired ascorbate metabolism *Plant Physiol.* **112**, 1135-1140.
- Luttge, U. and Clarkson, D. T. (1992). Mineral nutrition: Aluminum—In progress in Botany (H. D. Behnke, H. Ziegler, K. Esser, K. Kubitzki and M-Runge, eds). Vol. 53. pp 64-77. Springer-Verlag. New york. NY. ISBN 0-387-54734-7.
- Lyttleton, J. W. (1960). Stabilization by manganese ions of ribosome from embryonic plant tissue. *Nature*, **187**:1026-1027.
- M. E. Younis, M. N. A. Hasaneen and M. M. Nemet-Alla (1987) . Plant Growth, Metabolism and Adaptation in Relation to stress conditions IV. Effects of Salinity on certain factors Associated with the Germination of three different seeds High in facts. *Annals of Botany*.**60**:337-344.
- Ma, J.F., (2000) Role of organic acids on detoxification of aluminum in higher plats. *Plant Cell Physiol.* **41**: 383-390 .
- Ma, J.F., Zheng, S.J., Matsumoto, H. and Hiradate, S. (1997a) Detoxifying aluminum with buckwheat. *Nature* **390**, 569-570.
- Ma, X-F., Ross, K. and Gustafson, J.P. (2001) Physical mapping of restriction fragment length polymorphism (RFLP) markers in homoeologous groups 1 and 3 choromosoms of wheat by hybridization, *Genome* **44**:401-412.
- Ma. J.F., Taketa, S. and Yang, Z.M. (2000) Aluminum tolerance genes on the short arm of chromosome 3R are linked to organic acid release in triticale. *Plant Physiol.* **122**,687-694.
- MacKlein, A.E. S and Sim. (2006). Modifying effects of non toxic levels of aluminum on the uptake and transport of Phosphate in Rye. Oxford university press.
- MacKlein, AES and Sim.(2006). Modifying effects of non toxic levels of aluminum on the uptake and transport of Phosphate in Rye.Oxford university press.

- Maclean, A. A. and T. C. Chiasson, (1966). Differential performance of two barley varieties to varying aluminum concentration. *Can. J. Soil. Sci.* **46**:147-153.
- Magnovaea, R. (1998). "Adaptation of plants to soil constraints and better nutrient utilization to improve crop productivity". Eds. V. R. Chopra, R. B. Sing and A. Verma. Oxfod and IBH publishing Co. Pvt. Ltd., New Delhi pp. 335 -341.
- Mandal,S.C.(1997).Introduction and historical overview .pp.3-24.In: In:I.C.Mahapatra,*et al.*,*(eds),Acid soils of India*.ICAR,New Dehli.
- Marienfeld, S. Schmohl, N. Klein, M., Schroeder, W.H. Kuhn, A.J. & Horst, W.J. (2000). Localisation of aluminum in root tips of *Zea mays* and *Vicia faba* *J. Plant Physiol.* **156**:666-671.
- Murphy, H. E., Edwards, D. G. and Asher, C. J. (1984). Effect of aluminium on nodulation and early growth of four tropical pasture legumes. *Aust. J. agric. Res.* **35**:663-673.
- Marschner, H. (1986). Mineral nutrition of higher plants. Academic press, new york, pp 674.
- Marschner, H. (1991). Mechanisms of adaptation of plants to acid soils. *Plant Soil.* **134**:1-24.
- Marschner,H.(1995).Mineral Nutrition of higher plants .pp.605-24. Academic press. Harcourt Brace and Company, Publishers,Tokyo.
- Martin, G. (1959). La decalcification des terres au niari action des amendements calcaires. *Olea gineux*, **14**:213-220.
- Mathann, k. (1980). Effect of various levels of aluminum on dry matter yield, content and uptake of phosphorus, aluminium, manganese and iron in maize. *Madras Agaric. J.*, **67**:751-757.
- Mathann,k.(1980).Effect of various levels of aluminum on dry matter yield, content and uptake of phosphorus, aluminium, manganese and iron in maize.*Madras Agaric.J.*, **67**:751-757.
- Matsumoto, H. (1991) Biochemical mechanism of the toxicity of aluminum and the sequestration of aluminum in plant cells; in *plant-Soil Interactions at low pH* (Wright, R.J. Baligar, V.C. and Murrmann, R.P., eds. pp. 825-838, Kluwer Academic Publishers, Dordrecht, Netherlands.
- Matsumoto, H. (2000) Cell biology of aluminum toxicity and tolerance in higher plants. *Int Rev.Cytol.* **200**, 1-46.
- May, H.M. and Nordstrom, D.K (1991) Assessing the solubilities and reaction kinetics of aluminous minerals in soil; in *Soil Acidity* (Urlich, B. and Summer, M.E. eds. pp. 125-148, Springer-Verlag, Berlin.
- Mayz, D. M. J. and Cart wright, P. M. (1984). The effect of pH and aluminium toxicity on the growth and symbiotic development of cowpeas (*vigna unguiculata*). *Pl. soil.***80**(3) : 423-430.
- McCormick, L. H. and Bordon, F. Y. (1927). Phosphate fixation by aluminium in plant roots –*Soil sci. Soc Am. Proc.* **36**:779-802.
- McElory, W.D. and Nason, A.(1954). Mechanism of action micronutrient elements in enzymes systems. *Ann. Rev. Plant.Physiol.*, **5**:1-30.
- McLean, F. T. and Gilbert, B. E. (1927). The relative aluminum tolerance of crop plants –*Soil sci.* **24**:163-174.
- Mcleod, L. B. and L. P. Jackson. (1967). Aluminum tolerance of two barley varieties in nutrient solution, peat and soil culture. *Agron. J.* **59**:359-363.

- Miled, Ben D. D., M. Zarrouk., A. cherif (2000). sodium chloride effects on lipase activity in germinating rape seeds. *Biochemical society Transactions*. Volume 28 part 6 pp 899-902.
- Miler, D., Hable, W., Gottwald, J., Ellard-Ivey, M., Demura, T., Lomax, T. and Carpita, N. (1997) Connections: The hard wiring of the plant cell perception, signaling and response, *Plant Cell* 9, 2105-2117.
- Miller, H. G. (1985). The possible role of forests in stream water acidification. *Soil use and management* 1:28-29.
- Misra, U. K. and N. Panda. (1997). Chemistry of acid Soils. Pp. 62-79. In: I.C. Mahapatra *et al.*, (eds), *Acid Soils of India ICAR*, New Delhi.
- Mixon, C. Aubrey. (1971). Moisture requirement for seed germination of peanuts. *Agron. J.* 63:336-338
- Mixon,C.Aubrey.(1971).Moisture requirement for seed germination of peanuts. *Agron. J.* 63:336-338.
- Miyasaka, S.C., J.G. Butta, R.K. Howell, and C.D. Foy (1991). Mechanism of aluminum tolerance in snapbeans. Root exudation of citric acid. *Plant Physiol.* 96:737-43.
- Morrison, W.R. and Smith, L. M.(1964). Preparation of fatty acid methyl ester and dimethyl acetate from lipid with boron-trifluoride -methanol. *J. Lipid Res.* 5:600-608.
- Mossor-Pietraszewska, T., Kwit, M. and Legiewicz, M. (1997) The influence of aluminum ions on activity changes of some dehydrogenases and aminotransferases in yellow lupine. *Biol. Bull. Poznan* 34, 47-48.
- Mugwira, L.M. and S.U. Patel.(1977). Root zone pH. changes and ion uptake imbalances by triticale, wheat and rye. *Agronomoy Journal* 69:719-722.
- Mugwira, L. M., and S. M. Elgwhary, (1979). Aluminum acculmulation and tolerance of triticale and wheat in relation to root cation echange capacity. *Soil. Sci. Soc. Am. J.* 43:736-740.
- Mugwira, L.M., S.M. Elgwhary, and K.I. Patel(1976). Differential tolerance of triticale, wheat rye. and baerly to aluminum in nutrient solution. *Agronomy Journal* 68:782-787.
- Mugwira,L.M.,S.M.Elgawhary, and S.U.patel.(1978).Aluminum tolerance in triticales, wheat and rye as measured by root growth characteristics and aluminum tolerance concentration. *Plant and Soil.*50:681-690
- Mulette, D. L., Hannson, N. J. and Elliott, A. G. L. (1974). Insoluble phosphorus usage by Eucalyplus. *Plant Soil*, 41:199-205.
- Munn, D. N., Cassnan, K. G. and Keyser, H. H. (1981) Selection of naturally occurring stress tolerant Rhizobium *Basic Life Sci.*, 17 : 181-191.
- Munns, D. N. (1965a). Soil acidity and growth of a legume II. Reaction of aluminium and phosphate in solution and effects of aluminum, phosphate, calcium and pH on *Medicago Sativa* L. and *Trifolium subterraneum* L. in solution culture. *Aust. J. Agric. Res.* 16:743-755.
- Munns, D.N. (1965b). Soil acidity and growth of a legume III. Interaction of lime and phosphate on growth of *Medicago Savita* L. in relation to aluminum toxicity and phosphate fixation *Aust. J. Agric. Res.* 16:757-766.
- Munshi , S.K., Bhatia,N., Dhillon, K.S. and Sukhija ,P.S.(1986). Effect of moisture and salt stress on oil filling in *Brassica* seeds. *Ind. Nat. Acad.Sci.* 52:155-159.

- Munshi , S.K.,Kumari, A., Sanadi,S., Bakhetia, D.R.C. and Sukhija ,P.S.(1987). Influence of systemic insecticides on lipid biosynthesis in seeds of Indian mustard (*Brassica juncea* L.) *Plant Sci.* **53**:201-208.
- Murphy, D. J. and I. Cumins, (1989). Biosynthesis of seed storage products during embryogenesis in rape-seed, *Brassica nupus*. *J. plant Physiol.*, **135**: 65-69.
- Murthy, R. S., L. R. Hirekerur, S. B., Deshpande and B. V. Venkatrao. (1982). *Benchmark Soils of India. NBSSLUP, (ICAR), Nagpur*.
- Nalawade,B.B.(1988). Studies in physiology of an oilseed crop. Nigei(*Guizotia abyssinica*. Cass). A Ph.D thesis submitted to shivaji university, kolhapur (India).
- Nambiar, P. T. C. and V. Anjaiah, (1989). Effect of managanese toxicity on growth and N₂ fixation in groundnut. (*Arachis hypogaea* L.). *Annals of Applied Biology*, **115**:361-366.
- Narayanan and Syamala, R. (1988). Response of pigeonpea (*Cajanus cajan* L. mill) Genotypes to aluminium toxicity. International congress of plant physiology. New Delhi, pp 230.
- Narayanan, A. and Symala, R. (1989). Response of pigeonpea *Cajanus Cajan*, L.) genotypes to aluminium toxicity. *Indian J. plants physiol.*, **1**:17-24.
- Nason, A., Oldewurtel, H. A. and Propst. (1951). Role of Micronutrient elements in the metabolism of higher plants.I.Changes in oxidative enzyme constitution of tomato leaves deficient in micronutrient elements.*Arch.Biochem.Biophys* .**38**:1-13.
- Nelson, N. C.(1944). *J.Biol.Chem.***153**:375-380. ————— Title
- Neogy, M., Dutta, J., Roy, A. K. and Mukherji, S. (2000). Studies on phototoxic effect of aluminum on growth and some morphological parameters of *vigna radiata* L. wilcz. *J. environ. Biol.*, **23**:411-416.
- Ness, P. J. and Woolhouse, H. W. (1980). RNA synthesis in *phaeseolus* chloroplast I. Ribonucleic acid synthesis and senescing leaves. *J. Exp. Bot.*, **31**:223-233.
- Nguyen, V.T., Burrow, M.D., Nguyen, H.T., Le, B.T., Le, T.D. & Paterson, A.H. (2001). Molecular mapping of genes conferring aluminum tolerance in rice (*Oryza sativa* L.) *Theor. Appl. Genet* **102**:1002-1010.
- Nigwekar, A.S.(1988).Physiological studies in horse-gram(*Dochos biforus* L.) A Ph.D thesis submitted to shivaji university, kolhapur (India)
- Nosko, P. Brassard, P., Kramer, J.R. and Kershaw, K.A. (1988) The effect of aluminum on seed germination early seeding estblishment, growth and respiration of white spruce (*Picea glauca*) *Can. J. Bot.* **66**, 2305-2310.
- NRCG 1985, Annual Report 1985. National Research centre for groudnnut (ICAR) Junagadh.
- NRCG 1996. Annual Report (1995-96). National Research Centre for groundnut (ICAR). Junagadh.
- NRCG. 1991. Annual Report 1990-91. National Research Centre for groundnut (ICAR). Junagadh.
- O' Hara, G.W., M.S. Dilwarter, N, Bookerd and P. Parkpian (1988). Iron deficiency specially limits nodule development in peanut inoculating with *Bradyrhizobium* SP. *New Phytol.*, **108**:51-57.

- O' Neal, D. and Joy, K. W. (1974). Glutamine synthetase of Pea leaves, Divalent cation effects, substrate specificity and other properties. *Plant physiol.*, **54**:775-779.
- Ortiz, A., Martinz, V. and cerda, A. (1994). Effect of osmotic shock and calcium on growth and solute composition of *phaseolus vulgaris* plants. *physio. plant* **91**: 468 – 476.
- Osawa, H. and Matsumoto, H. (2001) possible involvement of protein phosphorylation in aluminum-responsive malate efflux from wheat root apex *Plant Physiol.* **126**, 411-420.
- Ownby, J. D. (1993). Mechanism of reaction of hematoxylin with aluminium treated wheat roots. *Physiol. plant.* **87**:371-380.
- Ownby, J. D. and L. Dees (1985). Growth and mineral status in peanut and sorghum in response to acid precipitation and aluminium. *New Phytol.*, **101**:325-332.
- Pahlsson, A. M.B.(1990). *Physiol. Planta* **78**:79-84.
- Panda, S. K. and Khan. M. H. (2004), Lipid peroxidation and oxidative damage in aquatic duckweed (*Lemna minor* L.) in response to aluminium toxicity. *Indian J. plant physiol.*, Vol 9, No. 2 (N. S.) pp. 176-180.
- Panda,s.(2007).Molecular physiology of aluminum toxicity and tolerance in plants.*The Botanical Rview.* **73**(4):326-347..
- Parker, D. R., (1995). Root growth analysis: an under utilized approach to aluminium rhizotoxicity. In "plant soil interaction at low pH". (ed. R. A. Date.), 253-323.
- Patel, D. U., Kumar, S. C., Ramchandran, V. and Athalye, v.v. (2002). Solution culture studied on the influence of aluminium on nutrient concentration in wheat seedlings. *Indian J. Plant Physiol.* **7**:56-61.
- Paul, A. K. and Mukherji, S. (1972). Changes in respiration rate of rice seedlings as affected by storage and viability and its possible relation with catalase and peroxidase activities during germination. *Biol. Plant.*, **14**(6):416-419.
- Pellet, D.M., Grunes, D.L. and Kochain, L.V. (1995) Organic acid exudation as an aluminum-tolerance mechanism in maize (*Zea mays* L.) *Planta* **196**:788- 795.
- Pellet, D.M., L.A. Papernik, D.L. Jones, P.R. Darrh, D.L.Grunes, and L.V. Kochain. (1997). Involvement of multiple aluminum exclusion mechanisms in aluminum *Plant and Soil* **192**:63-68.
- Pellet, D.M., Papernik, L.A. and Kocchain, L.V. (1996) Multiple aluminum-resistance mechanism in wheat: Roles of root apical phosphate and malate exudation. *Plant Physiol.* **112**:591-597.
- Pelvi, Y. A. V., Narovo, N. N. and Drahysilliva, N. I. (1972). Nitrate reducing activity of plant peroxidase. *Fiziologia Rasteini*, **19**:340-347.
- Perkin-Elmer (1973).Analytical Methods for Atomic absorption spectrophotometry. Perkin-Elmer, Norwalk.
- Peter, J. Eastmond (2007). Monodehydro ascorbate reductase 4 is required for seed storage oil hydrolysis and post germinative growth in *Arabidopsis*(W) *The plant cell* **19**: 1376- 1387.
- Peter, J. L., Castilla, F. J. and Heat, R. L. (1989). Alteration of extracellular enzymes in pintobean leaves upto exposure to air pollutant, ozone and Sulphur dioxide. *Plant physiol.*, **89**:159-164.
- Petterson, S and Strid, H. (1989). Initial uptake of aluminum in relation to temperature and phosphorus status of wheat (*Tritum aestivum*) roots - *plant physiol.* **134**:672-677.

- Picton, S.J. K.D. Richards, and R.C. Gardner.(1991). Protein profiles in root tips of two wheat (*Triticum aestivum L.*) cultivars with differential tolerance to aluminum. In: Plant soil interactions at low pH. Wright, R. J. et al. (eds.). Dordrecht, The Netherlands: Kluwer Academic Publishers. pp. 1063-1070.
- Pillay, S.V. (2006). *Bioinfolet* (4):280- 281. *Titler*
- Pineors, M.A. and Kochain, L.V. (2001) A patch-clamp study on the of aluminum toxicity and aluminum tolerance in maize. Identification and characterization of Al³⁺-induced anion channels. *Plant Soil* 125, 292-305.
- Polle, E., Konzak, C. F. and Kittrick, J. A. (1978). Visual detection of aluminium tolerance level in wheat by hematoxylin staining of seedling roots-*Crop. sci.* 18:823-827.
- Randall, P. J. and Vose, P. B. (1963). Effect of aluminum on uptake and translocation of phosphorus by perennial ryegrass. *Plant Physiol.*, 38:403-409.
- Rao, J. (1973). Cytochemical localization of peroxidase in plant cells *physiol. Plant*, 28:132-133.
- Reid, D. H. and York, E. T. Jr. (1958). Effect of nutrient deficiencies on growth, and fruiting characteristics of peanuts and sand culture. *Agron.*, 50:63-67.
- Reid, D.A. (1971). Genetic control of reaction to aluminum in winter barely. In: barely Genetics II. Proc. 2nd Int. Barely Genet. Symp. Nilan, R.A. (ed). Pullman, WA: Washington State University Press. pp. 409-413.
- Reid, P. H. and Cox, F. R. (1973). 'soil properties, mineral nutrition and fertilizer practices'. Chapter-B, in peanuts culture and uses. American peanut research and Education Association Inc., Stillwater, Oklahoma.
- Rengel , Z. and Reid, R.J. (1997) Uptake of Al across the plasma membrance of plant cells. *Plant Soil.* 192, 31-35.
- Rengel, Z. (1996) Uptake of aluminum by plant cells. *New Phytol.* 134, 389 406 64.
- Rengel, Z.and Robinson, D.L. (1989) Aluminum effects on growth andmacronutrient uptake by annual ryegrass. *Agron. J.* 81, 208-215.
- Rhue, R., Grogan, C., Stockmeyer, E., Everett, H. (1979). Genetic control of aluminium tolerance in corn. *Crop Sci.*18: 1063-67.
- Rhue.R., Grogan,C., Stockmeyer,E.Everett.H(1979). Genetic control of aluminum tolerance in Corn. *Crop Sci.* 18:1063-67.
- Riede,C.R. and J.A.Anderson.(1996).Linkage of *RFLP* markers to an aluminum tolerance gene in wheat. *Crop Sci.* 36:905-909.
- Rincon M. and Gonzales, R. A. (1992). Aluminium partitioning in intact roots of aluminium-tolerant and aluminium-sensitive wheat (*Triticum aestivum*) cultivars. - *plant physiol.* 99:1021-1028.
- Rincon, M. and R. A. Gonzales. (1991). Induction of protein synthesis of Al in wheat (*Triticum aestivum L.*) root tips. In: plant soil interactions at low pH, ed. Wright R. J. (ed.), Kluwer Academic press, Dordrecht.
- Rout, G. R., Samantara, S. and Dasp, P. (2001). Aluminium toxicity in plants. *Agronomie*, 21:3-21.
- Rowell, D. L. and Wild, A. (1985). Causes of soil acidification: a summary. *Soil Use and management*, 1:32-33.
- Roy, A.K. Sharma, A. & Talukder, G. (1988). Some aspects of alluminum toxicity in plants. *Bot. Rev.* 54:145-177.

- Ryan, P. R., DiTomaso, J. M., and Kochian, L. V. (1993). Aluminium toxicity in roots: an investigation of spatial sensitivity and the role of the root cap. *Journal of Experimental Botany*, **44**:437-446.
- Ryan, P.R. Delhaize, E. & Randall, P.J. (1995) Characterization of Al stimulated efflux of malate from apices of Al-tolerant wheat roots. *Planta* **196**, 103-110.
- Ryan, P.R. E. Delhaize, and P.J. Randall (1995). Malate efflux from root apices and tolerance to aluminum are highly correlated in wheat. *Aust. J. Plant. Physiol.* **22**: 531-536.
- Ryan, P.R., J. M. Ditomaso, and L.V. Kochian (1993). Aluminum toxicity in roots: An investigation of spatial sensitivity and role of the root cap. *J. Exp. Bot.* **44**:437-446.
- Sahu, S. K. and G. N.Mitra.(1997).Macronutrients in acid soils and their management.pp .110-117.In:I.C.Mahapatra,*et al.*,(eds),*Acid soils of India*.ICAR,New Dehli.
- Salaskar, D. A., Ramachandran, S., Ramani, S., Eapen and D'Souza, S. F. (2008). Influence of aluminium on plant growth, aluminium accumulation and excretion of oxalic acid by seedlings and cultured hairy roots of *Sesbania rostrata* L. A green manure crop. *Indian plant physiol.*, Vol.13(I), (N.S.) pp 80-83
- Salunkhe,S.S. (1990). Physiological studies in *Dodonaea viscosa* L.Geobios, **16**:252-258.
- Sanchez P, Shepard k, Soule M, Palace F, Buresh R. 1997 Soil fertility replenishment in Africa An investment in natural resource capital. In Replenishing soil fertility in Africa, (ed) R. Buresh, P. Sanchez F Calhoun pp. 1-46 Madison, WI; Soil Sci. Soc. Am
- Sanchez, P. A. and Salinas, J. G. (1981). Low input management technology for managing oxisols and ultisols in tropical America. *Advances in Agronomy*, **34**, 279-406.
- Sarkunan, V., Biddapa, C. C. and Nayak, S. K. (1984). Physiology of Al toxicity in rice. *Curr. Sci.*, **53**:822-824
- Sasaki, M., Y.Yamamoto, B. Ezaki, M. Kasuhara, S. J. Ahn, P. R. Ryan, E. E. Delhaize and M.Matsumoto (2004). A wheat gene encoding an alumunium-activated malate transporter. *Plant. J.***37**:645-635.
- Scandalios, J. G. (1969). Genetic control of multiple molecular forms of enzymes in plants. *Ann. Rev. Biochem., Genet.*, **3**:37-79.
- Schnable, H. (1970). *P Flanzenphysiol*, **77**:167-173.
- Schnug, E. and Hanneklaus, S.(2000). Significance of interaction between sulphur and nitrogen supple for growth and quality of crop plants. In C. Brunold,L.J., Rennenberg,H.De Kok,I. Stulen and J.C. Devidian(eds). Sulphur nutrition and sulphur assimilation in higher plants: *Molecular ,Biochemical and Physiological Aspects*, pp. 345-347. Paul Haupt :Bern.
- Scholz, C., A. Sanchez. Bueno, C. J. Dixon, N. M. woods and J. A. C. Lee, 1990. Al pertubs oscillatory phosphoinositide – mediated calcium signalling in hormone – stimulated hepatocytes. *Biochem. J.*, **269**:547-540.
- Schuller, D. J., Ban, N., Van Huystee, R. B., Mc pherson, A., Poulas, T. (1996). The crystal function of peanut peroxidase. *Structur*, **4**:311-321.

- Scott, B. J. and J. A. Fisher. (1989). Selection of genotypes tolerant of Al and Mn. In: *Soil acidity and plant Growth*, ed. Robson, A. D. (ed.), pp. 167-203, Sydney: Academic.
- Sekine, T., Sesakawa, T., Morita, N., Kimaro, T. and Kuratomi, K. (1965). Laboratory manual for physiological studies in rice (Eds). Yoshida, S. Forno, D., Cooke, J. B. and Gomez, K. A. publ. International research institute, Manila, 1972.
- Sevilla, F., Lopez-Gorge, J., Gomez, M. and DelRio, L. A. (1980). Manganese Superoxide dismutase from higher plant purification of a new Mn-containing enzyme. *planta*, **150**:153-157.
- Shaha Ranajit Kumar, N. K. sana and I. Hossain, (2004). "Ionic Effect on Mobilization of seed storage Nutrient substances and lipase Activity in Germination oil seeds (*Brassica napus L.*)" *Pakistan journal of Biological sciences* **7(1)**: 36-41, 2004.
- Sharma, S. P., P. K. Sharma and B. R. Tripathi. (1990). *J. Ind. Soc. Soil Sci.*, **38**:189-~~Title~~
193.
- Shestokov, A. T. (1940). The effect of Boron , Manganese, Flourine and aluminum on the growth of pea and other plants. *Trudy Vsesoyuznog Akademii Seleskokhozyaistvennykh Nauk*. Vol. V. pp. 22-61.
- Shkolink, M. Ya and Kopmane, I. V. (1970). The effect of boron on phospholipids content of sunflower and the possible role of this element in the structural organization of the cell. In: M. Ya Shkolink (Ed.). The physiological role of trace elements in plants, *Expt. Botanika*, Nauka Leningrad **20**:108-113.
- Shkolink, M.Y. (1994). Part II The physiological role of trace elements. In: M. Cowan (ed.), Trace elements in plants, PP 262 – 266. Elsevier Science publ., B. V., Amsterdam, The Netherlands:
- Sigh, A.L. (1994b). Micronutrient nutrition and crop productivity in groundnut. In *plant productivity under environment stress*, karadn singh and s.s.purohit (edt.). Agrobotanical publishers, Bikaner, India pp. 67-72.
- Silva, J.R., Smyth, T.J., Moxley, D.F., Carter, T.E., Allen, N.S. and Rufty, T.W. (2000) Aluminum accumulation at nuclei of cells in the root tip. Fluorescence detection using lumogallion and confocal laser scanning microscopy. *Plant Physiol.* **123**, 543-552.
- Simon, L; Smalley, T.V; Jonesl J.B. Jr; Lasseingne, F.T. (1994) Aluminium toxicity in tomato. Part 1 Growth and mineral nutrition *Journal of Plant nutrition* **17**:2-3, 293-306, 23 ref.
- Singh A. L. "Mineral nutrition of groundnut" Advances in plant physiology, Vol. 2 Ed. A. Hemantrajan, scientific publishers (India) Jodhpur. 1999 p.p. 161-200.
- Singh A.L. And Vidya Chaudhari (2007). "Macronutrient requirement of groundnut: Effect on uptake of macronutrient" *Indian J. plant physiol* Vol.12.No.1. (N.S.) pp 72-77.
- Singh, A. L. (2000). Mechanisms of Tolerance and crop production In Acid soils. *Advances in plant physiology*, Vol. 3, *Plant physiol. Biochem. Plant Mol. Biol.* 2000. Ed. A. Hemantaranjan Scientific publishers (India) Jodhpur pp 353-394.
- Singh, A. L. And Vidya Chaudhari (2006). "Macronutrient requirement of groundnut: Effect on uptake of macronutrient" *Indian J. plant physiol* Vol.12.No.1. (N.S.) pp 72-77.

- Singh, A.L. (1994a). screening of groundnut cultivars for tolerance to time induced iron-chlorosis. In *plant productivity under environmental stress*, karan singh and s.s. purohit (edt.). Agrobotnical publisher Bikaner, India pp. 289-294
- Singh, A.L. (1994b).Micronutrients nutrition and crop productivity in groundnut. In *Plant Productivity under Environment stress*, Karan Singh and S.S.Purohit(edt).Agrobotanical publishers,Bikaner,India. pp.67-72.
- Singh, A.L. and D. Dayal (1992).Foliar application of iron for recovering groundnut plants from lime-induced iron deficiency chlorosis and accompanying losses in yield. *J. Plant. Nutr.*, **15**:1421-1433.
- Singh, A.L. and V. Choudhari, (1992). Enzymatic studies in relation to micronutrient deficiencies and toxicities in groundnut. *plant physiol. Biochem.*, **19** :107-109.
- Singh, A.L. and Vidhya Choudhari,(1993b). Root peroxidase activity as an indicator of iron chlorosis in groundnut .*Groundnut News* . **5** (1):6 .
- Singh, A.L. and Vidya Chuudhari, (1991). Screening of groundnut cultivars tolerant to iron chlorosis; *Indian Journal of Agricultural sciences* **61**:(12).
- Singh, A.L., Vidya chaudhari and V. G. Kordia, (1991a,) foliar nutrition of nitrogen and phosphorus in groundnut. In *D.N. Tyagi et. al. (editors) physiological strategies for crop improvement* : proceedings of international conference of plant physiology pp. 129-133. Varanasi, India.
- Singh, A.L., Y.C. Joshi, Devi Dayal and J. B. Mishra (199b), Application of differnt sources of sulphurin groundnut. In *proceedings of the National seminar on Sulphur in Agriculture*. In R. Siddhar mappa. P.K. Vijaya Choudhary and L. Susheela Devi (edts.) University of Agricultural Science Bangalore and Fertilizers and chemicals, Travancore Limited Cochin, India pp. 26-81
- Singh, P., Parmor, V., Malic C. P. Grewal, M. K. and Bhatia, D. S. (1991). Effect of four phenolic compounds on yield characteristics and oil production of two peanut (*Arachis hypogaea* L.) cultivars. *Peanut Science*, **18**(1):3-5.
- Sivaguru, M., Baluska, F., Volkman, D., Felle, H. H. and Horst, W. J. (1999). Impacts of aluminum on cytoskeleton of the maize root apex. Short-term effects on the distal part of transition zone. *Plant physiol.* **119**:1073-1082.
- Sivaguru, M., Fujiwara, T., Samaj, J., Baluska, F., Yang, Z., Osawa, H., Maeda, T., Volkmann, D, and Matsumoto, H. (2000) Aluminum-induced 1F255>3-beta-D-glucan inhibits cell-to-cell trafficking of molecules through plasmodesmata. A new mechanism of aluminum toxicity of plants *Plant Physiol.* **124**, 991-1005.
- Sivasubramanniam, S. and Talibudeen, O. (1971). Effect of aluminium on growth of tea (*Camellina Sinesis*) and its uptake of potassium and phosphorus. *J. Sci. food Agaric.*, **22**:325-329.
- Slaski, J.J. Zhang, G., Basu, U., Stephens, J.L and Taylor, G.J. (1996) Aluminum resistance in wheat (*Triticum aestivum*) is associated with rapid Al-induced changes in activities of glucose-6-phosphate dehydrogenase and 6-phosphoglucone dehydrogenese in root apices. *Physiol Plant.* **98**:477-484.
- Slavich, D. G. (1984). Acid soil conditions and wheat yield M. Sc. Thesis, Agriculture Univ. of Sydney, Australia.
- Slawomir Borek, Wiktoria Ratajczak and Lech Rataj. (2006). Ultrastructural and enzymatic research on role of sucrose in mobilization of storage lipase in germinating yellow lupine seeds. *Plant Science*, Volume 170 Issue, pp 441-452.

- Snowden, K.C., Richards, K.D. and Gardner, R.C. (1995) Aluminum induced genes. Introduction of toxic metals, low calcium, and wounding and pattern of expression in root tips. *Plant. Physiol.* **107**, 341-348.
- Somers, D. J. and J.P. Gustafson(1995). The expression of aluminum stress induced polypeptides in population segregation for aluminum tolerance in wheat (*Triticum aestivum* L.) *Genome*. **38**:1213-1220.
- Somers, D.J., K.G. Briggs, and J.P. Gustafson (1996). Aluminum stress and protein synthesis in near isogenic lines of *Triticum aestivum* differing in aluminum tolerance. *Physiol. Plant.* **97**:694-700.
- Sreedevi, S., P. N. Krishnan* and Pushpanan (2008). Cadmium induced oxidative damage and antioxidant responses in roots of black gram (*Vigna mungo* L.) hepper. Indian J. Plant Physiol., Vol. 13. No.1, (N.S.) PP.1-7
- Stafford, H. A. (1965). Factors controlling the synthesis of natural and induced lignin in phleum and Elodea. *Plant physiol.*, **40**:844-851.
- Stout, P. R. (1961). Micronutrients in crop vigour. *proc. 9th Ann Calif. Fertilizer conf.* pp. 21-23.
- Stuhmann, M. A., Demonrest, D. M. (1972). Changes in isoenzymes of host and pathogen following some fungal infections *sym. Biol., Hung.*, **13**:355-365.
- Subramanyam, D. (1998). Effect of aluminium on growth, lipid peroxidation, super oxide dismutase and peroxidase activities in rice bean and French bean seedlings. *Indian. Plant physiol.*, **3**:240-242.
- Subramanyam, D. (1998). Effect of aluminium on growth, lipid peroxidation, superoxide dismutase and peroxidase activities in rice bean and fresh bean seedlings. *Indian J. plant physiol.*, **3**:240-242.
- Suhayda, C.G., and A. Haug.(1986). Organic acids reduce aluminum toxicity and maize root membranes. *Physiol. Plant* **68**: 189-95.
- Sukhija ,P.S., Munshi , S.K., Monga P.K. , Luthra, R. and Bhatia, I. S.(1983).New trends in fatty acid biosynthesis in higher in higher plants. *Plant Physiol. Biochem.(India)* **8**: 261-267.
- Tabuchi, A., Kikui, S. and H, Masumoto. (2004). *Physiologia plantarum*, **120**:106-122.
- Takabatake, R. and Shimmen, T. (1997) Inhibition of electrogenesis by aluminum in characean cells. *Plant cell Physiol.* **38**, 1264-1271.
- Tan, K. and Keltjens, W. G. (1990). Interaction between and phosphorus in sorghum plants. *Plant and soil* **124**:15-23.
- Tanaka, A. and Navasero, S. A. (1966). Aluminium toxicity of rice plant under water culture conditions. *Soil. Sci. plantNutr.* **12**:55-60.
- Taylor, G. J. Blamey, F. P. C. and Edwards, D. G. (1998) Antagonistic andsynergistic interactions between aluminum and manganese on growth of *Vigna unguiculata* at low ionic strength *Physiol Plant.* **104**: 183-194
- Taylor, G. J. (1988) The physiology of aluminum tolerance; in *Meals Ions in Biological Systems* (Sigel, H.,ed) vol.24, Aluminum and Its Role in Biology, pp.165-168 Marcel- Dekker, New York.
- Taylor, G. J. (1991) Current views of the aluminums stress response; physiological basis of tolerance. *Curr. Top. Plant Biochem. Physiol* **10**:57-93.
- Taylor, G. J. (1995) Overcoming barriers to understanding the cellular basis of aluminum resistance. *Plant Soil* **171**: 89-103.

- Taylor, G. J., McDonald-Stephens, J. L., Hunter, D. B., Berstch, P. M., Elmore, D., Rengel, Z. and Reid, R. J. (2000) Direct measurement of aluminum uptake and distribution in single cells of *Chara corllina*. *Plant Physiol.* **123**: 987-996.
- Teresa, Mossor-pietraszewska. (2001). Effect of aluminium on plant growth and metabolism. *Acta Biochimica polonica* Vol. 48 No.3/2001 pp. 673-686.
- Thomas, G. W. and W. L. Hargove. (1984). The chemistry of soil acidity. In: Soil Acidity and liming. Admas. F. (ed) *American Society of Agronomy Inc.* Madison WI. pp. 3-56.
- Thornfon, F. C., Schaedle, M. and Roynal, D. J. (1986) Effect of aluminium on growth development and nutrient composition of honey locusta (*Gleditsia triacanthos L.*) Seedling. *Tree physiol.*, **2**:307-316.
- Thornton, F. C. Schaedle, M. and Raynal, D. L. (1986) Effect of aluminum on the growth of sugar maple in solution culture. *Can. J. For. Res.* **16**, 892-896.
- Thurnau, K. (1996) Role of arbuscular mycorrhiza in plant resistance to heavy metals *Biol. Bull. Pozan* **33** (Suppl) 65.
- Tice, K. P., Parker, D. R. and DeMason, D. A. (1992). Defined apoplastic and symplastic aluminum detection in root tips of aluminum-intoxicated wheat. *Physiol. plant.* **100**:309-318.
- Toth, S. J., Prince, A. L., Wallace, A. and Mikkelhen, B. S. (1948). Rapid quantitative determination of eight mineral elements in plants tissues by systemic procedure involving use of a flame photometer. *Soil sci.* **66**:456-466.
- Tregubenko, M. Y., Fillippov, G. L. and vishulvski, N. Y. (1973). Dy khatelnyi gazoobmen kukuruzy priuluchsheni uslovii Vyrochivania (Respiratory metabolism of (or) following improved growing conditions). *DOKL. Ver. (ordena lenina) Akad. S. Kh. IMV. Lenina*, **12**:4-6.
- V. Ramachandran; D. V. Patel and S. C. kumar (2004). "Influence of aluminium on mineral nutrients of rice seedlings grown in solution culture. *Indian. J. plant physiol.* Vol. 9, No. 4, (N. S.) pp. 348-353.
- Van Huystee, R. B. and Esnault (1996). Reflection on peanut peroxidase regulation of growth. *Plant Peroxidase Newsletter*, **6**:8-10.
- Van Wambeke, A. (1976). Formation, distribution and consequences of acid soils in agricultural development. In: Proceedings of workshop on plant Adaptation to Mineral stress in Problem soils. right, M. J. and S. A. Ferrari (eds). Spec. Publ. Cornell Univ. Agric. Exp. Stn., Itaca, NY. pp. 15-24.
- VanHuystee, R. B. and Esnault (1996). Reflections on peanut peroxidase regulation of growth. *Plant Peroxidase News letter*, **6**:8-10.
- Videl, R. D. and Broyer (1962). Effect of high level of magnesium on the Al uptake and growth of maize in nutrient solution. *Aloles Edafol. Agrobiol.*, **21**:13-3.
- Von, Uexkull. H. R., and E, Mutert. (1995). *Plant and soil* **171**:1-15. ————— Ti+1C
- Wacker, W. E. and Vallee, B. L. (1959). Nucleic acid and metals I. Chromium, Manganese, Nickel, Iron and other metals in ribonucleic acid from diverse biological sources. *J. Biol. Chem.*, pp. 234
- Wagatsuma, T. and Akiba, R. (1989) Low surface negatively of root protoplasts from aluminum-tolerant plant species. *Soil Sci. Plant Nutr.* **35**:443-452.
- Wallace, A., E. M. Romney and C. V. Alexander (1976). Lime-induced chlorosis caused by irrigation water *common soil sci plant Anal.*, **7**: 47-49.

- Wallace, S. U., Henning, S. J. and Anderson, J. (1982). Elongation Al concentration hematoxylin aluminum-treated wheat roots, Iowa state 97-106.
- Welinder, K. K. (1992). Superfamily of plant Fungal and bacterial peroxidase. *Curr. Opin. Struct. Biol.*, 2:388-392.
- Wolf, F. T. (1968). Enzymatic activities in leaves of wheat seedling. *Z Pflanzenphysiol.*, 59:5:39-44.
- Wright, K. E and Donahue, B. A. (1953). *Physiol. plant* 674-680. — Title
- Wu, P., Liao, C.Y., Hu, Yi, K. K., Jin, W.Z., Ni, J.J. and He, C. (2000) QTLs.
- Yamamoto, Y., Kobayashi, Y. and Matsumoto, H. (2001) Lipid peroxidation is an early symptom triggered by aluminum, but not the primary cause of elongation inhibition in pea roots. *Plant. Physiol* 125, 199-208.
- Yang, Z. M., Sivagure, M., Horst, W. J. and Matsumoto, H. (2000). Aluminum tolerance is achieved by exudation of citric acid from roots of soyabean.(*Glycine max* L. Merr.) *Physiol. Plant*.110:72-77.
- Zairov, S. Z., Erezhepor, A. E. and Valikhanova, G. Zh. (1983). Activation of isoperoxidase of wheat in the early of seed germination. IZV. Akad. Nauk. Kaz. SSR Biol., 4:16-20.
- Zhang, G., Slaski, J. J. Archambault, D. J. and Taylor, G. J. (1997) Alteration of plasma membrane lipids in aluminum-resistant and aluminum-sensitive wheat genotypes in response to aluminum stress. *Physiol. Plant* 99:302-308.
- Zhang, W. H. and Rengel, Z. (1999) Aluminum induces an increase in cytoplasmic calcium in intact wheat root apical cells. *Aust. J. Plant Physiol.* 26:401-409.
- Zhang, G. C. and G. J. Taylor. (1989). Kinetics of Al uptake by excised root of Al tolerant and Al sensitive cultivars of *Triticum aestivum* L. *plant physiol.* 91:1004-1099.
- Zharare, G. E. C. J. Ashwer and F. P. Blamey, (1997). Net influx of calcium and efflux of potassium in groundnut pods grown in solution culture. In plant Nutrition for sustainable food production and Environment (T. Ando et. al Eds) pp.177-178 Kluwer Academic publishers, printer in Japan.