

BIBLIOGRAPHY



Bibliography

Abaza, R.H. Blake, T.T. and Fisher, E.I. (1968), Oxalate Determination, Analytical problems encountered with certain plant species. *I.O., A.O.A.C.*, 51:5, Original KMnO_4 oxalate method of Dye W.B. *Weeds*, 4 : 55-56 (1956) Modified (water soluble oxalate)

Abdul Jabbar, Mohammad Arfan, Zoman, Zafer Iqbal, Mohammad Yaseen, Asim Shamim. (2007) : Anthelmintic actiity of *Chenopodium album* (L.) and *Caesalpinia Crista* (L.) against trichostrongylid nematodes of sheep. *J. Enthnopharm acology*, 114 : 86-91.

Agarwal, C.S. and Pandey, G.S. (1994. soil pollution by spentwash discharge : depletion of managanese II and impairment of its oxdiation *J. Environ. Biol*; 15(1) 49-93.

Aina, P.Q. (1984) : Contribution of earthworms to porosity and water infiltration in a tropical soil under forest and long term cultivation *pedobiologia*. 26(2) : 131-136

Ambike, V.V. and Karmarkar. S.I. (1975). Physiological changes during senescence in *Kalanchoe pinnata* (Lamk.) I. Changes in the inorganic ion content of the leaves. *J. Biol.Sci.* 18 : 33-42.

Amonkar, D.V. and Karmarkar S.M. (1978) Ion regulation in *Salvadora Persica* Linn. *J. Biol. SCl*, 21(1): 13-18

Anjum, T. and Bajwa, R. (2007) : The effect of sunflower leaf extracts on *Chenopodium album* in wheat fields in Pakistan. *Crop protection*, 26(9) : 1390-1394.

Austenfeld, F.A. (1974) : The effect of NaCl and other alkaline salts on the Nitrate Reductase Activity of *Salicornia europea* L.Z. *Pflanzenphysiol.*, 71 : 288 - 296.

Barderas, R. Villalba, M., Pascual, C.Y. Bataners, E. and Rodriguez, R. (2004) : Profilin (Cheaz) and Polcalcin (Chea3) are relevant allergens of *Chenopodium album* pollen : Isolation, amino acid sequences and immunologic properties J. Allergy and clinical Immuno 113(6) : 1192-1198.

Baur, J.R. ; Halliwell, R.S. and Langston, R. (1968). Pathways of carbohydrate catabolism in senescent and non-senescent tobacco leaves. *Physiol.Plant.*, 21 : 45-51.

Behera B.K. and Misra B.N. (1985) The effect of sugar mill effluent on enzyme activities of rice seedlings. *Environ. Research*, 37(2): 390-398

Behera B.K. and B.N. Mishra. 1982. Analysis of industrial effluent on growth and development of rice seedlings. *Environmental Research*, 28. pp.10-20.

Behera B.K. and Misra B.N.(1980): The effect of industrial effluent of a molasses on growth and development of rice. Deppt. Bot., Berhampur University, Berhampur. 760007, Orissa, India.

Bengtsson, B. and Jensen, P.(1983): Uptake and distribution of calcium magnesium and potassium in cucumber (*cucumis sativas cultiucila*) of different age. *Plant physiol*, 57(4): 428-434.

Bengtsson, B.L.; Bosund, I and Hylmo, B. (1966) : Mineral salts and Oxalate content in Spinach Leaves as a Function of Development stage. *Z. Pflanzenernahr., Dung., Bodenkunde.*, 115 : 192-199.

Bhatia, I.S., Bajaj K.L. and Ghangas, G.S. (1971). Tannins in black pulp seeds. *Phytochemistry*, 10 : 219-220.

Bhivare, Y.N. (1984). Physiological studies in pulses. A Ph.D. thesis submitted to Shivaji University, Kolhapur.

Bhosale A. (2000) : Studies on influence of spent wash on soil fertility and sugarcane productivity, Ph-D Thesis, Envir., submitted to Shivaji University Kolhapur, India.

Biswal U.C., Singhal, G.S., Mohanty, P. (1979). Park stress induced senescence of barley leaves : Changes in chlorophyll a fluorescence of isolated chloroplasts. *Indian J. Exp. Biol.*, 17 : 262-264.

Biswal, V.C. and Mohanty, P. (1976): Aging induced changes in photosynthetic electron transport of detached barley leaves plant and cell physical 17: 323-331.

Brown. D. Encyclopaedia of Herbs and their Uses. Dorling Kindersley, London. 1995 ISBN 0-7513-020-31.

Brachet, J. and Cosson, L.. (1986) : Changes in the total alkaloid content of *Datura innoxia* Mill. subjected to salt stress. *J. Exp. Bot.*, 37 : 650-658)

Bumblu, D.R., Singh B. and Singh T.N. (1968) : Effect of salt on seed germination: *Indian J. of Agriculture* 15, 181-185.

Chakravarty. H.L. *The Plant Wealth of Iraq*.

Chavan, P.D. (1980) : Physiological studies in plant (Physiological studies in *Eleusine coracana* Gaertn.) A Ph. D. thesis submitted to Shivaji University, Kolhapur, India.

Choe, H.T. and Thimann, K.V. (1975). The metabolism of oat leaves during senescence. III. The senescence of isolated chloroplasts, *Plant Physiol.*, 55 : 828-834.

Cleark, R.B. (1974). Mineral element concentrations in corn leaves changes induced by position on the plant and age. *Comm. Soil.Sci.Plant Anal.*, 6:439-450.

Cutillo, F.; D'Abrosca, B. ; Della Greca, M.; Marino, C.; Golino, A. ; Previtera, L. and Zarreli A. (2003) : Cinnamic acid amides from *Chenopodium album* : effect on seed germination and plant growth. *Phytochem.* 64(8) : 1381-1387)

Dasa, Jai Chaitanya. (2008) : Growing Biodynamic Sugar cane in India.

Datta, S.K. and Biossya C.L. (1998) : Effect of paper mill effluent on chlorophylls leaf area and grain number in transplanted rice (*oryza sativa* L. var.) *J. of Industrial pollution control.* 14(2) : 141-145.

Daun, D.; Liu, x. ; Khan, M.A. and Gul, B. (2004) : Effect of salt and water stress on the germination of *Chenopodium glaucum* L. seed. *Pakistan J. Bot.* 36(4) : 793- 800.

David, J. Walker., Rafael, Clementae and M. Pilar, Bernal. (2004) : Contrasting effects of manure and compost on soil p^H , heavy metal availability and growth of *Chenopodium album* L. in a soil. contaminated by pyritic mine L. in a soil contaminated by pyritic mine waste. *Chemosphere*, V. 57(3) : 215-224.

Doering, J. and Luedders, P. (1986) : Influence of different salts on chlorophyll content, photosynthesis and carbohydrate metabolism of *Punica grasatum* Cv. Mytelinis. *Gartenbauwissenschaft*, 51(1) : 21-26.

Dr. Tewari D.N. (1992) A Monograph on Teak (*Tectona grandis* Linn f.) Page 3-9

Dubey, A.K.; Shrivastav, M.; Singh, A.K.; Pandey, R.N. and Deshmukh, P.S.(2008) : Physiological parametrs and Nutrients of different genotypes of citrus as affected by salt stress. Abs. Golden Jubilee conference on challenges and Emerging strategies for improving plant productivity, IARI, New Delhi, India.

Dyer T.A. and Osbron D.J. (1971) : Leaf Nucleic acids. II Metabolism during senescence and effect of kinetin. *Journal of Experimental Botany.* 22:552-560.

El Katony, T.M. (2001): Salinity fertility interaction on the uptake and distribution of Ca and Mg in *Linum usitatissimum* L and *Hibiscus cannabinus*. Abstract, Egyptian J. Bot 38(1-2): 223-240.

Elecy, C.D. and Tiwari, D. (1997) : Effect of distillery effluent on seed germination, early growth and chlorophyll content of millet crop, Geobios, 18; 134-136)

El-Hamdaoui, A., Redondo-Nieto, M., Rivilla, R. Bonilla, I. and Bolanos, L. (2003). Effects of boron and calcium nutrition on the establishment of the *Rhizobium leguminosarum* pea (*Pisum sativum*) symbiosis and nodule development under salt stress. *Plant Cell Env.*, **26**(7): 1003-1011

Facciola. S. Cornucopia- *A Source Book of Edible Plants*. Kampong Publications 1990 ISBN 0-9628087-0-9.

Fletcher R.A. (1969) : Retardation of leaf senescence by benzyladenine in intact bean plants. *Planta*. 89: 1-8.

Fletcher R.A. and Osborne D.J. (1966) : Regulation of protein and nucleic acid synthesis by gibberellins during leaf senescence. *Nature (London)* 2007 : 1176-1177.

Folin, O. and Denis, W. (1915) : A colorimetric estimation of phenols (and phenol derivatives) in urine *J. Biol. Chem.*, 22 : 305-308.

Font Quer P (1990) : *Plantas medicinales. El Dioscorides renovado*, p. 156. Barcelona : Labor.

Forkas, G.L; L Dezsí.; M. Horváth; K. Kisbani and J. Udvardy (1964): Common pattern of enzymatic changes in detached leaves and tissues attacked by parasites phytopathol. *Zeit.*49: 343-354.

Gau J, Jung W & Munker B. (1990) : *Plantas medicinales, bayas, verduras silvestres*, p. 74. Barcelona : Blume.

Glenn, E.P. and O'Leary, J.W. (1984) : Relationship between salt accumulation and water content of dicotyledonous halophytes. *Plant Cell and Environ.*, 7 : 253-261.

Gopi and Ganeshkumar. K. (2003). Effects of Vermiproducs tree seedlings. M.Sc. thesis Tamilnadu Agriculture University, Page 144.

Guerroero, Gail., Luis Jase., Esperanza Maria and Isasa, Torijia. (1977) : Nutritional composition of leaves of chenopodium species [*C. album L.*, *C. Murale L.* and *C. opulifolium Shraeder*]. *International J. Food sci. and Nutrition* 48, 321-327.

Gupta, K. & Wagle, D.S. (1988) : Nutritional and antinutritional factors of green leafy vegetables. *J. Agric. Food Chem.* 36. 472-474.

Gupta, A.K., Sinha, S.(2007) : Phytoextraction capacity of the *Chenopodium album* L. grocon on soil amended with tunnery sludge. *Bioresource. Tech.*, 98(2) : 442-446.

Hatfield,A.W. *How to Enjoy your Weeds*. Frederick Muller Ltd. 1977 ISBN 0-584-10141-4 Interesting reading.

He, T. and Cramer, G.R. (1993-a) : Cellular responses of two rapid cycling Brassica species, *B. napus* and *B. carinata*, to seawater salinity. *Physiol. Plant.*, 87 : 54-60.

Hebbar, K.B. ; Venugopalan, M.V.; Ray S.K.; Gokulpure, P.P. and Rao M.R.K. (2008) ; Effect of salt stress on growth and photosynthesis of different cultivated species of cotton (*Gossypium spp.*) Abstract, Golden Jubilee conference on challenges and emerging strategies for improving plant productivity IARI, New Delhi, India.

Hegde, B.A. and Patil, T.M. (1983) : Utilization of industrial wastewater in agriculture, *Poll Res.* 2(1).

Hirabayashi, Hiroki.*et.al.* (2006) : Analysis of photooxidized pigments in water soluble chlorophyll protein complex isolated from *Chenopodium album*. J. Photochem. Photobio. 183(1-2) : 121-125.

Huber, S.C. (1989) : Biochemical mechanism for regulation of sucrose accumulation in leaves during photosynthesis. *Plant Physiol.*, 91 : 656-662.

Hyder, S.Z. (1971). Seasonal changes in the salt content of developing leaves on citrus seedling nucleus. 8(3) : 113-116.

Jamale, B.B. (1975). Physiological studies in saline plants. Ph.D. Thesis submitted to Shivaji University, Kolhapur (India).

Jaworski E.G. (1971) : Nitrate reductase assay in intact plant tissues. *Biochem. Biophys. Res. Commun.*, 43 : 1274-1279.

Jocelyn, C. ; Dela, Torre and Ofelia, F. Domingo (2008) : Study finds good fertilizer in alcohol distillery wastes : News and Events.

Joshi, G.V. and Mishra, S.D. (1970). Photosynthesis and mineral metabolism in senescent leaves of *Clerodendron inerme* Gaertn. *Ind.J.Exp. Biol.* 8 : 41-43.

Joshi, S.S. (1988) : Senescence in different fruit plants (Mango, Guava, Custard apple), a M.Sc. Thesis submitted to Shivaji University, Kolhapur(India).
Journal of Industrial Poll. Control, 14(1) 27-35.

Kabuzenko, S.N. and Ponomerova, S.A. (1980) : Chloride salinization effect on polysaccharide content and respiration intensity of crops different in salt resistance. *Fiziol. Biokhim. Kult. Rust.*, 12 : 620-624.

Kannan, A. ; Raj, K. Upreti (2008) : Influence of distillery effluent on germination and growth of mung bean (*Vigna radiata*) seeds. J. Hazardous materials, 153(1-2) : 609-615.

Kao, R.C.J. and Young, T.W. (1977): Effects of age, position and fruiting status on mineral composition of 'Tonnage' avocado leaves. *J. Am. Soc. Hortic. Sci.*, 102:311-313.

Kar, M. and D. Mishra. (1975) : Inorganic pyrophosphatase activity during rice leaf senescence. *Can. J. Bot.* 53 ; 503-510.

Kar, M. and Mishra, D. (1976). Catalase, peroxidase and polyphenol oxidase activities during rice leaf senescence. *Plant Physiol.*, 57 : 315-319.

Karande, S.M. and N.A. Ghanvat (1994) : Effect of untreated effluents of Pravara pulp & paper mill, distillery on seed germination and seedling growth in pigeon pea. *Proc. Acad. Environ. Biol.* 3; 165-169).

Khan, M.A. (2004) : Action of plant growth regulators and salinity on seed germination of *Chenopodium album*. *Physiol. Plant*, 36:264-270.

Khokhar, M.K.; Mehmood, T. and Muhammad, S. (2007) : Evaluation of integrated weed management practices for chillies in Pakistan. *Crop Protection*, 26(8) : 1135-1139.

Kirk, J.O.T. and Allen, R.L. (1965) ; Dependence of Chloroplast pigment synthesis on protein synthesis. Effect of actidione. *Arch. Biochem. Biophys. Res. Commun.*, 21 : 535-530.

Komarov, V.L. *Flora of the USSR*. Israel Program for Scientific Translation 1968.

Kumar, Arindam (2001) : Irrigation impact of industrial effluent on chemical constituents of soil and plant. *Adv. plant Sci.* 14 (2) : 351-358.

Kumar, D. (1984) : The value of certain plant parameters as an index for salt tolerance in Indian mustard (*Brassica juncea* L.). *Plant and Soil.*, 79 : 261-272.

Kuroshige, N.S. and Agrawal, A.A. (2005) : Phenotypic plasticity to light competition and herbivory in *Chenopodium album* (Chenopodiaceae). *American J. Bot.*, 92 : 21-26.

Lewington, R.J. and Simon, E.W. (1969). The effect of light on the senescence of detached cucumber cotyledons. *J. Exp. Bot.*, 18 : 528-534.

Lin, W.H. and Rao, C.H. (1980). Factors affecting in vivo nitrate reductase activity in triticale. *Physiol. Plant.*, 48: 361-364.

Machold, O. and Stephan, U.W. (1969) : The function of iron in porphyrin and chlorophyll biosynthesis. *Phytochem.*, 8 : 2189-2192.

Manomani, K.G.; (Litrubasu and k. swaminathan (1990): Effect of alcohol & chemical industry effluent on Physics-chemical and biological properties of soil, poll. res. 9, 79-82.

Matar, Y., Deorling, H.W. and Marschner, H. (1975) : Effect of NaCl and Na₂SO₄ on dry matter production, mineral content and organic compounds of spinach and lettuce. *Z. Pflanzenernahr. Bodenkd.*, 138 : 295-307.

Misra, R.N. and Behera, P.K. (1991): The effect of paper industry effluent on growth, pigments, carbohydrates and proteins of rice seedlings. *Environmental pollution*, 72(2): 159-167.

Morales, F. ; Abadia, A.; Gomez-Aparisi, J. and Abadia, J. (1992) : Effects of combined NaCl and CaCl₂ salinity on photosynthetic parameters of barley grown in nutrient solution. *Physiol. Plant.*, 86 : 419-426.

Mukherjee, S.P. and Choudhuri, M.A. (1980) : Effect of water on some oxidative enzymes and senescence in Vinga seedlings. *Plant Physiology and Biochemistry Laboratory Botany Department Burdwan University, Burdwan 713 1Q4 India.*

Munjal, S.V.; Kadam, S.S. and Salunkhe, D.K. (1983): Factors influencing in vivo nitrate reductase activity in winged bean (*Psophocarpus tetragonolobus* L.D.C.). *Indian J Plant Physical.*, 26: 21-26.

Murdoch, A.J. (1982): Factors influencing the depletion of annual weed seeds in the soil. Ph.D. Thesis, University of Reading.

Murumkar, C.V. (1986) : Physiological studies in Chickpea (*Cicer arietinum* L.) A Ph.D. thesis submitted to Shivaji University, Kolhapur, India.

Murumkar, C.V. and Chavan, P.D. (1985) : Influence of water pollution on germination of gram (*Cicer Arietinum*. L.) current pollution Research in India. @1985. Eds. R.K. Trivedy and P.K. Goal. Environment Publications, Karad.

Murumkar, C.V. and Chavan, P.D. (1987) : Salinity induced biochemical changes during germination of Chickpea (*Cicer arietinum* L.) *Acta Agronomica Hungarica*, 36 : 43-49.

Naidoo, G. and Naicker, K. (1992) : Seed germination in the coastal halophytes *Triglochin bulbosa* and *Triglochin Striata* *Aquatic Bot.*, 42(3) : 217-229.

Naidu, C.V. and Swamy, P.M. (1996). Seasonal variation in Ca, Mg, S and Na content of different plant parts in tropical deciduous tree species. *Indian J. Plant Physiol.* New series 1 (1) : 1-5.

Naidu, Madhushree K. and Raman, G.K. (1995) : Distillery waste impact on *Arachis Hypogaea* L., *J. Environ. Biol.*, 16(12), 181-186.

Nelson, N. (1944) : A photometric adaptation of the Somogyi method for the determination of glucose. *J. Biol. Chem.*, 153 : 375-380.

Nikam, V.K. and Chavan, P.D. (2008) : Effect of sodium chloride salinity on the mineral nutrition of *Chlorophytum borivilianum*. Abs. Golden Jubilee conference on

challenges and Emerging strategies for improving plant productivity, IARI, New Delhi, India.

Olas, J.C.: Harper, J.E. and Hageman, R.H. (1976): Nitrate reductase activity in Soyabean (*Glycine Max. L. Merr.*). *Plant Physiol.* 58:731-735.

Om Hari, Singh Nepal, Arya Mayank S. (1994): Combined effect of wastes of distillery and sugar mill on seed germination, seedling growth and biomass of okra (*Abelmoschus esculentus* (L) Moench). *J Environ Bio.* 15:171-175.

Pandey, D.K. and Soni. P. (1994) : Distillery effluent a potential resource for irrigation forest seed beds. *Royal Swedish Academy science*; 23, 267-268.

Pandey, S.K. ; Tyagi P. and Gupta, A.K. (2007) : Physico - chemical analysis and effect of distillery effluent on seed germination of wheat (*Triticum aestivum*), Pea(*Pisum sativum*) and lady finger (*Abelmoschus esculentus*. *ARN J. Agri and Bio-Sci.* 2. www.arnjournals.com.

Patange, S.R. and Patil, V.R. (1980): Chemical composition of the leaves of jambhul (*Syzygium cumini*) during growth stages. *Maharashtra Vidnyan Mandir Patrika*, 15 : 41-44.

Pathak, H., Joshi, H.C., Chaudhary, A., Chaudhary, R., Kalra, N., and Dwivedi, M.K. (1998): Distillery effluent as soil amendment for wheat and rice. *J. Indian Soc. Soil Sci.* 46:155-157.

Patil G.D.; Surve, S.P. ; Mungare, T.S. and Ghagare R.V. (1995): Evaluation of spentwash and presmud as a useful material in agriculture. *Bhartiya Sugar* 21/8, 13-15.

Pistelli, L.; Perata, P. and Alpi, A. (1992): Effect of leaf senescence on Glyoxylate cycle Enzyme activities. *Austr. J. Plant. Physio*, 19(6) ; 723-729.

Pragasam, A. and Kannabiran, B. (2001) : Effect of distillery effluent on the morphology biochemistry and yield of *Vigna Mungo* Adv. plant Sci., 14(2) : 547-552.

R. Thiruvankataswamy : Improving Soil fertility By vermiculture – Tamilnadu Grassroots. Email : ashok359@yahoo.co.in or ashok359@sify.com

Raafat, A.: Hofner, H. and Linser.H. (1971). $^{14}\text{CO}_2$ assimilation during photosynthesis of aging bean seedlings. Z.P. flnzenphysiol., 64(1): 22-33.

Ramana, S. ; Biswas, A.K.; Saha, J.K. and Yadava, R.B. (2001) : Effect of distillery effluent on seed germination in some vegetable crops. Indian Institute of soil science, Nabi bugh, Berasia Road, Bhopal 462038, India Available online.

Rane, M.R. (1991). Physiological studie of leaf senescence in groundnut (*Arachis hypogaea* L.) A Ph.D. thesis submitted to Shivaji University, Kolhapur.)

Ranu Roy. ; Biossya, C.L. and Singha H. (2008) : Impact of bongaigaon refinery and petrochemicals Ltd. effluent on the NPK and chlorophyll content of rice plants *Oryza sativa* L. Var. Bora. Abs. Golden Jubilee conference on Challanges and emerging strategies for improving plant productivity, IARI, New Delhi, India.

Reddy, M.P. and Vora, A.B. (1986) : Changes in pigment composition, Hill reaction activity and saccharides metabolism in Bajra (*Pennisetum typhoides*) leaves under NaCl salinity. *Photosynthetica*, 20 : 50-55.

Reid. B.E. *Famine Foods of the Chiu-Huang Pen-ts'-ao*. Taipei. Southern Materials Centre 1977.

Reimann, C. (1992) : Sodium exclusion by *Chenopodium* species. *J. Exp. Bot.*, 43 : 503-510.

Rethert, G.; Doering, H.W. and Witt, J. (1981-b) : Influence of extreme K: Na ratios and substrate salinity on plant metabolism of crops differing in salt tolerance. III. K/Na effects on the carbohydrate pattern of bushbean and sugarbeet plants in response to salt tolerance of the species. *J. Plant Nutr.*, 4 : 131-141.

Riotte L. *Companion Planting for Successful Gardening*. Garden Way, Vermont, USA. 1978 ISBN 0-88266-064-0

Rozema, J. (1991) : Growth, water and ion relationship of halophytic monocotyledonae and dictotyledonae : a unified concept. *Aquatic Bot.*, 39 : 17-33.

Salunkhe V.S. (1997). Senescence in *Ipomoea carnea*. A M. Phil. Dissertation submitted to Shivaji University, Kolhapur.

Saury A (1984) : *Plantas silvestres nutritivas*, pp. 78-80. Madrid : Edaf.

Schumacher, C.E.; Harlene, M. and Valenti, H. (2007) : Effect of close and spray volume on early-season broadleaved weed control in *Allium* using herbicides. *Crop protection*, 26(8) : 1178-1185.

Sharma, D.K. ; Dahuja, A. and Joshi H.C. (2008) : Effect of salinity stress on the growth and morphology of *Jatropha Curcas* L. Abs. Golden Jubilee conference on Challenges and emerging strategies for improving plant productivity, IARI, New Delhi, India.

Sharma, V. ; Sharma, R. and Sharma K.D. (2002) ; Distillery effluent effect on seed germination, early seedling growth and pigment content of sugar beet (*Beta vulgaris* Linn. var. *mezzanan* poly). *J. Environ Bio*, 23(1) (2002) : 77-80.

Shekharwat, V.P.S.; Kumar, A. and Neumann, K.H. (2006) : Effect of sodium chloride salinity on Growth and Ion accumulation in some Halophytes. *Communication in Soil Sci. and Plant Analysis*, 37 (13-14) : 1933-1946.

Shekhawat, V.P.S. (2006) : Effect of sodium chloride salinity on growth and ion accumulation. www.informaworld.com/index.x/747914477.

Shetty, G.P. (1971). Physiology of growth and salt tolerance of plants. A Ph.D. thesis submitted to Shivaji University, Kolhapur (India).

Shevyakova, N.I. (1998) : The effect of NaCl (0.3-1-0%) on the accumulation of proline in wildgrowing halophytes (*Salicornia europaeae* L., *Chenopodium album* L.) Appbio., 3:291.

Shinde, D.B. and Trivedy, R.K. (1983) : Effect of distillery waste water irrigation on agronomical characteristics of *Abelmoschus esculentus* and *Zea mays* at Germination stage. Environ. and Ecol. 1:109-111.

Shioi, Y.; Tatsumi, Y. and Shimokawa, K. (1991) : Enzymatic degradation of Chlorophyll in *Chenopodium album*. Oxford J. Plant, Cell Physio, 32 (1) : 87-93.

Shitole, S. and Dhumal, K.N.(2008) : Effect of Chloride salinity on seed germination physiology of (*Cassia angustifolia* vahl.). Abs. Golden Jubilee conference on challenges and Emerging strategies for improving plant productivity, IARI, New Delhi, India.

Siddaramaih, R.K.; H. ramkrishnaih ; Somashekhar and S. Subramanya (1998) : Assessment of toxicity of heavy metal rich industrial effluents using germination and chlorophyll content tests.

Sidhumol, (2008) : Vermiwash the best tonic for plants.

Siegel, O. and Bijarsch, H.J. (1962) : Uber die wirkung von Chlorid-und Sulfationen auf den stoffwechsel von Tomaten, Sellerie and Reben. *Gartenbauwissenschaft*, 27 (9/1) : 5-16.

Singh D.K., D. Kumar and V.P. Singh.1985. Studies of pollutional effects of sugar mill and distillery effluents on seed germination and seedling growth three variety of rice. Jr. of Environmental Biology 6(1):31-35.

Singh, D.K. (1982) : Effect of distillery effluent on some germination parameters of certain legumes. Sci. and Environ. 4; 61-69)

Singh, L. ; Yadav, N.; Kumar, A.R.; Gupta, A.K.; Chacko, J.; Parvin, K. and Tripathi, U. (2007) : Preparation of value added products album Linn). Natural Product Rodiance, (6) : 11-17.

Singh, P.P. (1974) : Influence of high intensity fertilizers and salinity on oxalate and mineral concentration of two vegetables (*Chenopodium album* L. and *C. amaranticolor* L.) Qual. Plant foods and Hum. Nutr., 24:115-126.

Sivasubramanian, K. and Ganeshkumar, M (2004) : Influence of vermiwash on the biological productivity of marigold. Madras Agric J. 91 (4-6) : 221-225

Smedema, L.K and Ochs, W.J. (1996): Integrated water management for the humid Tropics. 28ILRI symposium, "Towards integration of irrigation and drainage management."

Smith, R.; Wiechers, S.C. (1981) : Elimination of toxic metals from waste water by an integrated wastewater treatment water reclamation system water S.A. (Pretoria) 7(1) : 65 : 70.

Someshekhar, R.K. and Siddaramaih (1997) ; Heavy metal concentration in soil and crops grown with metal rich industrial waste water. Journal of Industrial Pollution control; 13(2); 123-134.

Srivastava, N., and Sanhai, R.(1987): Effects of distillery waste in the performance of *Cicer arietinum* L. Environ. Pollut 43:91-102.

Strogonov, B.P. (1964): Physiological basis of salt tolerance of plants. Trans. poljakoff Mayber, A. and Mayer, A.M. Israel Program Sci. Transl., Jerusalem. pp. 279.

Swaminathan, K., Gurusamy, R., and Pongaliappan, S. (1992) Utilization of alcohol and chemical industry effluent as liquid fertilizer for crop plants. *Proc Acad Environ Bio*, 1:47-151.

Thakur, R.S., Rao, G.S.P., Chadha, K.L. and Sarma, J.S. (1981): Variation in mineral composition of mango leaves as contributed by leaf sampling factors. *Commun.Soil.Sci. Plant Anal.*, 12 : 331-344.

Toth, S.J.; Prince, A.L.; Wallace, A. and Mikelsen, D.S. (1984) : Rapid quantitative determination of eight mineral elements in plant tissue by systematic procedure involving use of a flame photometer. *Soil Sci.*, 66 ; 459-466.

Vaisman, I; Shalhevet, J; Kipnis, T and Feigin, A.; (1981) : Reducing groundwater pollution from municipal wastewater irrigation Rhodes Grass (*Chloris gayana*) grown on sand dunes. *J. Environ qual.* 10(4) ; 434-439.

Vijaya, T., Savithramma, N. and Swamy, P.M. (2006): Enhanced growth of *Cyamopsis tetragonoloba* with vermicompost application in field conditions. *J. Indian. bot. Soc.*, 85: 78-81

Vijayanathan. K (2003): Vermiproducts for growth and biomass production of tree and ornamental seedlings. M.Sc. thesis Tamilnadu Agricultural University :165.

Wadkar, P.R. (1989): Studies in salt tolerance of *Crotalaria L. Species*. A Ph.D. thesis, Shivaji University, Kolhapur, India.

Watanabe, Y. (1978): Physiological and ecological studies on upland weeds in Hokkaido. *Research Bulletin of the Hokkaido National Agricultural Experiment station*, 123:17-77.

Waughman, G.J. and Ballmay, D.L. (1981): Movement of cations in some plant species prior to leaf senescence. *Ann. Bot.*, 47:141-145.

Waughmann, G.J. and Ballamy, D.J. (1981): Movement of cations in some plant species prior to leaf senescence. *Ann. Bot.* 47 : 141-145.

List. II

Agastian, P, Kingsley, S. and Vive Kanandan, M. (2000). Effect of salinity on photosynthesis and biochemical characteristics in Mulberry genotypes. *Photosynthica*, 38 (2): 287-290.

Albert, R. and Popp, M. (1977): chemical composition halophytes from the Neusiedlery Lake region in Austria *Oecologia*, 27 : 157- 170.

Ali, A, Mohanty, P and Saradhi, P. P. (1992): Effect of sodium chloride on primary photochemical activities in cotyledonary leaves of *Brassica Jucea* *Biochemie and physiologie dev. Pflanzen*, 188 (1) : 1-12.

Arnon D. I. (1949): Cupper enzyme isolated chloroplasts: polyphenol oxidase in *Beta vulgaris*. *Plant physiol.* 24:1-15

Baur, J. R. Halli well, R.S. and Langston, r, *physiologia pl.* 21 (1968), 45.

Beevers, L. and Hageman, R. H. (1969). Nitrante reduction in higher plants. *Ann. Rev. plant. Physiol*; 20: 495-522.

Behera, B. K. and Misra, B. N. (1983): analysis of the effect of industrial effluent on pigments, proteins, nucleic acids and the 2,6- dichlorophenol indophenol hill reaction of rice Seedlings. *Environ. Res.* 31 (2): 381-389.

Buchede, J.Y. (1988): Physiology of salt tolerance in legumes germination under saline condition. A Ph.D Thesis submitted to Bot. Dept. Shivaji University, Kolhapur (India)

Carbonell_ Barrachina, A. A Burlo- Carbonell, F. and Mataix- Beney to, J. (1998). Response of bean micronutrient nutrition to arsenic and salinity *J. Plant Nutr*, 21 (6): 1287-1299.

Chakravarti, N and Mukherji, S. (2002): Growth regulator mediated changes in leaf area and metabolic activity in *mungbean* under salt stress condition, Indian, J, Plant physiol. 7 (3): 256-263.

Chavan, P. D. and Karadge, B. A. (1980): Influence of sodium chloride sodium sulphate salinization on photosynthetic carbon assimilation in *peanut*. Plant and soil, 56:201-207.

Chavan, S. D. and Patil, V. K. (1980): Chemical composition of the leaves of chiku (*Achras sapota*, syn) during different stages of the crop. Gujarat agric. Univ. Res. T. S. (2): 5-9 (Eng.)

Clark, R. B. (1984): Physiological aspects of calcium, magnesium and molybdenum deficiencies in plants. Agronomy monograph (2nd edition). Madison, V. S. PP. 99-168.

Coalcoati, F. R. Oliveira, J. T. A. Martins- Miranda, A. S; Viegas, R. A. and Silveira, J. A. G. (2004): superoxide dismutase, catalase and peroxidase activities do not confer protection against damage in salt stressed cowpea leaves. New phytol; 163 (3): 563-571.

Cordovilla, M.P; Ocana, A. Ligerio, F, and Llych, C, (1995): Salinity effects on growth analysis and nutrient composition in four grain legumes: *Rhizobium symbiosis*. J. plant Nutr; 18 (8) ; 1595-1609.

Cramer, G. R. Lunch, J. Lauchli, A and Epstein, E. (1987): Influx of sodium, potassium and calcium into roots of salt stressed cotton seedlings: Effects of supplemental Calcium plant physiol; 83 (3): 510-516.

Dagar, J. C. Bhagwan, H, and Kumar, Y, (2004): Effect on growth performance and biochemical contents of *Salvadora Persica* when irrigated with water of different salinity. Indian J. Plant physiol. 9 (3): 234-238.

Delfine, S. Alvino, A. Zacchini, M. and Ioreto, F. (1998). Consequences of salt stress on conductance of CO₂ diffusion, Rubisco characteristics and anatomy of *spinach* leaves Aust. J. Plants. Physiol; 25 (3) : 395-402.

Delgado, I. C. and Sanchez- Raya, A. J. (1998): Nutritional response of sunflower (*Helianthus annuus L.*) to iron supply in a saline environment. Phyton 62 (1-2) 79-86.

Esechie, H. A. Rosriguez, V. and Al- Asmi, H. S. (2002): Effect of sodium chloride salinity on *cation equilibria* in alfalfa (*Medicago sativa L*) Crop Sci; 23 (2) : 253-258.

Essa, T. a. (2002): Effect of salinity on growth and nutrient composition of three soyabean (*Glycine Mas. L. merrill*) cultivars. J. Agron. Crop. Sci, 188 (2) : 86-93.

Evans, H.J. and sorger, G. J. (1966): role of mineral elements on the univalent cations, Ann. Rav. Plant physiol. 17:47-77.

Gabauer, J., Ei – Siddig, k, Salih, A. A. and Ebert, G. (2003): Effect of different leaves of NaCl induced salinity on growth, Photosynthesis, leaf chlorophyll concentration and ion distribution of *Adansonia digitata L.* Seedlings. J. Appl. Bot; 77 (3-4) : 103-107.

Gadallh, M. A. A. (1999): Effect of praline and glycinebetaine on *vicia faba* responses to salt stress. Biol, plant. 42 (2) : 249-257.

Gaikwad, D. K. (1995): Physiological studies in salinity tolerance of grain *Amaranth*. A. Ph. D thesis submitted to Shivaji University, Kolhapur (India).

Gaikwad, D. K. and Chavan, P.d. (1999). Effect of salinity on Carbohydrates Status of three *Amoaranthus* Species. Acta Bot. 42 (4-1) : 111-117.

Garg, B. K. Kathju, S. and Vyas, S. P. (2005): Salinity – fertility interaction on growth, photosynthesis and nitrate reductase activity in sesame. Indian J. Plant. Physiol; 10 (2): 162-167

Garg, B. K; Kathju, S. Vyass, S. P. and Lahiri, A. N. (1997). Alleviation of sodium chloride induced inhibition of growth and nitrogen metabolism of clusterbean by calcium. Biol. Plant; 39 (3) : 395-401.

Grinberg, A. A. (1971): Physicochemical basis of the protective function of catalase Lalv. PsRZi Nat. Akad. Vestis. J. 2: 60-62.

Hamada, A. M. (1996): Effect of NaCl, water stress or both on gas exchange and growth of wheat. Biol. Plant; 38 (3) : 405-412.

Hamada, A. M. and El- Enany, A. E. (1994): Effect of NaCl salinity on growth, pigment and mineral element contents and gas exchange of broad bean and pea plants Biol. Plants; 36 (1) : 75-81

Hassonein, A. A. (1999). Physiological responses induced by shock and gradual salinization in rice (*Oryza sativa*.) Seedlings and the possible roles played by glutathione treatment Acta Bot; 42 (1-47): 139-159.

Imamul- Hug, S. M. and Jarber, F. (1984): Osmoregulation in higher plants: Effect of maintaining high Na: Ca ratio on the growth, ion balance and organic solute status of NaCl stressed cowpea (*Vigna Sinesis L.*). Z. Pflonzenphysiol. 113:163-176.

Jamale, B.B. (1987): Effect of salinity and distillery effluents on plant. Project report submitted to Shivaji University, Kolhapur. (India)

Karadge, B. A. (1981): Physiological studies in Succulents (Physiological studies in *Portulaca loeracea L.*) A Ph.D. thesis submitted to Shivaji University, Kolhapur, India.

Karadge, B. A. and Chavan, P. D. (1981): Salt tolerance studies in groundnut (*Arachis hypogaea* L.) Variety T.M.V. 10 Bilvigynum, 7: 137-144.

Karadge, B. A. and Chavan, P. D. (1997): Mineral nutrition of groundnut (*Arachis hypogaea* L.) Var. SB-II grown in salinized soil. M.V.M. Patrika, 14(2) : 68-75.

Khan, M. G. (1994): Effect of salt stress on nitrate reductase activity in some leguminous crops. Indian J. Plant. Physiol. 39 (3): 185-187.

Khan, M. G. Silberbush, M. and Lips S. H. (1997), Responses of alfalfa to potassium, Calcium and nitrogen under stress induced by sodium chloride. Biol. Plant. 40 (2): 251-259.

Krishnamoorthy, H. N. and Siddique, S. (1985): Effect of salinity and β -nine on *vigna unguiculata* (Cowpea var. HFC 42-1) Abst. Proc. Of NaCl. Seminar on plant physiol; BHU; Varanasi, Feb. 21-23, 1985. abstracts of papers : 66-67.

Kuban, H. Saneoka, H; Nehira, K. Adilla, R. Preachandra, G. and Fujita, K. (1999): Effect of growth, photosynthesis and mineral composition in leguminous plant *Alhagi pseudoalhagi* (Bich.) Siol. Sci. Plant Nuster; 45 (4): 851-862.

Kumar, Arindom. (2001): Irrigation impact of industrial effluent on chemical constituents of soil and plant. Adv. Plant Sci, 14 (2): 351-258.

Kumar, R. Goyal, V and Kuhad, M. S. (2005): Influence of fertility – salinity interactions on growth water status and yield of Indian mustard (*Brassica Juncea*) Indian J. Plant physiol. 10 (2) : 139-144

Kylin. A. (1973) Adenosine triphosphatases stimulated by (Sodium + Potassium): Biochemistry and possible significance for salt resistance. In 'Ion Transport of plants', Ed. Anderson W. P. Academic Press, London. Pp 369-377

Lee, K. E. (1985): Earthworms. Their ecology and relationship with land use. Sydney: Academic press, 411 pp.

Lokhande, S.V. and Bhosle, L. J. (1983): Effect of distillery waste on inorganic constituents of *dichanthium annulatum* poll. Res. Vol 2 (2): 57-58

Lycoukouts, I. H, Sawas, D. and Mavrogianopoulos, g. (2005) growth, gas exchange and nutrient status in pepper (*capsicum annum L*) growth in recirculating nutrient solution as affected by salinity imposed to half of the root system. Scientia Horticulturae 106 (2) : 147-161

Maighany, F. and Ebrahimzadch, H. (2004): Intervarietal difference in nitrogen control and nitrate assimilation in wheat (*Triticum aestivum L.*) under salt stress Pak. J. Bot; 36 (1): 31-39.

Manikandan, T. and Venkatesan, A. (2004): Influence of NaCl on growth, organic constituents and certain antioxidant enzymes of *Aegiceros Corniculatum* Blanco. Geobios, 31(1); 21- 24.

Manomani, K. G.; Chitrabasu and K. Swaminathan (1990): Effect of alcohol and industry effluent on physical chemical and biological properties of soil, Poll. Res9, 79-82.

Matile P. (1992): Chloroplast senescence in Baker N. and Thomas H. Eds. Crop. Photosynthesis : spatial and temporal determinants, Amsterdam : Elsevier, (413-440).

Mengal, K. and Kirkby, E. A. (1982): In principles of plant Nutrition; Intern, Potash, Inst. Switzerland.

Mishra, S. and Das, A. (2004): Effect of short- term exposure to NaCl on photochemical activity and antioxidant enzyme in *Bruguiera Parviflora* a non secretor mangraove. Acta. Physiol. Plant; 26 (3): 317-336.

Misra, A. N. Latowski, D. and Strzalka, K. (2006). The xanthophylls cycle activity in kidney bean and cabbage leaves under Salinity stress. Russian J. Plant Physiol; 53(1) : 102-109

Misra, R. N. and Behera, P. K. (1991): The effect of paper industry effluent on growth, pigments carbohydrates and proeins of rice seedlings. Enviornmental pollution, 72 (2): 159-167.

Mohamed, M. H. (2002): response of the greenhouse pepper hybrids to salinity during different growth stages. Egyp. J. Hort., 29 (2) : 249-270

Muhammad, I. M. and Muhammed, S. (1971). Salt tolerance studies on three varieties of sunflower, pak. J. Sci. Res., 23:49-54

Murphy, L. R. Kinsey. S. T. and Durako. M. I. (2003): Physiological effects of short – term Salinity Changes on *Ruppia muritima* . Aquatic Bot, 75 (4) : 293 – 309.

Naidu, K.C. (2001): Effect of oil pollution on certain plants under field condition J. Ecotoxico Environ Monit, 11 (3) 195-203 (20 Ref)

Nalawade. B. B. (1988): studies in physiology of an oil seed crop, Niger (*Grizota abyssinica* cass). A. Ph. D. Thesis submitted to Shivaji University, Kolhapur. (India)

Nason, A. and Evans, H. J. (1953) Triphosphopyridine nucleotide - nitrate reductase in plants. Neurospora J. Biol. Chem. 202: 655-673.

Ninknam, V; Bagherzadeh, M; Ebrahimzadeh, H. and Sokhansanj; A. (2004). Effect of NaCl on biomass and contents of sugars, praline and proteins in seedlings and leaf explants of *Nicotiana tobaccum* grown in vitro. Biol. Plant; 48 (2): 613-615

Nueini, M. R; Khoshgoftarmanesh, A. H. lessani, H and Fallahi, E (2004). Effects of sodium chloride induced salinity on mineral nutrients and soluble sugars in three commercial cultivars of pomegranate J. Plant Nutr; 27 (8): 1319-1326.

Osmaond; C.B. (1963): Oxalate and ionic equilibria in australian salt bushes Atriplex. Nature land 198: 503 – 504.

Osmond, C. B.; Bjorkman, O. and Andrson, D. J. (1980): Physiological processes in plant ecology- Toward a synthesis with Atriplex. Springer-Verlag, Berlin PP – 468.

Osmond; C. B. (1966): Divalent cation absorption and interaction in *Ariplex*. Aust. J. Biol. Sci; 19:37 – 48.

Parida, A, Das, A ; Sanada, V and Mohanty, P. (2005) Effect pf salinity on biochemical components of the mangrove, *Aegiceras Corniculatum*. Aquatic Bot. 80 (2) : 77-87.

Prat, D and Fathi. Ettati, R. A. (1990): Variation in organic and mineral components in *Eucalyptus* seedlings under saline stress. Physiol. pant. 479-486.

Rabie, G. H., About Nasr, M.B. and Al. Humuany, A. (2005): Increased salinity tolenrence of cowpea plants by dual inoculation of un arbuscular mycorrhizal Fungus *Glomus Claram* and a nitrogen fixer *Azospirillum brasilence* mycobiology, 33 (1): 51-60.

Rains, D. W. (1972): Salt transport by plants in relation to salinity. Ann. Rev. Plant Physiol; 23: 367-388.

Rao, G. G. and Rao, R. g. (1981). Pigments Composition and chlorophyllase activity in Pigeonpea (*Cajanus indicus*) and gingelly (*Sesamum indicum*) under sodium chloride salinity Ind. J. Exp. Biol; 19(8) : 768 – 770

Romero. J. M. and Maranon T. (1996): Allocation of biomass and mineral elements in *mellitus segetalis* (annual sweetclove): effect of NaCl salinity and plant age. New phytol. 132(4) : 565-573.

Sadashivam, S. and Manickam, A (1991): "Biochemical Methods." Wiley Eastern Limited, Delhi: 2nd Ed. Pp 107-110.

Saha K. and Gupta K. (1999): Effect of NaCl salinity on ethylene production and metabolism in mung bean seedling. Geobios. 26 (1) : 61-66.

Saha, K. and Gupta, K. (1997): Effect of NaCl salinity on ethylene production and metabolism in sunflower seedlings Indian J. Plant physiol; 2 (2) : 127-130.
Salunkhe, V. S. (1997): Senescence in *Ipomoea Carnea*. A. M. Phil. Dissertaion submitted to shivaji University, Kolhapur.

Shimose, N. (1972): Physiology of salt injury incrops. IX salt tolerance of barley, wheat and asparagus. Scientific reports, Fac. Agric; Okayama University, 40:57-68

Singh, K, and Yadav, J. S. P. (1999): Effect of soil salinity and sodicity on seedling growth and mineral composition of *Pongmia Pinnata* Inol. Forester, 125 (6): 618-622.

Singh, P. P. and Saxena, S. N. (1972): Effect of maturity on the oxalate and cation contents of six leafy vegetables. Indian J. Nutr. Diet, 9 (5) : 269-276.

Singh, A. K. and Kumari, B. (2006): physiological basis of Salinity tolerance in repeseed (*Brassica Compestris* 1. Var. tora) during seedling growth. *Physiol. Mol. Biol. Plants* 12 (2): 167-171.

Sinha, S. K. and Nicolas, D. J. D. (1981): Nitrate reductase. In " Physiology and Biochemistry of drought resistance in plants." Sen, D. N. (Ed.). Pp. 145-169 Academic press, Australia.

Springett, J. A. and Syers, J. K. (1979): The effect of earthworm casts on rye grass seedlings, In proc. 2nd Australian Conf. Grassl. Invert. Ecol. (Crosby. T. K. and Pottinger, R. P. eds.). Wellington: Government Printer, 44-47.

Srivastava. H. S. (1981): regulation of nitrate reductase activity in higher phytochemistry, 19:725-733.

Strogonov, B. P. (1973): Metabolism of plants under saline conditions, Timiyazer Lectures XXXIII. *VSSR Academy of Science Moscow*, Nauka. PP. 284.

Strogonov, B. P., Dostanova, R. Khan. and Prykhod' Ko, L. S. (1970). Structure and function of plants cells in saline habitats Moscow, Nauka, pp. 284.

Swami, P. M. and Reddy, (V. S. 1991): Amelioration of NaCl salinity stress by calcium chloride, lipid peroxidation, superoxide dismutase and catalase activities, *Pro, Indian Natl. Sci. Acad. Par B- Biol. Sci*, 57 (3-4) : 267-289.

Tollenaar, M. and Daynard, T. B. (1982): Effect of source sink ratio on dry matter accumulation and leaf senescence of Maize (*Zea Mays*). *Can. J. Plant. Sci*; 62(4): 855-866.

Tozlu, I. More, G. A. and Guy, C. L. (2000): Effect of increasing NaCl concentration on stem elongation, dry mass production and macro- and micro

nutrient accumulation in *poncirus prifoliate*. Aust. J. Plant. Physiol. 27 (1): 35-42.

Varshney, K. A. Sanwal, N. and Agarwal, N. (1998): Salinity induced changes in ion uptake and chemical composition in chickpea (*Cicerarietinum* L.) Ind. J. Plant physiol, 3 (2): 140-142.

Vema, A and Verma, A. P. (1995): Impact of distillery effluent on seedling growth and chlorophyll content at lens culinaris L. Industrial pollution control, 11(2): 151-154.

Vityakon P. and Standal, R. B. (1989): Oxalate in vegetable Amaranth (*Amuranthus gangeticus*) forms contents and their possible implications for human health, J. Sci. food. Agric.; 48 (4) : 469-474.

Waisel, Y. (1972): Biology of halophytes Academic press, New york, London.

Woolhouse H.W. (1967): the nature of senescent plants. Aspect of biology of aging symp. Soc. Exp. Biol. 21: 179-213, Univ. Press Cambridge.

Wells PS (1984) : Una comunidad agricola en la edad de hierro en la Europa central. *Investigacion y Ciencia* 89, 30-37.


Williams, J.T. and Harper, J.L. (1965): Seed polymorphism and germination. 1. The influence of nitrates and low temperatures on the germination of *Chenopodium album* weed Research, 5 : 141-150.

Yasmin, A. and Hasnain, S. (1997): Moderately halophilic bacteria associated with the roots of *Chenopodium album*, *oxalic corniculata* and *Lycium edgeworthi*. Pakistan, J. zoo, 28(3) : 249-257.


Zhenying Huang : Xinshin Zhang; Guanghua Zheng and Yitzhak Gutterman (2003): Influence at light, temperature, salinity and storage on seed germination of *Haloxylon ammodendron*. J. Arid Environ. 55(3) : 453-564.

Zhu, J.K (2001): Plant salt tolerance. Trends Plant Sci. 6:66-71.

I - Effect of Vermiwash on *C. album*



II - Leaf senescence in *C. album*



III - Effect of Distillery effluent on *C. album*

