

REFERENCES

Ahmed, E., 1972. Coastal Geomorphology of India, Orient
Longman Ltd., New Delhi, 222 p.

Beane, J.E., Turner, C.A., Hooper, P.R., Subbaroa, K.V.,
and Walsh, J.N., 1986. Stratigraphy composition
and form of the Deccan basalts, Western Ghats,
Ind., Bull. Volcanology 48, 61 - 83.

Biswas, S.K., 1982. Rift Basins in Western Margin of India
and their Hydrocarbon Prospects with Special
Reference to Kutch Basin., Bull. Am. Asso.
Petro. Geologist. 66, 1497 - 1513.

Blanford, W.T., 1872. Geology of Orissa, Rec. Geol. Surv.
Ind., 2, 61 p.

Blatt, H., Middleton, G. and Murray, R. 1980. Origin of
Sedimentary Rocks, Englewood cliff, New Jersey,
782 p.

Brückner, H., 1987. New Data on the Evolution of Konkan
(Western India). Exploration in Tropics
(Prof. K.R.Dikshit Felicitation vol.) Pune,
173 - 184.

- Brückner, H., 1989. Late Quaternary Shoreline in India.
D.Scott et.al. (eds), Late Quaternary Sea -
level Correlation and Applications, 169 - 194.
- Chandrasekhara Godwa, M.J., 1981. A lithostratigraphic
classification of the Kaladgi Group, Karnataka,
Jour. Mysore Univ. Section - B, 28, 126 - 134.
- Devis, R.A., Jr., 1985. Coastal Sedimentary Environments,
Second Edn. Springer - Verlag pub. 128 - 130.
- and
- Devey, C.W., Lightfoot, P.C., 1986. Volcanological and
tectonic control of stratigraphy and structure
in the Western Deccan Traps. Bull. Volcanology,
48, 195 - 207.
- Dixit, K.R., 1976. Geomorphic Features of the West Coast
of India between Bombay and Goa. Symp. on
Morphology and Evol. of Landforms, Dept. Geol.
Uni. Delhi. 240 - 260.
- Duncan, R.A. and Pyle, D.G. 1988a. Rapid eruption of the
Deccan Flood Basalts, Western India, Deccan
Flood Basalt, Geol. Soc. Ind., 1 - 9.

Earattupurha, J.J. and George, V., 1980. Shoreline changes on Kerala Coast. Geology and Geomorphology of Kerala, Geol. Surv. Ind., 5, 83 - 86.

Evans, P., Hayman, R.J., Majeed, M.A., 1984. The graphical representation of heavy mineral analysis, Quart. Jour. Geol. Min. Pet. Soc. Ind., 6, 27 - 47.

Fairbridge, R.W., 1980. The estuary : its definition and geodynamic cycle. In : Olausson, E., and Cato, I. (eds.), Chemistry and Biogeochemistry of Estuaries. 1 - 36.

Folk, R.L. and Ward, W.C., 1957. Brazos River bar : A study in the significance of grain size parameters. Jour. Sed. Pet., 27, 3 - 26.

Folk, R.L., 1974. Petrology of sedimentary rocks. Hemphill Publ. Co. Austin, Texs : 159 p.

Foote, R.B., 1876. Geological features of the southern Maharashtra country and adjoining districts. Mem. Geol. Surv. of Ind., 12, 1.

Friedman, G.M., 1961. Distribution between dune, beach and river sands from their textural characteristics. Jour. Sed. Petr., 31, 514 - 529.

Friedman, G.M., 1967. Dynamic process and statistical parameters compared for size frequency distributions of beach and river sands. Jour. Sed. Petr., 37, 327 - 354.

Ganapathi S. and Merh, S.S., 1987. Geomorphic evolution of Shetrunkji Estuarine Delta, Saurashtra. Jour. Geol. Soci. Ind., 29; 4, 440 - 445.

Hashimi, N.H., Kidwai, R.M. and Nair, R.R., 1978. Grain size and coarse fraction studies of sediments between Vengurla and Mangalore on the Western continental shelf of India. Indi. Jour. Sci., 7, 231 - 238.

Hashimi, N.H., 1988. Late Pleistocene Carbonate Sediments and Rocks on the Western Continental Shelf of India. National Seminar on Recent Quaternary Studies in India, Pub. Geol. Dept. M.S. Uni. Baroda., 41 p.

Inman, D.L., 1949. Sorting of sediments in the light of fluid mechanics. Jour. Sed. Pet., 19, 51 - 70.

Jayappa, K.S. and Subramanya, K.R., 1991. A Textural and Mineralogical Study of the Beach Sands Between Talapady and Surathkal, Karnataka., Jour. Geol. Soc. Ind., 37, 151 - 163.

Jayaprakash, A.V., Sundaram, V., Hans, S.K. and Mishra, R.N., 1987. Geology of the Kaladgi, Badami Basin, Karnataka. Purana Basins of southern Peninsular India, 201 - 225.

Kale, V.S. and Rajaguru, S.N., 1985. Neogene and Quaternary Transgressional and Regressional History of the West Coast of India : An overview Bull. of Deccan College, Research Institute, Pune, 44, 153 - 163.

Kidwai, R.M., Nair, R.R. and Hashimi, N.H., 1981. Heavy Minerals in the sediments on the other continental shelf between Vengurla and Mangalore on West Coast of India. Jour. Geol. Soc. Ind., 22, 32 - 38.

Kelkar, K.V., 1956. On some Archaean rocks in the southern parts of Ratnagiri, Ratnagiri dist., Jour. of Univ. of Poona, Sci., 10, 86 - 100.

Khan, A.A., and Banerjee, S.N., 1984. Geological and Geomorphological Studies Around Tapti - Vaghur Confluence, Dist. Jalgaon, Maharashtra. Jour. Geol. Sur. Ind., 113; 6, 99 - 109.

Komar, P.D., 1976. Beach processes and sedimentation : Englewood Cliffs. N.J., Prentice - Hall, 429 p.

Krumbein, W.C., 1939. Graphic presentation and statistical analysis of sedimentary deposits. Jour. Geol. 47, 673 - 706.

Krumbein, W.C., 1941. Measurement of geologic significance of shape and roundness of Sedimentary Particles; Jour. Sed. Petrology, 11, 64 - 72.

Krynnine, P.D., 1946. The Tourmaline Group in sediments. The Jour. of Geol. (USGS) LIV; 2, 65 - 87.

Krishnan, M.S., 1964. The Upper Proterozoic of South India, in symposium of the Cuddapah basin and its equivalents. Jour. Ind. Geol. Sci. Assn., 4, 1 - 2.

Lightfoot, C.E., 1986. Isotope and trace element geochemistry of the south Deccan lavas, India, Abstract Ph.D. Thesis in the Deccan Times, the official news letter of the IAVCET working group on the Deccan Trap Volcanism Issue 2, 17 - 18.

Mathur, K.K. and Naidu, P.K.J., 1932. Volcanic activity of the coastal tract of Bombay, Salsette and Bassein Malviya Commem. BHU., 787 - 805.

Mitchell, C. and Cox, K.G., 1988. A Geological sketch map of the southern part of the Deccan Province. Deccan Flood Basalt. Geol. Soc. Ind., 27 - 33.

Mitchell, C. and Widdowson, M., 1991. A geological map of the southern Deccan Traps, India and its structural implications. Jour. Geol. Soc. London, 148, 495 - 505.

(contd)

Moss, A.J., 1962. The physical nature of common sandy pebbly deposits. Part I, Am. Jour. Sci., 260, 337 - 373.

Moss, A.J., 1963. The physical nature of common sandy pebbly deposits. Part II, Am. Jour. Sci., 261, 297 - 343.

Moss, A.J., 1972. "Bed - Load Sediments" Sedimentology 18, 159 - 219 (Experimental and field studies on hydraulic size and shape sorting in Sands; interpretation of grain populations differs significantly).

Moni, N.S., 1980. Coastal erosion in Kerala - some aspects. Geology and geomorphology of Kerala. Geol. Surv. Ind., 5, 87 - 90.

Nageswara Rao, J. and Srinivasan, R., 1980. Some aspects of geomorphology, structure and sedimentation in Palghat Gap area. Geology and geomorphology of Kerala. Geol. Surv. Ind., 5, 39 - 42.

Narayana Murthy, J., et.al. 1978. Stratigraphic Nomenclature and succession of Kaladgi - Badami basin workshop on standardisation of stratigraphic nomenclature of Precambrian Fromations of South India. Abstracts., 34 - 35.

Nayak, G.N. and Chavadi, V.C., 1987. Distribution of Heavy Mineral in the Beach Sediments around Kali River, Karwar, West Coast of India. Geol. Surv. Ind. Spl. Pub., 24, 241 - 245.

Oldham, R.D., 1885. Note of the geology of the Andaman Island. Rec. Geol. Surv. Ind., 18, Part - 3.

Pandian, R.S., 1988. Textural studies of the coastal Quaternary sediments along the west coast between Agashi Creek and Bassein Creek, District Thane, Maharashtra. Ph.D. Thesis submitted to Univ. of Poona (Unpublished).

Passega, R., 1957. Texture as a characteristic of clastic deposition. Am. Assoc. Petrol. Geol. Bull., 41, 1952 - 1984.

Passega, R., 1964. Grain size representation by C - M pattern as a geological tool. Jour. Sed. Pet., 34, 830 - 847.

Passega, R., and Byramjee R., 1969. Grain size image of clastic deposit, Sedimentology, 13, 233 - 252.

Patil, D.N., 1981. Geomorphology and tectonics of the West Coast of India between Palghat and Thal, Maharashtra. Ph.D. thesis submitted to the University of Poona, Pune 411007 : pp. 178 (Unpubli.).

Pascoe, E.H., 1965. A manual of Geology of India and Burma, Vol. III, The controller of Publication, Govt. of India. PL XXIV, 21 - 29.

Pascoe, E.H., 1968. A Manual of the Geology of India and Burma, Govt. of India Press, Culcutta. III Ed., 2, 316 - 369.

Pettijohn, F.J., 1984. Sedimentology Rocks (IIIrd Indian edition) C.B.S.Publ. and Distri., New Delhi, pp. 628.

Powar, K.B., Sukhtankar, R.K., Patil, D.N. and Sawant, P.T., 1978. Geomorphology and tectonics of west coast of India between Revas and Revadanda, Maharashtra, Tech. Report 1, Department of Geol. Univ. Poona, Pune 411007, submitted to ONGC, Dehra Dun.

Powar, K.B., Sukhtankar, R.K. and Patil, D.N., 1979a.

Geomorphology and tectonics of the west coast
of India. Between Palghar and Revas,
Maharashtra, Tech. Report 2 Department of Geol.
Univ. Poona, Pune 411007, submitted to ONGC,
Dehra Dun, 60 (Unpublished).

Powar, K.B., Sukhtankar, R.K. and Sawant, P.T., 1979b.

Geomorphology and tectonics of the west coast
of India Between Srivardhan and Vijaydurg,
Maharashtra. Tech. Report 3, Department of
Geol. Univ. of Poona, Pune 411007, submitted
to ONGC, Dehra Dun, 24, (Unpublished).

Powar, K.B., 1981. Lineament fabric and dyke pattern in
the Western part of Deccan volcanic provinces.
Geol. Soc. Ind. Mem. 3, 45 - 57.

Radhakrishna, B.P., 1983. Archaean granite - greenstone
terrain of the South Indian shield. Geol.
Soc. Ind. Megm., 4, 1 - 46.

Rajaguru, S.N. and Marathe, A.R., 1984. Neotectonic Activity
Around Ratnagiri, Western India. Proc. Symp.
Quat. Episodes. Deptt. Geol. M.S. Uni. Baroda.
1 - 6.

Rajamanickam, V. and Gujar, A.R., 1988. Indications given by median distribution and C/M patterns on clastic sedimentation in Kalbadevi, Mirya and Ratnagiri Bays, Maharashtra, India.

Ravi Shankar and Dubey, R., 1984. Land forms, Neotectonism and Geothermal Activity in part of Tapi Basin, Dist. Jalgaon, Maharashtra A study. Jour. Geol. Sur. Ind., 113; 6, 70 - 85.

Reddy, M.P.M., 1976. Wave refraction in relation to sediment transport tendency along the West Coast of India. Ind. Jour. Mari. Sci., 5, 152 - 162.

Sahasrabudhe, Y.S., 1988. Coastal Laterites of the Maharashtra State. Nation Seminar on Recent Quaternary Studies in India. Pub. Geol. Dept. M.S. Uni. Baroda.

Sahasrabudhe, Y.S., 1989. Coastal Laterites of the Maharashtra State. Seminar for ONGC officers, Tertiary and Recent Sedimentation along the West Coast between Bombay and Ratnagiri, Pub. Dept. Geol. Wadia College, Pune.

- Sahu, B.K., 1964 a. Depositional mechanisms from the size analysis of clastic sediments, J. Sed. Petro., 34(1), 73 - 83.
- Sahu, B.K., 1982a. Multigroup discrimination of River, Beach and Dune sands using Roundness statistics, J. Sed. Pet., 52 (3), 779 - 784.
- Sahu, B.K., 1983. Multigroup discrimination of depositional environments using size distribution statistics, Ind. Jour. Earth Sci., 10, 20 - 29.
- Sawant, P.T., 1980. Geological studies of the coastal tract between Alibag and Srivardhan, Kolaba District, Maharashtra, India. Ph.D. Thesis, submitted to Univ. of Poona (Unpublished).
- Sawant, P.T. and Sukhtankar, R.K., 1985. Sedimentological studies of the coastal sediments from Alibag - Srivardhan Area, Raigarh Dist., Maharashtra, Ind. J. Shivaji Uni. (Sci.), 22, 189 - 205.
- Senthiappan, M. and Nair, M.M., 1980. Geomorphology of parts of Cannanore district, Kerala. Geology and Geomorphology of Kerala. Geol. Surv. Ind. 5, 43 - 46.

Setty, M.G.A.P. and Wagle, B.G., 1972. Beach rock from
Goa Coasts. Proc. Ind. Nat. Sci. Acad., 38,
9 - 20.

Shephard, F.P., and Moore, D.G., 1954. Sedimentary
environment differentiated by coarse fraction
studies : Bull. Am. Assoc. Petro. Geol., 38,
1792 - 1802.

Siddiquie, H.N., Rajamanickam, G.V. and Almeida, F., 1979.
Offshore Ilmenite Placers of Ratnagiri, Konkan
Coast, Maharashtra, India. Marine Mining, 2;
1 - 2, 91 - 118.

Subbarao, K.V., Bodas, M.S., Hooper, P.R. and Walsh, J.N.,
1988. Petrogenesis of Jawhar and Igatpuri
Formations Western Deccan Basalt Province,
Deccan Flood Basalt, Geol. Soc. Ind., 253 - 280.

Subramanian, K.S., Mani, G. and Prabhakara Rao, P., 1980.
Geomorphological and geochemical aspects of
some residual deposits in the southern part
of the Indian Peninsula. Geology and
Geomorphology of Kerala. Geol. Surv. Ind.
5, 47 - 54.

- Sukhtankar, R.K., 1986. Trends in grain size measures of the Quaternary sediments of the Vengurla Coast, Maharashtra; with reference to beach morphology and tectonic evolution. Jour. Geol. Soci. Ind., 27, 419 - 427.
- Sukhtankar, R.K. and Pandian, R.S., 1988. Size Parameters and Transport directions of the Quaternary sediments, dist. Thane, Maharashtra. National Seminar on Recent Quaternary studies in India. Quaternary Geology. M.S. Univ., Baroad., 1 - 13.
- Sukheswala, R.N. and Poldervart, A., 1958. Deccan Basalts of the Bombay area, India. Geol. Soci. Am. Bull. 69, 1474 - 1494.
- Sukheswala, R.N. and Sethna, S.F., 1962. Deccan Traps and associated rocks of the Bassein area. Jour. Geol. Soci. Ind., 3, 125 - 146.
- Tiwari, M.P., 1984. Morpho - Tectonic Evolution of the Southern part of the West Coast tract of Maharashtra. Geol. Surv. Ind., 113, 113 - 125.
- Udden, 1898. Mechanical composition of wind deposits. Augustana Library, pub. 1.

Visher, G.S., 1969. Grain size distribution and depositional processes. Jour. Sed. Pet. 39, 1074 - 1106.

^a
Viswanathiah, M.N., 1977. Lithostratigraphy of the Kaladgi and the Badami Groups, Karnataka, The Ind. Mineralogist, 18, 122 - 132.

^a
Viswanathiah, M.N., 1979. Lithostratigraphy of the Kaladgi and the Badami Groups, Karnataka. The Ind. Mineralogist, 18, 122 - 132.

Wadell, H., 1932. Volume, Shape and Roundness of rock particles. Jour. Geol., 40, 443 - 451.

Warren, G., 1974. Simplified form of the Folk Ward Skewness parameter, Jour. Sed. Pet., 44, 259.

Washington, H.S., 1922. Deccan traps and other plateau basalts. Bull. Geol. Soci. Am., 33, 765 - 805.

PLATE II

PHOTO 1 : Laterite with lithomarge at
the base.

Locality : Hindali, north of
Malvan.

PHOTO 2 : Raised beach with consolidated
sediments.

Locality : Kolamb.

PLATE II




PHOTO 1



LIBRARY PHOTO NO. 2
SHRI M. H. KHARDEKAR LIBRARY,
SHIVAJI UNIVERSITY, KOLHAPUR.




PLATE III

PHOTO 1 : Estuary during low tide with
mudflats.

Locality : Kolamb.

PHOTO 2 : Sandbar at the mouth of Gad
river.

PLATE III



PHOTO 1



PHOTO 2

PLATE IV

PHOTO 1 : Sea cliff.

Locality : Kolamb.

PHOTO 2 : Stabilised beach dune.

Locality : Tarkarli.

PLATE IV



PHOTO 1



PHOTO 2

PLATE V

PHOTO 1 : Bifurcating rill marks in the
intertidal zone.

Locality : Sarjekot.

PHOTO 2 : Straight crested current
ripples.

Locality : Vairy, north of
Malvan.

PLATE V



PHOTO 1



PHOTO 2

PLATE VI

PHOTO 1 : Intercalated cuspet ripples.

Locality : Vairy, north of
Malvan.

PHOTO 2 : Reworked surface of beach
dune.

Locality : Tarkarli, south
of Malvan.

PLATE VI



PHOTO 1



PHOTO 2

PLATE VII

PHOTO 1 : Stabilised beach dune resting
on raised beach.

Locality : Kolamb.

PHOTO 2 : Raised beach section.

Locality : Vairy, north of
Malvan.

PLATE VII



PHOTO 1



PHOTO 2

PLATE VIII

PHOTO 1 : Raised beach section.

Locality : Vairy, north of
Malvan.

PHOTO 2 : Raised beach section with
concentration of Heavy Minerals.

Locality : At the mouth of Gad
river.

PLATE VIII



PHOTO 1



PHOTO 2

PLATE IX

PHOTO 1 : Kaladgi sandstone.

Locality : Sindhudurg Fort.

PHOTO 2 : Section of beach dune with
cross bedding.

Locality : Tarkarli.

PLATE IX




PHOTO 1



PHOTO 2. BALASAHEB KHARDEKAR LIBRARY
SHIVAJI UNIVERSITY, KOLHAPUR