

BIBLIOGRAPHY

56

Abbott, E. V. 1927 *Scolecobasidium* a new genus of soil fungi Mycologia 19 : 29-31.

Agnihothrudu, V. Notes on fungi from North East India- IX. Hyphomycetes: J. Ind. Bot. Soc. 41:465-490.

Ainsworth, G.C. Sparrow, F. K. and Susaman, A.S. 1973. The fungi. An Advanced Treatise IV A: - A taxonomic review with keys: Ascomycetes and fungi Imperfecti. Publ. Academic Press, London, pp. 1-620.

Alasodura, S. O. 1968. *Flabellospora crassa* n. gen. n. sps., an aquatic hyphomycetes from Nigeria. Nova Hedwigia 15 : 415 – 418.

Alasodura, S. O. 1968 Some aquatic hyphomycetes from Nigeria. Trans. Bri. Mycol. Soc. 51 : 535 – 540.

Alasodura, S. O. 1968. *Flabellospora verticillata*, a new species of Aquatic Hyphomycetes from Nigeria Nova Hedwigia 15 : 419-421.

Alexopoulos, C.J. and Mims, C.W. 1979. Introductory Mycology, John Wiley and Sons, publ. pp. 869.

Alexopoulos, C.J., Mims, C.W. and Blackwell, M. 2004. Introductory Mycology, John Wiley and Sons, publ. pp. 869.

Arnaud, G. 1954. Mycologie concrete: Genera II (suite et fin.) Bull. Tri. de la. Soc. Mycol. de France. 69: 265 – 306.

Arunachalam,S.B. 1967. Maharashtra (A study in physical and regional setting and resources development) A. R. Sethi and co. pp.1-308.

Bandoni, R. J. 1972. Terrestrial occurrence of some aquatic hyphomycetes. Can. J. of Bot. 50 : 2283 – 2288.

- Barlocher, F. 1974 Dynamics of the fungal population on leaves in a stream. J. of Eco. 62 : 761 – 791.
- Barlocher, F. 1990. Factors that delay colonization of fresh alder leaves by aquatic hyphomycetes. Archiv. for Hydrobiologia 119 : 249 – 255.
- Barlocher, F. 1991. Intraspecific hyphal interactions among aquatic hyphomycetes. Mycologia 83 : 82 – 88.
- Barlocher, F. 1992. The Ecology of Aquatic Hyphomycetes. Springer – Verlag, Berlin, Heidelberg, Germany.
- Barnet, H.L. and Hunter, B.B. 1973. Illustrated genera of imperfect fungi Burgess public Company pp. 1-241.
- Barron and Busch 1962. Fungi from soil – ont. Can. J. of Bot. 40: 83
- Batista, A. C. and Bezerra 1960. Publcos. Inst. Micol. Recife 296: 1 – 13.
- Belwal, M. and Sati, S. C. 2001. Ingoldian fungi: New additions of Indian Aquatic Mycoflora. J. Mycol. Pl. Pathol. 37 : 22.
- Belwal M. and Sati, S. C. 2006. Fungal flora of two altitudinally diff. Streams of Kumaun Himalaya. Recent Mycological Researches I. K. International pp.1-21.
- Bharat Rai. 1976. Study of fungi on decaying leaves of *Saccharum munja* by differential washing technique. Pl. and soil. 44 :233-236.
- Bharat, Rai and Pathak, K. K. 1981. Studies on the Phylloplane Mycoflora of potato in relation to air pollution. Environmental pollution 26:153-166.
- Bhat, D.J. 1998. Techniques to study the Biodiversity of freshwater fungi (freshwater hyphomycetes) Refresher Course I. Shivaji University, Kolhapur.

Biharilal and Rai, R. N. 1978. Some fruit rot diseases, Abs. in Ind. J. Mycol and Pl. Pathol. 8:81.

Bilgrami, K.S., Jamaluddin, and Rizwi, M.A. 1979. Fungi of India. Part I. List and references. Today and Tomorrow's Publ, N. Delhi. pp.1- 467.

Bilgrami, K.S., Jamaluddin, and Rizwi, M.A. 1981. Fungi of India. Part II. Host Index and Addenda. Today and Tomorrow's Publ, N. Delhi. pp.1-128.

Borse and Patil, S. D 1983. Marine fungi from Maharashtra. Ph. D. Thesis . Pune University pp. 1-177.

Butler, E. J. 1907. An account of genus *Pythium* and some Chytridiaceae. Memb. Dept. Agri., India (Bot. Sci.) 15 : 1 – 16.

Butler, E.J. and Bishy, G.R. 1931. The fungi of India. Imp. Coun. Agri. Res. India, Sci. Monogr. 1(18): 273.

Chandrashekhar, K.R., Sridhar, K. R. and Kaveriappa, K.M. 1991. Aquatic hyphomycetes of a sulphur spring. Hydrobiologia 218 : 151 – 156.

Corda, A. C., 1837-1854. Icones fungorum hususue cognitorum bol. I-VI, Prague. 1 :16.

Chohan, J. S. and Panwar, K. S. 1980. Hyphomycetes of Mt. Abu. Indian phytopath. 32 : 285.

Daradhiyar, P. K. 1964. *Leptosphaerulina arifolia* (Rost.) Petrak on *Justicia gendarussa* a new host record from India. Cur. Sci. 33:539.

Dayal, R. 1961. Development of Zoosporangium and liberation of zoospores in *Achlya aplens* Maurizio var. *indica*. Cytologia 26 ; 372 – 377.

Dayal, R. and Usha Kiran, 1985. Zoosporic Fungi of India, Inter India Publication, New Delhi pp.1- 297

Dayal, R. and Usha Kiran, 1988. Zoosporic fungi of India, Inter Publication New Delhi pp.1- 297.

Dayal, R. and Tandon, R. N. 1962. Ecological studies of some aquatic Phycomycetes. Hydrobiologia 20 : 121 – 127.

Desai, S. H. and Patwardhan , P. G. 1974. Addition to Hyphomycetes of Maharashtra. J. Univ. Poona 46:127-133.

Desale, M.J. 1978. Some additions to fungi India IV. J. Ind. Bot. Soc. 37 : 104.

Deshpande, C.D. 1971. Geography of Maharashtra, Publ. National Book Trust of India. N. Delhi. pp.1- 218.

Dudka, I. O . 1974. Ukrainian Aquatic Hyphomycetes (in Ukrainian). Naukova Dumka, Kiev, USSR : 240.

Dudka, I. O . 1985. Aquatic Fungi Imperfecti of USSR. Naukova Dumka, Kiev, USSR : 185.

Ellis, E.A. 1971. Dematiaceous Hypomycetes.C.M.I. Kew, Surrey, England. CABI publication pp. 1-608.

Ellis, E.A. 1976. More Dematiaceous Hypomycetes C.M.I. Kew, Surrey, England CABI publication pp.1-507.

Ghosh, G. R. and Dutta B.G. 1962. Myxomycetes from Orissa=II Mycopath. et. Mycol. appl. 17: 209-218.

Gilman, J.C. 1959. Soil Fungi. Oxford & IBH Publishing co. pp.1- 435.

Goos, R. D. 1980. Some Helicosporous fungi Hawaii. Mycologia 32. No. 3. :559-610.

Goos, R. D. 1987. Fungi with a Twist :The Helicosporus Hyphomycetes. Mycologia 79:1-22.

Greathead, S. K. 1961. Some aquatic hyphomycetes in South Africa. J. of South Africa Bot. 27: 195- 228.

Gupta, H. P. 1970. Fungal remains from Bengal Peat. Curr. Sci. 39:236-237.

Hedge, S. V. and Rangaswami, G. 1960. Studies on the thermophilic microorganisms from tea substrates-I, occurrence, isolation and discription of thermophilic fungi. Mysore. J. Agri. Sci. 3:198-214.

Hohnel, F. Von 1909. Fragment Zur Mycologia Nrn. 182-288. Sitzungsber. K. AK. Wiss. Wien. Math. Nat. Kl. Abt., 118:275-452.

Hohnel F. Von., 1923. System der fungi Imperfecti fuckel. Mycol. Unters. 3:301-369.

Hudson, H. J. and Ingold, C. T. 1960. Aquatic hyphomycetes from Jamaica. Trans. Bri. Mycol. Soc. 43 : 469 – 478.

Ingold, C. T. 1942. Aquatic Hyphomycetes of decaying Alder leaves. Trans. Bri. Mycol. Soc. 25 : 339-417.

Ingold, C. T. 1943.*Triscelophorus monosporus* n. gen.,n sp., an aquatic Hyphomycetes. Trans. Brit. Mycol. Soc. 26:198-153.

Ingold, C. T. 1943. Futher observations on aquatic hyphomycetes of decaying hyphomycetes of decaying leaves. Trans. Bri. Mycol. Soc. 26 : 104 – 115.

Ingold, C. T. 1944. Some new aquatic hyphomycetes. Trans. Bri. Mycol. Soc. 27 : 35 – 47.

Ingold, C. T. 1952. *Actinospora megalospora* n. sp., an aquatic hyphomycetes. Trans. Bri. Mycol. Soc. 35 : 66 – 70.

Ingold, C. T. 1956. Stream spora in Nigeria. Trans. Bri. Mycol. Soc. 39 : 108 – 110.

Ingold, C. T. 1958. Aquatic hyphomycetes from Uganda and Rhodesia Trans. Bri. Mycol. Soc. 41 : 109 -114.

Ingold, C. T. 1958. New aquatic hyphomycetes: *Lemonniera brachycladia*, *Anguillospora crassa* and *Fluminispora ovalis*. Trans. Bri. Mycol. Soc. 41: 365 – 372.

Ingold, C. T. 1975. Convergent Evolution in Aquatic Fungi. The tetra-radiate spore. J. Linn. Soc. 7 : 1 – 125.

Ingold, C. T. and Cox, V.J. 1957. *Heliscus stellatus* sp. nov., an aquatic hyphomycetes. Trans. Bri. Mycol. Soc. 40 : 155 – 158.

Ingold, C. T .and Ellis, E.A. 1952. On some hyphomycetes spores, including those of *Tetracladium maxilliformis*, from Wheatfen. Trans. Bri. Mycol. Soc. 35 : 158 -161.

Ingold, C. T. and Webster, J. 1973. Some aquatic hyphomycetes from India. Kavaka 1: 5-9.

Iqbal, S. H. and Webster, J. 1973. Aquatic hyphomycetes spora of the River Exe and its tributaries. Trans. Bri. Mycol.. Soc. 25 : 339 – 417.

Jamaluddin, Goswami,M.G.,Ojha, B.H. 1989- 2001 Fungi of India . Scientific publishers, Jodhpur (India) pp: 1-334.

Johnson, T.W. Jr. 1956. The genus *Achlya* morphology and Taxonomy. Univ. of Michigan Press, Ann Ar Bor. : 180.

Jones, E. B. G. 1968. Marine Fungi. Curr. Sci. 37 ; 378 – 379.

62

Kamat, M.N., Patwardhan, P.G., Rao, V.G. and Sathe, A.V. 1971. Fungi of Maharashtra Bull. No. 1 Mahatma Phule Krishi Vidyapeeth Patrika, Rahuri, Maharashtra. 124.

Khulbe, R. D. 1977. Taxonomic and Ecological studies of watermolds in Nainital and its suburbs. Ph. D. Thesis. Agra University, Agra pp.1- 113.

Khulbe, R. D. 1983. Aquatic fungal flora in rhizosphere and non rhizosphere soils in some cultivated fields of Nainital. Science and Culture 49 : 105 -106.

Khulbe, R. D. 1985. Studies in Aquatic Phycomycetes of Nainital in relation to Taxanomy, Physiology, Ecology and Pathology. D. Sc. Thesis, Kumaun University, Nainital pp.1- 335.

Khulbe, R. D. 1987. Some interesting watermoulds and their adaptability in Kumaun Himalaya in Perspective in Mycological Research . Prof. G. P. Agarwal Festschrift 1: Today and Tomorrow, New Delhi. pp.1-53 – 62.

Khulbe, R. D. 1991. An ecological study of watermoulds of forest soils of Kumaun Himalaya, India. Tropical Ecology 32 : 127 – 135.

Khulbe, R. D. 2001. A manual of Aquatic fungi (Chytridiomycetes & Oomycetes.) Daya publishing Housing House, Delhi pp.1- 25.

Khulbe, R. D. and Verma, B.L. 1983. Aquatic fungi in some rice fields of Tarai, Nainital. Trop. Plant Sci. Res. 1: 269 – 270.

Khulbe, R. D. and Sati, S. C. 1987. A new record of watermoulds from Nainital. India. Gebiobios 6: 229.

Kirk, P. M. 1984. *Volutellania laurina* Tassi, an earlier name for *Wiesneromyces javanicus* Koorders. Trans. Brit. Mycol. Soc. 82: 748-749.

Kohlmeyer, J. 1968 Marine fungi from the tropics. Mycologia 60 : 207 – 252.

Kohlmeyer, J. and Kohlmeyer, E. 1974. Distribution of *Epichloe typhina* (Ascomycetes) and its parasitic fly. Mycologia 66 : 77 – 86.

Kohlmeyer, J. and Kohlmeyer, E. 1979. Marine Mycology, The Higher fungi Academic press, Newyork. pp. 317-328.

Koorders, S. H. 1907. Botanische Untersuchungen über einige in Java Vorkommende Pitze, besonders über Blätter., Parasitisch auftretende Arten. 4. Morphologische Systematisch notizen über einige mittel – Javanische, Vorwiegend blätter beiohnendePlize. Verhandelingen der Koniklijke Akademie van wetenschoppen (Amsterdam), section 2, 13 : 1-264.

Lal, S. P. and Yadav, A. S. 1965. Additions of microfungi of Bihar-III: J. Ind. Bot. Soc. 44 : 402-406.

Litnov. 1967. Opredelitel Mikroskopieuskikh Pourcnykh , Grilov, Moniliales, Aspergillaceae:147.

Madhusudhan Rao, M. Manoharachary, C 1980. Two interesting fungi from aquatic habitat. Curr. Sci. 49: 490-491.

Madhusudhan Rao, M. Manoharachary, C 1982. Processing of leaves by fungi in aquatic ecosystem. Indian Phytopath. 35 : 654 – 656.

Madhusudhan Rao , M. and Manoharachary, C 1984. Taxo-ecological studies on some aquatic hyphomycetes from India. Indian Phytopath. 37:64-68.

Manoharachary, C. and Rama Rao, P. 1974. Notes on two fungi from pond water. Indian Phytopath. 27 : 647-648.

Manoharachary, C. and Rao, R. 1981. Seasonal variation and distribution of fungi in two freshwater ponds of Andhra Pradesh, India. Proc. Ind. Acad. Sci. 90 : 2237 – 2243.

Manoharachary, A and Madhusudhan Rao 1983. Ecological studies on hyphomycetes associated with submerged leaves from India. Indian Phytopath. 36:62-65(428).

Manoharachary, C. and Murthy, A.B.S.1987. Foam spora from Andhra Pradesh, India. Curr. Sci. 50 : 378 – 886.

Marvanova, L., and Bandoni, R.J. 1987. Naiadella fluitans gen. et. sp. nov.; a conidial basidiomycete. Mycologia 79 : 573 – 586.

Marvanova, L., and Fisher, P.J.1991. A new endophytic hyphomycetes from alder roots. Nova Hedwigia 52 : 33 - 37.

Mason, R. S. and Ellis, M. B. 1953. British species of *Periconia*. Mycol. Pap. 56 : 1-127.

Mathur, R. S. and Prakash, J. 1976. New records of fungi isolated from seed and leaf spot of some pasture plants in India. Indian Phytopath. 29:54-55.

Matushima, T.1971. Microfungi of the Solomon Islands and Papua – New Guinea. Matushima, Kobe, : 78.

Matushima, T.1975. Icones Microfungorum a Matushima lectorum. Matushima, Kobe,: 209.

Matushima, T.1980. Saprophytic microfungi from Taiwan. Part I. Hyphomycetes. Matushima Mycological Memoirs No. 1. Matushima Kobe,: 82.

Matushima, T.1993. Saprophytic microfungi from Taiwan. Part I. Hyphomycetes. Matushima Mycological Memoirs No. 7. Matushima Kobe,: 82

Meyers and Moore, 1960. Am. J. Bot. 47: 346.

Mittal, R. K. 1984. Seed rot of *Capsicum annum* L. Indian Phytopath. 37:585.

Mukerji, K. G. and Juneja, R.C. 1974. Fungi of India, supplement to the list of Indian fungi.(1962-1972) Emkey publ. N. Delhi, pp.1- 224.

Munjal, R. I. and Gill, H. S. (1962). Some dematiaceous fungi from India-1. Indian Phytopath. 16:62-68.

Munjal, R. I. and Kapoor, J. N. (1963). Hyphomycetes from the Himalayas. Indian Phytopath. 16:86-91.

Nagraj, T. R. and Govindu, H. C. 1960. Fungi of Mysore- IV Sydowia 23:110-119.

Nair, M. C. and Tyagi, P. D. 1961. Notes on some Hyphomycetes -I Proc. Ind. Acad. Sci. 54:269-275.

Nawawi, A. 1974. A new *Campylospora* Trans. Bri. Mycol. Soc. 63 (3): 603-607.

Nawawi, A. 1975. *Triscelophorous acuminatus* Sp. Nov. Trans. Bri. Mycol. Soc. 64: 345-348.

Nawawi, A. 1985. Aquatic hyphomycetes and other water borne fungi from Malaysia. Malayan Nat. J. 39 : 75 – 134.

Nawawi, A. 1985. Basidiomycetes with branched, water borne conidia. Bot. J. of Linn. Soc. 91 : 51 – 60.

Nawawi, A. 1985. Another aquatic genus from foam. Trans. Bri. Mycol. Soc. 85 : 174-177.

Nawawi, A. 1987. *Clavariopsis azlanii*, sp. nov. A new aero aquatic hyphomycetes.

Trans. Bri. Mycol. Soc. 88 : 428 – 432.

Nawawi, A. 1987. *Diplocladiella apendiculata* sp nov. A new aero-aquatic

hyphomycetes Mycotaxon 28 :297-302.

Nawawi, A. and Kuthubutheen, A.J. 1990. *Obeliospora*, a new genus of
phialosporous hyphomycetes with appendaged conidia. Mycotaxon 37 : 395 –
400.

Nawawi, A. and Webster, J. 1982. *Sistotrema hamatum* sp. nov., the teleomorph of
Ingoldiella hamata. Trans. Bri. Mycol. Soc. 78 ; 287 – 291.

Nilsson, S. 1964. Freshwater hyphomycetes : taxonomy, morphology and ecology.
Symbolae botanicae upsalenses 18 : 1 – 130.

Padhya, R. and Mukerji, K. G. (1972) Fungi in root region of *Rauwolfia serpentia* and
R. canasens Indian Phytopath. 25:104-107.

Pawar, I. S. and Kulkarni, U. K. 1973. Contribution to the fungi of Maharashtra-II. J.
Shiv. Univ. 7 : 237 – 239.

Patil, M.S., Mukadam, D.S., Chavan, A.M. and Patil, A.R. 2000. The illustration of
fungi Saraswati Printing Press, Aurangabad pp. 1-226.

Patil, N. N. 1998. Aquatic Hyphomycetes of Mahabaleshwar. Geobios new reports
17 : 90.

Patil, N. N. 1999. Taxo- ecological studies on some aquatic Hyphomycetes from
India.Frontiers in Botany: 84 -89.

- Patil, N. N. 2003. Studies on some aquatic hyphomycetes associated with submerged leaves and foam in Maharashtra. Gebios 30 : 105-108.
- Patil, N. N. 2003. Aquatic hyphomycetes from Western Ghats. Recent advances in plant Microbial and Environmental Biotechnology : 232.
- Patil, S. D. 1964. Contribution to the fungi of Maharashtra – II. J. Univ. Poona. 2 : 117 – 120.
- Patil, S. D. 1965. Contribution to the fungi of Maharashtra – II. J. Univ. Poona. Sci. & Technol. 30 : 32 – 37.
- Patil, S. D and Kapandis, B.P. 1979. Stream spora of Maharashtra. Maharashtra Vigyan Mandir Patrika 14 : 59 – 64.
- Patil, S. D and Kapandis, B.P. 1982. Stream spora of Maharashtra. Maharashtra Vigyan Mandir Patrika 12 : 13 – 16.
- Pawar, A.B. 1987. Investigation of foliicolous fungi from Maharashtra. An approved Ph.D. Thesis to Shivaji University, Kolhapur (M.S.) 343.
- Penzig, O. 1882. Nuovo. G. bot. ital. 14 : 72-75.
- Persoon, C.H. 1801. Synopsis Methodica Fungorum Gottingen: 686,
- Petersen, R.H. 1960. Aquatic hyphomycetes from North America. Aleurosporea and Key to genera. Mycologia . 54 : 117 – 151.
- Pirozynski, K. A. 1972. On dying leaves of *Saba florida* from Tanzania. Mycol. pap. 129: 40-41.
- Pirozynski, K. A. and Patil S. D. 1970. Some setose hyphomycetes of leaf litter in south India. Can. J. Bot. 48:567-568.

Ponappa, K. M. 1970. Some interesting fungi. Proc. Ind. Acad. Sci. 71 (B) : 61 – 77.

Raghukumar, S. 1973 Marine ligicolous fungi from India. Kavaka 1 : 73 – 85.

Ramesh, C.H. and Vijaykumar, S. 2005. Studies of freshwater foam fungi of Uttara Kannada, Karnataka. Indian Phytopath. 58 : 89 – 95.

Rajshekhar, M. and Kaveriappa, K. M. 1992. New records of water born Hyphomycetes from India. Indian Phytopath 45 : 138.

Ram Babu; Roy, A. N. ; Gupta, Y. K. and Gupta, M. N. 1979. Fungi associated with deteriorating seeds of *Cannabis sativa* L. Curr. Sci. 48 : 719 – 720.

Rangaswami, G., Seshadri, V.S. and Lucy Channamma, K.A. 1970. Fungi of South India, University of Agricultural Sciences, Bangalore pp.1-193.

Ranzonia, F. V. 1953. The aquatic hyphomycetes of California. Farlowia. 4 : 353-398.

Rao, V.G. and Mani Verghese, K. J. 1979. A contribution to the Ascomycetes of Kerala : Bio. vigyan. 5 : 119 -124.

Rao, V.G. and Mani Verghese, K. J. 1981. Some new or interesting hyphomycetes from India. Proc. Nat. Acad. Sci. India. 51 : 240 -244.

Rao, V., Manoharachary, C., Kumar, S.C. and Subodh, K. 2004. Fungi around some Aquatic bodies in Andhra Pradesh, India. B. S. Publications : 1 – 163.

Rajak, R. C. and Pandey, A. K. 1985. Fungi of Jabalpur – II. Indian Journal of Mycol. & Plant. Path. 15 : 186 – 194.

Roy, A. N .; Sharma, R. B. and Gupta, K. C. Occurrence of three new rot diseases of stored garlic. Curr. Sci. 46: 716.

Reddy, S. R. ; Reddy, S. S. and Reddy, S. M. 1980. Some helicosporea from Warangal. Indian Phytopath. 33 ; 73 – 76.

Saccardo, P. A. 1886. Syll. fung. 4: 57, 337, 558, 599.

Saccardo, P. A. 1895. Syll. fung. 10: 57, 558, 599.

Sathe, M. N. and Pande, A. 1977. *Periconia atropurpurea* (Berk. & curt.) Litv. A new record to Maharashtra. J. Univ. Poona 50 : 155 – 156.

Sarbhoy, A.K. 1964. Leaf litter fungi found on *Pinus longifolia* Salisb. Sydowia 18: 1-43.

Sati, S.C. 2006. Recent Mycological Researches.I.K.International Publ.pp. 1-84.

Sati, S.C., Mer, G. S. and Tiwari, N. 1989. Occurrence of waterborne conidial fungi on *Pinus roxburghii* needles. Curr. Sci. 58: 918.

Sati, S. C. and Tiwari, N. 1990. Some aquatic hyphomycetes of Kumaun Himalaya. Indian Phytopath. 39 : 407 – 414.

Sati, S. C. and Tiwari, N. 1992. A new species of *Tricladium* from Kumaun Himalaya, India. Myco. Research. 96 : 229 – 232.

Sati, S. C. and Tiwari, N. 1997. Glimpses of conidial aquatic fungi in Kumaun Himalaya in Recent Researches in Ecology, Environment and pollution 10: 17 - 37.

Sati, S. C., Tiwari, N. and Belwal, M. 2002. Conidial aquatic fungi of Nainital, Kumaun Himalaya, Mycotaxon 81 : 445 – 455.

Sehgal, S. P.; Agrawal, J. M. and Srivastava, V. S. 1971. Hyperparasites from Rajasthan -III. Indian Phytopath. 24 : 616 – 617.

Sharma, N. D. 1971. Taxonomic and Physiological studies on some folicolous Deuteromycetes. Ph.D. Thesis. Univ. of Jabalpur, M. P. (India.)

Sharma, N.D. 1973. Some foloicolus Fungi I. Botanique. 4 : 49 – 52.

Sharma, N.D. 1978. Some additions of India- IV. Ind.J. Ind. Bot. Soc 37: 104.

Sharma, A.D. and Munjal, R. L. 1982 Additions of mycoflora of Himachal Pradesh – IX. Ind.J. Ind. Bot. Soc 12 : 26 – 31.

Sharma, A. D.; Thakur, V. and Munjal, R. L. 1980. Seed Mycoflora of *Amaranthus caudatus*, its pathology and control. Indian Phytopath 32 : 242 – 244.

Sharma, R. B. and Roy, A. N. 1978. Two new soft rot of onion bulbs in storage. Curr. Sci. 47 : 60 -61.

Shettyi , P. K. 1957. Soil fungal of two forest communities of Amarkantak. M. P. Bull. Bot. Soc. Univ. Sagar. 9 : 4047.

Singh, P. N. ; Dublish, P. K. and Sindhu, I.R. 1980. Fungal colonization on leaves of a Forb. J. Ind. Bot. Soc. 59 : 325 – 332.

Sing, I. and Kang, M. S. 1989. New records of some fungi from India. Plant Diseases Research 4 : 183.

Singh, R. A. and Singh, D. 1972. Mycoflora from excreta of some wild and rare animals. Indian Phytopath. 25 : 477 – 478.

Somani, R. B.; Jadhav, A. N. and Wangikar, P. D. 1977. Some interesting fungi from India. Indian Phytopath. 30 : 352 – 354.

Soosamma, M., Lekha, G., Sreekala, K.N. and Bhat, D.J. 2001. A new species of *Trinacrium* from submerged leaves from India. Mycologia 93: 1200 – 1202.

Sparrow, F. K. 1960. Aquatic Phycomycetes (2nd ed.,) Universsity of Michigan. Press.
Ann. Arbor. : 1187.

Sreekala, K.N. and Bhat, D.J. 2002. *Dendrospora yessemmredda* sp. nov. from
 freshwater foam. Frontiers in Microbial Biotechnology and Plant Pathology.
Scientific Publishers, Jodhpur : 295 – 298.

Sreeramula, T and Ramalingam, A.1962. Notes on air borne Tetraploa spores. Curr.
Sci. 31 : 121 – 122.

Sridhar, K.R. 1984. Studies on waterborne fungi of Dakshina Khannada and Kodagu
 regions. Ph.D. Thesis, Mangalore University.

Sridhar, K.R., Chandrashekhar, K. R. and Kaveriappa, K.M. 1992. Research on the
 Indian Subcontinent. The Ecology of Aquatic Hyphomycetes (Ed.
 Barlocher,F.) Springer Verlag, Hsidelberg.: 182 – 211.

Sridhar, K. R. and Kaveriappa, K. M. 1982. Aquatic hyphomycetes of the Western
 Ghat forests in Karanataka. Indian Phytopath. 35 : 293 – 296.

Sridhar, K. R. and Kaveriappa, K. M. 1984. Aquatic hyphomycetes of the Western
 Ghat forests in Karanataka. Indian Phytopath. 37 : 546.

Sridhar, K. R. and Kaveriappa, K. M. 1985. Waterborne fungi of Kunthu river in
 Silent valley, Indian Phytopath. 38 : 371 – 372.

Sridhar, K. R. and Kaveriappa, K. M. 1986. New records of aquatic hyphomycetes.
Indian Phytopath. 39 : 131 -132.

Sridhar, K. R. and Kaveriappa, K. M. 1988. New host records of aquatic
 hyphomycetes.Indian Phytopath. 41: 160 -161.

Sridhar, K. R. and Kaveriappa, K. M. 1988. Colonization of leaf litter by aquatic
 hyphomycetes in a tropical stream. Archiv. Hydrobiologia 112: 627 – 630.

Subramanian, C. V. 1954. Some species of *Periconia* from India. J. Ind. Bot. Soc. 34 : 339 – 361.

Subramanian, C. V. 1962. A classification of the hyphomycetes. Curr. Sci. 31: 409 – 411.

Subramanian, C. V. and Lodha, B. C. 1964. Two interesting hyphomycetes. Can. J. of Bot. 42 : 1057 – 1063.

Subramanian, C. V. 1979. Fungi from Indian Mangroves. Paper presented at 3rd Int. Mar. Mycology Sym. Morehead city.

Subramanian, C. V. and Bhat, D. J. 1981. Conidia from freshwater foam samples from Western Ghats, Southern India. Kavaka 9 : 45 – 62.

Subramanian, C. V. 1983. Hyphomycetes, Taxonomy and Biology. Academic, New York pp:1-338.

Sukapure, R. S. and Thirumalachar, M. J. 1966. Some conspectus of species of *Cephalosporium* with particular reference to Indian species. Mycologia 58 : 355 -360.

Sutton, B. C. 1973. Hyphomycetes from Manitoba and Saskatchewan, Canada. Mycol. Pap. 132 : 1 – 143.

Tiwari, N. and Sati, S.C. 1993. Some Waterborne conidial fungi from a freshwater stream of Nainital, Kumaun Himalaya. Abst. In 80th Indian Science Congress : 29.

Traaen, 1914. Nyt. Mag., Naturvid. 52: 34.

Tubaki, K. 1957. Studies on the Japanese hyphomycetes. III. Aquatic group. Bull. of

Tubaki, K. 1958. Studies on Japanese Hyphomycetes on leaf and stem group with discussion of the classification of hyphomycetes and their perfect stages. J. Hattori. Bot. Lab. 20 : 142 -144.

Tubaki, K. 1971. Studies on the Japanese hyphomycetes. Trans. Bri. Mycol. Soc. 12 : 20.

Vittal, B. P. R. and Sukumaran, M. 1981. Studies on litter fungi IV Mycoflora of *Cyperus flexuous* Wats. Kavaka. 9 : 63 – 66.

von Arx, J.A. and Muller, E. 1969. Keys to the genera of Amerosporen and Didymosporen (translated into English by G.B. Butterfield). 1-53, C.M.I., Key, Surey England.

von Arx, J.A. 1974. The genera of fungi sporulating in pure culture. J Cramer 1-315.

Webster, J. 1993. *Nectria curta* sp. nov. (Ascomycetes, Hypocreales) an aquatic fungus and its *Flagellospora* anamorph. Nova Hedwigia. 56 : 455 – 464.

Webster, J and Descals, E. 1981. Morphology, distribution and ecology of conidial fungi in freshwater habitats. In: The Biology of conidial Fungi. G.T. Cole and B. Kendrick (eds.), Academic Press, New York, 1: 295 – 355.

Wildeman, E. de 1893. Notes Mycologiques. Annales de la Societe Belge de Microscopie. 17 : 35 – 68.

Wildeman, E. de 1894. Notes Mycologiques. Annales de la Societe Belge de Microscopie. 18 : 135 – 161.

Wildeman, E. de 1895. Notes Mycologiques. Annales de la Societe Belge de Microscopie. 19 : 193 – 206.