

References

References

Acharius, E. (1778). *Lichens graphiae suecicae Prodromus.*

Linkopiae Cf. Poelt, J. (1973). Systematic evolution of morphological characters. pp. 91-115 (In : The Lichens eds. Ahmadjian, V.; Hale, M.E. Pb. AP).

*sp. 9
completa* Ahmadjian, V. and Jacobs, J.B. (1981). Relationship between fungus and alga in the lichen Cladonia cristatella.

Ahmadjian, V.; Russell, L.A. and Hildreth, K.C. (1980). Artificial reestablishment of lichen. I. Morphological interactions between the Phycobionts of different lichens and the mycobionts Cladonia cristatella and Lecanora chrysoleuca.

Mycologia LXXII(1) : 73-84.

Ainsworth, G.C. (1971). Ainsworth and Bisby's Dictionary of Mycology London : Commonwealth Mycological Institute.

Aplin, P.S. and Hill, D.J. (1979). Growth analysis of Circular lichen thalli. J. Theoret Biol., 78 : 347-363.

Armstrong, R.A. (1974). Growth phase in a life of lichen thallus. New Phytol., 73 : 913-918.

Armstrong, R.A. (1976). Growth rates of lichens. In : Lichenology : Progress and Problems. Ed. Brown, D.H., Hawksworth, D.L. and Bailey, R.H. (1976) A.P.

Awasthi, D.D. and Tewari, R. (1987). Lichen genus Ochrolechia from Indian subcontinents. Kavaka, 15 : (1, 2) 23-27.

Awasthi, D.D. and Singh, K.P. (1975). Addition to the lichen flora of India III. Geophytology, 5 : 110-112.

*
on next page
Gr. and phyg.

- Awasthi, D.D. and Singh, K.P. (1973). Species of the lichen genus Phaeographina in India subcontinent. Kavaka 1 : 87-98.
- Awasthi, D.D. and Singh, K.P. (1973). A note on the revision of some Graphidaceous lichen taxa. Curr. Sci., 42 : 656-657.
- ~~Dr. →~~ Awasthi, D.D. (1965). Catalogue of the lichens from India, Nepal, Pakistan and Ceylon. Beih. Nova Hedwigia, 17 : 1-137.
- page 23* Barkman, J.J. (1958). Phytosociology and ecology of Cryptogamic epiphytes. Van Gorcum, Assen.
- sp* Beschel, R.E. (1961). Dating rock surfaces by lichen growth and its application to glaciology and phsiography (Lichenometry). In "Geology of the Arctic" ed. Raasch, G.O. 2 : 1044-1062. University of Toronto Press.
- Black, C.A. (1965). Methods of soil analysis Part-2. Chemical and Microbiological properties. Am. Soc. Agron. Inc. Madison, Wisconsin.
- Brown, D.H. (1976). Mineral uptake by lichens. In : Lichenology: Progress and Problems. Eds. Brown, D.H., Hawksworth, D.L. and Bailey, R.H. pp. 416-439.
- Burton, M.A.S., LeSueur, P. and Puckett, K.J. (1981). Copper, Nickel and Thallium uptake by the lichen Cladina rangiferina. Can. J. Bot., 59 : 91-100.
- in Lumbini* Chopra, G.L. (1934). Lichens of Himalaya Part I : Lichens of Darjeeling and Sikkim Hiimalayas. J. Punjab Uni., Lahore.
- Czehra, S.J. (1977). A lichen indicator of Copper mineralisation, lights Creek districts, Plumas country, California. Econ. Geol., 72 : 796-803.

- Doyle,P., Fletcher,W.K. and Brink,V.C. (1973). Trace element contents of soils and plants from the Selwyn mountains, Yukon and North West Territories. Can.J.Bot., 51 : 421-427.
- Drew,E.A. and Smith,D.C. (1966). The physiology of symbiosis in Peltigera polydactyla (Neck) Hoffm. Lichenologist, 3 : 197-201.
- Fenton,A.F. (1964). Atmospheric pollution of Belfast and its relationships to the lichen flora. Ir.Natur.J., 14 : 237-245.
- Ferry,B.W., Baddey,M.S. and Hawksworth,D.L. (1973). "Air pollution and lichens". University of London, Athlone Press.
- Garty,J., Galun,M., Fuch,C. and Zisapel,N. (1977). Heavy metal in the lichen Caloplaca aurantia from Urban, suburban and rural regions in Israel (a comprehensive study). Water Air Soil Pollut., 8 : 171-178.
- Gilbert,O.L. (1965). Lichens as indicators of air pollution in the tyne valley. In : Ecology and industrial society. Ed. Goodman,G.T., Edward,R.W. and Lamberts,J.M. pp.35-47, Oxford Univ.Press, London and N.Y.
- Gilbert,O.L. (1973). Lichens and air pollution. In : The lichen. Ed. Ahmadjian V., and Hale,M.E. A.P.
- Hale,M.E. (1959). Studies on lichen growth rate and succession. Bull.Torreybot.Club., 66 : 126-129.
- Hale,M.E. (1967). 'The Biology of lichens'. Arnold, London.
- Hale,M.E. (1970). Single lobe growth rates pattern in the lichen Parmelia caperata. Bryologists, 73 : 72-83.

- Handley,R. and Overstreet,R. (1968). Uptake of carrier free ^{137}Cs by Ramalina reticulata. Pl.Physiol.Lacaster, 43 : 1401-1405.
- Harmand,J. (1905). 'Lichens : The France'. Cf Poelt,J. (1973). Systemic evaluation of morphological characters. pp.91-115 In the Lichen Edd Ahmadjian,V. and Hale,M.E. AP.
- Hawksworth,D.L. and Rose,F. (1970). Qualitative scale for estimating sulphur dioxide air pollution in England and Wales using epiphytic lichens. Nature 227(5254) : 145-148.
- Hawksworth,D.L. (1976). Lichen chemotaxonomy. pp.139-184. Proceedings of the symposium 'Lichenology Progress and Problems' held at University of Bristol : Pb. AP.
- Hill,D.J. (1981). The growth of lichens with special reference to the modelling of circular thalli. Lichenologists, 13(3) : 265-287.
- Jaakkola,T., Puumala,H. and Msettihen,J.K. (1967). Microelement level in the environmental samples in Finland. Radioecol. Content Processes Proc. Int.Symp. pp.341-350.
- Jaakkola,T. (1969). Analysis of Iron - 55 produced by nuclear tests and its enrichment in Finnish lapps. Ann.Acad.Sci. Fenn.Ser. A2, 150 : 1-64.
- Jagtap,V.C. (1985). 'Study of Lichens'. A Ph.D. thesis ^{Approved} ~~submitted~~ to Shivaji University, Kolhapur (India).
- Jahns,H.M. (1973). Anatomy, Morphology and Development. pp.3-58. In : 'The Lichens' Ed. Ahmadjian V., Hale,M.E. Pb AP.

- James, P.W. and Henssen, A. (1976). The morphological and taxonomic significance of Cephalodia. pp. 22-77. In. Lichenology : Progress and problems. Eds. D.H. Brown, D.L. Hawksworth and R.H. Bailey, AP, New York.
- WJ*
- Jenkins, D.A. and Davies, R.J. (1966). Trace element contents of organic accumulations. Nature Lond ; 210 : 1296-1297.
- Johnson, I. (1975). The uptake of lead cadmium and vanadium by lichen and bryophytes. II. The effects of SO_2 fumigation on lichens and bryophytes and its interaction with lead uptake from water solutions. Research Report JRC - EURATOM ISPRA Italy.
- Jordan, W.P. (1972). Erumpent cephalodia an apparent case of phycobial influence on lichen morphology. J. Phycol., 8 : 112-117.
- Jordan, W.P. and Rickson, F.R. (1971). Cyanophyte cephalodia in the lichen genus Nephroma. Amer.J.Bot., 58 : 562-568.
- Kershaw, K.A. and Millbank, J.W. (1970). Nitrogen metabolism in lichen II. The pattern of Cephalodial fixed nitrogen between the mycobionts and phycobionts of Peltigera aphthosa. New Phytol., 69 : 75-79.
- Number 9*
- Lawrey, J.D. (1980). Calcium accumulation by lichens and transfer to lichen herbivores. Mycologia, 72 : 3, 586-594.
- Le Roy, L.W. and Koksoy, M. (1962). The lichen a possible plant medium for mineral exploration. Econ. Geol., 57 : 107.
- Linkola, K. (1918). Cf. Hale, M.E. 'Growth in the lichens'. Ed. Ahmadjian, V. and Hale, M.E., A.P.

- Linnaeus,C. (1753). 'Species plantarum' II. Holmaiae Cf.
- Poelt,J. (1973). 'Systematic evolution of morphological characters'. In : The lichens. Eds.: Ahmadjian,V. and Hale,M.E. Pb.: A.P.
- Lounamaa,J. (1956). Trace elements in the plants growing wild on different rocks on Finland and Semiquantitative spectrographic study. Cf.Tuominen,Y. and T.Jaakkola (1973). In 'The Lichen' ed. Ahmadjian,V. and Hale,M.E. AP.
- Lounamaa,J. (1965). Studies on the content of Fe, Mn and Zn in the macrolichens. Ann.Bot.Fenn., 2 : 127.
- year*
- Mathur,S.P. and Sanderson,R.B. (1480). The partial inactivation of degradative soil enzymes by residual fertilizer copper in histocols. Soil Sci.Soc.Am.J., 44(4) : 750-755.
- Micheli (1729). Cf. Poelt,J. (1973). 'Systematic evaluation of morphological characters.' pp.91-115, In : The lichen. Ed. Ahmadjian V. and Hale,M.E. Pb. AP.
- Millbank,J.W. (1972). Nitrogen metabolism in lichens IV. The nitrogenase activity of the Nostoc phycobiant in Peltigera canina. New Phytol., 73 : 1171-1181.
- Nannfeldt,J.A. (1932). Cf. Poelt,J. (1973). 'Classification', pp.599-632. In : The lichen. Ed.Ahmadjian,V. and Hale,M.E. Pb. AP.
- Nash,T.H. (1975). Influence of effluent from a zinc factory on lichens. Ecol.Monogr., 45 : 183-198.
- Nash,T.H. (1976). Lichens as indicators of air pollution. Naturwissenschaften, 63 : 364-367.

Nash, T.H. and Sigal, L.L. (1979). Gross photosynthetic response of lichen to short term ozone fumigations. Bryologists, 82 : 280-285.

Patwardhan, P.G. and C.R. Kulkarni (1977). Some additions to the lichen flora of India V. Genera Phaeographis and Phaeographica (Family Graphidiaceae). Curr. Sci., 46 : 720-721.

Patwardhan, P.G. and C.R. Kulkarni (1976). Some additions to the lichen flora of India IV Graphis and Phaeographica (Family Graphidiaceae). Biovigyanam, 2 : 123-132.

Patwardhan, P.G. and Nagarkar, M.B. (1979). Notes on some lichens from North East India I : Family Graphidiaceae. Biovigyanam, 5 : 131-138.

Patwardhan, P.G. and C.R. Kulkarni (1979). Some additions to the family Graphidiaceae from Western Ghats, India. Norweigian J. Bot., 26(1) : In Press.

Pilegaard, K. (1978). Airborne metals and SO₂ monitored by epiphytic lichens in an industrial area. Environ. Pollut., 17 : 81-92.

Platt, J. (1973). Classification, pp. 599-632. In : The lichens. Ed. Ahmadjian, V. and Hale, M.E. pp. 599-632, A.P.

Platt, R.B. and Amster, P. (1955). A basic method for the immediate study of lichen growth rate and succession. J. Tenn. Acad. Sci., 30 : 177-183.

Puckett, K.J., Nieboer, E., Gorzynski, M.J. and Richardson, D.H.S. (1973). The uptake of metal ions by lichens : A modified ion exchange process. New Phytol., 72 : 329-342.

- Puckett, K.J. (1974). The ecology and physiology of Lichens with respect to atmospheric pollution. Ph.D. thesis, Univ.London, London, U.K.
- Puckett, K.J. and Finegan, E.J. (1980). An analysis of the element content of lichens from the North West Territories, Canada. Can.J.Bot., 58(19) : 2073-2089.
- Richardson, D.H.S., Hill, D.J. and Smith, D.C. (1968). Lichen physiology XI : The role of the alga in determining the pattern of carbohydrate movement between lichen symbiant. New Phytol., 67 : 469-486.
- Roberts, B.A. and Thompson, L.K. (1980). Lichens as indicators of fluoride emission from a phosphorous plant, long harbour, New Foundland, Canada. Can.J.Bot., 58(20) : 2218-2228.
- Rydezek, J. (1956). A method of studying growth in Lichens. Cf. Armstrong, R.A. Growth rate of lichens. In : Lichenology - Progress and Problems. Ed. Brown, D.H., Hawksworth, D.L. and Bailey, R.H. (1976). A.P.
- Rydezek, J. (1961). Investigations on the growth rate of lichens. Cf. Ibid.
- Scott, G.D. (1971). Plant symbiosis IIInd Ed. pp.1-58. Arnold London.
- Skye, E. (1964). Cf. Lichen and air pollution. Gilbert, O.L. In : The Lichen. Ed. Ahmadjian, V. and Hale, M.E. A.P.
- Skye, E. (1979). Lichens as biological indication of air pollution. Ann.Rev.Phytopathol., 17 : 325-341.

Smith, D.C. (1962). The biology of lichen thalli. Bio.Rev., 37 : 537-570.

Smith, D.C. (1975). Symbiosis and the biology of lichenised fungi. In : Symposia of the society for experimental biology. Vol.No.XXIX, pp.373-405. Cambridge Press.

Solberg, Y. (1986). Chemical constituents of the lichen species Cetraria islandica. J.Hattori Bot.Lab., 60 : 391-406.

Tallis, J.H. (1964). Lichens and atmospheric pollution. Advan.Sci., 21 : 250-252.

Tomassini, F.D., Puckett, K.J., Nieboer, E., Richardson, D.H.S. and Grace, B. (1976). Determination of Copper, iron, nickel and sulphur by X-ray fluorescence in lichens from the Mackenzie valley, North West Territories and the Sudbury, District - Ontario. Can.J.Bot., 54 : 1591-1603.

Tuominen, Y. (1967). Studies on the strontium uptake in Cladonia alpestris thallus. Ann.Bot.Fenn., 4 : 1-28.

Tuominen, Y. and Jaakkola, T. (1973). Absorption and accumulation of mineral elements and radioactive nuclides. pp.185-224.

In : 'The Lichen'. Ed. Ahmadjian, V. and Hale, M.E. A.P. Van Halwijn, C., Julielite, A., Jean, B., Michael, B., Serge, D.,

Michel, L. and Claude, R. (1986). Environment and lichens some recent French results. Bull.Soc.Bot.Fr. Actual Bot., 133(2) : 81-112.

Watson, W. (1929). The classification of Lichens. New Phytol., 28 : 1-36 and 85-116.

- Wawrey, J.D. (1980). Calcium accumulation by lichens and transfer to lichen herbivores. Mycologia, J. 22(3) : 586-594.
- Woolhouse, H.W. (1968). The measurements of growth rates in lichens. Lichenologists, 4 : 32-33.
- Zahlbruckner, A. (1907, 1926). Lichens speziella teil, Cf.
- Poelt, J. (1973). "Systematic evolution of morphological characters ". pp. 91-115. In : The lichens. Eds. Ahmadjian, V. and Hale, M.E. Pb. AP.