## LIST OF FIGURES

...

| igure N | o. Title   | Page No. |
|---------|--|----------|
| L.1     | The spinel structure   | 6        |
| L.2a    | Tetrahedral lattice site   | 8        |
| .2b     | Octahedral lattice site  | 8        |
| . 3     | Angle between A-A, B-B and A-B   | ٢        |
|         | cation in a spinel structure   | 11       |
| . 4     | Predicted susceptibility   |          |
|         | curve of a ferrimagnetic material  |          |
|         | above the Curie point  | 15       |
| . 5     | Ms verses T curves for   |          |
|         | ferrimagnetic substances predicted   |          |
|         | by Neel's theory   | 17       |
| 6       | Triangular spin configuration  | 19       |
| . 0     | illangular spin configuration  | 1)       |
| .1      | Flow chart of the stages in the  |          |
| _       | ferrite preparation  | 32       |
| . 2     | Principle of the x-ray   |          |
|         | diffractometer   | 43       |
| .3      | X-ray diffraction pattern of   |          |
|         | Mgo. 2 Cdo. 7 Sio. 05 Fe2 O4   | 47       |
| . 4     | X-ray diffraction pattern of   |          |
|         | Mgo. 4 Cdo. 5 Sio. 05 Fe2 O4   | 47       |
| . 5     | X-ray diffraction pattern of   |          |
|         | Mgo, 6 Cdo, 3 Sio, 05 Fe2 O4   | 48       |
| . 6     | X-ray diffraction pattern of   |          |
|         | Mgo. a Cdo. 1 Sio. 05 Fe2 O4   | 48       |
| . 7     | X-ray diffraction pattern of   |          |
| •••     | Mag $\bullet$ Cdo Sig of Fe2 O4  | 49       |
| 8       | X-ray diffraction pattern of   |          |
|         | Man + Can z Sin + Fee O4   | 49       |
| 0       | Y_ray diffraction pattern of   |          |
|         | Man a Can a Sin a Ren Ou   | 50       |
| 10      | Myu.3000.5510.1re204<br>V-ray diffraction pattorn of   | 50       |
| . 10    |  | 50       |
|         | $\mathbf{M}\mathbf{G}0 \cdot 5 \mathbf{C}\mathbf{G}0 \cdot 3 5 1 0 \cdot 1 \mathbf{F}\mathbf{G}_2 \mathbf{U}4$ | 50       |
| .11     | A-ray diffraction pattern of   | F 4      |
| 4.0     | Mg0.7Cd0.1S10.1Fe2O4   | 51       |
| .12     | X-ray diffraction pattern of   |          |
|         | Mgo. 8 Cdo S10. 1 Fe2 O4   | 51       |
| .13     | Variation of lattice constant  |          |
|         | with Cd-content for $Si = 0.05$  | 57       |
| .14     | Variation of lattice constant  |          |
|         | with Cd-content for $Si = 0.1$   | 58       |
| 2.15    | IR spectra of  |          |
|         | Mgo, 2Cdo, 7Sio, 05F02O4   | 65       |
| .16     | IR spectra of  | -        |
|         | Mag. 4 Cdo . 5 Sig. 05 Fe2 04  | 65       |
|         | 34 ' 1 A 44 ' 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4  | ~ ~      |

.

|  | .17                                       | IR spectra of  |  |
|--|---|--|--|
|  |   | Mgo. 6 Cdo. 3 Sio. 05 Fe2 04   | 66   |
| 2  | .18                                       | IR spectra of  |  |
|  |   | Mgo . a Cdo . 1 Sio . 05 Fe2 04  | 66   |
| 2  | .19                                       | IR spectra of  |  |
| _  |   | Mgo . 9 Cdo Sio . 05 Fe2 OA  | 67   |
| 2  | . 20                                      | IR spectra of  | ••   |
| -  |   | Mg0, 1 Cd0, 7 Si0, 1 Fe2 O4  | 67   |
| 2  | . 21                                      | IR spectra of  | •••  |
| _  |   | Mgo. 3 Cdo. 5 Sio. 1 Fe2 O4  | 68   |
| 2  | . 22                                      | IR spectra of  |  |
|  |   | Mgo. 5 Cdo. 3 Sio. 1 Fe2 O4  | 68   |
| 2  | . 23                                      | IR spectra of  |  |
|  |   | Mgo.7Cdo.1Sio.1Fe2O4   | 69   |
| 2  | .24                                       | IR spectra of  |  |
|  |   | Mgo.sCdoSio.1Fe2O4   | 69   |
|  |   | •  |  |
| 3  | .1  | Conductivity cell  | 80   |
| 3  | . 2                                       | Circuit diagram for electrical   |  |
|  |   | resistivity measurement  | 80   |
| 3  | . 3                                       | Photograph of experimental set up  |  |
|  |   | of d.c. resistivity measurement  | 81   |
| 3  | . 4                                       | Variation of log verses 1000/T   |  |
|  |   | for $Si = 0.05$  | 83   |
| 3  | . 5                                       | Variation of log verses 1000/T   |  |
|  |   | for $Si = 0.1$   | 84   |
|  |   |  |  |
| 4  | .1  | Magnetization curve and hysteresis   | 95   |
| 4  | .2  | Variation of coercivity with   |  |
|  |   | particle diameter  | 97   |
| 4  | . 3                                       | Photograph of experimental set up  |  |
|  |   | of hysteresis loop tracer  | ~ ~  |
|  |   |  | 99   |
| 4  | . 4                                       | Block diagram of hysteresis  | 99   |
| 4  | . 4                                       | Block diagram of hysteresis<br>loop tracer   | 99<br>100  |
| 4  | . 4                                       | Block diagram of hysteresis<br>loop tracer<br>Variation of nm with Cd-content  | 99<br>100<br>103   |
| 4<br>4<br>4                                    | . 4<br>. 5<br>. 6                         | Block diagram of hysteresis<br>loop tracer<br>Variation of ng with Cd-content<br>Variation of Ms with Cd-content   | 99<br>100<br>103<br>104                                    |
| 4<br>4<br>4<br>4                               | . 4<br>. 5<br>. 6<br>. 7                  | Block diagram of hysteresis<br>loop tracer<br>Variation of nm with Cd-content<br>Variation of Mm with Cd-content<br>Photograph of experimental set up  | 99<br>100<br>103<br>104                                    |
| 4<br>4<br>4<br>4                               | . 4<br>. 5<br>. 6<br>. 7                  | Block diagram of hysteresis<br>loop tracer<br>Variation of nm with Cd-content<br>Variation of Mm with Cd-content<br>Photograph of experimental set up<br>of a.c. susceptibility measurement  | 99<br>100<br>103<br>104<br>109                             |
| 4<br>4<br>4<br>4                               | - 4<br>- 5<br>- 6<br>- 7                  | Block diagram of hysteresis<br>loop tracer<br>Variation of ns with Cd-content<br>Variation of Ms with Cd-content<br>Photograph of experimental set up<br>of a.c. susceptibility measurement<br>Block diagram of  | 99<br>100<br>103<br>104<br>109                             |
| 4<br>4<br>4<br>4                               | - 4<br>- 5<br>- 6<br>- 7                  | Block diagram of hysteresis<br>loop tracer<br>Variation of ns with Cd-content<br>Variation of Ms with Cd-content<br>Photograph of experimental set up<br>of a.c. susceptibility measurement<br>Block diagram of<br>a.c. susceptibility apparatus   | 99<br>100<br>103<br>104<br>109<br>110                      |
| 4<br>4<br>4<br>4<br>4<br>4                     | 4.5<br>4.6<br>4.7<br>4.8                  | Block diagram of hysteresis<br>loop tracer<br>Variation of ns with Cd-content<br>Variation of Ms with Cd-content<br>Photograph of experimental set up<br>of a.c. susceptibility measurement<br>Block diagram of<br>a.c. susceptibility apparatus<br>Variation of a.c. susceptibility   | 99<br>100<br>103<br>104<br>109<br>110                      |
| 4<br>4<br>4<br>4<br>4                          | 4.5<br>.6<br>.7<br>8                      | Block diagram of hysteresis<br>loop tracer<br>Variation of nm with Cd-content<br>Variation of Mm with Cd-content<br>Photograph of experimental set up<br>of a.c. susceptibility measurement<br>Block diagram of<br>a.c. susceptibility apparatus<br>Variation of a.c. susceptibility<br>with temperature for Si = 0.05   | 99<br>100<br>103<br>104<br>109<br>110<br>113               |
| 4<br>4<br>4<br>4<br>4<br>4<br>4                | 4.5<br>.6<br>.7<br>8<br>.9                | Block diagram of hysteresis<br>loop tracer<br>Variation of nm with Cd-content<br>Variation of Mm with Cd-content<br>Photograph of experimental set up<br>of a.c. susceptibility measurement<br>Block diagram of<br>a.c. susceptibility apparatus<br>Variation of a.c. susceptibility<br>with temperature for Si = 0.05<br>Variation of a.c. susceptibility   | 99<br>100<br>103<br>104<br>109<br>110<br>113               |
| 4<br>4<br>4<br>4<br>4<br>4<br>4                | 4.5<br>.6<br>.7<br>8<br>.9<br>.10         | Block diagram of hysteresis<br>loop tracer<br>Variation of nm with Cd-content<br>Variation of Mm with Cd-content<br>Photograph of experimental set up<br>of a.c. susceptibility measurement<br>Block diagram of<br>a.c. susceptibility apparatus<br>Variation of a.c. susceptibility<br>with temperature for Si = 0.05<br>Variation of a.c. susceptibility<br>with temperature for Si = 0.1  | 99<br>100<br>103<br>104<br>109<br>110<br>113<br>114        |
| 4<br>4<br>4<br>4<br>4<br>4<br>4<br>4           | 4.4<br>.5<br>.6<br>.7<br>.8<br>.9<br>.10  | Block diagram of hysteresis<br>loop tracer<br>Variation of nm with Cd-content<br>Variation of Mm with Cd-content<br>Photograph of experimental set up<br>of a.c. susceptibility measurement<br>Block diagram of<br>a.c. susceptibility apparatus<br>Variation of a.c. susceptibility<br>with temperature for Si = 0.05<br>Variation of a.c. susceptibility<br>with temperature for Si = 0.1<br>Set up for the determination  | 99<br>100<br>103<br>104<br>109<br>110<br>113<br>114        |
| 4<br>4<br>4<br>4<br>4<br>4<br>4<br>4           |   | Block diagram of hysteresis<br>loop tracer<br>Variation of nm with Cd-content<br>Variation of Ms with Cd-content<br>Photograph of experimental set up<br>of a.c. susceptibility measurement<br>Block diagram of<br>a.c. susceptibility apparatus<br>Variation of a.c. susceptibility<br>with temperature for Si = 0.05<br>Variation of a.c. susceptibility<br>with temperature for Si = 0.1<br>Set up for the determination<br>Curie temperature measurements  | 99<br>100<br>103<br>104<br>109<br>110<br>113<br>114<br>119 |
| 4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4      | 4.5<br>.6<br>.7<br>.8<br>.9<br>.10<br>.11 | Block diagram of hysteresis<br>loop tracer<br>Variation of ns with Cd-content<br>Variation of Ms with Cd-content<br>Photograph of experimental set up<br>of a.c. susceptibility measurement<br>Block diagram of<br>a.c. susceptibility apparatus<br>Variation of a.c. susceptibility<br>with temperature for Si = 0.05<br>Variation of a.c. susceptibility<br>with temperature for Si = 0.1<br>Set up for the determination<br>Curie temperature measurements<br>Photograph of experimental                                | 99<br>100<br>103<br>104<br>109<br>110<br>113<br>114<br>119 |
| 4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4 | 4.5<br>.6<br>.7<br>.8<br>.9<br>.10<br>.11 | Block diagram of hysteresis<br>loop tracer<br>Variation of nm with Cd-content<br>Variation of Mm with Cd-content<br>Photograph of experimental set up<br>of a.c. susceptibility measurement<br>Block diagram of<br>a.c. susceptibility apparatus<br>Variation of a.c. susceptibility<br>with temperature for Si = 0.05<br>Variation of a.c. susceptibility<br>with temperature for Si = 0.1<br>Set up for the determination<br>Curie temperature measurements<br>Photograph of experimental<br>set up of Curie temperature | 99<br>100<br>103<br>104<br>109<br>110<br>113<br>114<br>119 |

,