

## BIBLIOGRAPHY

- 1 Antheunisse, L.J. (1963).  
    Neurosecretory Phenomena in the Zebra mussel, Dreissena polymorpha Palls. Archs. Neerl. Zool. , 16 : 237-314.
- 2 Bern, H.A. (1962).  
    The Properties of Neurosecretory Cells. Gen. Comp. Endocrinol., 1: Suppl. 117-132.
- 3 Boer, H.H. and Joosse, J. (1975).  
    Endocrinology. In Pulmonates. Vol.1. In : Functional Anatomy and Physiology. (v.Fretter and J.Peake Eds). pp.245-307., Academic Press. London.
- 4 Boer, H.H., Roubour, E.W., Daten, H.Van and Groesbeek, J.R.F.T.(1977).  
    Neurosecretion in the basommatophoran snail Bulinus truncatus. (Gastropoda, Pulmonata). Cell. Tissue. Res. 176 :57-68.
- 5 Cameron, M.L. and Steele, J.E. (1959).  
    A simplified aldehyde-fuchsin staining of Neurosecretory cells.  
    Stain. Technol., 34 : 265-266.
- 6 Chou, J.T.Y. (1957).  
    The cytoplasmic inclusions of the neurons of Helix aspersa and Lymnaea stagnalis. Quart. J. Microscop. Sci. 98 :47
- 7 Dyer, R.F. and Cowdon, R.R. (1973).  
    Electron Microscopy of the Gastropod, Pulmonates, Triodopsis diversta 1 : Ultrastructure of the Perineurium. J. Morph. 139 : 125-154.
- 8 Ebberink, R.H.M., vanLoenhout, H. , Geraert, W.P.M. Hogens T.M., Hoogland, H. 1983.  
    Purification and Characterization of the ovulation hormone and the dorsal body of Lymnaea stagnalis. In : J. Lever and H.H. Boer (eds). : Molluscan Neuroendocrinology. North Holland Publishing Co., Amsterdam, pp.56-58.
- 9 Ewen, A. B. (1962).  
    An improved aldehyde-fuschin Staining technique for Neurosecretory Products in Insects. Trans. Amer. Mic. Soc. 81 : 94-96.
- 10 Fahrmann, W. (1961).  
    Licht and electronermikiosko Pisches untersuchungen des nervesystems van Unio tumidus (Phillipission) unter besonderer Breuk Schichtingung der neurosekretion. Z.Zellforsch. Mikrosche. Anat. 54 : 689-716.
- 11 Fretter V. and Graham, A. (1964).  
    Reproduction. In : Physiology of Mollusca. (Wilbur, K.M. and Yonge,C.M. eds.). Vol.2, pp.127-164. Academic Press, New York.

- 12 Gabe, M. (1954).  
Endocrinology of Mollusca in Chemical Zoology. (Eds. Florkin, M and Scheer, B.T). Vol.VII., 349-392. Academic Press London.
- 13 Gabe, M. (1966).  
Neurosecretion. Pergamon Press, Oxford
- 14 Geraerts, W.P.M. (1976,a).  
Control of Growth by the neurosecretory hormone of the light green cells in the freshwater snail Lymnaea stagnalis. Gen. Comp. Endocr. 29 : 61-71.
- 15 Geraerts, W.P.M. (1976, b).  
The role of the lateral lobes in the control of growth and reproduction in the hermaphrodite freshwater snail Lymnaea stagnalis Gen. Comp. Endocr. 29 : 97-108.
- 16 Godan, D. (1983).  
Pest slugs and snails : Biology and control. Springer verlag New -York.
- 17 Gomori, G. (1941).  
Observations with different stains on human islets of Langerhans. Amer. J.Path. 17 : 395-406.
- 18 Gomori, G. (1950).  
Aldehyde-fuchsin, a new stain for elastic tissue. Amer. J.Clin. Path 20 : 665-666.
- 19 Guyard, A. (1967).  
Feminisation de la glande hermaphrodite Juvenile d' Helix aspersa Mull. associee in vitro au ganglion cerebroide d' escargot adulte ou de paludine femelle. C.R.Acad.Sci., 265 : 147-149.
- 20 Highnam, K.C. and Hill, L. (1977).  
The comparative endocrinology of the invertebrates. Edward Arnold, London.
- 21 Humason, G.L. (1967).  
Animal Tissue Techniques. W.H. Freeman and Co., sanFrancisco.
- 22 Hunter, P.J. (1969).  
Slugs and their control. Proc. 5th Brit. Insect. Fung. Conf. 3 : 715-719.
- 23 Jawalikar, D.D. (1989).  
Further studies on endocrinology of a pest land slug, Laevicaulis alte. Ph.D. Thesis Marathwada University, Aurangabad.
- 24 Joosse, J. (1964).  
Dorsal bodies and dorsal neurosecretory cells of the cerebral ganglia of Lymnaea stagnalis. L. : Arch. Neerl. Zool. 16 : 1-103.

- 25 Joosse, J. Deviliger, T.A. and Roubos, E.W. (1982).  
Nervous systems of lower animals as models, with particular reference to peptidergic nervous in Gastropods. In: chemical transmission in the brain, progress in brain research. Buijs R.M. Pever P. and Swaab, D.F. eds). Vol.55 : pp.379-404. Elsevier Biomedical press.
- 26 Krause, E. (1960).  
Unterschangen Über die Neurosekretion in schlundring Von, *Helix pomatia*. Z. Zollforsch. 51 : 748-776.
- 27 Kuhlmann, D. and Nolte, A. 1967.  
Spermiogenese, Eireifung und Neurosekretion. Untersuchungen an der Weinbergschnecke *Helix pomatia*, L. (Gastropoda). Z. Wiss Zool., A 176 : 271-286.
- 28 Ladislav, T. (1966).  
Physiology of the nervous system. Physiology of Mollusca Vol.II . Chapter 12 : 387-454. Academic Press. Inc. (London) Ltd.
- 29 Lane ,N.J. (1964a).  
Neurosecretory cells in the optic tentacles of certain pulmonates Quart J. Microsc. Sci. 103 : 201-226.
- 30 Lane, N.J. (1964 b).  
Elementary Secretory granules in Neurons of the snail, *Helix aspersa* Quart. J. Microscop. Sci. 105 : 31-34.
- 31 Lev, R. and Spicer, S.S. (1964).  
Specific staining of sulphate groups with alcian blue at low pH. J.Histochem. Cytochem, 12 : 309.
- 32 Lever, J. (1957).  
Some remarks on Neurosecretory phenomena in *Ferrissia* sp. (Gastropoda, Pulmonata). Proc. Kon. Ned. Akad. Wet 60 : 510-522.
- 33 Lever, J. (1958a).  
On the relation between the mediodorsal bodies and the cerebral ganglia in some pulmonates. Arch. Neerl. Zool. 13 : 194-201.
- 34 Lever, J. (1958b).  
On the occurrence of a paired follicle gland in the lateral lobes of the cerebral ganglia in some pulmonates. Proc. Kon. Ned. Akad. Wetensch., ser., C 61 :235-242.
- 35 Martoja, M. (1972).  
Endocrinology of Mollusca. In : Chemical Zoology Mollusca. (M. Florkin and B.T.Scheer; eds). Vol.VII. pp.349-392. Acad.Press New York.
- 36 Mc.Manus J.F.A. and Mowry, R.W. (1960).  
Staining Methods; Histologic and Histochemical. Paul B. Hoeber and Co. New York.

- 37 Miksys, S.L. and Saleuddin, A.S.M. (1988)  
Polysaccharide synthesis stimulating factors from the dorsal bodies  
and cerebral ganglia of Helisoma duryi. (Mollusca : Pulmonata).  
Can J.Zool. 66 : 508-511.
- 38 Mowry, R.W. (1956).  
Alcian blue technique for the histochemical study of acidic  
carbohydrates J.Histochem. Cytochem. 4 : 407.
- 39 Mowry R.W. (1963).  
The special value of methods that colour with acidic and vicinal  
hydroxyl groups in the histochemical study of mucins, revised  
directions for the colloidal iron stain. The use of Alcian blue 8 Gx.  
and their combinations with periodic acid, schift reaction. Ann. N-Y  
Acad. Sci. 106 : 402-423.
- 40 Nagabhushanum R. and Kulkarni A.B. (1971 a).  
Neurosecretion in the slug, Laevicaulis alte. Proc. Indian Acad. Sci.  
B. 73: 290-302.
- 41 Nagabhushanum R. and Kulkarni A.B. (1971 b).  
Reproductive biology of the land slug, Laevicaulis alte. Rev. Biol.  
64 :15-44.
- 42 Nagabhushanam, R. and Mane, U.H. (1973).  
Neurosecretion in the clam, Katelysia opima. Marathwada  
University, Journal Sci. 12 : 193-206.
- 43 Nagabhushanum R and Swarnamayee T. (1963).  
Neurosecretory cells in the central nervous system of vaginulus sp.  
(Gastropoda, pulomonata). J.Anim. Morph. Phy. 10 : 171-173.
- 44 Nagabhushanum, R. and Swarnamayee, T. (1964).  
Neurosecretory cells in the central nervous system of Ariophanta  
lingulata . The nucleus 7 : 67-70.
- 45 Nanaware, S.G. (1974).  
Biochemical and Histochemical studies on the reproductive organs  
of some Gastropods. Ph.D. Thesis, Shivaji University, Kolhapur.
- 46 Nolte, A. Koolman J. Dorlochter, M and Straub H. (1986).  
Ecdysteroids in the dorsal bodies of the pulmonat(es) (Gastropoda)  
synthesis and release of ecdysone Comp. Biochem. Physiol.  
87A : 777-782.
- 47 Nolte, A. and Kuhlmann, D. (1964).  
Histologie and Sekretion der cerebral Druse adulter  
stylommatophoren (Gastropoda). Z. Zellforsch., 63 : 550-567.
- 48 Pantin, C.F. A.(1946).  
Notes on Microscopical Technique for Zoologists. Cambridge  
University Press, London.

- 49 Pelluet, D. and Lane, N.J. (1961).  
The relationship between neurosecretion and cell differentiation in  
the ovotestis of slugs. (Gastropoda; pulmonata). Can.J.Zool. 39 :  
691-805.
- 50 Saleuddin, A.S.M. Ashton, M.L. and Khan, H.R. (1989).  
Mating-induced release and fine structural changes in the  
endocrine dorsal bodies of Helisoma (Mollusca). J.Exp. Zool. 250 :  
206-213.
- 51 Scharrer, B. (1935).  
Uber des Hanstromsche Organ X bei Opisthobranchiern. Pubbl.  
Stan. Zool. Napoli., 15 : 132-142.
- 52 Scharrer, E. and Scharrer, B. (1937).  
Uber Druzen Nervenzellen und Neurosekret orischez, organe bei.  
Wirbelbeseb and Wirbettieren Biol. Rev. 12 : 185-216.
- 53 Scharrer, E. and Scharrer B. (1954).  
Hormones produced by Neurosecretory cells. Recent progress in  
Hormone Research. Proc. Laurentian Hormone Conference . 10 :  
183.
- 54 Shinde ,S.V. (1991).  
Neuroendocrinology and reproductive Physiology of a freshwater  
snail, Indoplanorbis exustus (deshayes). Ph.D. Thesis,  
Marathwada University, Aurangabad.
- 55 Simpson, L., Bern, H.A. and Nishioka, R.S. (1966 a).  
Survey of evidence for neurosecretion in Gastropod molluscs.  
Amer. Zool. 6 : 123-139.
- 56 Simpson, L. Bern, H.A., Nishioka, R.S. (1966b).  
Examiantion of the evidence for neurosecretion in the nervous  
system of Helisoma tenue. (Gastropoda, pulmonata) Gen. Comp.  
Endocrinol., 7 : 525-549.
- 57 Smith, B.J. (1967).  
Corelation between neurosecretory changes and maturation of the  
reproductive tract of Arion ater. Malacol 5 : 285-298.
- 58 Steedman, H.F. (1950).  
Alcian blue 8G : a new stain for mucin. Quart. J. Microscop Sci. 91  
477-479.
- 59 Swindle, N.V. and Benjamin, P.R. (1976).  
The anatomy of neurosecretory neurons in the pond snail Lymnaea  
stagnalis, (L.). Phil. Trans. Roy. Soc. Lond. B 274 : 169-202.
- 60 Runham, N.W. and Hunter, P. J. (1970).  
In :Terrestrial slugs. Hutchinson University Library, London.

- 61 van Minnen, J. and von Reichert, D. (1980).  
Neuronal regulation of the activity of neurosecretory cells in the lateral lobes of cerebral ganglia of the pond snail, Lymnaea stagnalis with particular reference of the cariop cell. Proc. K. Ned. Akad. Wet Ser. C. Bio. Med. Sci., 83 (1-14).
- 62 van Minnen, J. Von Reicheit, D. and Boer, H.H. (1977).  
Ultra histochemical identification of different types of Neurosecretory material A-B silver Method. Proc. Kon. Ned. Akad. Metensch; 80 : 302-309.
- 63 van Mol, J.J. (1967).  
Etude Morphologique et phylogénétique du ganglion Cerebroïde des gasteropodes pulmones. (Mollusques). Mem. Acad. M. Belg. Cl. Sci., 37 : 1-168.
- 64 Wendelaar Bonga, S.E. (1970).  
Ultra structure and histochemistry of neurosecretory cells and neurohaemal areas in the pond snail Lymnaea stagnalis (L.). Z. Zellforsch 108 : 190-224.
- 65 Wendelaar Bonga, S.E. (1972).  
Neuroendocrine involvement in osmoregulation in a fresh water mollusc, Lymnaea stagnalis. Gen. Comp. Endocr. Suppl. 3 : 308-316.
- 66 Wijdenes, J., van Minnen, J. and Boer, M.H. (1980).  
A comparative study on neurosecretion demonstrated by Alcian blue -Alcian Yellow technique in three terrestrial pulmonates. (Stylommatophora). Cell. Tissue Res. 210 : 47-56.