CHPTER VII

General Discussion

As mentioned in Introduction the aim of the project is to test the toxicity of the Ayurvedic drug Nag bhasma. Nag bhasma is prescribed against diabetes, urinary tract diseases, anaemia, liver and spleen disorders, general weakness, rheumatoid arthritis etc. Ayurvedic drugs are known to be developed using many lengthy procedures that involve herbal or other natural products' treatment. Since the crude herbs or natural products are used the organocomplex formed can't be explained in modern forms. Since the modern therapy is more popular people apply the same tests for their evaluation even if the ayurvedic testing methods are available. The importance of these and other ethnic drugs has been realised. Ayurvedic drugs are time proved drugs and hence needed to be convinced for their use in modern physiological, pathological, pharmacological basis so that they can be used as independent and integrated medicine. In the modern therapy toxicity testing in animal models is essential.

REFERENCES

- Alberts B; Brey D; Lewis J; Raff M; Roberts K & Watson J D (1994)
 Vesicular traffic in the Secretory and Endocytic Pathways' in Molecular Biology of the Cells, (3rd ed), Pub. By Garlard Publishing inc New York.
- Arena J M (1974) Poisoning : Toxicology, Symptoms, Treatments,3rd ed American Lecture Series, No.90. American Lectures in Living Chemistry, Thomas, and Springfield.
- Ayurved Sarsangrah (1971) 7th ed. Pub by Shri Vaidyanath Ayurved Bhavan Pvt. Ltd.1, Gupta lane, Calcutta-6.
- 4. Ballantyne B; Marrs T & Turner p (1995) General and Applied Toxicology Pub by : Macmillan (Abridged Ed.)
- 5. Barriocanal J G; Bionifacino J S; Yuan L & Sandoval I V (1986) Biosynthesis, glycosylation, movement through the Golgi system and transport to lysosomes by an N-linked carbohydrateindependent mechanism of 3 lysosomal integral membrane proteins. J. Biol Chem, 261, 16755.
- 6. Bartrop D & Smith A (1971) Interaction of lead with erythrocytes. Experientia, 27, 92.
- Bergmeyer U H (1965) "Phosphatases" in Methods of Enzymatic Analysis, Pub by: Academic Press, London, 779.

- Brenner B M & Rector F C Jr (1986a) The Kidney, 3rd edition. Vol 1.
 Pub by: Saunders, Philadelphia.
- Brenner B M & Rector F C Jr (1986b) The Kidney, 3rd edition. Vol 2.
 Pub by: Saunders, Philadelphia.
- Bishop C W & Surgenor D M (1964) The Red Blood Cell: A Comprehensive Treatise. Pub by: Academic Press, New York pp. 110.
- Buwa S K, Patil S & Kanase A (2000)evaluation of hepatoprotective actions of abhrak bhasma in albino rats the induction of hepatitis by single dose of CCl₄. *Deerghayu International*, 15, 160 - 162
- Buwa S K, Patil S & Kanase A (2000) hepatoprotective actions of abhrak bhasma in albino rats against hepatitis induced by CCl₄.
 Indian J Exp Biol, 39, In press
- Cardona E; Lessler M A & Brierly G P (1971) Mitochondrial oxidative phosphorylation - interaction of lead with inorganic phosphate, Proc Soc Exp Biol Med, 136, 300.
- Choie D D & Richter G W (1973) Stimulation of DNA synthesis in rat kidney by repeated administration of lead. Proc Soc Exp Biol Med 446 449.
- 15. Choie D D Richter G W & Young L B (1975) Biogenesis of intranuclear lead protein inclusions in mouse kidney. Beitr pathol, 155, 197 - 203.

- Craan AG; Nadon G & Pan A Y S (1984) Lead flux through the kidney and salivary gland of rat. Am J Physiol, 247, F 773-F783.
- Dean R T (1975) Direct evidence of importance of lysosomes in degradation of intracellular proteins. Nature, 57, 414 - 416.
- 18. Devarshi P, Kanase A, Kanase R, Mane S, Patil S & Varute A (1986) Effect of mandur bhasma on lypolytic activities of liver, kidney and adipose tissue of albino rats during CCl₄ induced hepatic injury. J Biosci, 10, 227 – 234
- 19. Dieter M P; Matthews H B; Jeffcoat R A & Moseman, R F (1993) Comparison of lead bioavailability in F 344 rats fed lead acetate, lead oxide, lead sulphide, or lead ore concentrate from Skagway and Alaska. J Toxicol Environ Health, 39, 79 - 93.
- 20. Duvencamp A (1984) Karyokinetic reactions in rat kidney proximal convoluted segment epithelium on long term lead supply with drinking water. Acta Anat, 119, 121 123
- 21. Farris E J & Griffith J Q (Jr) (1971) The rat in laboratory Investigation. Pub. by Hafner publishing company New York.
- 22. Forbes G B & Reina J C (1972) Effect of age on gastrointestinal absorption of Fe, Sr and Pb in the rats. J Nutr, 102, 647-652.
- @ 23. Gibson S L M & Goldberg A (1970) Clin Sci, 38, 63
 - 24. Gosselin R E; HodgeH C & Smith R P (1984) Clinical Toxicology of commercial products 5th ed. Pub. by Williams

- 25. Gouda I M; Abdel A S, A; Ahmed A A; Lotfi M M & Soliman M M (1985) Changes in some lever functions in experimentally lead-poisoned goats. Arch. Exp. Veterinaermed, 39, 257 67
- 26. Goyer R A; Krall A & Kimball J P (1968) The Renal Tubule in Lead
 Poisoning. Lab Invest, 19, 78 83
- 27. Goyer R A (1968) The renal tubule in Lead poisoning: 1mitochondrial swelling and aminoaciduria. Lab Invest, 19, 71 -77.
- 28. Goyer R A & Krall R (1969) J cell biol, 41, 393
 - 29. Goyer RA (1971) Lead and the kidney, Curr Top Pathol 55, 147
 - 30. Goyer R A (1982) The nephrotoxic effects of lead. In Bach, P. I t.,
 Bonner F W; Bridges J W & Lock E A (Eds), Nephrotoxicity :
 Assessment and Pathogenesis. Wiley, Chichester, pp. 338-348.
 - 31. Hanafy M S; Shalaby S M; el-Fouly M A; Abd el-Aziz M I; Soliman F
 A (1994) Effect of garlic on lead contents in chicken tissues . DTW
 Dtsch Tierarztl Wochenschr, 101, 157 158.
 - 32. Hayashi M; Yamamoto K; Yoshimura M; Kishimota T & Shitara A
 (1993) Effects of fasting on distribution and excretion of lead
 following long -term lead exposure in rats. Arch Environ Contam
 Toxicol, 24, 201 205

- 33. Himeno M; Hashiguchi Y & Kato K (1974) B-glucuronidase of Bovine Liver Purification, Properties, Carbohydrate Composition. J Biochem 76, 1243-1252.
- 34. Himmelstein K J & Lutz R J (1979) A review of the applications of physiologically based pharmacokinetic modeling. J Pharmacokin Biopharm 7, 127 145.
- 35. Hodgson E; Philpot R M & Bend J R (1979) Reviews in Biochemical toxicology (1) Pub. -Elsevier/North Holland, New York
- Ø 36. Holtzman E (1976) Lysosomes : A survey, Pub. by: Springer Verlag, New York
 - 37. Hon-Wing L (1995) In-Physiologically-Based Pharmacokinetic
 Modelling. In-General and applied Toxicology Abridged ed, Ed. by
 B. Ballantyne, T. Marrs and P. Turner. Pub.- MaCmillan,
 - 38. Hook J B; McCormack K M & W.M. Kluwe (1979) Biochemical mechanisms of nephrotoxicity, in 'Reviews in biochemical toxicology' Ed. by Hodgson J B & Philpot R M Pub. by Elsevier North Holland Inc. pp 53-78.
 - Horiuchi K; Horiguchi S & Suekane M (1959) Studies on industrial lead poisoning. Osaka C Med J, 5, 41
 - 40. Huguet J M & Braun J P (1982) Acute kidney disturbances by lead acetate in the rat. *Toxicol Lett*, 10, 395-398.

- 41. Ikebuchi H; Teshima R; Suzuki K; Terao T & Yamane Y (1986)
 Simultaneous induction of Pb metallothionein like protein and Znthionein in the liver of rats given lead acetate. *Biochem J*, 233, 541-6
- 42. Kanase A; Patil S & Kulkarni P H (1992) Effect of mandur bhasma on lysosomal enzymes of liver kidney and adipose tissue of albino rats during CCl₄ induced hepatic injury. *Deerghayu international*, 3 (8), 11 16
- 43. Kanase R; Patil S & Kanase A (1994) Effect of hepatoprotective ayurvedic drugs on lysosomal enzymes during hepatic injury induced by single doseof CCl₄. Ind J Exp Biol, 32, 328 - 332
- 44. Kanase R; Patil S; Kanase A & Kulkarni P H (1995) Role of lysosomal enzymes in the hepatoprotective action of ayurvedic drugs during CCl₄ induced hepatic injury in albino rats. Deerghayu International, 11(2), 6-12.
 - 45. Kanase A, Patil S & Thorat B (1997) Curative effects of Mandur Bhasma on liver and kidney of male rats after CCl₄ induced liver injury. *Indian J Exp Biol*, 35, 754 - 764.
- 46. Kanase R; Patil S; Kanase A & Kulkarni P H (1998) Effect of hepatoprotective Ayurvedic drugs on lysosomal enzymes of liver and kidney during CCl₄ induced hepatic injury in albino rats . Deerghayu International, 14, 66-79.

- 47. Karmarkar N; Saxena R & Anand S (1990) Effect of Lead acetate on erythrocyte morphology in rats. Indian J Exp Biol, 28, 1084 1085.
- 48. Khalil-Manesh F; Tartaglia-Erler J & Gonick H C (1994) Experimental model of lead nephropathy IV- correlation between renal functional changes and haematological indices of lead toxicity. J Trace Elem Electrolytes Health Dis, 8, 13-9.
- 49. Kirchgessner M; Reichlmayr –Lais (1981) Changes of iron conc. and iron-binding capacity in serum resulting from alimentary lead deficiency. Anna M Biol Trace Elem Res, 3, 279 - 85.
- 50. Knowles S E & Ballard F J(1976) Selective control of the Degradation of Normal and Aberrant Proteins in Ruber H35 Hepatoma cells. *Biochem J*, 156, 609 617.
- ø 51. Kornarker M S & Lowenstein J M (1965) Biochem J, 95, 832
 - 52. Lamola A A & Yamane T (1974) Zinc protoporphyrin in the erythrocytes of patients with lead intoxication and iron deficiency anaemia. Science, 186, 936 - 938.
 - 53. Lansdown A B G (1995) Toxicology of Bone and Cartilage In-General and applied Toxicology' Abridged ed.- Ed. by Bryan Ballantyne, Timothy Marrs, Paul Turner Pub. by – MacMillan.

- 54. Lasser M A & Walters M I (1973) Erythrocyte osmotic fragility in the presence of lead or mercury. Proc Soc Exp Biol Med, 142, 548 -553.
- 55. Levander O A, Morris V C & Ferretti R J (1975) Interactions of Lead poisoning and vit. E deficiency. J Nutr, 105, 1481 - 1485.
- 56. Lehninger A L (1984) The molecular basis of cell: structure and function in Biochemistry, in Biochemistry, Pub. by Kalyani Publishers, New Delhi
- 57. Lilis R; Valciukas J & Fischbein A (1979) Renal function impairment in secondary lead smelter workers; correlations with zinc protoporphyrin and blood lead levels. J Environ Pathol Toxicol, 2, 1447 - 1474
- 58. Linhardt K & Walter K (1965) in Methods of Enzymatic Analysis.Ed by Bergemeyer, H. Pub by Academic Press, London, pp: 779
- 59. Lowry O H; Rosenbrough C H; Farr A 1 & Randall R J (1951) protein measurment with Folin Phenol reagent, J Biol Chem, 193, 265 - 275.
- 60. Luckey J D (1975) Homology with inorganic compounds. Enviro Qual Saf Suppl, 1, 81-103.
- 61. Mahaffey K R; Caper S G; Gladen B C & Fowler B A (1981) Concurrent exposure to lead, cadmium and arsenic-Effects on

toxicity and tissue metal concentration in the rat. J Lab Clin Med, 98, 463 - 481

- 62. Meyer R B; Fischbein A; Rosenman K; Lerman V; Drayer D & Reidenberg M M (1984) Increased urinary enzyme excretion in workers exposed to nepherotoxic chemicals. Am J Med, 70, 998.
- 63. Melby E C (Jr) & Altman N H (1977) Handbook of laboratory
- animal Science vol. I, Pub by CRC Press Inc. Ohio 44128. USA
 - 64. Melby E C (Jr) & Altman N H (1977) Hand book of laboratory animal Science vol. II, Pub by CRC Press Inc. Ohio 44128. USA.
 - 65. Melby E C (Jr) & Altman N H (1977) Hand book of laboratory animal Science vol. III, Pub by CRC Press Inc. Ohio 44128. USA.
 - 66. Menzel D B (1987) physiological Pharmacokinetic Modeling: Environ Sci Technol, 21, 944-950.
 - 67. Mortimore G E & Schworer C M (1977) Induction of autophagy by amino- acid deprivation in perfused rat liver. *Nature*, 270, 174-176.
 - 68. Murakami M; Kawamura R; Nishil S & Katsunuma H (1983) Early appearance and localisation in the segments of renal proximal tubules of rats following ingestion of lead. Br J Exp Pathol, 64, 144-55.

- 69. Mushah P (1992) Defining lead as the premiere environmental health issue for children in America ; Criteria and their quantitative application. *Environ Res*, 59, 281 - 309.
- 70. Naets J P (1969) erytropoietin, In " the Kidney" vol II, Ed by Rouiller C. And Muller, A. F. Pub by –Academic Press New York and London.
- 71. Neely A N; Cox J R; Schworer C M & Mortimore G E (1977)
 Alterations of lysosomal size and density during rat liver Perfusion
 : Suppression by insulin and amino acids. J Biol Chem, 252, 6948
 6954
- 72. Newsholme, E.A. and Start, C. (1974) ' Regulation in Metabolism ' Wiley, New York.
 - 73. Oskersson A; Foler B A (1985) Effects of lead on the heme biosynthetic pathway in rat kidney. *Exp Mol Pathol*, 43, 409 - 17.
 - 74. Pani P, Dessi S & Rao P (1984) Changes in serum and hepatic cholesterol in lead induced liver hyperplasia. Toxicol Pathol, 12, 162-7.
 - 75. Passow H; Rothstein A & Clarkson T W (1961) The General Pharmacology of Heavy Metals. *Pharmacol Rev*, 13, 185-224.
 - 76. Patil S, Kanase A & Varute A T (1989) Effect of hepatoprotective ayurvedic drugs on lipases following CCl₄ induced hepatic injury in rats. Indian J Exp Biol, 27, 955 – 958

- 77. Patil S, Kanase A & Kulkarni P H (1992) Studies on protective and curative action of Ayurvedic drugs on duodenal ulcers in albino rats. Deerghayu International, 4 (3), 4 - 6
- 78. Patil S, Kanase A & Kulkarni P H (1993) Effect of hepatoprotective Ayurvedic drugs on lipolytic activities during CCl₄ induced acute hepatic injury in albino rats Indian J Exp Biol, 31, 265 – 269
- 79. Patil S, Kanase A & Kulkarni P H (1993) Evaluation of anticarcinogenic potentials of kanchnar guggul and suvarn rasa sindur in albino rats. Deerghayu International, 12 (3), 7 – 11
- 80. Patil S, Kanase A & Kulkarni P H (1998) Studies on lysosomal enzymes of nervous tissue during antistress activities of Ayurvedic drugs. Deerghayu International, 14, 37 – 41
- 81. Patil S, Kanase A & Kulkarni P H (1999) Study of anticarcinogenic effects of raktavardhak, brihat vat chintamani and gold compound in albino rats. J National Integr Medical Assoc, 41, 5 - 10
- 82. Popova M P & Popov C S (1998) Effect of heavy metal salts on the activity of rat liver and kidney catalase and lysosomal hydrolases. Zentralbl Veterinarmed A, 45, 343-51
- Pounds J G; Wright R; Morrison D & Casciano D A (1982) Effect of lead on calcium homeostasis in the isolated rat hepatocyte. *Toxicol Appl Pharmacol*, 63, 389-401.

- Pounds J G; Wright R; Morrison D & Casciano D A (1982) Effect of lead on calcium homeostasis in the isolated rat hepatocyte. Toxicol Appl Pharmacol, 63, 389-401.
- 84. Powell L W (1985) Haemochromatosis and related iron storage diseases. In Liver and Biliary Disease, Pathophysiology, Diagnosis Management. Ed.by Wright, R.; Millwardsandler, G. H. & Alberti, K. G.M.M. and Karran. Pub. by: Bailliere Tindall, London: 963-982.
- 85. Rabinowitz M (1998) Historical Perspective on Lead Biokinetic Models. Environ Health Persp, 106, suppl. 6, 1461-1465.
- 86. Ramirez-Cervantes B; Embree J W & Hine H C (1979) Health assessment of workers with different body burdens of lead. J Occp Med, 20, 610-617.
- 87. Reitman S & Frankel S A (1957) A Calorimetric method for the Determination of Serum Glutamate Oxaloacetate and Glutamate Pyruvic Transaminase. Am J Clin Path, 28, 56.
- Robert, A. and Goyer, M.D. (1968) The Renal Tubule in Lead
 Poisoning. Lab Invest, 19, 71
- 89. Rosenthal A S; Moses H L; Beaver D L & Schuffman S S(1966)
 Lead ion and phosphatase histochemistry I Nonenzymatic
 hydrolysis of nucleoside phosphatases by lead ion. J Histochem
 Cytochem, 14, 698

- 90. Roullier C H (1963) Experimental toxic injury of the liver. In The Liver II. Ed by: Roullier, C. H. Pub by: Academic Press New York, 335 - 443
- 91. Rouller C & Muller A F (1969) The Kidney Vol.1 Pub by Academic Press, London
- 92. Rouller C & Muller A F (1969) The Kidney Vol.2 Pub by Academic Press, London
- Rouller C & Muller A F (1969) The Kidney Vol.3 Pub by Academic Press, London.
- 94. Rouller C & Muller A F (1969) The Kidney Vol. 4 Pub by Academic Press, London
- 95. Satiji N K & Vij A G (1995) Preventive action of zinc against lead toxicity. Indian J Physiol Pharmacol, 39, 377-82.
- 96. Schroeer W; Themann H; Meiss R & Heinrich U (1982)
 Ultrastructural alterations in the hepatic parenchyma of the rat in acute lead toxicity. Wiss Umwelt, 1: 23-9.
- 97. Schwarz, K. (1974) New essential trace elements (Sn, V, F and Si)
 : Progress report and outlook In : Trace Elements Metabolism in Animals Ed by: Hoehstra, W.G. Suttie, J.W.; Ganther, H. E. and Mertz, W. University Park Press, Baltimore: 355-380.

- Scoppa P; Roumengous M And Penning W (1974) Hepatic drug metabolizing activity in lead poisoned rats. *Experientia*, 29, 970-972.
- 99. Seldin D W. & Giebisch G (1985) The Kidney: Physiology and Pathophysiology vols 1,2. Raven Press, New York.
- 100. Shelton, K. R and Egle, P. M. (1982) The proteins of lead induced intranuclear inclusion bodies. : J. Biol. Chem, 257, 11802-7.
- 101. Skerfving S; Christoffersson J O; Schutz A; Welinder H; Spang G
 Ahlgren L And Mattson, S (1987). Biological monitoring by in vivo
 XRF measurements of occupational exposure to lead, cadmium
 and mecury. Biol Trace Elem Res
- 102. Skoczynska A & Smolik R (1994) The effect of combined exposure to lead and cadmium on serum lipids and lipid peroxides level in rats. Int. J Occup. *Med Environ Health*, 7, 263-71.
- 103. Skudlarek M D; Novak E K & Swank R T (1984) Lysosomes in Biology and Pathology. 7th ed by Dingle J T; Dean R T & Sly W pub by North Holland Pubs Amsterdam.
- 104. Sroczynski J; Jonderko G & Weigie A (1967) Pathol pol 18, 405.
- 105. Stiller D & Friedrich H J (1983) Ultrastructural and ultrahistochemical investigations of lead-induced intranuclear inclusion bodies in rat kidney *Exp Pathol*, 24,133-41.

- 106. Storrie B (1988) Lysosomal Assembly Int Rev of Cytol Ed Bourne G H, Jeon K W & Friedlander M pub by Academic Press Inc. New York 3, 53.
- 107. Suketa Y; Hasegawa S & Yamamoto T (1979) Changes in sodium and potassium in urine and serum of lead-intoxicated rats. *Toxicol Appl. Pharmacol* 47, 203-207.
- 108. Suketa Y; Ujiie M & Okada S A (1979) Apossible mechanism for changes in renal K-dependent phosphatase activity in lead-treated rats. *Toxicol Appl Pharmacol* 59, 230-237.
- 109. Tahiri M; Pellerin P; Tressol J C; Doco T; Pepin D; Rayssiguier Y & Coudray C (2000) The rhamnogalacturonan-II dimer decreases intestinal absorption and ti8ssue accumulation of lead in rats J Nutr 130; 249-53.
- 110. Talwar G P (1980) Texbook of Biochemistry and human biology pub by Prentice-Hall of India Private Ltd New Delhi-110001.
- 111. Tandon S K; Khandelwal S; Jain U K & Mathur N (1993) Influence of dietary iron deficiency on acute metal intoxication *Biometals 6*, 133-8
- 112. Taylor D M; Bligh P H & Duggan M H (1962) The absorption of calcium, stronium, barium & radium from the gastrointestinal tract of rat *Biochem J*, 83, 25-29.

- 113. Terayama K Maehara N Muratsu N Muratsugu M & Yamamura K
 (1986) Effect of lead on electrophoretic mobility of rat erythrocytes.
 Toxicology 40, 259-65.
- 114. Thompson S W (1966) Selected Histochemical and Histopathological Methods Pub by Thomus C C Publisher Springfield Illinois USA.
- 115. Timbrell J A (1995) Biotransformation of Xenobiotics. In General and applied Toxicology Ed by Ballanty B Marrs T & Turner Pub by Mackmillon.
- 116. Tsafaris F and Alexaki E (1992) The transplacental effect of lead compounds on inorganic pyrophosphatase in brain, liver and kidneys of new born rats. Vet Hum Toxicol, 34, 510-12.
- 117. Vallee B L & Ulmer D D (1972) Biochemical effects of mercury, cadmium and lead. Ann Rev Biochem, 41, 92-128.
- 0 118. Waldrone H A (1964) J Clin Pathol, 17, 405.
 - 119. Weigfield D C; Chakrabarti C L; Wright S C; Eastwood J A;
 Karkowaska R & Johnson P M (1986) Chemical and Biological
 Monitoring of Chronic lead poisoning in the rat. Implications to
 the assessment of hazard of low- level lead. J Appl. Toxicol, 6, 37, 1-6.

•

120. Zbinden G (1969) Experimental Renal Toxicity In The Kidney vol II Eds-Roullier C & Muller A F Pub by Academic Press New York and London.

.