

BIBLIOGRAPHY

Bibliography

Bibliography

Adams, B.B., and Gosline,J.M. (1980) Optical Properties of Single elastin fibers indicate random protein conformation nature (London)

Aderson, J.M. (1971): Assessment of the effect of pollutant on physiology and behaviour (seconds of lethal effect and changes in ecosystem). Proc. Roy. Soc. London B: 177: 307 – 320.

Adewunmi, C.O., Becker, W. (1996): Accumulation of copper, lead and cadmium in fresh water snail in South Western Nigeria. Sci. Total Environ. 193: 69 – 73.

Ahrens, F.A. (1993): effect of Lead on glucose metabolism, iron flux and collagen synthesis in cerebral capillaries of Calves. Am. J. Vet. Res. 54: 808 – 812.

Alam, S. M. & V.S. Lomte (1984): Univ. J. Sci. 23 (16): 35 – 38.

Albert, B., Breyd Levis J., Raff M., Roberts, K. & Watson J.D. (1994): Vesicular traffic in the secretory and endocytic pathways in molecular biology of the cell, 3rd Ed., Pub. Garland Publishing in New York.

Amiard, J.C. (1986): Contribution to the ecotoxicological study of cadmium, lead, copper and zinc in muscle *Mytilus edulis* I. Field Study. Mar. Biol. 90: 425 – 431.

Amudha, P., S. Mahalingam (1999): Studies on the effect of dairy effluents on survival and feeding energetics in *Cyprinus carpio* ,J. Environmental Biology ,20(3); 275-278.

Athalye, R.P. and Gokhale, K.S.(1994): Mahasagar 27(2), 89-95.

Bibliography

Baker, W. & Hirtbach, E. (1975): Effect of starvation on total protein and haemoglobin concentration in the haemolymph of *Biomphalaria glabrata* Comparative Biochemical Physiology A comparative Physiology. 51 (1): 15 – 16.

Basy, B. (1986): Environment protection a many faced problem. Yojna,30:4-6.

Bayne, B.L. (1973): J. Mar. Biol. Ass. UK 53: 39.

Bernard, F.R. (1974): biological Bull. Woods Hole 146: 1 – 19.

Bharmal, D.L. (1995): effect of environmental factor on the reproduction of some gastropods Ph. D. thesis Shivaji University, Kolhapur.

Bhilave, M.P., D.V. Muley & V. Y. Deshpande (2004): Bioaccumulation of heavy metal in various organs of the fish, *Cirrhinus mrigala* and *Cyprinus carpio* after acute exposure. J. Aqua. boil. 19 (2): 115 – 118.

Bhoite, S.A. (2006): Biotoxicity assessment of heavy metal in some gastropods Ph.D thesis submitted to Shivaji University, Kolhapur.

Bhosale, T.S. (2002): Effect of starvation and aestivation of the gonad sand male reproductive organ of *Semperula maculate* Ph.D. thesis Shivaji University, Kolhaur.

Blasco J. (a) Puppo,J (1999) : Effect of heavy metals (Cu, Cd and Pb) on aspartate and alanine aminotransferase in *ruditape philippinarum* (Mollusca: Bivalva) Comp. Biochem. Physiol. pharma. toxicol. and Endocrinol. 122(2) ; 253-263.

Borgers, M. (1973) The cytochemical application of new potent inhibitors of alkaline phosphatases.J.Histochem. Cytochem. 21:812-824.

Bibliography

Borgers,M., and Thon,F. (1975) The inhibition of alkaline phosphates by L-p-bromotetramisole. *Histochemistry* 44:277-280.

Borgers,M., and Thon,F. (1976) Further Characterization of phosphates activities using non-specific substrates. *Histochem.J.* 8:301-317.

Brand, T. F.V. (1931): Der Jahre Szyklus in Stoffbestand der weinbergs – Chhecke (*Helix Pomatia*) Zeit, Vergel, Ogtuik, 14: 200 – 264.

Brown, S.S & Y. Kodama (1986): Toxicology of metals clinical and experimental research. Ellis Howard Ltd. Chichester.

Bruce Alberts, (2002); calciumis involved in cell signaling, Molecular biology of the cell, 4th edition; 861 – 865.

Byrne, M. (2000): Ca concentration in the interstitial tissue of Australian freshwater mussel *Hyridella depressa* , The evolutionary biology of the bivalvia Special publication, Geological Society, Landon, 177.

Chaudhari A. and Hazra S. The use of bivalves as biomonitor of heavy metal pollution has been well established.

Chinoy, N.J. (1977): Biochemical evidence for the occurance of steroidal mechanism in the reproductive organ of sluges, *Leavicaulis alte* in advance invertebrae reproduction. 1 Eds. K.G. Adiyogi & R.G. Adiyogi, Paralam North Kerala India pp. 356 – 366.

Couillard, Y., Campell P.G.C. and Tessier A. (1993): Responses of metallothionein concentrations in a freshwater bivalve (*Anodonta grandis*) along environmental cadmium gradient Limnology and Oceanography 38: 299-313.

Couillard, Y., Campell, P. G. and Tesier, A. (1993): Limhol-oceanogr,38(2),288-313.

Bibliography

Cox,R.P., and Griffin, m. S. (1965). Pyrophosphatase activity of mammalian alkaline phosphatase. Lancet 2:1018-1019.

Cox,R.P., and Griffin, m. S. (1965). Pyrophosphatase activity of mammalian alkaline phosphatase. Lancet 2:1018-1019.

Dara,S.S. (1995) : A text book of Environmental chemistry and pollution control. S. Chand and company Ltd. Ramnagar, New Delhi. effluent concentration after exposures of fish *channa punctatus* (Bloch to distillary effluents).

Dara,S.S. (1995) : A text book of Environmental chemistry and pollution control. S. Chand and company Ltd. Ramnagar, New Delhi.

Dina Mani P. (1967): Mallacol, 5: 225 – 268.

Dingle, J.T. & Fell, H.B. (1969): In Lysosome “In Biology and Pathology” (Ed. Dingle, J.T. & Fell, H. B.) 2, 421 Amsterdam: North Holland Publishing.

Dudhat, I.N. & S.S. Bapat (1984): Influence of Eklus on the organic reserve of *Channa punctatus* (Ham.) Proc. Symp. Assess. Environ. Pol. 129 – 134.

Eble Albert (1968): Proc. Nat. Shell Fish Association, 59: 27 – 34.

Edelstein S. (1985): Lead binding properties of intestinal calcium binding proteins. J. Biol. Chem. 260: 6816 – 6819.

Elliott, N.G., Swain, R and Ritz D.A. (1998): Metal interaction during accumulation by the mussel *Mytilus edulis planulatus*. Mar. Biol. 93(3): 395-400.

Famme (1982); Studied the rate of carbon release and oxygen uptake by the mussel, *Mytilus edulis* in response to starvation and oxygen.

Bibliography

Ferley, H.N. (1971): In "The enzyme" 3rd Ed. Third (Ed. Boyer, P.D.) 4, 417, Academic Press, New York.

Gao, R. and You, Y (1992): I Fujian.Tech. Univ. Nat. Sci. Ed. 8(1), 83-88.

Ghosh, E. N. (1918): Res. Indian Mus. 15: 109 – 122.

Ghosh, E.N. (1918): reproductive study on mussel, Rec. Indian Mus. 15, 109.

Gilmour, T.H.J. (1974): Journal of Experimental Marine Biology & Ecology, 15: 127 – 144.

Gokhale, S. R. and U. H. Mane (1990): Acute fluoride toxicity to the freshwater bivalve molluscs, *L. marginalis* (Lamark), Indian Journal Invertebrate Zoology and Aquatic biology; 2(1); 11-14.

Goldberg, E.D.: The mussel watch - a first step in global marine monitoring. marine pollution Bull., ^ 111 – 115 (1975).

Goldberg, E.D. (1918): The International muscle watch. Washington DC: National Academy of Science, USA.

Gupta, Sampa and Banerjee (1998) ; Bioaccumulation of some heavy metals in edible molluscan species in two water areas of Calcutta and Howrah, west Bengal. environ. Ecol.16(1):138-141.

Hann, R.P. & C.P. Mangum, Journal of Experimental Zoology, 211, 1980 – 22.

Harlan, W.R., Landis, Jr. (1985): Blood lead and blood pressure relationship in the adolescent and adult US population. JAMA 253: 530 – 534.

Harris, A.F., Cotty, V.F., Barnett, L. (1969): Arch. Int. Pharmacodyn Ther. 181: 489 – 498.

Bibliography

Havlik, M. E. and Marking, L. L.: Effects of contaminants on naiad molluscs (Unionidae), a review, U. S. fish wild. serv. publ.164 20 pp (1987).

Hillman, R.E. (1968): Trans America Micros. Soc. 87: 422 – 425.

Hollander, V.P. (1971): In "the Enzyme" 3rd Ed. (Ed. Boyer, P.D.) 4, 449, Academic Press, New York.

Hyman, L.H. (1967): "The Invertebrae" Vol. 6, Mollusca I, Mc Graw Hill Book Co. New York.

Jadhav, M.L. & V.S. Lomte (1982): Geobios, 9: 11.

Johanson, N.E. (1979): Diet and blood lead level of children who practice Tica. Environ. Res. 18: 359 – 376.

Kale, G.S. & Patil, V.Y. (1977): Acta. Histochem. 59: 1 – 7.

Kale, R.B. (1977): Zoo physiological studies on mangrove bivalve – *Geloina proxima* (Prime). Ph.D. thesis Shivaji University, Kolhapur.

Kamble, N.A (2008) : comparative studies on induced biotoxicity of three Ph.D thesis , Shivaji University , Kolhapur.

Kant, S. and Vora, S. (1989) : Lakes: their management and conservation. In: management of aquatic ecosystem. Ed. Agrawal, V.P., Desai,B.N., and Abidi S.A.H.:155-168.

Karanjkar, D.M. (2001): Impact of industrial effluent on fresh water fish, *Labeo rohitai* M.Phil. theis Shivaji University, Kolhapur.

Kataria, H.C.(1994): Heavy metals contamination and pollution in Betwa river. JEP 15(I) : 34-38.

Bibliography

Katticarain, C. M., Sky Mohammad & S. Joseph (1995): Copper induced alteration in total carbohydrate and protein level in bivalve, *Sunetta cripta* (Bivalvia), Indian journal of Marine Science, 24 (3): 171 – 174.

Kim, E.S., Kim, S.H. and Kim, K.T.(1991): Ocean Res. 13(2),1-9

Kovach , J (1988) : 97th Annual Meeting, The Ohio Academy of Science April 29-30, May –I, Meserve, L. ed. 88(2),25.

Kumarguru, A.K., De Selvi and Venugopalan (1979): Mercury in Vellar and its toxicity to oysters. Proc. symp. Environ.Biol.(India),253-264

Kumarguru, A.K. De Selvi and Venugopalan (1979): Mercury in Vellar and its toxicity to oysters. Proc. symp. Environ.Biol.(India),253-264

Lag erspetz, KYH, Hilpa, I and Sinus K (1917): Comp. J. Pharmaco. 1: 236 – 240.

Leland , H.V. and Scudder, B.C. (1990): Sci To al Environ. 97-98,641-672.

Leland,H.V. (1977): Distribution of Solute and particulate trace elements in southern lake, Michigam. proceed. Int.Conf. on Heavy metals in the environment, II/2, 17.

Liagh, I(1987): Aquaculture, 65(3-4),243-249.

Lohagaonkar,A.L., 1974. Biological studies on the clam, *L. corrianus*. Ph.D. Thesis, Marathwada University.

Lomte, V.S. & Alam, S. (1982): Changes in the biochemical components of the Prosobranch *Belamia bengalensis* on exposure to malathion. Proc. Symp. Physiol. Res. Ani. Pollutants.

Bibliography

Long, G.J., Pounds, J.G. (1992): Lead intoxication alters basal and parathyroid hormone regulated cellular calcium homeostasis in rat, *Osteosarcoma* (ROS) (17/2.8 cells) *Calcif Tissue International.* 50: 451 – 458.

Lowry, O.H., n. J. Rosebrough (1951): Protein measurement with Folin Phenol reagent. *J. Biol. Chem.* 193, 265 – 275.

Mahaffey, K.R., Haseman, J.D. (1973): Dose response to lead ingested in rats feed low dietary calcium. *J. Life Clin. Med.* 83: 92 – 101.

Manohar S. 1984. Environmental chemistry, cole, California, U.S.A.

Maruthi and Subba Rao (2000) : Recorded significant decrease in glycogen; total protein and lipid in both liver and muscle tissue of fish with an increase in

Maruthi, Y. A. and M. V. Subba Rao (2000) : Effect of distillery effluent on biochemical parameters of fish, *channa punctatus (Bloch)*.*Journal of Environmental & pollution;* 7(2);2000,111-113.

Mason,A.Z. and Jenkins K.D.(1995): Metal detoxification in aquatic organism in metal speciation and bioavailability in aquatic systems. (Eds. A. Tessier and D.R. turner) pp. 479-583. John Wiley and sons. Ltd. New York.

Massey, Linda (1993): Caffeine, urinary calcium, calcium metabolism and bone, *Journal of Nutrition*, Sept. 93 Vol. 123 issue of Dierary Factors P. 1611, 49.

Mathews, MB. (1980) Coevolution of collagen. In “Biology of collagen” (A. Viidik and J. Vaust, eds.) pp. 193 – 210. Academic Press, New York.

Mitra, A. and Choudhary A. (19940 : Heavy metal concentration in oyster curassostrea Culcutta. *J. Ecobio.* 6(2) : 157-159.

Morton, R.K. (1955): Method Enzymology, 1, 25.

Bibliography

Moss, D.W. (1969b) the influence of metal ions on the orthophosphatase and inorganic pyrophosphatase activities of human alkaline phosphatase. *biochem.J.* 112:699-701.

Moss, D.W., and Walli, A.K. (1969). Intermediates in the hydrolysis of ATP by human alkaline phosphatase. *Biochim.Biophys. Acta* 191:476-477.

Mukharjee, J.K. & GM Singha (1993): Cadmium toxicity on haematological and biochemical aspects in an Indian Fresh water Major carp *Labio rohita*.

Muley, D.V., Effect of pollutants on freshwater molluscs from Godavari River at paithan. *L. marginalis, L. corri*

Muley, D.V., U. H. Mane (1995): Endosulfan toxicity to fresh water mussel *Lamellidens marginalis* and pH induced changes – a biochemical approach. *Indian Journal of Comparative animal physiology* 13: 21 – 26.

Muley, D.V., (1985).Thesis submitted to the Marathwada university for the Degree of Ph.D. in Zoology, under the guidance of Dr. Mane,U.H. M.Sc. Ph.D. – Jan

Murti, R. and Shukla S. (1984) : Toxicity of copper sulphate and zinc sulphate to *Macrobrachium iqmerrei* (*Decapoda, Palaemonida*). *Crustaceana* 48: 168-173.

Nadamunichetty, A. K.Vijay Joseph (1989): electro polarity treatment induced histological changes in the tissue a fresh water bivalve *Lamellidens marginalis* *Indian Journal of Comparative animal Physiology*. 7: 35 – 38.

Nagpure, H.P. & Zambare, S.P. (2004): The effect of trimethoprine on oxygen consumption of fresh water bivalve *Lamellidens corrianus* *Asian j. Microbiol. Biotec. Envi. Sci.* 6 (3): 187 – 190.

Bibliography

Nair, K. V. K.: Metals as marine pollutants. In: transactions of the Indian Institute of metals, 37 (6), 615 – 629 (1984)

Nair, S.S. & radhakrishnan, T. (2005): Combined toxicity of copper and zinc to fresh water mussel *Lamellidens marginalis* Journal of Ecobiology, 17: 279 – 282.

Nanda P. (1997): nickel toxicity to liver and brain of catfish *Heteropneustes fossils* (Bloch), Env. Eco. 15(2); 329-331.

Nanda, S.N. and TiwariT.N. (1999): Effect of discharge of industrial effluents on the quality of river Bahamani at Rourkela. J. Environ.Protect. 19(I):52-57.

Narayann, K.R., Lyla P.S. and Ajmal khan S. (1999): Pattern of depuration of accumulated heavy metals in the mud crab, *Scylla serrata* (forskal). J. Environ. Biol.20(3):213-216.

Oehme, F.W.(1978) : Toxicity of heavy metals in the environment, Pat I : Marcel Dekker Inc.,New York, 615 pp.

Pande,P.K. and Misra B.N. (1981) : Toxic effects of mercury on seed germination and other parameters of Ragi (*Eleusine coracana gaertn*). Comp. physiol. and Ecol.6(4) : 318-320.

Paparo, A. & Calab (1972): Biol. Bull. in Mar. Biology Lab. Woods Hole, Mas, 143, 592 – 604.

Pastees, J.J. (1971): Histochem. 28: 296 – 304.

Patil and Dhande (2000), Observed degenerative changes in intestine coinciding with over all depletion in glycogen, protein and cholesterol of the testis of teleost fish *Channa punctatus* (Bloch) exposed to sublethal concentration of mercuric, cadmium and cupric chlorides.

Bibliography

Patil, G. P. and R .R. Dhande (2000) ; effect of some heavy metal compounds on testicular recrudescence in the freshwater teleost , *channa punctatus* (Bloch) J.Aquat.Biol..15(1&2); 77-80.

Pawar, P.K. (1988): studies on effect of sugar mill and distiller effluent on fresh water bivalve *Lamelliden marginalis* M.Phil. theis submitted to Shivaji University, Kolhapur.

Phillips, D.J.H. (1980) : Quantitative aquatic biological indicators. Their use to monitor trace metal and organochlorine pollution. Applied Science publishers Ltd. London. page 486.

Phillips, D.J.H. (1976): The common mussel *Mytilus edulis* as an indicator of pollution by zinc, cadmium, lead and copper. Effects of environmental variable on up take of metals. Mar. Biol. 38: 59 – 69.

Ponangi,S, Shyam,RA. and Joshi,SG. 2000 Trace pollutants in drinking water. J. Indian Assoc. Env. Mange. 27: 16 – 24.

Prakasam, V. R., P. s. Johnikutty, P. G. Sanjeev and P. M. George(1989): Combined effect of Hg and Zn in modifying rate of ciliary activity of *Lamellidens marginalis* : Journal of Environmental Biology , 10(2 supp.),211-215.

Pynnonen, K. (1991) : Accumulation of Ca-45 in the freshwater unionids *Anodonta anatina* and *Unio tumidus* as influenced by water hardness. Protons and aluminium , Journal Exp. 2001; 260;18-27.

Rajan, A., Shanti, B. and Kalyani, M. (1991): Cienc.Mar.17(2),37-46.
Rajandran, N, Tagore,J and Kasinathan, R(1988):Indian Journal of Marine Science,17(2),174-175.

Ramanaih, P, Shankara, C. R. Indira, K. and Rajendra,W.(1991): Indian Journal of Environment Hlth,33(2),213-213.

Bibliography

Ranade, A.M. (1977): Studies on the green mussel, *Mytilus viridis* Ph.D. thesis submitted to Shivaji University, Kolhapur.

Rao, M.V. Mehata, A.R. & Patil, J.S. (1994): Ascorbate effect on methyl mercury toxicity in reproductive organ of male Guinea pig. Indian Journal of Environmental and toxicology, 4 ((2): 53 – 58.

Reddy, S.K., Loknath, V. (1994): Hydromineral balance in *Lamellidens marginalis* under methyl parathion stress. Indian Journal of Comparative Animal Physiology, 12: 49 – 53.

Regoli, F, Oriando, E., Mauri, M., Nigro, M. and Coghetti, G.A. (1991): Mar. Ecol.Prog. Ser.74(2-3),219-224.

Reid R. G. B. and Reid, A. (1969): Can. J. Zool. 47: 649 – 657.

Reimers, R.S., Krenkel P.A., Egal M. and Tragfit G. (1975) In: heavy metals in environment (Ed.:P.A.Krenkel)117-136pp. oxford: Pergaman Press, London.

Reimers, R.S., Krenkel P.A., Egal M. and Tragfit G. (1975) In: heavy metals in environment (Ed.:P.A.Krenkel)117-136pp. oxford: Pergaman Press, London.

Ritz, D.A., Swain R. and Elliot N.G. (1982) ; Use of the mussel *Mytilus edulis* planulatus (lamark) in monitoring heavy metal levels in Seawater. Australian journal of Marine and Freshwater research, 33: 491-506.

Ritz, D.A., Swain R. and Elliot N.G. (1982) ; Use of the mussel *Mytilus edulis* planulatus (lamark) in monitoring heavy metal levels in Seawater. Australian journal of Marine and Freshwater research, 33: 491-506.

Romeo , M and Ghassia-Barelli,M(1988): Marine Biology,99(2),223-227.

Bibliography

Rosijadi, G(1992) : Metallothioneins in metal regulation and toxicity in aquatic Toxicology 22:81-114.

Rosijadi, G(1992) : Metallothioneins in metal regulation and toxicity in aquatic Toxicology 22:81-114.

Satyamurthy, S.H. (1960): Bull. Madras Government Mus. (Nat. Hist.), 6: 4.

Satyavellu Reddy,K., Indira,K. and Swami,K.S. 1982. Effect of methyl parathion on the rate of heart beat of freshwater mussel, *L marginalis* (lamark) Abstract No. 67 1st All India Conf. Limnol. (1982)

Satyavellu Reddy,K., Indira,K. and Swami,K.S. 1982. Effect of methyl parathion on the rate of heart beat of freshwater mussel, *L. marginalis* (lamark) Abstract No. 67 1st All India Conf. Limnol. (1982)

Seah, T.C.M. & Hobbden, D.J. (1969): Can. J. Biochem. 47: 57 – 56.

Sharma, P.D. 2001 Ecology and Environment.

Sharma, R.K., Madulika Agarwal (2005): Biological effect of heavy metal: An overview. Journal of Environmental Biology, 26: 301 – 313.

Skul-sky,I.A, Burovina,I.V., Vasilyeva,V.F., Lukyanova,O.N., Nkiforov,V.A.and Syasina,I.G.(1989): Comp. Biochem.Physiol.C. 92c(2); 349-359.

Snowdon, C.T., Sanderson, B.A. (1974): Lead Pica produced in a rat. J. Sci. 193: 92 – 94.

Sorrell, M. Rosen J.F. (1977): Interaction of lead, calcium, vitamin D and nutrition in lead burdened children. Arch. Environ. Health 32: 160 – 164.

Srhluz- Blades M. 1974. Lead perturbs epidermal growth factor (EGF) modulation of intracellular calcium metabolism and collagen synthesis in

Bibliography

colon rat osteoblastic (Ros 1712.8) cells. *Toxicol Appl Pharmacol* 114: 63 – 70 (1992)

Srinivasa Moorthy K., Jagannatha Rao, Sreeramulu Chetty C. and Swami KS. 1982, In vivo mitochondrial Enzy. in the selected tissues of freshwater mussel, L.M., 1st All India Conf. Limnol. (1982) Abstract No.6.8: 52.

Subramanian, M. A. and G. Varadaraj (1993): Impact of in tannery effluent on the biochemical constituents in the haemolymph of the fresh water prawn, *Macrobrachium idella Heller*, *J. Environ. Biol.* 14(3); 255-259.

Tariq, J. M. , Ashraf, M. Jaffar and M. Afjal(1996): Pollution status of the Indus river, Pakistan through heavy metal and micro-nutrient content of fish , sediment and water, *Water Research*, 30(6); 1337-1344.

Vanloon, J. C. (1997) Chemical analysis of inorganic constituents of water. CRC Press, In. New York,

vanloon, J. C. (1997) Chemical analysis of inorganic constituents of water. CRC Press, In. New York,

Varadraj, G. S. Jayasyria and M. A. Subramanian (1994): Toxic effect of tannary effluent on the biochemical constituents in different tissues of *Pila globosa*; *Env. Eco.* 12(2); 303-307.

Vernburg,W.B., De Coursey P.J. and Hara J.O. (1974): Multiple Environmental factor affects on phisiology and behavior of fidder crab, *Uca Pugilator*. In : "Pollution and physiology of marine organisms" eds. Vernberg F.J. and W.B. Vernberg, Academic Press; INC, New York, pp.381-425

Vernburg,W.B., De Coursey P.J. and Hara J.O. (1974): Multiple Environmental factor affects on phisiology and behavior of fidder crab, *Uca Pugilator*. In : "Pollution and physiology of marine organisms" eds. Vernberg F.J. and W.B. Vernberg, Academic Press; INC, New York, pp.381-425

Bibliography

Vijaydra Babu, K.V.K., T. Vasudev and Chari N. 1982, Effect of Roger (organophosphate) and cumon L. (carbamote) on some metabolic aspects in the mantle of freshwater mussel, *L. mar.* (Lamark) All Ind. Symp. Physiol. Respons. Ahim. Pollut. Abst. No. 95.

Vijaydra Babu, K.V.K., T. Vasudev and Chari N. 1982, Effect of Roger (organophosphate) and cumon L. (carbamote) on some metabolic aspects in the mantle of freshwater mussel, *L. mar.* (Lamark) All Ind. Symp. Physiol. Respons. Ahim. Pollut. Abst. No. 95.

White, K.M. (1937): *Mytilus*, LMBC Memb. No. XXXI.

Wildur, K.M. & watav, N. (1967): Stud. Trop. Oceanography Miami, 5: 133 – 154.

Wright, S.H., Johanson, T.L. 7 John, H.C. (1975): Journal of Expt. Biology, 62, 313 – 325.

Yokley, P. (1972): *Malacologia*, 11, 351 – 364.