

# REFERENCES

BARR. BHASMEB KH. DEK. LIBRARY  
SHIVAJI UNIVERSITY, KOLHAPUR.

## REFERENCES

- Aceana, S.P. (1941). Fish parasites and human disease : *Riva. Filipina. Med. V. Farm* 32(8) : 235-239.
- Agrawal, S.C. and Sharma S.K. (1989) *Dactylostomum satpali* sp.nov. from the intestine of a freshwater eel *Mastacembellus armatus* (Lac) Fotedar Commemoration Vol. 108-123.
- Amin, O.M. (1978) Intestinal helminth of some Nile fishes near Cairo, Egypt with redescription of *Camallanus kirandensis* Baylis, 1928 (nematoda) and *Bothriocephalus aegypticus* Rysavy and Moravec, 1975 (cestoda) : *J. parasitol.* 64 : 93-101.
- Amita Seth and Capoor, V.N. (1982). A new proteocephalid cestode, *Gangesia hanumanthai* n. sp. and a new subgenus *Frezia* from fresh water cat fish, *Wallago attu* Allahabad, India. *Himalayan Journal of Science*, Vol. 2 : 4-12.
- Anderson, R.M. and May R.M. (1978). Regulation and stability of the host parasite population interaction, regulation process : *J. Anim, Ecol.* 47(1) : 219-247.
- Anderson, R.M. and May R.M. (1978). The regulation of the host population growth by parasite species : *Parasitology* 76 : 199-157.
- Anderson, R.M. Gordon D.M. (1982). Processes influencing the distribution of parasite numbers within host population with special emphasis on parasite - induced host mortalities : *Parasitology* 85 : 373-398.
- Arme, C. (1983). Aspects of tapeworm physiology : *Jav. Biol. Ed.* 17 (40 : 352-357).

- Arnold, J.G.; Schafer, H.E. and Vulliet R.L. (1968). The parasites of the freshwater fishes of Louisiana II Check-list of parasites : *Proc. SE Assoc. game fish comm... Ann. Conf.* (New Orleans) 21 : 531-543.
- Awakura, T. (1994). Cestodes of freshwater fishes of Hokkaido : *Sci. Rep. Hokkaido Fish Hatchery* 48 : 79-82.
- Baer, J.G. (1925). On some cestode described by Beddard, 1911-1920, *A.M. Trop. Med. Par.* 19 : 1-22.
- Baer, J.G. (1932). Contribution a Faune helminthological. *De Suisse. Rev. Suissi. Zool.* 39 : 1-57.
- Baer, J.G. (1952). Ecology of Animal parasites : *University of Illinois Press Urbana* 224 pp.
- Bangham, R.V. (1925 - 1941). Series of articles of the tapeworms of North American freshwater fishes in Ohio : *Ohio. J. Sci.* 25, 41 *Trans Amr. Fish Soc.* 63, 68, 70.
- Bangham, R.V. (1927). Life history of bass cestode *Procephalus ambloplitis* : *Tr. Am. Fish Soc.* 57 *Ann. Meet Hartford Conn.* 206-209.
- Bashirullah, A.K.M. (Inst. Ocean Org. APDO. 94 Cumana Venz (1974). A brief survey of the helminth fauna of certain margin a fresh water fishes of Bangladesh : *J. Zool.* 1 : 63-81
- Baver, O.N. (1959). The ecology of parasites of freshwater fishes and the biological basis of their control : *Bulletin of the State Scientific Research Institute of lake and river fisheries*, 45 : 3-215.
- Baylis H.A. (1928). Some parasitic worms, mainly from fishes, from lake Tanganyika : *Ann. Mag. Nat. Hist.* 10 : 1, 280=283.

- Baylis, H.A. (1996). A manual of Helminthology Medical and Veterinary 1-303 London.
- Bell, G. and Burt A. (1991). The comparative biology of parasite species diversity; internal helminthes of freshwater fishes : *J. Anim. Ecol.* **60** : 1047-1063.
- Bengham, R.V. (1925). Series of articles on the tapeworms of North American water fishes in Ohio : *Ohio. J. Sci.* **25**, 41. *Trans. Amr. Fish Soc.* **63** : 68, 70.
- Bhalerao, G.D. (1932). A general account of Helminth parasites affecting domestic animals in India with methods of collection, preservation, staining etc. *Indian J. Vet. Sci. and Ani. Husb.* **2** : 1-28.
- Bhure, D. B.; B. V. Jadhav; Nanware, S. S. and Gaikwad Vinod (2007). Cestode parasites of freshwater fishes from Western Maharashtra, India : *Proc. 16<sup>th</sup> All Indian ZSI Congress at Aurangabad. Environment and Development Chap.* **15**, 153-165.
- Brown, M.N. (1996). Fish parasitology : *Bull. Eur. Fish Pathol.* 122-130.
- Bush, A.O., Aho, J.M. and Kennedy C.R. (1990). Ecological versus phylogenetic determinants of helminth parasite community richness : *Evolutionary Ecology*, **4** : 1-20.
- C. Vijayalaxshmi, (2007). Processing and identification of cestode parasites of fishes. Manual of workshop on Parasites Taxonomy Capacity Building, Dept. of Zool. *Andhra uni., Visakhapatnam during 23-24, Feb., 07 pp.* 93-100.
- Chandler, A.C. and Read C.P. (1961). Introduction to parasitology. *10<sup>th</sup> edi. John Wiley and Sons. Inc. New York*, 822 pp.

- Chappell, L.H.; Wynne, and Owen R. (1969). A reference list of parasite species recorded in freshwater fish from Great Britain and Ireland. *J. of Natural History* 3 : 197-216.
- Chauhan, R.S.; Malhotra, S.K. and Capoor, V.N. (1981). An analysis of parasitization index and certain ecological parameters of cestode parasites infecting in hill stream fishes of district Pauri - Garahwal, U.P. India : *Sci. and Environ.* 3 (1) : 47-56.
- Cheng T. C. (1973). General parasitology. Academic press, New York, pp. 965.
- Chincholikar, L. N. And Shinde G. B. (1976). On a new species of *Circumoncobothirum* Shinde, 1968 (Cestoda Psedophyllidae) Carus, 1863, from a fresh water fish in India : *Marathwada Univ. J. of Sci. Nat. Sci.* 16 (Sci.) : No. (9) 183:185.
- Clark, E. A. (1963). The economic importance of intestines parasites, New Zealand : *Vet. Jour.* 11 : 77-81.
- Clegg, J. A. And Smyth, J. D. (1968). Growth, development and culture methods : Parasitic Platyhelminths pp. 395-466 (M. Florkin and B. T. Scheer, eds.). In "*Chemical Zoology*" Vol. II. *Academic Press, New York*, 639.
- Day, F. (1873). Report on the freshwater fish and fisheries of India and Burma. *Calcutta : Supdt. Govt. Printing. Press*, 118 pp.
- Day, F. (1928). The fishes of India of Vol. I and II : *William Dawson and sons Ltd., India*.
- Deshmukh, R. A. (1977). Studies on cestode parasites of fishes. *Ph. D. thesis, Marathwada University, Aurangabad. M. S. India*.
- Deshmukh, S. B. and G. B. Shinde (1989). On a new species *Silurotaenia behairvnathi* sp. nov. (Cestoda-Proteocephlidae)

- from a freshwater fish *Mastacembellus armatus* from Aurangabad. M. S. *Fotedar Commemoration*. Vol. 1989, 75-77.
- Dhar, R. L. and Majdah, M. (1984). *Gangesia* (*Gangesia fotedari* sp. nov., *Proteocephallidae-Cestoda*) from Freshwater fish of Wular lake of Kashmir : *Indian J. of Helminth*. 35 (1), 73-77.
- Dixit, S. and Capoor, V. N. (1981). On a new species of genus *Gangesia* Woodland, 1924 from *Labeo rohita* (Abst. 1-32 in II National Congress of Parasit) 5-7 May, 1979 Varanashi, India (1979): 17 (EN) Zool. Dept. of Allahabad, U. P., India.
- Dobson, A. P. and Roberts, M. G., (1994). The population dynamics of parasite helminth communities, *Parasitology* 102 (suppl.) 507-510.
- Dogiel, V. A. (1935). The present tasks of ecological parasitology : *Tud. Patergof. Biol. Inst.*, 15 : 2.
- Dogiel, V. A. et al., (1958). Parasitology of Fishes. *Leningrad University Press, Oliver and Boyd. Edinburgh and London*.
- Dogiel, V. A. et al., (1961). Ecology of parasites of fresh water fish. In parasitology of fishes. (Ed. Dogiel. V. A. Petrushevsk, G. K. and Plyanski, Y. I.) pp. 1-47. Oliver and Boyd. Edinburgh.
- Dollfus, R. P. (1934). Sur un cestode Pseudophyllidae parasite de poisson ornement : *Bull. Sac. Zool. France* 69 : 479-490.
- Dubinina, M. N. (1971). Fish tapeworms from the Amur basin. *Parazitol Sb.* (25) 77-119. (In Russian).
- Dubinina, M. N. (1987). [Class tapeworms - Cestoda Rudolphi, 1808]. In O.N. Bauer (Ed.), Key to the parasites of freshwater fishes of the USSR. Vol. 03. *Nauka, Leningrad* pp. 5-76.
- Duijn, C. Van, Jnr, (1967). Diseases of fishes Second edition, Iliffe Books Ltd., London, 309. pp.

- Euzeby, J. (1972). Climate and development of helminthes :  
Climatology and helminth dev. *J. Rev., med vet (Toulouse)* **123**  
(5) : 637-655.
- Fernando, C. H. and Furtado, J. I. (1964). Helminth parasites of  
Some Malayan freshwater fishes : *Bulletin of the National  
Museum of States of Singapore*, **32** : 45-71.
- Fernando, C. H. and Furtado, J. I. 1963. A study of Some helminth  
parasites of freshwater fishes of Ceylon *Zeit. Parasitenkunde*  
(23) 141-163.
- Fischthal, J. H. (1950). A new genus and species of  
Caryophyllaeidae (Cestoda) from fishes : *J. Par.* **36** (6) Sect.  
(2) p.28.
- Fotedar, D.N. and Dhar, R. (1980). *Gangesia (Vermaia) jammuensis* n.  
sp. (Proteocephalidae : Cestoda) from freshwater fish in  
Jammu, India 60<sup>th</sup> Session Ind Cong. Part 3, 68pp.
- Freze, V. I. (1965). Essentials of Cestology, Vol-5, *Proteocephalus* in  
fish, amphibians and reptiles. English translation, 1969.
- Furtado, J. J. (1961). A new Caryophyllid (Cestode : *Lytocestus  
puryulus*) sp. nov. from Malaya catfish : *Ann. and Mega of  
Natural History Services XIII* (6) 97-106.
- Gairola, D. and Malhotra S. K. (1987). Cestode fauna of food fishes  
in river Gangas around in India sub-humid region IV.  
*Polygonchobothirum allhabadensis* n. sp. from *Mystus vittatus* at  
Allahabad. *Jap. J. Parasitol*, **36** : 49-52.
- Gairola, D. and Malhotra, S. K. (1986). Cestode fauna of fishes in  
river Gangas around an Indian subhumid region I *Japanese J.  
of Para* **35** (6) 471-474.

- Gresson, R. A. R. (1954). A morphological study of a fish tapeworms, *Proteocephalus pollanicola* para. 44 (1-2); PP.34-49.
- Guillermo Salgado-Maldonado *et al.* (2004). Helminth parasites of freshwater of the Panuco River Basin, East Central Mexico : *Comp; Parasitol.* 71(2), pp.190-2002.
- Gupta S.P. and Sinha A. (1984). On three new species of Caryophyllaeids from freshwater fishes of Lucknow. *Indian J. Helminth*, 36 (1) : 73-80.
- Gupta V. and Parmar, S. (1982). On a new cestode *Gangesia* (*Gangesia indica*) sp.nov. from a fresh water fish *Wallago attu* (Bloch) from Lucknow, Uttar Pradesh. *Indian Journal of Helminthology*, 1984 34 (1) : 44-49.
- Gupta, N. K. And Arora, S. (1982). On a new species of the genus *Gangesia* Woodland 1924. (*Cestoda* : *Proteocephalidea*) from a freshwater fish, *Wallago attu* with a survey of its related forms : *Research Bulletin of the Punjab Univ.* 1979. Publ. 1981 30(1-4); 27-30.
- Gupta, N.K. and Arora, S. (1992). On a new species of the genus *Gangesia* Woodland, 1924 (*Cestoda* : *Proteocephaloida*) from a fresh water fish *Wallago attu* with an survey of its related from research bulletin of Punjab University, 30 (1-40) : 27-30.
- Gupta, S. P. (1961). Caryophyllides (*Cestoda*) from fresh water fishes of India : *Proc. Helm. Soc. Wash.* 28 : 38-50.
- Gupta, V. and Parmar S. (1988). On a new sp. *Silurotaenia vachai* (Family - *Proteocephalidae* La Rue, 1911) from the freshwater fish, *Enteropichthys vacha* from Lucknow. *Indian J. Helminthl.* 40(1) : 27-31.



- Gupta, V. and Parmar, S. (1984). On a new cestode *Gangesia* (*Gangesia*) India sp. nov. from fresh water fish *Wallago attu* (Bloch) from Lucknow, Uttar Pradesh, India. *J. of Helminthology*, 34 (1) 44-49.
- Gupta, V. and Parmar, S. (1985). On a new cestode *Senga indica* sp.nov. from the intestine of a freshwater fish, *Mastacembelus armatus* (Lacep) from Lucknow. *Indian J. helminthol.* 37(2) : 96-99.
- Hasnain, M. and Sahay, U. (1989). Duplication of somatic region in a *Lytocestus* species : Fotedor Commemoration Vol. 120-124.
- Hilliard, D.K. (1959). The effect of low temperature on larval cestodes and other helminthes in fish : *J. Parasit.* 45 (3) : pp. 291.
- Hiware C. J. (1999). A new species of *Lytocestoides* Baylis, 1928 from a freshwater fish, *Clarias batrachus*. *Riv. Di Para* Vol. XVI (LX) 283-287.
- Hiware, C. J. (1999). On a new cestode of genus *Gangesia* Woodland, 1924 from freshwater fish, *Mystus seenghala* at Satara (M.S.), India. *Rivista, Di Parasitologia* XVI (IX) N-2, 111-114.
- Hiware, C.J. (1999). On a new tapeworm *Senga armatausae* n. sp. from fresh water fish : *Rivista. Di Para* XVI (LX) N-1 9-12.
- Hiware, C.J. (2000). A new species of genus *Lytocestoides* Baylis, 1928 from a fresh water fish, *Clarias batrachus* (Linnaeus) : *J. Para. Dis.* 24(2) 183-184.
- Hiware C. J. (2002). The population dynamics of the caryophyllaeid cestode parasitizing freshwater air breathing

predatory fish *Clarias batrachus* (Linn) : *Riv. Di. Para. Vol. XIX*

- Hiware, C.J. (2003). On a new species of a genus *Lytocestoides*, Baylis, 1928 (Cestoda : Caryophyllidae) from a fresh water fish, *Cirrhana mrigala* (Hamilton) : *Proc. of XVI th Nat. Conf. of Para Rohilkhand Uni. Bareilly*, 124-131.
- Hiware, C.J. (2004). One new cestode of genus *Gangesia* Woodland, 1924 from the freshwater fish, *Mystus seenghala* at Satara, M.S. India. *Rivista diParasit*, **14** (ix) n, 2 : 111-114.
- Hiware C.J. and Jadhav B.V. (1995). A new Proteocephalia cestode from freshwater fish *Wallago attu*. : *Riv. Di Para Vol. XII (VI) N-2* 171-174.
- Hiware, C.J. Jadhav B.V. and Mohekar, A.D. (2003). Applied Parasitology. *A practical manual* 243 pp.
- Hopkins, C.A. (1959). Seasonal variations in the incidence and development of the cestode *Proteocephalus filicolis* (Rud 1810) in *Gastrosteus aculeatus* L. 1766. *Parasitology* **49** : 529-542.
- Hornell, J. (1912). New cestodes from Indian fishes. *Rec. India Mus.* **7**, 197-204.
- Jadhav *et al.* (1983). One new species of Protocephalid cestode from *Barbus ticto*. *Riv. Di. Para* **44** (2) : 171-173.
- Jadhav, B. V. and Tat, M.B. (1997). A new tapeworm from *Wallago attu* from a river. *Gangesia dharurensis* n.sp. *Rivista di Parasitologia*, Vol.14 (LVII) N. 2-289-292.
- Jadhav, B. V., Budukkar and Babare, M. (2001). *Gangesia clariusae* (cestoda) n.sp. from *Clarias batrachus*, *Prof. V. N. Copoor, comm...*60-61. crds. S.K.Malhotra and R.S.Chauhan.

- Jadhav, B.V. (1976). New species of the genus *Circumoncobothrium* Shinde, 1968 (Cestoda : Pseudophyllidea) from a freshwater fish Maharashtra, India : *Marathwada Univ. J. Sci.* XV (8) : 269-272.
- Jadhav, B.V. (2001). *Gangesia clariasae* (Cestoda) n. sp. from *Clarias batrachus*. *Proc. V.N. Capoor Vol.* 2001, 60-61.
- Jadhav, B.V. (2005). Cestode of the genus *Senga* (Cestoda-Pseudophyllidae) from freshwater fishes in Maharashtra India - A survey of species : *Riv. Di. Para. Vol. xxii* (ixvi) N-293-101.
- Jadhav, B.V. and Bhure, D.B. (2006). Population dynamics of helminth parasites in freshwater fishes from Marathwada region (M.S.), India : *Flora and Fauna vol. 12*, N-2 pp. 143-148.
- Jadhav, B.V. and Bhure, D.B. (2006). A revision of the genus *Lytocestoides* Baylis, 1928 (Cestoda- Pseudophyllidae) : *Flora and Fauna vol. 12*, N-1 pp. 9-16.
- Jadhav, B.V. and Ghavane, A.V. (1991). Two new cestode from Caryophylleidae at Aurangabad : *Ind. J. Inv. Zool. And Aqu. Biol.* 3(1) : 28-31.
- Jadhav, B.V. and Hiware, C.J. (1995). A new proteocephalid cestode from freshwater fish *Wallago attu* : *Ibid.* XII (LVI) No. 2 : August 95, 171-174.
- Jadhav, B.V. and Shinde, G.B. (1976). New species of genus *Circumoncobothrium* Shinde, 1968 (Cestoda : Pseudophyllidea Carus, 1863) from a freshwater fish at Aurangabad, India : *Indian J. Biol. Soc. Asso.* 112 : 163-164.

- Jadhav, B.V. and Shinde, G.B. (1980). On a new cestode *Senga aurangabadensis* n. sp. from the fish *Mastacembelus armatus* : *Bioresearch* 1980 (4) : 25-27.
- Jadhav, B.V. and Tat M.B. (1997). A new tapeworm from *Wallago attu* from a river. *Gangesia dharurensis* n. sp. : *Riv. Di. Para.* Vol. XIV (LVII) N-2 289-292.
- Jadhav, B.V., Bhure, D.B. and Padwal Nitin (2005). A survey of cestode parasite of freshwater fishes from Pune and Ahmadnagar district (M.S.) India : *Proc. Recent Trends in parasitology 30<sup>th</sup> Sept., 2004, 48-51* at Secundrabad..
- Jadhav, B.V., Budrukhar, A.M. and Babare, M.G. (2001). *Gangesia clariusae* (Cestoda) n. sp. from *Clarias batrachus*. *Prof. V.N. Capoor Comm. Vol.* 60-61.
- Jadhav, B.V., Deshmukh, S.B. and Gavhane A. B. (1991). A new tapeworm *Senga gachuae* n. sp. from the fish *Channa gachua* at Aurangabad : *India J. Inv. Zool. and Aqu. Biol.* 3(1) : 39-41.
- Jadhav, B.V., Ghavane, A.B. and Jadhav A.P. (1991). One new *Pseudophylidean* cestode from *Mastacembelus armatus* at Daryapur (M.S.), India. : *Rivista Di Parasit* Vol. VIII : 1 : 19-22.
- Jadhav, B.V., Shinde G.V. and Kadam S.S. (1980). One new species of Proteocephalid cestode from *Barbus ticto*. *Rivista Di Parasit* Vol. No. XI. IV-N- Z: 171-173.
- Jha, A. N., Sinha, P. and Mishra, T. N., (1992). Seasonal occurrence of helminth parasites in fishes of Sikandarpur reservoir, Muzaffarpur, Bihar : *Indian J. Helminth*, 44(1) : 1-8.
- Jhingran, V. G. (1983). Fish and fisheries of India. *Hindustan Publishing Corporation Ltd., New Delhi.* pp.666.

- Jhon, S. Mckiewicz, (1972). Parasitological review Caryophyllidae (Cestoidea) : A Review Experimental Parasitology (31) 417-512.
- Johri, G. N., (1956). A new cestode *Senga lucknowensis* from *M. armatus* (Lep.) *Current Science* 25(6) : 193-195.
- Johri, L. N., 1950. Report on cestodes collected in India and Burma. *Indian J. Helminth*, 2(1): 23-24.
- Kadam, M. N., Hiware, C. J. and Jadhav, B. V., (1998). On a new Caryophyllid cestode of genus *Lytocestus* Cohn, 1908 from *Clarias batrachus* : Dr. Babasaheb Ambedkar Marathawada University, Aurangabad *J. of Sci. Vol. No.29. N-6. pp. 143-148.*
- Kadam, S. S.; Jadhav B. V. and Shinde G. B. (1981). On a new cestode *Senga paithanensis* n. sp. (Cestoda; Ptychobothriidae) from *Mastacembellus armatus*. *Bioresearch*, 1981 5(1); 95-96.
- Kakaji, V. L. (1969). Studies on helminth parasites of Indian fishes part - III some trematode parasites of freshwater fishes of U. P. *Indian J. Helminth*. 6(2) 27-133.
- Kalase, A. T. and Shinde, G. B. (1999). *Lytocestus chalisgaonensis* n. sp. (Cestoda-Caryophyllidea) from the catfish *clarias batrachus* at Chalisgoan, M. S., India : *Riv. Di. Parasit*, Vol. XVI [IX] N-1, 39-42.
- Kanth, L. K., Sinha, K. P. and Srivastava, L. P., (1984). The morphology of *Lytocestoides fossilis* n.sp. (Cestoda-Caryophyllidea) from the intestine of *Heteropneustes fossilis* (Bloch) : *Indian J. Helminth. (N.S.)*, 1 (1&2) 26-29.
- Kennedy, C. R. (1968). Population biology of the Cestode *caryophyllaeus* (Pallas, 1781) in dace, *Leuciscus leuciscus* L. of the river Avon : *J. Parasitol.* 54, 538-543.

- Kennedy, C. R. (1974). A checklist of British and Irish freshwater fish parasites with notes on their distribution : *J. fish Biol.* 6(5), 613-644.
- Kennedy, C. R. (1977) (A). The regulation of fish parasite populations. In regulation of parasite population 61-109.
- Kennedy, C. R. and Hine D. M., (1970). Population biology of the cestode *Proteocephalus torulus* (Bat Sch) in dace *Leuciscus leuciscus* (L) of the river Avon : *J. Fish Biol.* 1(3), 209-219.
- Khadap, R. M., Jadhav B. V. and Suryavanshi N. V. (2004). A new species of the Genus *Lytocestus* (Cohn, 1908), form *Clarias batrachus* at Aurangabad : *Nat. J. of Life Sciences*, 1(2), 2004 pp. 413-416.
- Khalifa, F. A. (1986). Cestoda of freshwater farmed fishes in Ivaq. *J. Wildl, Dis.* (22), 278.
- Khalil L. F. (1969). Studies on the helminth parasites of freshwater fishes of the Sudan : *J. Zool. London.* (158). 143-170.
- Kolpuke, et al., (1999). On a new species of the genus *Lytocestus* Cohn, 1908 (Cestoda : Caryophylliidea) from *Wallago attu* from Terna river at Aurad, India. *Uttar Pradesh J. Zool.* 19(1), 93-95.
- Kozicka, J. (1959). Parasites of fishes of Druzno Lake : *Acta Parasitologica Polonica* (7), 1-72.
- Kulakovskaya, O. P. (1962). The seasonal changes in representatives of the family Caryophyllaeidae (Cestoda) under condition existing in Western Ukrainian region, URSR. *Scientific Memories of Science Biological Museum of the Utranisn Academy of Science* (10), 88-93.

- Kulakovskaya, O. P. (1964) b. Effect of environmental conditions on relationship between some intestinal parasites of fish. *Paroblemy Parazitologii* No. (3), 9-15.
- Kundu, D. K. (1985). On a new species of genus *Lytocestoides* Baylis, 1928 (Cestoda : Caryophyllidea : Lytocestidae) from a *Lepidocephalus guntea* (Ham.) from West Bengal : *Bull. Zool. Sury. India.* 7 : 285-290.
- La Rue, G. R. (1911). A revision of the cestode family *Proteocephalidae* : *Zool. Anz.* 38, 473-482.
- La Rue, G. R. (1919). A new species of tapeworm of the genus *Proteocephalus* from the perch and rock bass. *Mus. Zool. Univ. Mich. Occ. Papers.* No.67, 10 pp.
- Lakhe, Et. Al. (2004). A new cestode *Lytocestus nagapurensis* n. sp. (Cotyloda - Lytocestidae) : *Riv. Di. Para XXI (LXV-N-2)*, 95-98.
- Leater, RJG (1990). Reappraisal of the use of parasites for fish stock identification : *Aus. J. Mar. Fresh Res.* (41), 855-864.
- Leidy, J. (1851). Contributions to helminthology : *Proc. Acad. Nat. Sci. Philad.* (05) 205-210.
- Linton, E. (1900). Parasites of fishes in the Woods Hole region : *U. S. Fisheries Commission Bull.* (19), 405.
- Linton, E. (1934). A Pseudophyllidean cestode from Flying fish : *Trans. Amer. Micro. Soc.* (53), 66.
- Linton, E. (1941). Cestode parasites of teleost fishes of the Woods Hole region Massachusetts : *Proc. U. S. Nat. Mus.* (90), 417-442.
- Lohia, S. (2000). Studies on the piscian tapeworms with special reference to certain parameters of ecohaematology of *Channa*

- punctatus* (Bloch). Ph. D. Thesis Bundelkhand University, Jhansi (U. P.), India 1-129.
- Lynsdale, J. A. (1956). On two new species of *Lytocestus* from Burma and Sudan respectively : *J. Helm.* **30** (2-3), 87-96.
- Lyster, L. L. (1940). Parasites of freshwater fishes II-Parasitism of speckled and lake Trout and the fishes found associated with them in Lake commandant Que. *Canad. Jour. Res.* **18**(2), 66-77.
- Mackenzie, K. (1987). Parasites as indicators of host population. *Int. J. Parasitol.* **(17)**, 345-352.
- Mackiewicz, S. (1981) a. Caryophyllidea (cestoidea) : Evolution and classification : *Adv. Parasitol* **(91)**, 139-206.
- Mackiewicz, S. (1981) b. Synoptic review of the caryophyllidea (cestoidean) of India, Pakistan and Nepal. *Himalayan J. Sci.* **1**(1), 1-14.
- Maclulich, D. A. (1943). *Proteocephalus parallaeticus* a new species of tapeworm from Lake Trout, *Cristivomer namaycush*, Canada : *J. Res. Sect. D. Zool. Sc.* **(21)** : 145-149.
- Majid, M. A. and Shinde, G. B. (1984). Two new species of the genus *Senga* Dollfus, 1934 (Cestoda - Pseudophyllidea) from fresh water fishes at Jagannathpuri, Orisa : *India. J. of Para* **(1)**, 169-172.
- Malhotra, et. al., (1982). Introduction of a taxonomic device to evaluate. A new Proteocephalid cestode *Gangesia sanehensis* n. sp. from fresh water fishes of Garhwal Himalayas with a revised key to species of genus *Gangesia*. *Marathawada University Journal (Natural Sciences) Volume No.XIX Sci.* **12**.



- Malhotra, S. K., Dixit, S. and Capoor, V. N., (1982). Taxometric evaluation of a new fish cestode *Gangesia mahamedabadensis* n. sp. from *Mystus tengva* from Mehmdabad Gujrat : *Science and Environment* (1981), (1), 7-20.
- Malhotra, S.K., Capoor, V.N. and Shinde, G.B. (1980). Introduction to taxonomic device to evaluate a new protectocephalid cestode. *Gangesia sonhensis* n.sp. from freshwater fishes of Gahrwal, Himalaya with revised key to species of genus *Gangesia* *Marath, Univ. J. Sci., (nat.sci.)* 19 (12) : 41-52.
- Malhotra, Sandeep K., Dixit, S.A. and Capoor, V.N. (1981). Taxonomic evaluation of a new fish cestode, *Gangesia mehamdabadensis* n.sp. from *Mystus tengara* from Mehamadbad. *Sci. and Env.,* 3(1) : 7-20.
- Margolis, L.; Esch, G.W.; Holmes, J.C.; Kuris, A.M.; Schad, G.A. (1982). The use of ecological terms in Parasitology (Report of an ad-hoc Committee of the American Society of Parasitologists) *J. of Parasitol.* 68 : 131-133.
- Mashego, S.N. (1982). A seasonal investigation of the helminth parasites of *Barbus* species in water bodies in Lebowa and Yenda, South Africa. *Ph.D. Thesis, University of the North Savenga, South Africa* 191 pp.
- Mathur, N. (1992). Morphotaxonomy of piscian cestodes and their ecological study in *Heteropneustes fossilis* (Bloch). *Ph.D. Thesis Bundlkhand University, Jhansi (U.P.) India* pp. 1-166.
- Mathur, N. and Srivastav, A.K. (1999). Influence of temperature in freshwater fish, *Heteropneustes fossilis* (Bloch) in relation to tapeworm infestation, *Flora and Fauna*, 5(1) : 23-24.

- Mathur, N. Srivastav, A.K. and Daisy Rani (1994). Piscian cestodes of Bundelkhand region of U.P. *Senga jhansiensis* n. sp. (Cestoda-Ptycholothridea) from *Mastacembellus armatus* (Lecepede) : *U.P. J. Zool.* **14** (1) : 94-96.
- Meggitt F.J. (1927). A list of cestodes collected in Rangoon during the year 1923-26. *J. Burma Res. Soc. Rangoon* **16** 200-201.
- Meggitt, F.J. (1926). On a collection of Burmese cestodes. *Parasitology*, **18** : 230-236.
- Menon, A.G.K. (1999). Check-list freshwater fishes of India. *Rec. Zool. Surv. India Misc. publ. occas papno* 175 pp 366.
- Moghe, M.A. (1925). A supplementary description of *Lytocestus indicus* (syn. *Caryophyllaeus*) from India. *Parasitology* **23** : 84-87.
- Moller, H. (1978). The effect of salinity and temperature in the development and survival of fish parasites. *J. of fish Bio.* **12** : 311-324.
- Nagasawa, K., Awakurat, Urawa, S. (1989). A checklist and bibliography of fishes of Hokkaido. *Sci. Rep. Hokkaido Fish Hatchary* **44** : 1-49.
- Nama, H.S. (1974). On certain cestodes of Rajasthan. *Indian J. Zool.* **2**(1) : 33-36.
- Nama, H.S. (1979). On a new cestode *Polyoncobothrium indicum* n.sp. from the fish *Channa (Ophiocephalus) punctatus* in Rajasthan. *Rajasthan Bioresearch* **3** :5-6.
- Natrajan P. (2007). Taxonomy of fish parasites and host parasites relationship, *Manual of workshop on parasites Taxonomy, Capacity, Building, Dept. of Zool. Andhra University, Visakapatnam during 23-24 Feb. 2007* pp. 115-116.

- Noble, E.R. and Noble G.A. (1971). "Parasitology" the biology of animal parasites IIIrd Edn. Published in great Britain by Henry Kimpton London, ISBN 0 - 8121-0329-7.
- Nybein O. (1942). Zuer Helminth Fauna der Sussawasser Fische Schwedens II. Die cestode, des welses. *Goteboogs Kgl. Vetenskaps - Akad Handl. Sect. B.L.* 1-24.
- Nybelin, O. (1942). Zur Helminth fauna dev. Susswassar Fische. Schwedous. II. Die Cestoden des Weioses, Gotebroyskgi, *J. Velenskaps. Acad. Handl, Sev. Blk.* 1-24.
- Oniye S.J., Adebote, D.A. and Ayanda, O.I. (2004) Helminth parasites of *Clarias garipinus* (Teugels) in Zaria, Nigeria. *J. Aquatic Sci.* 19 (2) : 1-4.
- Pande, P.N. Mittal Neetu and Singh S.R. (2000). On a new cestode of the genus *Senga* Dollfus, 1934 from the intestine of freshwater fish *Mastacemballus armatus* (Lacep) from Kanpur, U.P. *India J. Hel. (N.S.)* 17 : 5-8.
- Pande P.N., Mamta Tripathi and Neetu Mittal (2006). On two new species of genus *Senga* Dollfus, 1934 (Family - Ptychobothriidae Luhe, 1902) from the intestine of freshwater fishes. *Indian J. Hel (N.S.)*, Vol. 24 pp. 6-10.
- Pande P.N., Swapnil Raj Dubey and Neetu Mittal (2006). On two new species of the genus *Polyonchobothrium* Diesing, 1854 from freshwater fishes. *Indian J. Hel. (N.S.)* Vol. 24 pp. 1-5.
- Pandey, K.C. (1973). Studies on some cestodes from fishes, birds, and mammals. *India J. of Zool.* 15 : 221-226.
- Pandey, K. C., (2007). Fish parasites : Taxonomy capacity building *Manual of workshop. On parasites : Taxonomy Capacity building*

*Dept. of Zoology Andhra University, Visakhapatnam during 23-24 Feb., 2007, pp.5-7.*

- Paperna, I. (1964). The metazoan parasite fauna of Israel inland water fishes. *Bamidgeh (Bull.) Fish Cult. Israel*, 16 : 3-66.
- Patil, D.N. and Jadhav B.V. (2002). On a new caryophyllid cestode of the genus *Lytocestus* Cohn, 1908, from *Clarias batrachus*. *Ind. J. Hel. (N.S.)* Vol. 20 pp 45-48.
- Patil, D.N. and Jadhav B.V. (2003). On a new species the *Senga* Dollfus, 1934 (Cestoda - ptychobothridae) Lune, 1902) as *S. tappi* n. sp. : *Jour. Comp. Tox. Physiol. Vol.-1*, 68-72.
- Patil, S.R.; Shinde G.B. and Jadhav B.V. (1998). A new species of the genus *Circumoncobothrium* Shinde, 1968 (Cestoda - Pseudohyllidae) Carus, 1963 from *Mastacembellus armatus* at Vadgaon, Maharashtra, India : *J. of Para. Diseases* 22 (2) : 148-151.
- Pavanelli, G.C. and Takemota, R.M. (2000). Aspects of the ecology of Proteocephalid cestodes parasite of *Sorubim Lima* (Pimelodidae) of the Upper parana river, Brazil : II Interspecific Association and Distribution of Gastrointestinal Parasites *Rev. Brasil. Boil* 60(4) : 585-590.
- Pawar *et al.*, (2002). A new species *Circumoncobothrium armatusae* n. sp. (Cestoda - Pseudophyllidae) from *Mastacembellus armatus* at Paithan, India : *Riv. Di. Para Vol. XXXLXIII*) N-3 219-222.
- Pawar *et al.* (2004). A new species of *Gangesia rohita* n. sp. (Eucesoda - Proteocephalidae) from *Labeo rohita*. *Uttar Pradesh J. Zool.* 24 (2) 201-203.
- Pawar, S. B. and Shinde, G. B. (2002). A new species *Lytocestus clariasae* n. sp. (Cotyloida : Lytocestidae) from *Clarias*

- batrachus* at Kallam, India : *Riv. Parasit*, Vol. XIX (LXIII), N2, 157-160.
- Pawar, S.B. and Shinde G.B. (2002). A new species *Lytocestus clariasae* n. sp. (Cotyloda : Lytocestidae) from *Clarias batrachus* at Kallam : *Indian Riv. Parasit*. Vol. XIX (XII), N-2. 157-160.
- Pearse (1934). Parasites of siamese fishes and crustaceans. *J. Siam. Soc. Nat. Hist. Suppl.* 9(2) : 179-191.
- Pennyuck K.L. (1973). "Seasonal variation in the parasite population of three spined Stickle backs, *Gasterosteus aculeatus* L." *Parasitology*, 63, 373-388.
- Poonam (2007). On a new species of the genus *Lytocestus* (Caryophyllidea - Lycestidae) from *Clarius batrachus*. *Proc. Zool. Soc. of India* Vol. 6 (1) 77-81.
- Poulin, R. (1992). Determinants of host specificity in parasites of freshwater fishes : *Int. J. Parasitol.* 22 : 753-758.
- Price C.E. (1967). The phylum Platyhelminthes a revised classification. *Riv. Di. Parasitol.* 28 : 249-260.
- Rachana, R. and Bilquees, F.M. (1977). *Gangesia sindensis* n.sp. (Cestoda : Proteocephalidae) from fish *Wallago attu* of Kalari Lake, Sindh, West Pakistan. *Pak. J. Zool.* 3, 175-192.
- Ramadevi P. (1973). *Lytocestus longicollis* sp.nov. (Cestoda - Caryophylliaeda) from cat fish *Clarias batrachus* in India : *J. Hel.* 47 : 415-420.
- Ramadevi P. (1973). On *Senga visakhapatnamensis* n. sp. (Cestoda - Pseudophyllidae) from the intestine of the freshwater fish *Ophiocephalus punctatus* Bloch : *Rivista Di. Para* Vol. 34 N-4, 281-286.

- Ramadevi, P. and Rao K.H. 1966. Pleurocercoid of *Senga* (Pseudophyllidea : Ptychobothriidae) from the freshwater fish, *Panchax panchax* (Hanl and Buch). *Current Sci.* **35**(24) : 626-627.
- Rao, K.H. (1959). On *Ptychobothrium cypseluri* n. sp. (Cestoda - Pseudophyllidae) from flying fish *Cypselurus poeclopterus* caught of Waltair : *J. Hel.* **33** : 267-272.
- Read, C. P. and Simmons, J. F. JR. (1963). Biochemistry and physiology of tapeworms : *Physiol Riv.* (**43**), 263-305.
- Rehana, R. and Bilqees F. M. (1972). *Neocamallus ophicocephli* n. sp. (Nematoda Camallanidae) from the fishes *Ophiocephalus striatus* (bl) and *Wallago attu* (B1 and Schn) of Kalri lake, Sind area, West Pakistan. In helminth parasites of some vertebrates chiefly from fishes of west Pakistan *Agricultural Research Council, Karachi, Pakistan pp.* 92-96.
- Roitmann *et al.* (1964). New species of *Gangesia* (Cestoda-Protocophalidea) from fish from Amur bisin Turdy (Gelmint) Lab (**14**) 170-181.
- Ruzhicko, K. M. (1976) : Host specificity of Helminth : Some general aspect of this questions : *Acta. Parasitologia, Lituanica*, **14** : 3-8.
- Salgado-Maldonado, G. *et al.* (2001). Helminth parasites of freshwater fishes of the Balasas River drainage basin of Southwestern Mexico : *Comparative Parasitology* (**68**), 196-203.
- Salgado-Maldonado, G. *et al.* (2004). Helminth parasites of freshwater fishes of the Ayuquila River, Sierra de Manantlan

- Biosphere Reserve, West Central Mexico, *Comparative Parasitology* (71), 67-72.
- Salgado-Maldonado, G., (2001). A checklist of helminth from parasites of freshwater fishes from the Lerma-Santiago river basin, Mexico. : *Comparative parasitology* (68) 204-218.
- Santhyna-Rayana, M. C., Venkatachalam, S. (1993). Survey of helminth parasites of important freshwater food fishes of Mannam Pandal Area, Mayilsdutural, Tanjore district, Tamil Nadu : *India. J. Parasitol* 11(2), 169-171.
- Sasal, P.; Desdevises, Y. and Morand, S. (1998). Host specialization and species diversity in fish parasites : Phylogenetic conservatism : *Ecography* (21), 639-643.
- Satpute, L. R. and Agarwal, S. M. (1980). Studies on seasonal infection of *Clarius batrachus* (Linn) by *Lytocestus indicus* Moghe, 1925 : *Indian J. of Hel.* Vol. XXXII 9-17.
- Schmidt, G. D. (1986). CRC Hand book of tapeworm identification. CRC Press Inc. Boca. Raton, Florida.
- Scholz, T. (1989). On the ecology of the tapeworm *Proteocephalus torulosus* (Cestoda : Proteocephalidae) in Chub *Leuciscus cephalus* L. from the river Rokytna, (Zechoslovakia) : *Helminthology* 26 : 257-287.
- Shinde *et al.* (1984). A revision of the genus *Silurotaenia* Nybelin, 1942, with four new species, *Riv. Di Para* Vol. I (XLV) 83-91.
- Shinde *et al.* (1987). Two new species of the genus *Lytocestoides* Baylis, 1928 (Cestoda - Caryophyllidea - Lytocestidae) from a freshwater fish Maharashtra, India. *Bull. Zool. Surv. Ind.* 8 (1-3) : 197-201.

- Shinde *et al.* (2002). A new species *Circumoncobothrium mastacembellusae* n. sp. (Cestoda : Pseudophyllidae) from *Mastacembellus armatus* at Paithan, India. *Riv. Di. Parasit.* Vol. XX (LXIII) N-3, 195-198.
- Shinde G. B. (1972). Studies on Indian cestodes redescription of *Senga bensardi* Dollus, 1934. *Marath. Uni. J. Sci.* (11); 39-40.
- Shinde G. B. and Chincholikar L. N. (1977). Redescription of *Proteocephalus vitellaris* Verma, 1958 in fresh water fish at Nanded, M. S. India. *Marathwada Univ. J. Sci.* Vol. XVI 175-176.
- Shinde G. B. And Kalse, A. T. (1999). Two new species of the genus *Cirumoncobothrium* Shinde, 1968. *Cestoda-Pseudophyllidea*, Carus, 1863 from a freshwater fish at Khandesh (M.S.), India : *Riv. Di. Parasit.* Vol. XVI (LX) N-3 209-215.
- Shinde G. B. and Pawar, S. B. (2002). A new species *Lytocestus batrachusae* n. sp. (Cotyloida : Lytocestidae) from *Clarias batrachus* at Aurangabad, India.
- Shinde G. B., Pawar S. B. and Chavan S. P. (2003). A new species *Circumonchobothrium mastacemblusae* n.sp. (Cestoda-pseudophyllidae) from *Mastacembaus armatus* at Paithan, India : *Riv. Di. Para.* Vol. XX (LXII) N-3195-198.
- Shinde G.B. (1968). On *Circumoncobothrium ophiocephali* n. sp. from a freshwater fish *Ophalocephalus lecopunctatus* in India. *Riv. Di. Para* 19(2) : 111-114.
- Shinde G.B. (1977). On a new species of genus *Circumoncobothrium* Shinde 1968 (Cestoda : Pseudophyllidea, Carus, 1863) from a freshwater fish in India. *Ibid* . 16(89) : 129-132.



- Shinde, *et al.* (2002). A new species *Lytocestus clariasae* n.sp. from (Cotyloda : Lytocestidae) *Clarias batrachus* at Kallam, India : Riv.Di. Parasit, Vol. XIX (LXIII), N.2, 153-156.
- Shinde, G.B. (1970). A new species and two new varieties of the genus *Lytocestoides* Baylis, 1928 *Marath. Uni. J. Sci.* 9 : 173-178.
- Shinde, G.B. (1988). On a new cestode *Lytocestus marathwadensis* from fresh water fish : *Riv. Di Para* 47(2) : 295-298.
- Shinde, G.B. and Chincholikar L.N. (1977). On a new species of genus *Circumoncobothrium* Shinde 1968 (Cestoda : Pseudophyllidea) Carus, 1863 from freshwater fish in India : *Marh. Uni. Jour.* 9 : 177-179.
- Shinde, G.B. and Deshmukh R.A. (1975). On a new species of *Lytocestoides*, Baylis (1928) from freshwater fish in Marathwada India : *Nat. Sci. J. Marath. Univ. Aurangabad* 14 : 233-234.
- Shinde, G.B. and Deshmukh R.A. (1980). On *Senga khami* (Cestoda : Ptychobothridae) from the fresh water fish. *Indian Jour. Zoology* 8, 1-2.
- Shinde, G.B. and Jadhav B.V. (1976). On a new species of genus *Circumoncobothrium* Shinde, 1968 (Cestoda : Pseudophyllidea) from a freshwater fish from Maharashtra, India : *Marath. Univ. J. Sci. (Nat. Sci.)* Vol. XV Sci. 8.
- Shinde, G.B. and Jadhav B.V. (1980). New tapeworm *Senga godavari* from *Mastacembellus armatus*, Aurangabad, (M.S.), India. *Biology* Vol. II 40 : 46-48.

- Shinde, G.B., Kadam and Jadhav B.V. (1984). A revision of genus *Silurotaenia nybelini* (1942), with four new species. *Rivista Di Parassitologia*. Vol. 1 (XLV), DICEMBRE.
- Shinde, G.B., Majid M.A. and Salunkhe D.G. (1983). On a new species of *Silurotaenia* Nybelin, 1942 (Cestoda : Proteocephalidae) from a freshwater fish at Paithan, M.S. India. *Riv. Di Parasitol.* **44** : 309-312.
- Shinde, G.B.; Deshmukh R.A. and Chincholikar L.N. (1975). On a new cestode *Silurotaenia nybelini* n. sp. (Proteocephalidae) from a freshwater fish from Marathwada, India. *Marath. Univ. J. Sci XIV Sci.* **7** : 355-359.
- Shinde, G.B.; Sarwade D.V.; Jadhav B.V. and Mahajan M.A. (1994). On a new species of the genus *Circumoncobothrium* Shinde 1986 (Cestoda : Pseudophyllidea, Carus, 1863) from *Mastacembellus armatus* (Cuv. and Val.) from fresh water fish at Aurangabad, M.S., India : *Riv. Di. Para* **11**(55) : 167-169.
- Shingh, K.S. (1975). On *Lytocetus fossilis* n.sp (Cesotoda-Lytocestidae) from *Heteropneustus fossilis* from Nepal : Dr. B.S, Chauhan Commn. Vol 79-82.
- Singh Rajendra Prasad and Umapati Sahay (2007). On the population dynamics of *Procamallanus clarius* Ali, 1956 in *Clarius batrachus* (Linn.). *Proc. of Zoology Soc. of India* Vol. **6**(1) pp. 65-72.
- Singh, K.S. (1948). On new cestode *Gangesia lucknowia* (Proteocephallidae) from fresh water fish, *Eytropiichys vulha* Day, with reviewed key to the species of the genus. *Indian J. Helmin.* **4**(1) 1-72.

- Sinha, S.S. and Rashid-un-nisa (1981). An anomaly in Caryophyllid Cestode, *Lytocestus indicus* Moghe, (1931) : *Ind.J.Parasit.* 5 (2) : 197-198.
- Sircar, M. and Sinha, D.P. (1970). On *Masenia ritai* n.sp (Maseniidae Trematoda) from the intestine of *Rita rita* *Ind.J.Helm.* (22) 23-28.
- Sirear, M. and Sinha, D.P. (1980). Histopathology of *Lytocestus indicus* infection in the fish *Clarias batrachus* . *India J. Anim. Res.* 14 (153-56).
- Subberwal, A. Malhotra, S.K, and Capoor, V.N. (1992). Ecological dynamics of Proteocephalid infection in *Wallago attu* of Allahabad : *J.Parasitol. Appl. Biol*, 1 (1) 63-70.
- Takemota, R.M. And Pavanelli, G.C. (1994). Ecological aspects of Protecephalidean cestodes parasites of *Paulicea luetkeni* (Steindacher) Ostichthytes : Pimelodidae) from the Parana river, Parana. Brazil. : *Rev.UNIMAR*, 16 (supl. 3) 17-26
- Tandon V.; Chakravarty R. and Das B. (2005). Four new species of the genus *Lytocestus* (Caryophyllidea : Lytocestidae) from Edible Cat Fishes in Assam and Meghalaya, India : *Jour. of Parasitic Diseases Vol. 29(2)* 2005. 131-142.
- Tat, M.B. and Jadhav B.V. (1997). *Senga mohekarae* n.sp (Cestoda-Ptychobothridae) from *Mastacemballus arnatys* : *Riv. Di. Para. Vol. XVII (LVIII) N-2*, 203-296.
- Tat,M.B. and Jadhav, B.V. (2004) A new species of the genus *Circumonchobothrium*, shinde (1968) (Cestoda : *Pseudophyllidea* Carus, 1863) from *Ophiocephalus gachua* at Dhanegaon Dist. Beed : *N.J. Life Sciences* pp. 129-132.

- Tsengls (1933). Study on some cestode from fishes : *Jour. of Science National Univ. Shantuma, Tsenglo, China* 2 : 1-21.
- Verma S.L. (1971). Helminth parasite of freshwater fishes Part-I. On two caryophyllaeids from fresh water fishes of Lucknow. *Indian J. Helminth.* 32 : 71-80.
- Verma, S.C. (1928). Some cestodes from Indian fishes including four new species of Tetrphyllidae and revised keys to the genera *Acanthobothrium* and *Gangesia*. *Allahabad Univ. Stud.* 4, 119-176.
- Vigueras, I.P. (1936). *Proteocephalus manjuariphilus* n. sp. (cestode) parasitol de *Atractosteus tristoechus* (Bioch et Schn) (Pisces) *Rev. Par. Cliny Lab.* 2(1) : 17-18.
- Wang, P. Q. (1984). Notes on some cestodes of fishes in Fujim provience with list of fish cestodes, recorded from China. *Wuyi. Sci. J.* (4), 71-83.
- Wankhede, H.J. (2004). On a new cestode *Gangesia* (*Gangesia*), from freshwater fish *Mastaembelus armatus* from Godavari River at Aurangabad (Maharashtra). *Indian J. Curr. Sea.* 5(2) : 607-610.
- Wankhede *et al.* (2008). A review of the genus *Silurotaenia* Nybelin 1942, from fresh water fishes in Maharashtra region : *National Journal of Life Sciences*, 5(3) : 91-96.
- Wankhede, H.J. and Jadhav, B.V. 2002. On a new species of the genus *Silurotaenia nybelini* 1942, from *Sperata seenghala* (Sykes). *Indian J. Hedlminth* N.S. Vol. 20 : 11-14.
- Wardle, R. A., Mcleod, J. A. and Radinovsky, A. (1974). Advances in the Zoology of tapeworm 1950-1970. *Univ. of Minnesota press Minnepolis.*

- Wongsawad, C.; Tanu Marayong and Jadhav B.V. (1998). A new *Ptychobothridae* Tapeworm from Maesa stream, Chiang Mai, Thailand. *Rivista Di. Parasitologia* Vol. XV (LIX) N-3.
- Woodland, W. N. F. (1924). On a new genus of Proeocephalidae from Indian freshwater fishes. *Parasit*, 16: 441-451.
- Yamaguti, S. (1934). Studies on the helminth fauna of Japan. Part. IV. Cestodes of Fishes : *Jap. J. Zool.* 6 : 1-112.
- Yamaguti, S. (1959). Systema Helminthum Vol. II. The Cestode of vertebrates : *Inter Science Publ. New York and London*, 1-860.
- Yamaguti, S. (1968). Cestode parasites of Hawaiian fishes. *Pac. Sci.* (22), 21-36.
- Zaman, Z. and Seng, L. T. (1986). Histopathology of intestine caused by caryophylliaeid cestode *Djombangia penetrans* Bovien. 1926 in catfish *Clarias barachus* and *Clarias macrocephalus* *Trop. Biomed* (3) 157-160.

590

ATT



T16084