

# **Bibliography**

## Bibliography

- 1) Amminikutty, C. K. and Rege, M. S. (1977) Indian J. Exp. Biol. 15 : 197.
- 2) Amminikutty, C. K. and Rege, M. S. (1978) Indian J. Exp. Biol. 16 : 202.
- 3) Andrews, A. K., Vanvalin, C. C. and Stebbings, B. E. (1966) Trans. Am. Fish. Soc., 95 : 297.
- 4) APHA AWAA WACF (1985) – Standard methods for examination of water and waste water 20<sup>th</sup> ed. American Public Health Association, Washington D. C.
- 5) Aquatic Life Advisory Committee of the Onjo River Valley Water Sanitation Commission (1955) Sewage and Industrial Wastes. 27 : 321.
- 6) Bakthavathsalam, R. and Reddy S. (1982) Indian J. Environ. Hith., 24 : 65.
- 7) Bakthavathsalam, Ramalingam, R. and Ramaswamy, A. (1984) Environ. Ecol. 2 : 243.
- 8) Barka, T. and Anderson, A. T. (1965) : In “Histochemistry Theory Practice and Bibliography”. Harper and Row Publishers Inc., New York.
- 9) Begum, S. J. (1987) Curr. Sci., 56 : 14, 705
- 10) Bhan, S. and Mansuri, A. P. (1978) : Geobios 5 : 3.
- 11) Bhatnagar C. Regar B. C. Neurodegenerative effect of fluoride : (NaF) on the brain of freshwater teleost, Labeo rohita. Indian J. Environ. Sci. 2005 : 9(1) : 15 – 9.
- 12) Bhatnagar, C. M., Regar, B. C. (2007) Research report fluoride 40(1) 55 – 61, 40(1) : 55 – 61.

- 13) Bhatnagar, C., Bhatnagar, M., Regar, B. (2007) Fluoride induced histopathological changes in gill, kidney and intestine of freshwater teleost, Labeo rohita. Research report fluoride 40(1) : 55 – 61.
- 14) Bhatt, V. S., 1970, Studies on the growth of Ophiocephalus striatus (Bloch.) : Hyrobiologica, V. 36, No. 1, P. 165 – 177.
- 15) Bhatt, V., Bhatta., N, and Mansuri, A. P. (1979) Geobios. 6 : 53.
- 16) Bhatt. V., Bhatt., N. and Mansuri, A. P. (1979) Geobios, 6 : 53.
- 17) Bhattacharya S., Mukherjee, S. and Bhattacharya, S. (1975), Indian Jour. Expt. Biol., 13 : 185.
- 18) Bose, K. C., and Chakraborty (1979) Curr. Sci. 48 : 90.
- 19) Brungs, W. A., McCormick, J. H., Neiheisel, T. W., Spehar, R. L. Stephan, C. E. and Stokes, G. N. (1977) J. Water Poll. Control Fed. 49 : 1425.
- 20) Cehvalier, G., L. Gauthier and G. Morea. 1985. Histopathological and electron microscopic studies of gills of brook trout, Salvelinus fontinalis, from acidified lakes. Canadian Journal of Zoology 63 : 2062 – 2070.
- 21) Chatterjee, K., Nandi, I and Konar, S. K. (1983) Environ. Ecol. 1 : 203.
- 22) Chatterjee, K., Nandi, I. and Konar, S. K. (1983) Environ. Ecol. 1 : 203.
- 23) Chatterjee, K., Nandi, I. and Konar, S. K. (1983) Environ. Ecol., 1 : 203.
- 24) Csepai, F. (1978) : Histological detectable dystrophies in the carps kidney exposed to chronic effect of some pesticides Magy. Allatorv. Lepaja, 33, 55 – 58.
- 25) Curran, R. C. (1964) : Int. Rev. Cytol., 17, 149.
- 26) Dalela, R. C., Rani Saroj and Verma, S. R. (1979) Proc. Symp. Environ. Biol. India, 549.

- 27) Das B. K. and Mukharjee S. C. (2000) A Histopathological study of Carp (*Labeo rohita*) exposed to hexachlorocyclohexane Veterinarski Arhiv 70(4) : 169 – 180.
- 28) Das, B. K. and Mukherjee S. C., A histopathological study of Carp (*Labeo rohita*) exposed to hexachlorocyclohexane. Vet. Archive 70, 169 – 180, 2000.
- 29) Das, K. K. and Banerjee, S. K. (1980) Hydrobiologia 75(2)
- 30) Daye, P. G. and Garside, E. T. (1976) Can. J. Zool. 54 : 2140.
- 31) Dubal, M. S. and Shah, P. (1979) Indian J. Exp. Biol., 17 : 693.
- 32) Dubale, M. S. and Shah, P. (1984) Comp. Physiol. Ecol., 9 : 328.
- 33) Elbal, M. T. and Angulleiro, B. (1986) JSMCB, J. Submicrose Cytol. 18 : 335.
- 34) Ezeasor, D. N. (1981) J. Fish Biol., 19 : 611.
- 35) Gupta Saroj and Delela, R. C. (1986) J. Environ. Biol, 7 : 75.
- 36) Gupta, A. K. and Rajbanshi, V. K. (1979) Proc., Synsp. Environment. Biol. 1667.
- 37) Gupta, A. K. and Rajbanshi, V. K. (1986) Poll. Res., 5 : 97.
- 38) Gupta, S. and Dalela, R. C. (1987) J. Environ. Biol. 7 : 75.
- 39) Hackling, M. A., Budd, J. and Hodson, K. (1978) Can. J. 2001, 56 : 477.
- 40) Haniffa, M. A. and Sundarvadhanam (1984) J. Environ. Biol., 5 : 57.
- 41) Hinsen, D. J., P. R. Parrish, J. I. Lower, A. J. Wilson (Jr.), P. D. Wilson (1971) Bull Environ. Contam. Toxicol 6 : 113.
- 42) Histon, D. E., Kendall, M. W. and Silver, B. B. (1973) Biological methods for the assessment of water quality, 528 : 194.

- 43) Holden, A. V. (1973) In : "Environmental Pollution by Pesticides" edited by C. A. Edward, Plenum Press, 213.
- 44) Hotchiss, R. d. (1948) : Arch. Biol. Chem., 16, 131.
- 45) Jadhav, S. D. (1985), Ph. D. Thesis, Shivaji University, Kolhapur, India.
- 46) Jhingran, A. G. 1984, The fish genetic resources of India : Bureau of fish Genetic Resources, Allahabad and Maya Press Pvt. Ltd., Allahabad, 82 p.
- 47) Jhiyagarajah, A. and Grizzle, J. M. (1986) Can. J. 2001; 64 : 2868.
- 48) Jhingran J. L. (1991) In, "Fish and fisheries of India", Hindustan Publishing Corporation (India) Delhi.
- 49) Jirge, S. K. (1970) Histochemie., 22 : 82.
- 50) Jirge, S. K. (1971b) Annel's d' Histochemie., 15 : 283.
- 51) Kapoor, B. G. (1953) J. Zool. Soc. India, 5 : 191.
- 52) Katre, S. (1975) Pro. Indian Acad. Sci. 81B : 249.
- 53) Kehar, A. A., Jafri, S. I. H., and Ahmed, S. S. 1995, Laboratory evaluation of rating of some freshwater fishes of Pakistan for the biological control of Mosquitoes Culex quinquefasciatus : Pakistan Journal of Zoology, V. 27, No. 2 p. 157 – 159.
- 54) Khan S. (2006) – Poll. Res. 25(1) : 207 – 208.
- 55) Khan, S. (2006). Effect of sublethal concentration of cadmium chloride on liver of Guppy (Lebistes reticulates) at 40<sup>0</sup>C. Poll. Res. 25 (1) : 207 – 208.
- 56) Khanna S. S. (1996), In, "An Introduction to fishes" published by Central Book Depot, Allahabad.
- 57) Khillare, Y. K. (1986) Geobios, 13 : 222.
- 58) King, F. (1962) Trans. Am. Fish Soc., 92 : 372.

- 59) Koundinya, P. R. and Ramamurthi, R. (1979) Experientia 37 1632.
- 60) Kumar, S. and Pant, C (1981) Indian J. Exp. Biol., 19 : 191.
- 61) Larger, K. F. (1982), In "Freshwater Fishing Biology" edited by Karl F. Lagler, W. M. C. Brown Company Publishers, Dubug Iowa, 202.
- 62) Lev. R. and Spicer, S. S. (1964) : J. Histochem. Cytochem. 12, 309.
- 63) Lillie, R. D. (1954) : Histopathologic Technic and Practical Histochemistry, 3<sup>rd</sup> Edn., The Blakiston Co. Inc., New York.
- 64) Lison, L. (1960) In : Histochemie et. Cytochemie Animals Paris, Gauthier – Villars.
- 65) Lloyd, R. and Swiff, D. J. (1976) In : 'Effects of Pollutants on Aquatic Organisms' edited by Lock-Wood A. P. M., Cambridge University Press, London.
- 66) Lloyed, R. and Jordan, D. H. M. (1963) J. Inst. Sew. Purif. 167.
- 67) Longley, J. B., Burtner, H. J., Monis, B. (1963) Ann. N. Y. Acad. Sci., 106 : 493.
- 68) Mahajan, C. L. and Singh, J. J. (1973). Proc. Symph. Environ. Pollut. 18.
- 69) Mallatte, J. (1985). Fish gill structural changes induced by toxicants and other irritants : A Statistical review. Can. J. Fish. Aqua. Sci. 42 : 630 – 648.
- 70) Mandal, P. K. and Kulshrestha, A. K. (1980) Indian J. Exp. Biol. 18 : 547.
- 71) Mandal, P. K. and Kulshrestha, A. K. (1980) Indian J. Exp. Biol. 18 : 547.

- 72) Mane P. S. (1988). In Ph. D. Thesis, "Studies on the effects of aquatic pollutants on the physiology of digestion of commercially important common edible fish in the Panchaganga river.", Shivaji University, Kolhapur.
- 73) Mann, (1958) : Annual Fluctuations in sulphate and bicarbonate, hardness in pond, Limnol Oceanogr 3; 418 – 422.
- 74) Martin, T. J. and Blaber, S. J. M. (1984) J. Morphol., 182 : 295.
- 75) Mathur D. S. (1972) : Toxical 8 : 141 – 142.
- 76) Matie, V. E. (1976) In, Problem of ecology and morphology of animals. Mosk. Univ. Moscow, 29.
- 77) McManus, J.F.A. (1964) : Nature (Lond), 158, 202.
- 78) Metelev, U. V., Kanaev, A. L. and Dzasokhova, N. G. (1971) In : 'Water Toxicity' Translation of Vodnyana Toksikologiya, Kolos Publishers, Moscow. (Amerlind Publishing Co. Pvt. Ltd., New Delhi, 1983).
- 79) Metelev, V. V., A. L. Kanaev, N. G. Diasokhava (1971) Water toxicity. Amerind Publishing Co. Pvt. Ltd., New Delhi.
- 80) Milstein, A., and Prein, M., 1993, Factor and canonical correlation analysis of Nile Tilapia production in integrated livestory-fish culture in the Phillippines, in Prein, M., Hulata, V., and Pauly, D., eds., Multivariate methods in aquaculture research case studies of tilapias in experimental and commercial systems : ICLARM studies and Reviews 20, P. 6 – 64.
- 81) Mitjavila, S., Gailard, D. and derche, R. (1968) Biol., Gastroenterol., 2 : 183.
- 82) Mitrovic, V. V. Brown, V. M. Shurben, D. G. and Berryman, M. H. (1968) Water Res. 2 : 249.

- 83) Mitrovic, V. V., Brown, V. M., Shurben, D. G. and Berryman, M. H. (1968) Water Res. 2 : 249.
- 84) Mohsin, A. K. M., and Ambak, M. A., 1983. Freshwater fishes of Peninsular Malaysia : Pertanian Malaysia, Penerbit University, 284 p.
- 85) Mowry, R. W. (1963) : Ann. N. Y. Acad Sci. 106, 402.
- 86) Mukerjee, and Bhattacharya, S.(1975) Indian J. exp. Boil.13 571.
- 87) Murthy, B. N. and Rao, K. V. R. (1983) Geobios, 10 : 230.
- 88) Narayan, A. S. and Singh, B. B. (1991) Acta Hydrochem Hydrobiol. 19 : 297 – 306.
- 89) Natrajan, G. M., Rajulu, G. S., Sundari, S. S. and Subramanian (1983) Curr. Sci., 52 : 675.
- 90) Pasha, S. M. K. (1964) Proc. Ind. Acad. Sci., 59 : 211.
- 91) Pearse, A. G. (1968) : Histochemistry : Theoretical and Applied. 2<sup>nd</sup> Edn., J. and A. Churchill, London.
- 92) Pelgraom, S., M.G.J. / Lamers, RAC., Lock, P. H. M. et. al., (1995) Interactions between copper and cadmium metal organ in mature tilapia, Oreochromis mossambicus.
- 93) Pomeroy, L. R., Smith, E. E. and Grant, C. M. (1965) Limnol. Oceanogr. 10(2) : 167 – 172.
- 94) Pomeroy, L. R., Smith, E. E. and Grant, C. M. (1965), The exchange of phosphate between esturine water and sediments. Limnol Oceanogr 10(2) : 167 – 172.
- 95) Qayyum, M. A. and Shaffi, S. A. (1977) Curr. Sci., 46 : 652.
- 96) Ramaswamy, M. (1983) Curr. Sci., 52 : 35.
- 97) Rashatwar, S. S. and Ilyas, R. (1984) J. Environ. Biol., 5 : 1.



- 98) Rashatwar, S. S. and Ilyas, R. (1984) J. Environ. Biol., 5 : 1.
- 99) Ratanakar, A. V. and Awasthy, C. (1979) Pro. Symp. Environ. Biol. 377.
- 100) Reifel, C. W. and Travill, A. A. (1978a) Anat. Anz., 144 : 441.
- 101) Rombough, P. J. and Garside, E. T. (1977). Hypoxia inferred from thermally induced injuries of upper lethal temperature in banded Killifish, *Fundulus diaphanous* (L) Canad. J. Zool. 55 : 1705 – 1719.
- 102) Ruhela, S., Pandey, A. K. and Khare, A., K. (2007). Histopathological manifestation in intestine, liver and kidney of *clarias batrachus* carrying *procamlanus* infection. Fishing Chimes, 27 : 23 : 28.
- 103) Sahoo, P. K. S. C., Mukherjee, S. K., Nayak and S. K. Dey, 2001. Acute and subchronic toxicity and alfatoin B1 in Rohu (*Labeo rohita*). Indian Journal of Experimental biology., 39 : 453 – 458.
- 104) Sarbhai, D. S. (1940) J. Roy As Soc. Bengal Sci., 5 : 87
- 105) Sastry, K. V. and Sharma, S. K. (1978) Indian J. Exp. Biol., 16 : 372.
- 106) Sastry, K. V., Gupta, P. K. (1978) Environ. Res., 16 : 270.
- 107) Saxena M. M. (1988) : Environmental analysis water, soil and air. Agro botinica, Bikaner.
- 108) Saxena, S. C. (1966). Proc. Indian Acad. Sci., 64 : 176.
- 109) Scarpelli, D. G., Grild, R. and Prajola, W. J. (1968) Cancer. Res. 23 : 818.
- 110) Sedar, A. W. (1962) Ann. N. Y. Acad. Sci., 99 : 9.
- 111) Shafi, Md. (1977) Curr. Sci. 48 : 267.
- 112) Shah S. L. (2002) “Behavioural abnormalities of *Cyprinion Watsoni* on exposure to Copper and Zinc.” Turk J. Zool. 26 : 137 - 140.
- 113) Shareef K., Shareef, S. and Wagh S. B. (1986). Enviromental Biology costal Ecosystem 93.

- 114) Shareef, K., Bhatt, N. M., Kantawala D. and Iyengar, M. R. S. (1973) Indian J. Environmental Health, 15 : 118.
- 115) Shastry, K. V. and Sharma, S. K. (1978) The effect of endrin and the histopathological changes in the liver of Channa punctatus Bull. Environ. Contam. Toxicol. 20 : 374 – 677.
- 116) Shaw, B. P, Sahn, A and Panigrahi (1985) Curr. Sci., 54 : 810.
- 117) Singh, Y. N. (1983) Proc. Nat. Acad. Sci. India, 53(B) III
- 118) Sinha, B. M. (1958) Sci. and Cult., 23 : 362
- 119) Sinha, G. M. (1977) Zool. Beitr., 23 : 353.
- 120) Sinhaseni, P. and Tespratap, T. (1987). Histopathological effects of parquet and gill function of Pintius gonivnotus (B). Bull. Environ. Contam. Toxicol. 38 : 308 – 312.
- 121) Spicer, S. S. (1963) : Ann. N. Y. Acad. Sci., 106, 379.
- 122) Spicer, S. S. (1965) : J. Histochem. Cytochem., 13, 211.
- 123) Spicer, S. S. and Henson, J. G. (1967) : Meth. Arch. Exp. Path., 2,78.
- 124) Spicer, S. S., Horn, R. G. and Leppi, T. J. (1967) In : The Connective Tissue". Int. Acad. Pathol Monograph No. 7, 251-303.
- 125) Sreenivasan, A (1964), Limnology of tropical impoundments I. Hydrobiological features and fish production in Stanley reservoir, Mctturdam. Int. Res. Ges Hydrobiol. 51 : 295 – 306.
- 126) Srivastava D. K. and Srivastava A. K. (2007) Heavy Metal Cadmium (Cd) – Induced histoarchitectural changes in certain tissues of fresh water catfish – Heteropneusis fossils Fishing Chimes 27 (7) : 56 – 59.
- 127) Srivastava, D. K. and Srivastava A. K. (2007)
- 128) Srivastava, G. J. and Srivastava, J. P., (1979b) Ind. J. Expt. Biol., 17 : 840.

- 129) Srivastava, S. J., Singh, N. D., Sinha, R. and Srivastava, A. K. (1998). Acute and chronic toxicity of malachite green : Microscopic changes in the pituitary gonadotropic cells and gonads in an freshwater catfish, H. Fossilis (Bloch.) Adv. Zool. 19 (1) 46 : 79.
- 130) Srivastava, S. J., Singh, N. D., Sinha, R. and Srivastava, A. K. (1998). Acute and Chronic toxicity of malachite green : Microscopic changes in the pituitary gonadotropic cells and gonads in the freshwater catfish, H. fossilis (Bloch). Adv. Zool. 19(1) 46 – 79.
- 131) Srivastawa C. B. L. (1985) In : “A Text Book of Fishery Science and Indian Fisheries” published by Kitab Mahal, 15, Thornhill Road, Allahabad 204 and 205.
- 132) Sriwastawa, V. M. S. and Srivastava, D. K. (1985) In : “Current Pollution Researches in India” edited by Trivedy, R. K. and Goel, P. K. Environmental Publications, Karad, India.
- 133) Sriwastawa, V. M. S. and Srivastava, D. K. (1985) In : “Current Pollution Researches in India. Edited by Trivedy, R. K. and Goel, P. K. Environmental Publications, Karad, India.
- 134) Stirling, W. (1884) In : Second Annual Report of the Fishery Board of Scotland.”
- 135) Sukanuma, T., Suzuki, S., Tsuyama, S. and Murata, F. (1981b) Acta. Histochem. Cytochem., 14 : 534.
- 136) Sultana R. and Srinivasarao K. (1986) (Proc. 73<sup>rd</sup> Ind. Sci. Cong. Part III, Abstract No. 178.
- 137) Swingle, H. S. (1967); Standardization of Chemical analysis for water and pond muds F.A.O. Fish Rep., 44(4) : 397 – 421.

- 138) Talwar, P. K., and Jhingran, A. G., 1992, Inland fishes of India and adjacent countries. Vol. 2 : Rottendam, Balkema Publishers, P. 543 – 1158.
- 139) Thompson, S. W. (1965) In : "Selected Hisochemical and Histopathologica Studies", Charles C. Thomas Publishers.
- 140) Tripathi, V., Verma, C. B. and Verma, H. S. (1974) Ind. J. Zool., 15 : 47.
- 141) Trivedy, R. M., P. K. Goel and C. L. Trisal (1987) : Practical methods in ecology and environmental science published by Environ. Media. Karad (India).
- 142) Verma, B. R., 1979, Studies on the pH tolerance of certain freshwater teleosts : Comparative Physiological Ecology, V. 4, No. 2, P. 116 – 117.
- 143) Vernier, J. M. (1975) J. Microsc. Biol. Cell, 23 : 39.
- 144) Wee, Kok Leong, 1982. Shakeheads – Their Biology and Culture in Muir, J. F., and Roberts, R. J., eds., Recent Advances in aquaculture : Boulder, Colorado, Westview press. P. 180 – 213.
- 145) Weisel, G. F. (1973) J. Morph., 140 : 243.
- 146) Welch, P. S. (1952) In : "Limnology, W. B. Saunders Company" Toranto, 743.