

LIST OF TABLE

Chapter II : Material and Methods

Table 1: Exposure schedule of H₂O₂ and Vitamin C at different developmental stages of the Chick embryo(in hrs).

Table 2: Time of exposure to H₂O₂ and Vitamin C initiated at different developmental stages of Chick embryo in hrs.

Chapter III : Observations and Discussion

Section I : Mortality

Table I. 1: Effect of H₂O₂ and Vitamin C on mortality (in%)of chick embryo at different stages of development.

Section II : CAM – Angiogenesis

Table. II. 1. Alterations in diameter and area of CAM by additive Hydrogen peroxide and Vitamin C (Group I 48+96=144hrs)

Table II.2 Alterations in diameter and area of CAM of Chick by Additive Hydrogen peroxide and Vitamin C (Group II 55+ 89=144 hrs).

Table II.3 Alterations in diameter and area of CAM of Chick by Additive Hydrogen peroxide and Vitamin C (Group III 66+ 78=144 hrs).

Table. II. 4. Alterations in diameter and area of CAM by additive Hydrogen peroxide and Vitamin C (Group IV 72+72=144hrs)

Table. II. 5. Alterations in diameter and area of CAM by additive Hydrogen peroxide and Vitamin C (Group V 88+56=144hrs).

Table. II. 6. Alterations in diameter and area of CAM by additive Hydrogen peroxide and Vitamin C (Group VI 96+48 =144hrs).

Table II 7 Hydrogen peroxide and Vitamin C influenced alterations in Primary Vitelline veins in CAM of Chick embryo (Group I 48+96= 144hrs).

Table II 8 Hydrogen peroxide and Vitamin C influenced alterations in Primary Vitelline veins in CAM of Chick embryo (Group II 55 + 89= 144 hrs).

Table II 9 Hydrogen peroxide and Vitamin C influenced alterations in Primary Vitelline veins in CAM of Chick embryo (Group III 66 + 78= 144 hrs).

Table II 10 Hydrogen peroxide and Vitamin C influenced alterations in Primary Vitelline veins in CAM of Chick embryo (Group IV 72+ 72 = 144 hrs).

Table II 11 Hydrogen peroxide and Vitamin C influenced alterations in Primary Vitelline veins in CAM of Chick embryo (Group V 88+ 56= 144hrs).

Table II 12 Hydrogen peroxide and Vitamin C influenced alterations in Primary Vitelline veins in CAM of Chick embryo (Group VI. 96+48=144hrs).

Table II 13 Hydrogen peroxide and Vitamin C influenced alterations in Secondary Vitelline veins in CAM of Chick embryo (Group I 48+96= 144hrs).

Table II 14 Hydrogen peroxide and Vitamin C influenced alterations in Secondary Vitelline veins in CAM of Chick embryo (Group I 48+96= 144hrs).

Table II 15 Hydrogen peroxide and Vitamin C influenced alterations in Secondary Vitelline veins in CAM of Chick embryo (Group III 66+ 78= 144 hrs).

Table II 16 Hydrogen peroxide and Vitamin C influenced alterations in Secondary Vitelline veins in CAM of Chick embryo (Group IV 72 + 72= 144 hrs).

Table II 17 Hydrogen peroxide and Vitamin C influenced alterations in Secondary Vitelline veins in CAM of Chick embryo (Group V 88+ 56=144hrs).

Table II 18 Hydrogen peroxide and Vitamin C influenced alterations in Secondary Vitelline veins in CAM of Chick embryo (Group VI. 96+ 48=144hrs).

Table II 19 Hydrogen peroxide and Vitamin C influenced alterations in Tertiary Vitelline veins in CAM of Chick embryo (Group I 48+96= 144hrs).

Table II 20 Hydrogen peroxide and Vitamin C influenced alterations in Tertiary Vitelline veins in CAM of Chick embryo (Group II 55+89 = 144hrs).

Table II 21 Hydrogen peroxide and Vitamin C influenced alterations in Tertiary Vitelline veins in CAM of Chick embryo (Group III 66+ 78= 144 hrs).

Table II 22 Hydrogen peroxide and Vitamin C influenced alterations in Tertiary Vitelline veins in CAM of Chick embryo (Group IV 72 + 72= 144 hrs).

Table II 23 Hydrogen peroxide and Vitamin C influenced alterations in Tertiary Vitelline veins in CAM of Chick embryo (Group V 88+ 56=144hrs).

Table II 24 Hydrogen peroxide and Vitamin C influenced alterations in Tertiary Vitelline veins in CAM of Chick embryo (Group VI. 96+ 48=144hrs).

Section III : CAM- Protein:

Table III. 1 Alterations in protein content by additive Hydrogen peroxide and Vitamin C (Group I 48+96 =144 hrs).

Table III. 2 Alterations in protein content by additive Hydrogen peroxide and Vitamin C (Group II 55+89 = 144hrs)

Table III. 3 Alterations in protein content by additive Hydrogen peroxide and Vitamin C (Group III 66+ 78= 144 hrs).

TableIII.4.Alterations in protein content by additive Hydrogen peroxide and Vitamin C (Group IV 72 + 72= 144 hrs)

Table III. 5.Alterations in protein content by additive Hydrogen peroxide and Vitamin C (Group V 88+ 56=144hrs).

Table III.6.Alterations in protein content by additive Hydrogen peroxide and Vitamin C (Group VI. 96+ 48=144hrs).

Section IV: CAM- Lipid peroxidation

Table V. 1 Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group I 48+ 96 =144 hrs).

Table V. 2 Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group II 55+89 = 144hrs)

Table V. 3 Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group III 66+ 78= 144 hrs).

Table V. 4 Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group IV 72 + 72= 144 hrs)

Table V. 5 Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group V 88+ 56=144hrs).

Table V. 6 Alterations in TBARS content by additive Hydrogen peroxide and Vitamin C (Group VI. 96+ 48=144hrs).

Section V: CAM - Glutathione

Table V. 1 Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group I 48+96 =144 hrs).

Table V. 2 Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group II 55+89 = 144hrs)

Table V. 3 Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group III 66+ 78= 144 hrs).

Table V. 4 Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group IV 72 + 72= 144 hrs)

Table V. 5 Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group V 88+ 56=144hrs).

Table V. 6 Alterations in GSH content by additive Hydrogen peroxide and Vitamin C (Group VI. 96+ 48=144hrs).

Section VI : CAM – Formaldehyde

Table VI.1. Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group I 48+96 =144 hrs).

Table VI 2. Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group II 55+89 = 144hrs)

Table VI.3. Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group III 66+ 78= 144 hrs).

Table VI.4. Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group IV 72 + 72= 144 hrs)

Table VI. 5. Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group V 88+ 56=144hrs).

Table VI.6. Alterations in HCHO content by additive Hydrogen peroxide and Vitamin C (Group VI 96 +48=144hrs)..