

References:

1. Abraham Rosenberg S S, Anke Sauerell, Ernest P Nobel S (1992). Developmental patterns of ganglioside salicylate coincident with neuritogenesis in cultured embryonic chick brain.J of biol. Chem. 267(5):10607-10612.
2. Alessio, H.M., and E.R. Blasi. (1997). Physical activity as a natural antioxidant booster and its effect on a healthy lifestyle. Res. Q. Exerc. Sport. 68 (4): 292-302.
3. Alonso, M. I., Gato, A., Moro, J. A., Martin, P. and Barbosa, E. (1999). Involvement of sulfated proteoglycans in embryonic brain expansion at earliest stages of development in rat embryos. Cells Tissues Organs 165, 1-9.
4. Angela M. Rizzo¹, Federica Rossi and Bruno Berra (2002). Glycosyltransferases in Different Brain Regions During Chick Embryo Development Neurochemical Research 27(7-8):815-821.
5. August Ghatpande, Satish K Ghatpande, Satish K 2008 Gallera method of chick embryo culture in vitro supports better growth compared with original New method Development Growth & Differentiation, 50, (69). 437-442.
6. B . Rio Li , R . Woo , L . Mei , R . Malinow The Neuregulin-1 Receptor ErbB4 Controls Glutamatergic Synapse Maturation and Plasticity . Neuron , 1997 Volume 54 , Issue 4 , Pages 583 – 597.
7. Bandtlow CE, Zimmermann DR. (2000). Proteoglycans in the developing brain: new conceptual insights for old proteins Physiol Rev. 80(4):1267-90
8. Barnes, M.J., (1975). Function of ascorbic acid in collagen metabolism. Ann. New York Acad. Sci. 258:264–277.
9. Bernfield, M., Gotte, M., Park, P.W., Reizes, O., Fitzgerald, M.L., Lincecum, J., and Zako, M. (1999) Functions of cell surface heparan sulfate proteoglycans. Annu. Rev. Biochem., 68, 729–777.
10. Bjelakovic G, et al (2007). "Mortality in randomized trials of antioxidant supplements for primary and secondary prevention: systematic review and meta-analysis.". JAMA 297 (8): 842-57.
11. Bodannes, R.S. and Chan, P.C., (1979) Ascorbic acid as a scavenger of singlet oxygen. FEBS Lett. 105:195–196.

12. Bourne (1992).
13. C.L. Merry, S.L. Bullock, D.C. Swan, A.C. Backen, M. Lyon, R.S. Beddington, V.A. Wilson and J.T. Gallagher, (2001). The molecular phenotype of heparan sulfate in the Hs2st^{-/-} mutant mouse, *J Biol Chem* 276 :35429–35434.
14. Cadena E, Packer L. Handbook of Antioxidants. New York, Marcel Dekker, 1996:545–91.
15. Calzada C, Bizzotto M, Paganga G, Miller NJ, Bruckdorfer KR, Diplock AT, Rice-Evans CA (1995). Levels of antioxidant nutrients in plasma and low density lipoproteins: a human volunteer supplementation study. *Free Radic Res.* 23(5):489-503.
16. Campbell RJ, Bogoch S, Scolaro MJ & Belval PC (1967): Cerebrospinal fluid glycoproteins in schizophrenia. *Am. J. Psychiatry* 123, 952–962.
17. Campo GM, D'Ascola A, Avenoso A, Campo S, Ferlazzo AM, Micali C, Zanghì L, Calatroni A (2004). Glycosaminoglycans reduce oxidative damage induced by copper (Cu+2), iron (Fe+2) and hydrogen peroxide (H2O2) in human fibroblast cultures. *Glycoconj J* 20(2):133-4.
18. Capila and R.J. Linhardt, (2002). Heparin-protein interactions, *Angew Chem Int Ed Engl* 41:391–412.
19. Catala M, Teillet MA, De Robertis EM, Le Douarin ML (1996). A spinal cord fate map in the avian embryo: while regressing, Hensen's node lays down the notochord and floor plate thus joining the spinal cord lateral walls. *Development.* 122(9):2599-610.
20. Chia-Ron Yang [†], Sean S. Liou [†], Somsankar Dasgupta, Robert K. Yu *(2007). Inhibition of neuronal migration by JONES antibody is independent of 9-O-acetyl GD3 in GD3-synthase knockout mice. *Journal of Neuroscience Research* 85(7):1381 – 1390.
21. Chou, K. H., Ilyas, A. A., Evans, J. E., Costello, C., Quarles, R. H., and Jungawala, F. B. (1986) *J. Biol. Chem.* 261,11717-11725.
22. Chuong and Edelman 1985. Differential contributions of Ng-CAM and N-CAM to cell adhesion in different neural regions *J Cell Biol.* 1986103(1): 145–158.

23. Chuong CROSSIN, K. L. & EDELMAN, G. M , 1987 Sequential expression and differential function of multiple adhesion molecules during the formation of the cerebellar cortical layers. *J. Cell Biol.* 104, 331-342.
24. Cunningham BA, Hoffman S, Rutishauser U, Hemperly J J, Edelman G M (1983). Molecular topography of the neural cell adhesion molecule N-CAM: surface orientation and location of sialic acid-rich and binding regions. *Proc Natl Acad Sci U S A.* 80(10): 3116–3120.
25. Daniel S. Heffron and Jeffrey A. Golden (2000). DM-GRASP Is Necessary for Nonradial Cell Migration during Chick Diencephalic Development *The Journal of Neuroscience*, 20(6):2287–2294
26. Daniel S. Heffron and Jeffrey A. Golden, 2000. DM-GRASP Is Necessary for Nonradial Cell Migration during Chick Diencephalic Development *The Journal of Neuroscience*, March 15, 20(6):2287-2294
27. Das, K. K., Basu, M., Chou, D. K. H., and Jungawala, F. B. (1991) *J. Biol. Chem.* 266,5238-
28. David and Bernfield, 1998.
29. Davies, M.B. et al., (1991) Vitamin C: Its Chemistry and Biochemistry. Royal Society of Chemistry.
30. DeGrendele,H.C.,Estess,P.andSiegelman,M.H.(1997)Requirement for CD44 in activated T cell extravasation into an inflammatory site.*Science.*278:672-675.
31. Desmond M E, Field M C (1992). Evaluation of neural fold fusion and coincident initiation of spinal cord occlusion in the chick embryo. *J Comp Neurol.* 319(2):246-60.
32. Desmond ME, Schoenwolf GC(1986). Evaluation of the roles of intrinsic and extrinsic factors in occlusion of the spinal neurocoel during rapid brain enlargement in the chick embryo. *J Embryol Exp Morphol.* 97:25-46.
33. Dianzani M U (1992). Free radicals in physiology and pathology *Boll Soc Ital Biol Sper.* 68(8-9):491-511.
34. Diliberto EJ Jr, Menniti FS, Knoth Adrenomedullary chromaffin cells as a model to study the neurobiology of ascorbic acid: from monooxygenation to neuromodulation. *Ann. New York Acad. Sci.* 498(1987), pp. 28–53.

35. Dilip K. Pandey, Richard Shekelle, Beatrice J. Selwyn , Christine Tangney and Jeremiah Stamler (1995). Dietary Vitamin C and β -Carotene and Risk of Death in Middle-aged Men American Journal of Epidemiology Vol. 142(12): 1269-1278.
36. Edelfors S (1981): The effect of chronic lithium treatment on the sialic acid content in rat brain synaptosomes. *Acta Pharmacol. Toxicol.* 48, 61–64.
37. Edelman, G. M. 1985. Cell adhesion and the molecular processes of morphogenesis. *Annu. Rev. Biochem.* 54:135-169.
38. Eggli,P.S.and Graber,W.(1995)Association of hyaluronan with rat vascular endothelial and smooth muscle cells.*J Histochem Cytochem.*43:689-697.
39. F. Fornai, M. Saviozzi, S. Piaggi, M. Gesi, G. U. Corsini, G. Malvaldi and A. F. Casini (1999). Localization of a glutathione-dependent dehydroascorbate reductase within the central nervous system of the rat. *Neuroscience* 94:937–948.
40. Faassen, A.E., Schrager, J.A., Klein, D.J., Oegema, T.R., Couchman, J.R. and McCarthy, J.B. (1992). A cell surface chondroitin sulfate proteoglycan, immunologically related to CD44, is involved in type I collagen-mediated melanoma cell motility and invasion.*J Cell Biol.* 116:521-531.
41. Feinberg, R.N.and Beebe,D.C.(1983)Hyaluronate in vasculogenesis.*Science.* 220:1177-1179.
42. Freeman BA, Crapo JD (1982). Biology of disease: free radicals and tissue injury.*Lab Invest.* 47(5):412-26.
43. Friede RL (1989): Developmental Neuropathology, pp 2–5. Berlin, New York: Springer-Verlag.
44. G. Paolisso, V. Balbi, C. Volpe, G. Varricchio, A. Gambardella, F. Saccomanno, S. Ammendola, M. Varricchio, and F. D'Onofrio (1995). Metabolic benefits deriving from chronic vitamin C supplementation in aged non-insulin dependent diabetics *J. Am. Coll. Nutr.* 14:387-392.
45. G.C. Rosenquist. (1966). A radioautographic study of labeled grafts in the chick blastoderm: Development from primitive-streak stages to stage 12 *Carnegie Inst. Wash. Contrib. Embryol.* 38: 31-110.

46. Gallagher, J.T., Lyon, M. (2000). "Molecular structure of Heparan Sulfate and interactions with growth factors and morphogens", in Iozzo, M, V.: Proteoglycans: structure, biology and molecular interactions. And Iozzo, R. V. (1998). "Matrix proteoglycans: from molecular design to cellular function". *Annu. Rev. Biochem.* 67: 609–652.
47. Guthrie S, Lumsden A. (1991). Formation and regeneration of rhombomere boundaries in the developing chick hindbrain. *Development*.112(1):221-9.
48. H.E. Bülow and O. Hobert, Differential sulfations and epimerization define heparan sulfate specificity in nervous system development, *Neuron* 41 (2004), pp. 723–736.
49. Halliwell, B. and Gutteridge, J.M.C. (1984). Free Radicals in Biology and Medicine, 3rd edn., Clarendon Press, Oxford.
50. Hamburg V, Hamilton H L (1951). A series of normal stages in the development of the chick embryo. *J Morphol* 88:49-92.
51. Hiroshi Kitagawa, Kae Tsutsumi, Miho Ujikawa, Fumitaka Goto, Jun-ichi Tamura, Klaus W. Neumann, Tomoya Ogawa and Kazuyuki Sugahara, (1997). Regulation of chondroitin sulfate biosynthesis by specific sulfation: acceptor specificity of serum β -GalNAc transferase revealed by structurally defined oligosaccharides. *Glycobiology* 7(4):531-537.
52. Hoffman, S., and G. M. Edelman. 1983. Kinetics of homophilic binding by E and A forms of the neural cell adhesion molecule. *Proc. Natl. Acad. Sci.USA.* 80:5762-5766.
53. Ingole IV & Ghosh SK, 2006. Cell Phone Radiation and Developing Tissues in Chick Embryo - A Light microscopic Study of Kidneys. *J.Anat.Soc. India* 55 (2) 19-23.
54. Iozzo,R.V.and Murdoch,A.D.(1996)Proteoglycans of the extracellular environment:clues from the gene and protein side offer novel perspectives in molecular diversity and function. *Faseb J.*10:598-614.
55. Ipek, A., Sahan, U., Ylmaz, B. (2004) The effect of in-ovo ascorbic acid and glucose injection in broiler breeder eggs on hatchability and chick weight. *Archiv für Geflügelkunde*, 68(3) pp 132-135.

56. J Finne Occurrence of unique polysialosyl carbohydrate units in glycoproteins of developing brain J. Biol. Chem. 1982 257: 11966-11970.
57. J. Sunshine, K. Balal, U. Rutishauser and M Jacobson (1987). Changes in neural cell adhesion molecule (NCAM) structure during vertebrate neural development - Proc. Natl. Acad. Sci A . 84(16): 5986-5999).
58. J.P. Li, M.L. Escobar Galvis, F. Gong, X. Zhang, E. Zcharia, S. Metzger, I. Vlodavsky, R. Kisilevsky and U. Lindahl, In vivo fragmentation of heparan sulfate by heparanase overexpression renders mice resistant to amyloid protein A amyloidosis, Proc Natl Acad Sci USA 102 (2005), pp. 6473–6477.
59. JA Golden, JC Zitz, K McFadden and CL Cepko Cell migration in the developing chick diencephalon Development, 124(18): 3525-3533.
60. Jacobson AG, Slater AK (1988). Features of embryonic induction. Development. 104(3):341-59.
61. Jalkanen, S. and Jalkanen, M. (1992). Lymphocyte CD44 binds the COOH-terminal heparin- binding domain of fibronectin. J Cell Biol.116:817-825..53
62. Jo Begbie, Patrick Doherty, and Anthony Graham 2004; “Cannabinoid receptor, CB1, expression follows neuronal differentiation in the early chick embryo” J Anat., 205(3): 213–218.
63. John J. Wielgus, L. Corbin Downey, Katelyn W. Ewald, Melissa E. Hatley, Kathleen C. Wilson and Ruth Hill Yeilding (2004). Exposure to low concentrations of nicotine during cranial nerve development inhibits apoptosis and causes cellular hypertrophy in the ventral oculomotor nuclei of the chick embryo. Brain Research 1000(1-2):123-133.
64. John X. Wilson¹ and Ewa M. Jaworski¹ Effect of oxygen on ascorbic acid uptake and concentration in embryonic chick brain Neurochemical Research Volume 17, Number 6 / June, 1992 P-571-576.
65. Kallen B. (1955). “Neuromery in living and fixed chick embryo.” Kgl phyciograf. Sallskap. i Lund, Handl. 25. Nr .9:73-78,1955.
66. Karlsson, J. Introduction to Nutraology and Radical Formation. In: Antioxidants and Exercise. Illinois: Human Kinetics Press, 1997, p. 1-143.
67. Kato, M., Wang, H., Bernfield, M., Gallagher, J.T., and Turnbull, J.E. (1994) Cell surface syndecan-1 on distinct cell types differs in fine structure and ligand binding of its heparan sulfate chains. J. Biol. Chem., 269, 18881–18890.

68. Kawashima, C., Terayama, K., Ii, M., Oka, S., and Kawasaki, T. (1992) Glycoconjugate J. 9,307-314.
69. Kitazume, S., Kitajima, K., Inoue, S., Inoue, Y., and Troy, F. A. (1994) J. Biol. Chem. 269,10330-10340.
70. Klas Blomgren and Henrik Hagberg (2006). Free radicals, mitochondria, and hypoxia-ischemia in the developing brain. Free Radical Biology and Medicine 40(3):388-397.
71. Knudson,C.B. and Knudson, W. (1993). Hyaluronan-binding proteins in development,tissue homeostasis, and disease.Faseb J.7:1233-1241
72. Koh-hei Nishikawa, M.D.¹, Takuma Sasaki, Ph.D.^{*2,3}, Motohiro Tanaka, Ph.D.^{2,4}, Hiroyuki Uchida, M.S.², Yoshio Endo, M.S.^{2,4}, Hisatoshi Fukuma, M.D.¹, Hirokazu Chuman¹, Yasuo Beppu¹, Keiichi Matsumoto, M.D.⁵ and Kazuo Nitta, M.D.² Experimental Model for Predicting Metastatic Ability of Tumors Using Chick Embryo Japanese Journal of Clinical Oncology 17:319-325 (1987).
73. Korn J. M., S. Cramer K.(2007).Windowing Chicken Eggs for DevelopmentalStudies.JoVE.8.<http://www.jove.com/index/Details.stp?ID=306>,doi:10.3791/306.
74. Landolt, R. M., Vaughan, L., Winterhalter, K. H. and Zimmermann, D. R.(1995) Versican is selectively expressed in embryonic tissues that act as barriers to neural crest cell migration and axon outgrowth.Development.121:2303-2312.
75. Landolt, R. M., Vaughan, L., Winterhalter, K. H. and Zimmermann,D.R.(1995). Versican is selectively expressed in embryonic tissues that act as barriers to neural crest cell migration and axon outgrowth.Development.121:2303-2312.
76. Langman, J. & Welch, G. W. (1966). Effect of vitamin A on development of the central nervous system. J. Comp. Neurol. 128, 1–16.
77. Laurent,T.C.and Fraser,J.R.E.(1991)Catabolism of Hyaluronan.In "Degradation of Bioactive Substances:Physiology and Pathology".Henriksen,J.H.,editor.CRC Press,Boca Raton.249-265.
78. Laurent,T.C.and Fraser,J.R.E.(1991)Catabolism of Hyaluronan.In "Degradation of Bioactive Substances:Physiology and Pathology".Henriksen,J.H.,editor.CRC Press,Boca Raton.249-265.

79. Lesley,J.and Hyman,R.(1998)CD44 structure and function [In Process Citation].Front Biosci.3:D616-630.
80. Lesley,J.and Hyman,R.(1998)CD44 structure and function [In Process Citation].Front Biosci.3:D616-630.
81. Loo YH, Hyde KR, Lin FH & Wisniewski HM (1985): Cerebral biochemical abnormalities in experimental maternal phenylketonuria: gangliosides and sialoglycoproteins. *Life. Sci.* 37, 2099–2109.
82. Lyon, M. and Gallagher, J.T. (1998) Bio-specific sequences and domains in heparan sulphate and the regulation of cell growth and adhesion. *Matrix Biol.*, 17, 485–493.
83. Machlin, L.J. and Bendich, A., (1978). Free radical tissue damage: protective role of antioxidant nutrients. *FASEB J.* 1:441–445.
84. Mary E. Hatten (2000). New Directions in Neuronal Migration. *The Journal of Neuroscience*, 20(6):2287-2294.
85. Matsubara T, Kimura T, Kuroda T, Hirohata K. (1992). Signal transduction in glycosaminoglycan (GAG) synthesis by cultured chondrocytes and its inhibition by inflammatory cell-derived hydrogen peroxide. *Br J Rheumatol.*;31 (1): 27-32.
86. Matsubara T, Kimura T, Kuroda T, Hirohata K. (1992). Signal transduction in glycosaminoglycan (GAG) synthesis by cultured chondrocytes and its inhibition by inflammatory cell-derived hydrogen peroxide. *Br J Rheumatol.*;31 (1): 27-32.
87. Meister A (1994). "Glutathione-ascorbic acid antioxidant system in animals". *J Biol Chem* 269 (13): 9397-400. PMID -8144521.
88. Milev,P.,Maurel,P.,Haring,M.,Margolis,R.K.andMargolis,R.U.(1996)TAG-1/axonin-1is a high-affinity ligand of neurocan,phosphacan/protein-tyrosine phosphatase-zeta/beta, and N-CAM.*J Biol Chem.*271:15716-15723.
89. NA O'Rourke, DP Sullivan, CE Kaznowski, AA Jacobs and SK McConnell (2002). Tangential migration of neurons in the developing cerebral cortex. *Science Development*, Vol 121, Issue 7 2165-2176, Copyright © 1995 by Company of Biologists
90. Niki, E., (1991) Action of ascorbic acid as a scavenger of active and stable oxygen radicals. *Am. J. Clin. Nutr.* 54:1119S–1124S.

91. Nishikimi, M., (1975) Oxidation of ascorbic acid with superoxide anion generated by the xanthine-xanthine oxidase system. Biochem. Biophys. Res. Commun. 63:463–468.
92. Nobuyuki Kurosawa et. al. Biochimica et Biophysica Acta (BBA) 1995,)
93. Ogasawara , T . Namai , F . Yoshino , M . Lee , K . Ishii (200&). Sialic acid is an essential moiety of mucin as a hydroxyl radical scavenger . FEBS Letters 581 (13) :2473 - 2477 Y .
94. Oka, S., Terayama, K., Kawashima, C., and Kawasaki, T. (1992) J. Biol. Chem. 267,22711-22714
95. P H Evans (1993). Free radicals in brain metabolism and pathology. British Medical Bulletin 49:577-587.
96. P. A. Levene and F. B. La Forge (1913). "On Chondroitin Sulphuric Acid". J. Biol. Chem. 15: 69–79.
97. Pane G, Wegelin I. (1990). Developmental change in the glycosaminoglycan composition of the chick embryo brain Boll-Soc-Ital-Biol-Sper. 66(7): 655-61)
98. Pasteels, J., (1937). Etudes sur la gastrulation des vertebres meroblastiques.III. Oiseaux. IV. Conclusions generales. Arch. De biol.,48 :381-488.
99. Pattern, 1952. Early Embryology of the Chick ,
100. Perris,R.,Perissinotto,D.,Pettway,Z.,BronnerFraser,M.,Morgelin,M.and Kimata,K. (1996)Inhibitory effects of PG-H/aggre can and PG-M/versican on avian neural crest cellmigration. Faseb J.10:293-301.
101. Peterkofsky, (1991). Ascorbate requirement for hydroxylation and secretion of procollagen : relationship to inhibition of collagen synthesis in scurvey.American J.of clinical nutrition ,54 : 1135S-1140S.
102. Piek,E.,Heldin,C.H.and Ten Dijke,P.(1999)Specificity,diversity, and regulation in TGF- beta superfamily signaling.Faseb J.13:2105-2124.
103. R J Reiter. (1995). Oxidative processes and antioxidative defense mechanisms in the aging brain. The Federation of American Societies for Experimental Biology 9:526-533.
104. R. Sasisekharan, Z. Shriver, G. Venkataraman and U. Narayanasami, (2002). Roles of heparan-sulphate glycosaminoglycans in cancer, Nat Rev Cancer 2:521–528.

105. R. Sasisekharan, Z. Shriver, G. Venkataraman and U. Narayanasami, Roles of heparan-sulphate glycosaminoglycans in cancer, *Nat Rev Cancer* 2 (2002), pp. 521–528.
106. RD McCoy, ER Vimr and FA Troy, 1985. CMP-NeuNAc:poly-alpha-2,8-sialosyl sialyltransferase and the biosynthesis of polysialosyl units in neural cell adhesion molecules, *J. Biol. Chem.*, Vol. 260, Issue 23, 12695-12699, Oct, 1985
107. Rebecca E. Mischel, Young S. Kim, R. Ann Sheldon and Donna M. Ferriero (1997). Hydrogen peroxide is selectively toxic to immature murine neurons in vitro. *Neuroscience Letters* 231 (1) 17-20.
108. Rebecca E. Mischel^a *, Young S. Kim^b, R. Ann Sheldon^c and Donna M. FerrieroHydrogen peroxide is selectively toxic to immature murine neurons in vitro Neuroscience Letters Volume 231, Issue 1, 1 August 1997, Pages 17-20
109. Reiger et. al. 1985. N-CAM at the vertebrate neuromuscular junctionThe Journal of Cell Biology, Vol 101, 285-293.;
110. Represa J and E barbosa (1993). Chondroitin sulfate proteoglycan and embryonic brain enlargement in the chick. *Anatomy and Embryology* 188(1): 101-106.
111. Ripellino, J.A., Bailo, M., Margolis, R. U. and Margolis, R. K. (1988) Light and electronmicroscopic studies on the localization of hyaluronic acid in developing rat cerebellum. *J Cell Biol.* 106:845-855.
112. Rooney, P., Kumar, S., Ponting, J. and Wang, M. (1995) The role of hyaluronan in tumour neovascularization (review). *Int J Cancer*. 60:632-636.
113. Rose, R.C., (1993). Cerebral metabolism of oxidized ascorbate. *Brain Res.* 628:49–55.
114. Rutishauser, U., M. Watanabe, J. Silver, F. A. Troy, and E. R. Vimr, (1985). Specific alteration of N-CAM-mediated cell adhesion by an endoneuraminidase. *J. Cell Biol.* 101:1842-1849.
115. S. Yew (1985). Biosynthesis of ascorbic acid in chick embryos. *Cellular and Molecular Life Sciences (CMLS)* 41(7): 943-944.
116. Sadako Inoue, Shu-Ling Lin, and Yasuo Inoue (2000). Chemical Analysis of the Developmental Pattern of Polysialylation in Chicken Brain *J. Biol. Chem.*, Vol. 275, Issue 39, 29968-29979, September 29, 2000 .

117. Sandaliss Spyros S., Theocharis Achilleas., Zagris Nikolas (2003). Glycosaminoglycans in early chick embryo International journal of developmental biology vol. 47(4):311-314).
118. Sarah N. Mattson Ph. D. ; Amy M. Schoenfeld; and Edward P. Riley, Ph. D. Teratogenic Effects of Alcohol on Brain and Behavior NIAAA
119. Sausedo RA, Smith JL, Schoenwolf GC (1997). Role of nonrandomly oriented cell division in shaping and bending of the neural plate. J Comp Neurol. 9;381(4):473-88.
120. Sausedo RA, Smith JL, Schoenwolf GC (1997). Role of nonrandomly oriented cell division in shaping and bending of the neural plate. J Comp Neurol. 9;381(4):473-88.
121. Schauer et al, (1995). Detection of Sialic Acids and Gangliosides with Special Reference human breast cancer.Oncology, vol. 21 page no. 2
122. Schauer R & Kamerling JP (1997): Chemistry, biochemistry and biology of sialic acids. In Glycoproteins II, ed. H Schachter, J Montreuil & JFG Vliegenthart, Vol. 19B, pp 243–372. Amsterdam, New York:Elsevier J J Dickson and M Messer, (1978) Biochem. J. 170 (407–0) (Printed in Great Britain Intestinal neuraminidase activity of suckling rats and other mammals. Relationship to the sialic acid content of milk
123. Schauer R & Kamerling JP (1997): Chemistry, biochemistry and biology of sialic acids. In Glycoproteins II, ed. H Schachter, J Montreuil & JFG Vliegenthart, Vol. 19B, pp 243–372. Amsterdam, New York:Elsevier J J Dickson and M Messer, (1978) Biochem. J. 170 (407–0) (Printed in Great Britain Intestinal neuraminidase activity of suckling rats and other mammals. Relationship to the sialic acid content of milk
124. Schoenwolf GC, Alvarez IS (1989). Roles of neuroepithelial cell rearrangement and division in shaping of the avian neural plate. Development. 106(3):427-39.
125. Schoenwolf GC, Desmond ME (1984). Descriptive studies of occlusion and reopening of the spinal canal of the early chick embryo. Anat Rec. 209(2):251-63.

126. Schoenwolf, G. C. (1991). Cell movements in the epiblast during gastrulation and neurulation in avian embryos. In R. Keller, W. H. Clark, Jr. and F. Griffin (eds.), *Gastrulation: Movements, Patterns, and Molecules*. Plenum, New York, 1–28.
127. Scott, J.E., Cummings, C.,Brass, A. and Chen, Y. (1991). Secondary and tertiary structures of hyaluronan in aqueous solution,investigated by rotary shadowing-electron microscopy and computer simulation.Hyaluronan is a very efficient network-forming polymer.*Biochem J.* 274:699-705.
128. Sebastian P. Galuska[‡], Rudolf Geyer[†], Rita Gerardy-Schahn[§], Martina Mühlenhoff[§], and Hildegard Geyer^{†‡} 2008 . Enzyme-dependent Variations in the Polysialylation of the Neural Cell Adhesion Molecule (NCAM) in Vivo *Biol. Chem.*, Vol. 283, Issue 1, 17-28, January 4, 2008
129. Seidenbecher, C. I., Richter, K., Rauch, U., Fassler, R., Garner, C. C. and Gundelfinger, E. D. (1995). Brevican, a chondroitin sulfate proteoglycan of rat brain, occurs as secreted and cell surface glycosylphosphatidylinositol-anchored isoforms. *J Biol Chem.* 270:27206-27212.
130. Seregi A, Schaefer A, Komlos M (1978) Protective role of brain ascorbic acid content against lipid peroxidation. *Experientia* 34:1056–1057.
131. Sherman,L.,Sleeman,J.,Herrlich,P.andPonta,H.(1994)Hyaluronate receptors:key players in growth,differentiation,migration and tumor progression.*Curr.Opin.Cell Biol.* 6:726-733
132. Singh RB, Niaz MA, Agarwal P, Begom R, Rastogi SS (1995). Effect of antioxidant-rich foods on plasma ascorbic acid, cardiac enzyme, and lipid peroxide levels in patients hospitalized with acute myocardial infarction. *J Am Diet Assoc.* 95(7):775-80.
133. Sleeman,J.P.,Kondo,K.,Moll,J.,Ponta,H.andHerrlich,P.(1997)Variant exons v6 and v7together expand the repertoire of glycosaminoglycans bound by CD44.*J Biol Chem.*272:31837-31844.
134. Sommarin,Y.and Heinegard,D.(1983)Specific interaction between cartilage proteoglycans and hyaluronic acid at the chondrocyte cell surface.*Biochem J.*214:777-784.
135. Sommarin,Y.and Heinegard,D.(1983)Specific interaction between cartilage proteoglycans and hyaluronic acid at the chondrocyte cell surface.*Biochem J.*214:777-784.

136. Sorbi S, Piacentini S & Amaducci L (1987): Intralaminar distribution of neurotransmitter-related enzymes in cerebral cortex of Alzheimer's disease. *Gerontology* 33, 197–202.
137. Sperry, 1988Characterization of the Major Core Structures of the $\alpha 2 \rightarrow 8$ -linked Polysialic Acid-containing Glycan Chains Present in Neural Cell Adhesion Molecule in Embryonic Chick Brains Volume 271, Number 51, Issue of December 20, 1996 pp. 32667-32677
138. Surai, P.F., R.C. Noble and B.K. Speak, (1996). Tissue-specific antioxidant distribution and susceptibility to lipid peroxidation during development the chick embryo. *Biochim. Biophys. Acta*, 1304: 1-10.
139. T. Laabs, D. Carulli, H.M. Geller and J.W. Fawcett, Chondroitin sulfate proteoglycans in neural development and regeneration, *Curr Opin Neurobiol* 15 (2005), pp. 116–120 [Erratum: *Curr Opin Neurobiol* 2005, 15:252].
140. Thiery, J.-P., A. Delouvre, M. Grumet, and G. M. Edelman. 1985. Initial appearance and regional distribution of the neuron-glia cell adhesion molecule in the chick embryo. *J. Cell Biol.* 100:442-456.
141. Tiedemann,K.,Malmstrom,A.and Westergren-Thorsson,G.(1997)Cytokine regulation of proteoglycan production in fibroblasts:separate and synergistic effects.*Matrix Biol.*15:469-478.
142. Ting HH, Timimi FK, Boles KS, Creager SJ, Ganz P, Creager MA (1996). Vitamin C improves endothelium-dependent vasodilation in patients with non-insulin-dependent diabetes mellitus. *J Clin Invest.* 97(1):22-8.
143. Toida, T. et al (1997). "Structural differences and the presence of unsubstituted amino groups in heparan sulphates from different tissues and species". *Biochem. J.* 322(Pt 2): 499–506. PMID 9065769.
144. Toole,B.P.(1982)Developmental role of hyaluronate.*Connect Tissue Res.*10:93-100
145. Uauy R & Peirano P (1999): Breast is best: human milk is the optimal food for brain development. *Am. J. Clin. Nutr.* 70, 433–434.
146. Uauy R, Mena P & Peirano P (2001): Mechanisms for nutrient effects on brain development and cognition. *Nestle Nutr. Workshop Ser. Clin. Perform. Program* 5, 41–70.
147. Vatassery, G.T., (1996). Oxidation of vitamin E, vitamin C, and thiols in rat brain synaptosomes by peroxynitrite. *Biochem. Pharmacol.* 52:579–586.

148. Wang Sheng , Guizhi Wang , Yelina Wang , Jiyong Liang , Jianping Wen , Peng-Sheng Zheng , Yaojiong Wu , Vivian Lee , Joyce Slingerland , Dan Dumont , and Burton B. Yang , (2005). The Roles of Versican V1 and V2 Isoforms in Cell Proliferation and Apoptosis, Molecular biology of cell 16(3):1330-1340.
149. Warren L (1994): Bound Carbohydrates in Nature. Cambridge; New York, NY, USA: Cambridge University Press.
150. West, D.C., Hampson,I.N.,Arnold,F.andKumar,S.(1985)Angiogenesis induced by degradation products of hyaluronic acid.Science.228:1324-1326
151. Winkler, B.S, Orselli S M and Rex TS, (1994) The redox couple between glutathione and ascorbic acid: a chemical and physiological perspective. Free Radic. Biol. Med. 17:333–349.
152. Wormser U, Izrael M, Van der Zee EA, Brodsky B, Yanai J . (2005). A chick model for the mechanisms of mustard gas neurobehavioral teratogenicity. Neurotoxicol Teratol. 27(1):65-71.
153. Yamada,H.,Fredette,B.,Shitara,K.,Hagihara,K.,Miura,R.,Ranscht,B.,Stallcup ,W.B.andYamaguchi,Y.(1997). The brain chondroitin sulfate proteoglycan brevican associates with astrocytes ensheathing cerebellar glomeruli and inhibits neurite outgrowth from granule neurons.J Neurosci.17:7784-7795.
154. Zhao, M., Yoneda, M., Ohashi, Y., Kurono, S., Iwata, H., Ohnuki, Y. and Kimata,K.(1995). Evidence for the covalent binding of SHAP,heavy chains of inter-alpha-trypsin inhibitor,tohyaluronan.J Biol Chem.270:26657-26663.