

LIST OF TABLES

TABLE NO.	TITLE	PAGE NO.
1.	Noise level at different places in weaving shed.	32
2.	Relative humidity in different weaving units.	32
3.	Illumination level at different places in weaving shed.	33
4.	Dust concentration at various spots in weaving shed.	34
5.	Average particle size distribution.	34
6.	Physical characteristic of the powerloom workers.	35
7.	Grip strength and physical fitness score of the powerloom workers.	36
8.	Fitness performance of the workers.	37
9.	Mean pulse rate/min. of the workers before shift and after shift according to age groups on any working day and <u>first</u> working day after weekly off.	38
10.	Mean pulse rate/min. of workers before shift and after shift according to age groups on any working day and <u>first working</u> day after weekly off.	38
11.	Mean blood pressure values in mmHg of workers according to work exposure on any working day and first working day after weekly off.	39
12.	Mean blood pressure values in mmHg of workers according to age groups on any working day and first working day after weekly off.	40

...Contd..

TABLE NO.	TITLE	PAGE NO.
13.	Mean body temperature in °C of workers according to work exposure on any working day and first working day after weekly off.	42
14.	Mean body temperature in °C of workers according to age groups on any working day and first working day after weekly off.	42
15.	Mean PEFV values in liter/min. of workers according to work exposure on any working day and first working day after weekly off.	43
16.	Mean PEFV values in liter/min. of workers according to age groups on any working day and first working day after weekly off.	43
17.	Mean Tidal volume in liter/min. of workers according work exposure on any working day.	44
18.	Mean Tidal volume in liter/min. of workers according age groups on any working day.	44
19.	Mean IRV values in liter/min. of workers according to work exposure on any working day.	45
20.	Mean IRV values in liter/min. of workers according to age groups on any working day.	45
21.	Mean ERV values in liter/min. of workers according to work exposure on any working day.	46
22.	Mean ERV values in liter/min. of workers according to age groups on any working day.	46

...Contd..

TABLE NO.	TITLE	PAGE NO.
23.	Mean Vital capacities in liter/min. of workers according to work exposure on any working day.	47
24.	Mean Vital capacities in liter/min. of workers according to age groups on any working day.	47
25.	Mean TLC values in liter/min. of workers according to work exposure on any working day.	48
26.	Mean TLC values in liter/min. of workers according to age groups on any working day.	48
27.	Mean FRC values in liter/min. of workers according to work exposure on any working day.	49
28.	Mean FRC values in liter/min. of workers according to age groups on any working day.	49
29.	Mean FVC values in liter/min. of workers according to work exposure on any working day.	51
30.	Mean FVC values in liter/min. of workers according to age groups on any working day.	51
31.	Mean FEV ₁ values in liter/min. of workers according to work exposure on any working day.	52
32.	Mean FEV ₁ values in liter/min. of workers according to age groups on any working day.	52
33.	Acute ventilatory impairment of FEV ₁ of the workers.	53

...Contd..

TABLE NO.	TITLE	PAGE NO.
34.	Pulse rate/min. and blood pressure in mmHg without mask and with mask of the workers.	54
35.	Pulse rate/min. and blood pressure in mmHg without ear muff and with ear muff of the workers.	55
36.	Pulse rate/min. and blood pressure in mmHg without ear plug and with ear plugs of the workers.	56
37.	Prevalence of symptoms among powerloom workers.	57