LIST OF GRAPHS

,

di

*ب*مب ۱

 $\Delta =$ 

.

.

•

GRAPH No.	DESCRIPTION	PAGE NO.
1.	Location pattern of Brick-making units.	51
2.	Date of Establishment	54
3.	Educational status of owner of Brick-making uni	ts 57
4.	Time devoted by owners of the Brick-making units	s 64
5.	Size of Employment	66
ь.	Total working population By nature of work	78
7.	Distribution of sample Respondent by Age	82
8.	Distribution of Respondents according to caste	84
9.	Educational status of workers of Brick-making units	87
10.	Residential distance from the place of work	89
11.	Working capital position	115
12.	Fixed capital position	118
13.	Total capital position	120
14.	Return on capital employed in Brick-making unit	s 146

Χ.

.

•

. •

.

## PHOTOS TAKEN AT THE SITE OF SURVEY

.

i

Photo No.	. Description	Page No
1.	Storage of clay, Tractors are used to bring clay from the clay-lands.	32A
2.	A required quantity of clay is again dug out manually from the clay heaps located near the brick-making yard	
з.	Goal ach is separated manually with the help of sievers	.330
4.	Clay-mixing team cutting the soil, cleaning it and making ready for moulding by mixing right quantity of coal-ash and water.	33A
5.	Well mixed soil is put in the shape of a mound and is ready for moulding.	34A
6.	Moulding operation is in progress - the mould, stell pallet etc. can be seen.	34A
7.	Bricks removed from the mould are Laid on the levelled ground for sun drying.	41A
8.	After 3 to 4 days the bricks are kept in this position for sun-drying for an additional period of 2 to 3 days before they are put-in the kin.	41A
9.	Brick transporting team transporting sun-dired bricks to kiln for arrangement.	42A
10.	Proceudre of laying the kiln bed is demonstrated here (Cow dung cake is put in the outer layer for initial ignition and medium size coal is spread to from a 6" thick bed on which the brick to fired will be put.	42A
11.	Brick operator arranging the bricks in the kiln for firing.	46A
12.	Firing process is in progress.	46A
13.	o Over burnt bricks : Due to temperature beyond 1100 c, a great amount of fusible galssy mass is formed and the bricks are said to be vitrified.	47A
14.	Loading of bricks in trucks for sale.	47A
	Photos taken by Mr. A.M. M	lulla.

(

•

ΧI

## CHAPTER-I

л. \$

.

٠,

t

۰.

.

## INTRODUCTION & RESEARCH DESIGN

. .