

Bibliography

- * Akinori Uchino and Toshihiro Miyazaki. (1986): Recovery of a SAT - chromosome a_2 incurred differential amphiplasty in amphidiploids of Scilla scilloides Druce. The Japanese Journal of Genetics, Vol. 61, 3 : 245 - 252.
- * Alfsen, E.C. and Johnsen, K. (1984) : Studier innen Øst - afrikansk Drimiopsis Lindl. and Paxt. (Liliaceae). Cand. scient. thesis, Univ. of Oslo, Norway. (Unpubl.)
- * Almedia, S.M. and Mistry, M.K. (1989) : some, rare, endangered and threatened plant species from Ratnagiri district, Maharashtra. J. Bomb. Nat. Hist. Soc., 86 : 478-479.
- * Araki, H. (1971) : Cytogenetics of Scilla scilloides complex. III. Homology between genomes A (x=8) and B(x=9). Jpn. J. Genet., 46 : 265-275.
- * Araki, H. (1972) : Cytogenetic study of Scilla scilloides from Korea. Jpn. J. Genet, 47 : 147-150.
- * Araki, H., Hidaka, S. and Takahashi, S. (1976) : Cytogenetics of the Scilla scilloides complex VI. The structures of natural populations. Bot. Mag. Tokyo, 89 : 83-91.
- * Araki, H. Uchino, A. and Jinno, N. (1979) : Geographical distribution of di and polyploids of the Scilla scilloides complex in the Southern Korean peninsula (A preliminary note) Mem. Fac. Gen. Ed. Kumamoto Univ. Ser. Nat. Sci., 14 : 2-26.
- * Ayyangar, K.R. (1962) : on the influence of colchicine on the mitotic behaviour of U. indica K. Proc. Ind. Sci. Cong. Part III, p. 332-333.
- * Ayyangar, K.R. (1964a) : Observations on the influence of

- sound waves on the growth vigour and reproductive phase in U. indica J. Ann. Univ. (Sci.), 25 : 41-45.
- * Ayyangar, K.R. (1964b) : Preliminary studies on the effects of UV rays on the chromosome of U. indica kunth. J. Ann. Univ., 25 : 46 - 53.
- * Ayyangar, K.R. (1965) : Some observation on the influence of x-ray on the somatic chromosomes of U. indica Kunth. J. Ann. Univ., 26 : 14-18
- * Ayyangar, K.R. (1966-69) : Some observation on the influence of Gloriosa tuber extract on the somatic chromosome of U. indica J. Ann. Univ. (sci.), 27 : 44-47
- * Ayyangar, K.R. (1969) : Observation on the prevalence of B-chromosome in U. indica Kunth. J. Ann. Univ. (Sci.), 27 : 1-4
- * Baker, J.G. (1871) : Revision of genera and species of herbaceous, capsular gamophyllous Liliaceae. J. Linn. Soc., 11 : 349.
- * Bambacioni, V. (1928) : Come avviene in Frittilaria persica, lo sviluppo del gametofito femmine e l' aumento dei cromosomi nella regione chalazale. C. R. Accad. Linecei Roma, (6) 6 : 544-546.
- * Battaglia, E. (1957a) : Filogenesi Del Cariotipi Nel genera Urginea I - III. Caryologia, 9 : 273-274
- * Battaglia, E. (1957b) : Urginea maritima (L.) Bak. Biotipi 2n, 3n, 4n, 6n, Elor. O distribuzione geografica. Caryologia, 9 : 293-313.
- * Battaglia, E. (1957c) : Ricerche Citotassonomiche Nel genere

Urginea, U. maritima (L.) Bak., U. Maura Maire. Caryologia,
10 : 244.-275.

- * Battaglia, E. (1964) : 'B' chromosome Nel genera Urginea (Liliaceae) Giorn. Bot. Italy., 71 : 1. 15
- * Battaglia, E. and Guanti. G. (1968) : Distribution and frequency of B chromosome in a population of Urginea fugax (Liliaceae) from Sardinia. Caryologia, 19 (5) : 375.-384.
- * Baumann, T. (1971) : Heterochromatin and DNS Replication bei Scilla sibirica Exp. Cell. Res., 64 : 323.-330.
- * Bentham, G. and J.D. Hooker (1883) : In Genera Plantarum by G. Bentham and J.D. Hooker, 3 : 810.
- * Blatter, E. and McCann, C. (1928) : New species of plant from Western ghats J. Bom. Nat. Hist. Soc. 32 : 733.-773.
- * Boraiah, G. and Fatima, T.K. (1982) : On the genus Urginea Stein. (Liliaceae) in India. Indian Forest., 108 (4) : 319.
- * Buchner, L. (1948) : Vergleichende embryologische studien an Scilloideae. Osterr. Botan. Z., 95 : 428.-540.
- * Capoor, S.P. (1937) : Contribution to the morphology of some Indian Liliaceae (II). The gametophyte of Urginea indica kunth. Bieb. Bot. cbl. A. 56 : 156.-170.
- * Cave, M.S. (1953) : cytology and embryology in the delimitation of genera. plant Genera, Chronica Botanica, 14 (3) : 140.-153.
- * Chiappini, M. (1962) : Osservazioni cariembr ologische in Ornithogalum de Sardegna Nota l sporogenesi e sviluppodei gametofiti in Ornithogalum caudatum. Ait. Nuovo. Giorn. Bot. Ital., 69 : 91.-10
- * Cronquist, A. (198) : An Integrated system of classification of flowering plant columbia University Press.

- * Cooke, T. (1907) : Flora of the Presidency of Bombay. PP 276-277.
- * Dalzell, N.A. (1850) : Contribution to the Botany of W. India. J. Botany 2 : 142-143.
- * Dalzell, N.A. and Gibson, A. (1861) : Flora of Bombay. 250, Bombay.
- * Darlington, C.D. and Janaki Ammal, E.K. (1945). chromosome Atlas of cultivated plants. J. and A. Churchill, London.
- * Darlington, C.D. and A.P. Wylie, (1955) : Chromosome Atlas of Flowering Plants. G. Allen and Unwin Ltd. London.
- * Davis Gwenda L. (1966) : Systematic embryology of the angiosperms. John Wiley and Sons, Inc. New York, London, Sydney.
- * Deb and Dasgupta (1975) : New taxa of genus Dipcadi Jr. Bom. Nat. Hi. Soc. Vol. 72 : 822-823.
- * Deb and Dasgupta (1975) : Revision of the genus Dipcadi Medik Jr. Bom. Nat. Hi. Soc. Vol 75 : 50-69.
- * Deb and Dasgupta (1977) : New taxa of genus Dipcadi Bom. Nat. His. Soc. 72. (3) : 822-824
- * Deb and Dasgupta (1979) : Revision of the genus Dipcadi in India and Adjoining region Bom. Nat. His. Soc. 75 (1) : 50-70.
- * Datta, N. (1966) : Cytology of Urginea coromandeliana Hook. Sci. and cult. 32 : 97-99.
- * Deumling, B. (1978) : Localisation of foldback DNA sequence in nuclei and chromosome of Scilla, Secale and of mouse. Nucleic Acids Res, 5 : 3589-3602.
- * Deumling, B. and Greilhuber, J. (1982) : Characterization of heterochromatin in different species of the Scilla siberica

- group (Liliaceae) by in situ hybridization of satellite DNAs and fluorochrome banding. Chromosoma (Berl.), 84 : 535-555.
- * de Wet, J.M.J. (1957) : Chromosome number in the Scilleae cytologia 22 : 145-159.
- * Dixit, G.B. and Yadav, S.R. (1989) : Cytotaxonomical and Genetical studies in Urginea Stein. species from India. Cytologia, 54 : 715-721.
- * Dixit, G.B. and Yadav, S.R. (1991) : Cytological studies of an endemic rare taxon D. concanense. Proc. conf. on cytol. and Genet. Vol. III (in press).
- * Dutt, B.S.M. and P.S.Prakasa Rao (1975) : Embryosac development in Scilla peruviana L. Curr. Sci., 44 (3) : 91-92.
- * Dyer, R.A. (1976) : The genera Southern African flowering plants vol. 2 Dept. of Agricultural Technical service Pretoria.
- * Ebert, I. Greilhuber, J. Svoma, E. and Speta, F. (1983) : Taxonomic significance of embryology in Scilla Acta. Bot. Neerl., 32 :356-357.
- * Ebert, I. (1987) : Tetraspore Embryosac kentwicklung bei einem vertreter der Gattung Hyacinthoides Medicus (Endymion Dumort.) In : kurzfassungen der Beitrage zum 4 osterreichischen Botaniker Treffen, 15. 17. Mai 1987 in Wien. P. 66. Wien.
- * Edgeworth, M.P. (1846) : Description of some unpublished species of plant from N.W. India Trans. Linn. Soc. 72 (3) : 822-824.
- * Endlicher, S.L. (1836) : Genera Plantrum Secundum Ordines Naturales Disposita. PP. 139-147.

- * Engler and Prantle (1887 1899) : Die natuerlichen Pflanzenfamilien. IV :
- * Erdtman, G. (1952) : Pollen morphology and plant taxonomy : Angiosperms. Waltham, Mass., U.S.A.
- * Erika Svoma and Greilhuber, J. (1988) : Studies in systematic embryology in Scilla (Hyacinthaceae). pl. Syst. Evol., 161, 169.-181.
- * Erika Svoma, and J. Greilhuber (1989) : Systematic embryology of the Scilla siberica alliance. Nord. J. Bot., 8 : 585. 600.
- * Eunus, A.M. (1950) : Contribution to the embryology of the Liliaceae I. development of the embryo sac and endosperm of Albuca travsvaensis Moss. Verdoorn. J. Indian Bot. Soc., 29 : 68. 78.
- * Fernandes and Neves, J.B. (1962) : Sur. la caryologie de quelaueas monocotyledones Africaines Compt. Rend. 4e Reunion Pleniere de LAETFAT : 439.-464.
- * Fisch and Mey. Curr. Sci., 23 : 94 95 (1956) Further studies on Scilla hohenakari, Curr. sci., 25 : 63-64.
- * Fluellen, B.L. (1974) : Studies in the genus Albuca L. Ph. D. thesis, Univ. of Bristol, England (Unpub.)
- * Gadella, T_H. Kliphuis, E. and Menega, E.A. (1966) : Chromosome number of some flowering plants of Spain and S.France Acta. Bot. Neerl., 15 : 484-489.
- * Gimenez Maartin, G. (1959a) : Estudio cariologico en especies de Scilla I. S. tubergeniana Hooa. S. siberica L., S. amoena L., S. rosenii Koch. and S. bithynica Boiss. Phyton (Buenos Aires), 12 : 121-129
- * Greilhuber, J., Speta (1976) : C - banded karyotypes in the
...117...

- Scilla hohenackeri group, S. persica, and Puschkinia (Liliaceae). Plant Syst. Evol., 126 : 149-188.
- * Greilhuber, J. (1977) : Nuclear DNA and heterochromatin contents in the Scilla hohenackeri group, S. persica and Puschkinia scilloides (Liliaceae). Pl. Syst. Evol., 128 : 243-257.
- * Greilhuber, J. and Speta, F. (1977) : Giemsa karyotypes their evolutionary significance in Scilla bifolia, S. drunensis and S. vindobonensis (Liliaceae) Plant. Syst. Evol., 127 : 171-190
- * Greilhuber, J., Speta, F. (1978) : Quantitative analysis of C-banded karyotype and systematics in the cultivated species of the Scilla siberica group (Liliaceae). Plant. Syst. Evol., 129 : 63-109.
- * Greilhuber, J., Deumling, B., Speta, F. (1981) : Evolutionary aspects of chromosome banding, heterochromatin, satellite DNA, and genome size in Scilla (Lilaceae) Ber. Dtsch. Bot. Ges., 94 : 249-266.
- * Greilhuber, J., Strehl, S. (1984) : Deviating basic genome size in a hexaploid population of Scilla bifolia agg. in the valley Kreuttal (Weinviertel, Lower Austria). Stapfia, 14 : 127-134.
- * Haga, T. and Noda, S. (1958) : Cytogenetic population structure of Scilla scilloides Druce, a complex. Proc. Xth Intern. Congr. Genet. 2 : 109
- * Haga, T. and Noda, S. (1976) : Cytogenetic of the Scilla scilloides complex 1. Karyotype, genome, and population. Genetica, 46 : 161-176

- * Hooker, J.D. (1892) : Liliaceae. Flora of British India, 6 : 299-362 London
- * Hutchinson, J. (1959) : The families of flowering plants Vol. II. Monocotyledons. Macmillan and Co;Ltd., London.
- * Huziwara, Y. (1962) : Karyotype analysis in some genera of Compositae VIII. Further studies on the chromosome of Aster. Amer. J. Bot., 49 : 116-119.
- * Jessop, J.P. (1970) : Studies in the bulbous Liliaceae : I. Scilla, Schizocarpus and Ledebouria. J. S. African Bot., 36 : 233-266.
- * Jessop, J.P. (1972) : Studies in the bulbous Liliaceae in South Africa II Drimiopsis and Resnova J. S. Afr. Bot., 38 : 151-162.
- * Jessop, J.P. (1977) : Studies in the bulbous Liliaceae in South Africa., 7 the taxonomy of Drimia and Certain allied genera. J. S. Afr. Bot. 43 : 265-319.
- * Jha, S. and Sen, S. (1980a) : A natural hexaploid of Urginea indica Kunth. Cell and Chromosome News Letter, 3 (3) : 57.
- * Jha, S. and Sen, S. (1982) : Seasonal variation in bufadienolides content in diploid and tetraploid of Urginea indica. Proc. Indian Nat. Sci. Acad. B 48 : 391-396.
- * Jha, S. and Sen, S. (1983a) : Chromosome study of diploid Indian squill. Cytologia, 48 : 741-786.
- * Johansen, D.A. (1940) : Plant microtechnique. McGraw Hill Book Co., Inc. New York and London.
- * Johri, M.M. (1966) : The style, stigma and pollen tube. II. Some taxa of the Liliaceae and Trilliaceae. Phytomorphology

- 16 (1) : 92-109.
- * Jones, K. and Smith, J.B. (1967-68) : I. The chromosome of the Liliaceae; The Karyotype of twenty five tropical species. Kew Bulletin, 21 : 31-38.
- * Kambale, S.Y. and Ansari, M.Y. (1976) : A note on the somatic chromosomes of Urginea polyantha Blatt. Bull. Bot. Sur. India, 18 (1) : 1-4.
- * Kamble, S.Y. and Ansari, M.Y. (1977) : Note on anatomy of leaves and some species of genus Urginea. Maharashtra Vidnyan Mandir Patrika, 12 (2) : 80-83.
- * Kanmani, B.N. (1975) : Karyotype study in Dipcadi concanense (Dalz.) Bak. Curr. Sci., 44 (8) : 278-279.
- * Kereszty, Z. and Szilagyi, L. (1985) : Cytological investigation of Scilla bifolia population in Hungary II. Acta. Bot. Hung. (in press).
- * Khare, L.J. (1978) : Observation on self inhibition in Urginea indica. Comp. Physiol. Ecol., 3 (3) : 154-155.
- * Kishore, H. (1951) : A note on the chromosome numbers of some plants. Indian J. Genet. Pl. Breed., 11 (2) : 217.
- * Knudtzon, S.H. (1983) : Studier inner st - afrikansk Scilloideae - Del. B. Albuca Cand. real. thesis.
- * Knudtzon, S.H. and Stedje, B. (1986) : Taxonomy and cytology of the genus Albuca (Hyacinthaceae) in East Africa. Nord. J. Bot., 6 : 773-786.
- * Kunth, C.S. (18) : Enumeratio plantarum Omnium hucusque cognitarum, cum dum familias naturales disposita, adjectis characteribus, differentitis et synonymis, 4 : 331-333.

- * Lawrence, G.H.M. (1951) : Taxonomy of Vascular Plants. New York.
- * Leighton, F.M. (1945) : A revision of South African species of Ornithogalum. J. S. Afr. Bot., 11 : 135-189.
- * Levan, A. (1944) : Notes on the cytology of Dipcadi and Bellevalia. Hereditas, 30 : 217-224.
- * Lima de Faria, A. and Sarvella, P. (1958) : The organisation of telomeres in species of Solanum, Salvia, Scilla, Secale, Agapanthus and Ornithogalum. Hereditas., 44 : 337-346.
- * Love, A. (1964) : The biological species concept and its evolutionary structure. Taxon, 16 : 33-45.
- * Lugade, M.R. (1987) : Cytological and Physiological studies in colchicine yielding plants Gloriosa L. and Iphigenia Kunth. Ph.D. thesis, Shivaji University, Kolhapur.
- * Mahabale, T.S. and Chennaveeraiah, M.S. (1959) : A note on sporogenesis in Dipcadi serotinum (L.) Medic. Cand. J. Bot., 37 : 345-352.
- * Mahabale, T.S. and Chennaveeraiah, M.S. (1962) : Morphological and embryological studies in Dipcadi. In Plant Embryology : A symposium CSIR, New Delhi : 12-22.
- * Maheswari, P. (1932) : Life history of Urginea indica. Proc. 19th Indian Sci. Congr. 3 : 310-311.
- * Martinoli, G. (1949) : Ricerche cytotassonomiche sui generi Urginea. E., Scilla della flora Sarda. Caryologia, 1 (3) : 329-357.
- * Maugini, E. (1953) : Nuovi reperti di biotipi diploidi di Urginea maritima Bak. (Liliaceae). Caryologia 5 (2) : 249-252.

- * Maugini, E. (1956) : Contribution Alla Citogeografia Di. Urginea maritima Bak. Liliaceae. Caryologia, 9 : 174-176.
- * Maugini, E. (1960) : ricerche Sulla citogeographia E. Scilla jassonomia Dulla ; Urginea maritima Bak., Caryologia, 13 (1) : 151-163.
- * Maugini, E. and Maleci, L. B. (1974) : Aleune Notarino Sulla citogeografia Di Urginea maritima Bak. Segnalazione Di Esemplari pentaploid Estration : Webbia, 29 : 309-315.
- * McNeil, I. and Knight, M.H. (1962) : Chromosome races in Scilla autumnalis. Proc. Bot. Soc. Br. Isles, 4 : 471-472.
- * Meikle, R.D. (1967) : Scilla furseorum. Curtis Bot. Mag. 176, t. 507.
- * Miege, J. (1960) : Nobers Shromosomiques de plants d' Afrique occidentale, Rev. Cut. Biol. Veg., 21 : 373-384.
- * Moorthi, V.D. and Sampathkumar, R. (1968) : Chromosomal variability in the India Urginea indica Kunth. Curr. Sci., 37 (21) : 620-621.
- * Mordak, E.V. (1971) : Scilla of the Soviet Union. II Taxonomy and geography. Bot. Zhurn. SSSR, 56 : 1444-1458.
- * Morinaga, T. (1932) : A preliminary note of the karyological types of Scilla japonica Bak. Japan. J. Genetics, 7 : 202-205.
- * Naik, V.N. (1973) : A natural, tetraploid of Urginea coromandeliana. Curr. Sci., 42 : 439-440.
- * Naik, V.N. (1974) : Cytological studies in two species in Dipcadi Medic. from India. Cytologia., 39 (3) : 591-596.
- * Naik, V.N. (1976) : Cytotaxonomic studies in two species of Urginea Stein. from India. J. Indian Bot. Soc. 55 : 60-64.

- * Naik, V.N. and Nirgude, S.M. (1981) Anatomy in relation to taxonomy of Chlorophytum (Liliaceae). Indian J. Bot., 4 : 48-60.
- * Nair, P.K.K. and Sharma, M. (1965) : Pollen morphology of the Liliaceae J. Palynology (Lucknow), 1 : 38-61.
- * Nersveen, O. (1980) : En revisjon av slekta Dipcadi Medic. (Liliaceae) i tropisk øst - Afrika - Cand. real. thesis, Vniv, of Oslo, Norway. (Unpubl.).
- * Neves, J.B. (1962) : Dados Cariologicos sobre algumas especies Africanas de Ornithogalum L. Bot. Soc. Brot. Ser., 2A 36 : 151-173.
- * Neves, J. Barros (1973) : Contribution to the cytotaxonomical knowledge of spermatophyta of Portugal. III. Liliaceae. Bot. Sci. Broteriana, 47 : 157-212.
- * Newton, W.C.F. (1927) : Chromosome studies in Tulipa and some related genera. J. Linn. Soc. (Bot.), 47 : 336-354.
- * Noda, S (1961) : Asynapsis in Scilla scilloides CIS -28.
- * Noda, S. (1967) : Samplings in the natural population of Scilla scilloides. Bull. Osaka Gakuin Univ., 7 : 125-132.
- * Nordenstam, B. (1969) : Chromosome studies in South Africa Vascular plant. Bot. Notiser., 123 : 398-408.
- * Nwankiti, O.C. (1983) : Cytotaxnomic survey of some tropical ornamental species - 2. Urginea altissima. Indian J. Genet., 43 : 418-420.
- * Obermeyer, A.A. (1964) : South African species of Dipcadi. Bothalia, 8 (p+2) : 117-134.
- * Oyewole, S.O. (1971) : Biosystematic studies in the genus

Albuca L. with particular reference to those species occurring in Nigeria Ph.D. thesis. Univ. of Ibadan, Nigeria. (Unpubl.)

- * Oyewole, S.O. (1975) : Cytotaxonomic studies in the genus Urginea Stein. in West Africa. I. Karyotype analysis in U. altissima Baker., U. gigantea (Jacc.) Oyewole and U. viridula Bak. (Cmend.) Bot. Soc. Broteriana, 49 : 213-223.
- * Oyewole, S.O. (1987a) : Cytotaxonomic studies in the genus Urginea Stein. in West Africa : II. Karyotype evolution in Urginea altissima (L.) Baker. Ann. Mo. Bot. Gard., 74 (1) : 126-130.
- * Pascual, L., Ruiz Rejon, M., Oliver, J.L. and Ruiz Rejon, C. (1980) : Existence of ADH gene duplication in the diploid level of Dipcadi serotinum (L.) Medic. Isozyme Bull., 13 : 63.
- * Pascual, L., Ruiz Rejon, M., Oliver, J.L. and Ruiz Rejon, C. (1981) : Existence of gene duplication in ADH - 2 of Dipcadi serotinum. Isozyme Bull., 14 : 56.
- * Patil, M.M. (1981) : Cytological and agronomical studies in Urginea indica Kunth. Ph.D. thesis, University of Bombay.
- * Patil, P.R. (1984) : Cytological and Physiological studies in Urginea indica Kunth. M.Phil. thesis, Shivaji University, Kolhapur.
- * Patil, B.R. (1988) : Embryological and Anatomical studies in some Urginea Stein. species, M.Phil. thesis, Shivaji University, Kolhapur.
- * Pienaar, R. de V. (1963) : Sitogenetische studies in die genus Ornithogalum L. J. S. Afr. Bot., 29 : 111-130.

- * Radulescu, D. (1972) : Recherches morphopalynologiques sur les especes 'd' Amaryllidaceae. Lucrarile Gradinii Bot. Bucuresti, 71 : 245-273.
- * Radulescu, D. (1973a) : Contribution morphopalynologiques concernant quelques Liliflorae. Lucrarile Gradinii Bot. Bucuresti, 13 : 87-104.
- * Raghavan, T.S. (1935) : Observation of the somatic chromosome of Urginea indica Kunth. J. In. Bot. Soc., 14 : 151-158.
- * Raghavan, T.S. and Venkatasubban, K. (1940b) : The cytology of triploid Urginea congesta Wight. Indian Bot. Repr., 6 (1) : 71-92.
- * Rao, P.N. and Mwasumbi, L.B. (1981) : Liliaceae, in Chromosome number reports LXXII (ed. A. Love). - Taxon, 30 : 701.
- * Ratter, J.A. and Milne, C. (1973) : Some angiosperm chromosome numbers Notes R. Bot. Gard. Edinb., 32 : 429-438.
- * Reichebach, TH.L. (1928) : Conspectus Regni Vegetabilis, Lipsiae.
- * Resende, F. and DA. Franca, P. (1946) : Sur porigine de nouvelles formes II Prot. Act. Biol. Ser., A(1) : 289-307.
- * Ruiz Rejon M., (1974) : In IOPB Chromosome number reports, XLVI. Ed. by A. Love, Taxon, 23 : 805-806.
- * Ruiz Rejon M., (1978) : Estudios cariologicos en especies espanolas del Orden Liliales. III. Familia Liliaceae. Anal. Inst. Bot. Cavanilles, 34 (2) : 733-759.
- * Sato, D. (1935) : Chiasma studies in plants. II Chromosome pairing and Chiasma behaviour in Yucca, Scilla and Urginea with special reference to interference. Bot. Mag. 43 : 823-846

- * Sato, D. (1942) : Karyotype alteration and phyllogeny in Liliaceae and allied families. Jap. Journ. B., 12 : 57-61.
- * Schnarf, K. (1931) : Vergleichende Embryologie der Angiospermen Berlin.
- * Sen, S. (1973) : Structural hybridity intra and inter-specific level in Liliales. Folia Biologica, 21 : 183-197.
- * Sen, S. (1974) : Nature and behaviour of 'B' chromosome in Allium stracheyii Bak., Urginea indica Kunth. Cytologia, 39 : 245-251.
- * Sheriff, A. and Murthy, M.H.S. (1946) : A preliminary note on a new karyotype of Scilla indica Baker. Curr. Sci., 15 : 319.
- * Sheriff, A. (1979) : Cytogeographical studies on Scilla indica in India I Diploids. J. Cytol. Genet., 14 : 83-87.
- * Sheriff, A. and Rao, V.G. (1981) : Cytogeographical studies on Scilla indica in India. Triploids Cytologia.
- * Simon, T. (1951) : Chromosome number of Scilla bifolia var. subtriphylla In Soo, R. and Javorka, S. Manual of the Hungarian Flora, 2 : 856.
- * Speta, F. (1974) : Cytotaxonomische und arealkundliche Untersuchungen an der Scilla bifolia Gruppe in Oberosterreich, Niederosterreich und Wien. Naturkundl. Jahrb. Stadt Linz 19 : 9-94
- * Speta, F. (1980) : Die frühjahrsblühenden Scilla - Arten des östlichen Mittelmeerraumes - Naturk. Jahrb. Stadt Linz, 25 : 19-198.
- * Stebbins, G.L. (1958) : The role of hybridization in evolution. Proc. Amer. Phil. Soc., 103 : 231-251.

- * Stebbins, G.L. (1971) : Chromosomal Evolution in Higher Plants. E. Arnold. Ltd., London.
- * Stedje, B. (1982) : Studier innen Øst - afrikansk Scilloideae (Liliaceae) med spesiell vekt på Ornithogalum L. Cand. real. thesis, Univ. of Oslo, Norway.
- * Stedje, B and Nordal, I. (1985) : Taxonomy and Cytology of the genus Ornithogalum (Liliaceae) in East Africa. Nord. J. Bot., 4 : 749-759.
- * Stedje, B. and Nordal, I. (1987) : Cytogeographical studies of Hyacinthaceae in Africa South of Sahara. Nord. J. Bot., 7 (1) : 53-66.
- * Stenar, H. (1953) : The embryo sac type in Smilacina, Polygonatum and Theropogon. Phytomorphology, 3 : 326-338.
- * Stocks, J.E. (1857) : Notes on Belochistan plants J. Botany 4 : 172-181 London.
- * Subramanian, D. (1972) : Meiotic studies in Urginea indica Kunth. with special reference to the formation of pollen grains. Proc. 59th Ind. Sci. Cong. Part - III, pp. 323.
- * Subramanian, D. (1978) : Cytological studies in Urginea indica Kunth. J. Indian Bot. Soc., 57 (3) : 211-218.
- * Sundar Rao, Y. (1954) : Chromosome of Scilla hohenakeri .
- * Taylor, W.R. (1925) : Cytological studies in Gasteria II. A comparison of the chromosomes of Gasteria, Aloe and Haworthia Amer. J. Bot. 12 : 219-223.
- * Therman, E. (1951) : Somatic and Secondary pairing in Ornithogalum. Heredity, 5 : 253-269.
- * Toren, J. (1968) : Megasporogenese et la formation du sac embryonnaire chez Scilla amoena L. - Istanbul Univ. Fen Fak. Mec., ser. B, 33 : 1-10

- * Tutin, T.G. (1980) : Flora Europaea Vol. 5. Cambridge University Press.
- * Uchino, A and Hayafuchi, T. (1983) : Maintenance of asynapsis in plants produced vegetatively from an asynaptic plant of the Scilla scilloides complex. Mem. Fac. Gen. Educ. Kumamoto Univ. Ser. Nat. Sci., 18 : 37-46.
- * Uchino, A. and Tanaka, K. (1988) : Occurrence of aneuploid progenies from an asynaptic amphidiploid of Scilla Scilloides (Lindley) Druce. Jap. J. of Gene., 4 : 283-293.
- * Vaides, B. (1970) : Numeros cromosomicos de algunas plantas espanolas Bol. Real. Soc. Espan. Hist. Nat. (Biol.), 68 : 193-197.
- * Vosa, C.G. (1973) : Heterochromatin recognition and analysis of chromosome variation in Scilla sibirica chromosoma (Berl.), 43 : 269-288.
- * White, J. and Jenkins, G. (1988) : Elimination of multivalents during meiotic prophase in Scilla autumnalis II. Tetraploid. Genome, 30 : 940-946.
- * Willis, J.C. (1973) : Dictionary of flowering plants and Ferns, revised by H.K. Airy Shaw, Cambridge.
- * Wunderlich, R (1937) : Zur vergleichenden Embryologie der Liliaceae Scilloideae. Flora (Jena) 132 : 48-90.
- * Zahariyeva, O.I. and Makushenko, L.M. (1969) : Chromosome numbers of monocotyledons belonging to the families Liliaceae, Iridaceae, Am lliaceae and Araceae. Bot. Zhurn. SSSR 54 : 1213-1227.

- * Zaman, M.A. and Khaleque, Y. (1978) : The cytology of U
indica Kunth. from Bangladesh. Caryologia, 31 : 137-145.
- * Zavada, M.S. (1983) : Comparative Morphology of Monocot
Pollen and Evolutionary Trends of Apertures and Wall
Structures. The Botanical Review, 49 : 331-379.