

---

# BIBLIOGRAPHY

---

- \*Abu-Mustafa, E.A. EL-Bay, K.A. and M.B.E. Fayez (1970):  
Natural Coumarins XI. The distribution of coumarins  
in the Ammi-majus plant and a possible pattern for  
their biogenetic evolution. Planta Med; 18(1):90-97.
- Aiyer A.K. Yenga Narayan (1966) ; Field crops of India. Pub.  
Bangalore Printing and Publishing Co.; Ltd. Mysore  
Road, Bangalore City. pp. 564
- Albert, R. (1975) : Salt regulation in halophytes. Oecologia.,  
21 : 57-71.
- Alejandre, M.J., Segovia J.L., Zafra M.F. and E.Garcia-  
Peregrin (1979) : Characteristics of Citrate Synthase  
(EC 4.1.3.6) from Agave americana leaves. Z. PFLANZENPHY-  
SIOL., 94 (1) : 85-93.
- Allaway, W.G. (1973) : Accumulation of malate in guard cells  
of Vicia faba during stomatal opening. Planta; 110:  
63-70.
- Ambike, V.V. and S.M. Karmarkar (1975) : Physiological changes  
during senescence in Kalanchoe pinnata (Lamk). 1.  
Changes in the inorganic ion content of the leaves.  
J. Biol. Sci., 18(1) : 33-42.
- Arguelles, T. and J.L. Guardiola (1977) : Hormonal control of  
senescence in excised orange leaves. J. Horticult.Sci.,  
52 (2) : 199-204.
- Arnon, D.I. (1949): Copper enzymes in isolated chloroplasts:  
Polyphenol oxidase in Beta vulgaris. Plant Physiol.;  
24 : 1-15.

- Ashton, A.R. and M.P. Gideon (1977) : Adenosine 3':5'-cyclic monophosphate in higher plants: Isolation and characterisation of adenosine 3':5'-cyclic monophosphate from Kalanchoe and Agave. BIOCHEM J., 165 (1):27-32.
- Aspinall, G.O. and P.C. Das Gupta (1959) : The Structure of the fructosan from Agave veracruz Mill. J.Chem.Soc., pp. 718-722.
- Atkinson, D., Jackson, J.E., Sharples, R.O. and W.M.Walker (1980) : Mineral nutrition of fruit trees. Butterworth (Publ.) Inc., Woburn, Mass.
- Atre, V. and M.G.Shitole (1986): Studies on growth and proline accumulation in Lyngbya birgei Smith. under saline conditions. Geobioss., 13 : 27-31.
- \*Avadhani, P.N. (1957) : Studies on the fixation of carbon dioxide in leaves and roots of Kalanchoe and roots of Ricinus Ph.D. Thesis. Newcastle: Durham Univ.
- Balke, N.E. and T.K. Hodges (1975) : Plasma membrane adenosine triphosphate of oat roots. Plant Physiol, 55: 83-86.
- Bandurski, R.S. (1955) : Further studies on the enzymatic synthesis of oxaloacetate from phosphoenolpyruvate and carbon dioxide. J. Biol. Chem., 204 : 137-150.
- Bandurski, R.S. and C.M. Grøiner (1953): The enzymatic synthesis of oxaloacetate from phosphoenolpyruvate and carbon dioxide. J.Biol. Chem., 204 :781-786.
- Bangerth, F. (1979) : Calcium-related physiological disorders of plants. Annu. Rev. Phytopathol., 17: 97-122.

- Bartakke, S.P. (1977) : "Physiological Studies in Aloe barbadensis" Ph.D. Thesis submitted to Shivaji University, Kolhapur (India).
- Bartholomew, B. (1973) : Drought response in the gas exchange of Dudleya farinosa (Crassulaceae) grown under natural conditions. Photosynthetica, 7: 114-120.
- \*Bartholomew, D.P. and S.B.Kadzimin (1977) : Pineapple. In : Ecophysiology of tropical crops. Alvin, P.T.(Ed.). Brazil : CEPLAC.
- Bates, L.S., Waldren, R.P. and I.D. Teare (1973) : Plant and Soil., 39 : 205-207.
- Baur, J.R., Halliwell, R.S. and R.Langston (1968): Pathways of carbohydrate catabolism in senescent and non-senescent tobacco leaves. Physiol. Plant., 21:45-51.
- \*Bennet-Clark, T.A. (1933a) : The role of organic acids in plant metabolism. Part I. New Phytol., 32: 37-71.
- \*Bennet-Clark, T.A. (1933b) : The role of organic acids in plant metabolism. Part II. New Phytol., 32 : 128-161.
- \*Bennett, J.P. (1945) : Iron in leaves. Soil Sci., 60:91-105.
- Ben-Zioni, A., Vaadia, Y. and S.H. Lips (1971): Nitrate uptake by roots as regulated by nitrate reduction products of the shoot. Physiol. Plant., 24: 288-290.
- Bernatek, E., Nordal, A. and G. Ogner (1963) : Phorbic acid, a new acid from Euphorbia. Acta.Chem.Scand., 17:2375-2384.
- Bharucha, F.R. and G.V.Joshi (1957): Effect of prolonged darkness on acid metabolism in the leaves of Aloe vera Linn. Science and Culture., 22: 389-390.

- Bharucha, F.R. and G.V.Joshi (1958) : Studies in Crassulacean metabolism in Bryophyllum calycinum. J.Biol.Sci.1:5-12.
- Bhatia, I.S. and K.S.Nandra (1979) : Studies on fructosyl transferase from Agave americana. PHYTOCHEMISTRY (OXF)., 18 (6) : 923-928.
- Bhatia, I.S. and K.S.Nandra (1980) : In vivo biosynthesis of glucofructosans in Agave americana. PHYTOCHEMISTRY (OXF)., 19 (5) : 965-966.
- Black, C.C. (1973) : Photosynthetic carbon fixation in relation to net CO<sub>2</sub> uptake. Ann. Rev. Plant Physiol., 24:253-286.
- Blanchet, R., Studer, R. and C. Chaumont (1962):Some aspects of interactions in the water supply of plants. Ann. agron, 13: 93-100.
- Blum, A. and A. Ebercon (1976) : Genotypic responses in Sorghum to drought stress. III. Free proline and drought resistance. Crop Sci., 16 : 428-431.
- Bobeiko, V.A., Pkheidze, T.A., Kintia P.K. and E.P.Kemertelidze (1975): Study of saponins of Agave americana L. leaves SOOBESHCH AKADNAUK GRUZ SSR., 80(3): 621-623.
- \*Bode, O. (1942) : Uber Zusammenhange Zwischen CO<sub>2</sub>-Assimilation und Photoperiodismus bei Kalanchoe blossfeldiana. Planta., 33 : 278-289.
- Bonner, W. and J. Bonner (1948): The role of carbon dioxide in acid formation by succulent plants. Am.J.Bot., 35: 113-117.

- Brag, H. (1972) : The influence of potassium on the transpiration rate and stomatal opening in Triticum aestivum and Pisum sativum. Physiol. Plant., 26 : 250-257.
- Brownell, P.F. (1979) : Sodium as an essential micronutrient element for plants and its possible role in metabolism. In : Advances In Botanical Research. Woolhouse, H.W. (ed.), 7: 117-224, Academic Press, London.
- \*Bruinsma, J. (1958) : Studies on the crassulacean acid metabolism. Acta Bot. Neerl., 7 : 531-588.
- \*Cantalano, G. (1930): Contributo alla conoscenza della sterilita in Agave e Fourcroya. Labvori R.Ist.Bot. Palermo., 1 : 1-160.
- Cavelieri, A.J. and A.H.C.Huang (1978): Proline accumulation in salt marsh halophytes exposed to increasing salinity. Plant Physiol., 61 (4) Suppl. 27.
- Chakravarty, K. and S.K.Biswas (1986) : Agave (Sisal) and its need for development in India. In 'Plantation Crops' opportunities and constraints, Volume-I. Shrivastava, H.C., Vatsya B. and K.K.G. Menon (eds.). Oxford and IBH Publishing Company, New Delhi, Bombay, Calcutta, pp. 127-133.
- \*Champigny, M.L. (1960) : Lumiere et genese des acides amines. Ph.D. Thesis. University Paris.
- \*Champigny, M.L., Jolchine, C. and A. Moyse (1958): Sur la distribution de  $^{14}\text{CO}_2$  fix photosynthese et par  $\beta$ -carboxylation dans lens feuilles de Bryophyllum. Conf. Int. Radioisotopes Rech.Sc.UNESCO. Pergamon Press, Paris. pp. 458-470.

- Chuan, S. and P.S. Nobel (1985) : Fatty acid composition of chloroplast membrane fractions from three desert succulents grown at moderate and high temperatures. Biochimica et Biophysica Acta; 820:100-106. Elsevier.
- Clark, R.B. (1984): Physiological aspects of calcium, magnesium and molybdenum deficiencies in plants. Agronomy Monograph., 12 (2nd edition): 99-168. Madison, USA.
- Clarkson, D.T. and J.B. Hanson (1980) : The mineral nutrition of higher plants. Annu. Rev. Plant Physiol. 31:239-298.
- Crews, C.E., Williams, S.L., Vines, H.M. and C.C.Black (1976): Changes in the metabolism and physiology of crassulacean acid metabolism plants grown in controlled environments. In : CO<sub>2</sub> metabolism and plant productivity. Burris, R.H., Black, C.C. (eds.), pp.235-250. Baltimore, London, Tokyo: University Park Press.
- C.S.I.R. (1948) : The wealth of India, A dictionary of Indian raw materials and Industrial products. Volume-I. Publ. Council of Scientific and Industrial Research, Delhi. pp.256.
- Dale, J.E. and G.M.Felippe (1977) : Nitrogen movement into and out of the first leaf of barley. Z Pflanzenphysiol., 84 : 27-53.
- Datta, P.C. (1971) : Karyological anatomy of fibre development in the leaves of Agave americana L. var. marginata alba Trel. ANN BOT (LONDON); 35 (140):421-427.
- Datta, P.C. (1973) : Development of leaf fibres of Agave americana L. var. marginata alba Trel. BROTERIA SER

TRIMEST CIENCNAT; 42 (1/2) : 3-13.

Dave, I.C. (1987) : Function and metabolism of trace elements in plants. In : National Symposium On Micronutrient Stress In Crop Plants : Physiological And Genetical Approaches To Control Them. pp. 246-252.

Dayanandan, P. and P.B.Kaufman (1975) : Stomatal movements associated with potassium fluxes. Am.J. Bot., 62:221-231.

Denius, H.R. Jr. and P.H.Homann (1972): The relation between photosynthesis, respiration and Crassulacean Acid Metabolism in leaf slices of Aloe arborescence Mill. Plant Physiol., 49: 873-880.

\*De Saussure, T. (1804): Recherches chimiques sur la vegetation. Paris : Nyon. Quoted in Wolf.

dewit, H.C.D. (1965): Plants of the world, The higher plants. Volume-II. Pub. Thames and Hudson, London, pp.340.

Dittrich, P. (1975): Nicotinamide adenine dinucleotide specific "malic" enzyme in Kalanchoe diagamontiana and other plants exhibiting Crassulacean Acid Metabolism. Plant Physiol., 57: 310-314.

Doughty, L.R. (1936) : Chromosome behaviour in relation to Genetics in Agave J. Genet., 33(2) : 197-205.

Du Toit, P.J., Schabort, J.C., Kempff, P.G. and D.S.A. Laubscher (1978 a): An aminopeptidase from Agave americana, isolation and physical characterisation. PHYTOCHEMISTRY (OXF); 17 (3) : 365-370.

Du Toit, P.J. and J.C.Schabort (1978 b):An aminopeptidase from Agave americana, chemical properties of the



- enzyme. PHYTOCHEMISTRY (OXF); 17 (3) : 371-376.
- Ehrler, W.L. (1969) : Day time stomatal closure in A.americana as related to enhanced water-use efficiency. In : C.C.Hoff and M.L. Riedesel (eds.) Physiological systems in semi-arid environments. Univ. New Mexico Press, Albuquerque.
- \*Eickmeier, W.G. (1976) : Crassulacean Acid Metabolism plants of Big Bend National Park, Texas. Ph.D.Thesis, University of Wisconsin, Madison, Wisconsin.
- Eickmeier, W.G. and M.S.Adams (1978): Gas exchange in Agave lechuguilla Torr. (Agavaceae) and its ecological implications. The Southwestern Naturalist., 23(3): 473-486.
- El-Gamassy, A.M., ABDEL-Rahman, A.A., Hassib, M., and M.S. Mandour (1974): Vegetative patterns and water economy of Agave sisalana in saline soil. Z ACKERPFLANZENBAU 139 (3) : 165-171.
- Epstein, E. (1972) : Mineral nutrition of plant : Principles and Perspectives. John Wiley and Sons, Inc., New York, London, Sydney.
- Evans, H.J. and G.J. Sorger (1966) : Role of mineral elements with emphasis on the univalent cations. Ann. Rev. plant physiol., 17 : 47-77.
- \*Fahn, A. (1967) : Plant Anatomy (First English edition). Pergamon Press. Oxford-London-Edinburgh-New York etc.
- Fischer, R.A. and T.C. Hsiao (1968) : Stomatal opening in isolated epidermis strips of Vicia faba. II. Responses

- of KCl concentration and the role of potassium absorption. Plant Physiol., 43 : 1953-1958.
- Folin, O. and W.Denis (1915) : A colorimetric estimation of phenols (and phenol derivatives) in urine. J. Biol. Chem., 22 : 305-308.
- Fuller, M.M. (1980) : Cell ultrastructure in apple fruits in relation to calcium concentration and fruit quality In : Mineral nutrition of fruit trees. Atkinson et al. (eds.). Butterworth (Publ.) Inc., Woburn, Mass.pp.51-55.
- Gentry, H.S. (1972) : The Agave family in Sonoran.Agric. Res. Service Handbook No. 399. U.S.Dept. Agric., Washington, D.C.
- Gokhale, S.P., Karadge B.A., and N.A.Rajmane (1984) : Changes in level of organic, inorganic constituents and some enzyme systems during leaf development of Catharanthus roseus G. (Vinca rosea L) Biovigyanam.,10: 25-30.
- Golvano, M.P. (1971): Activation of respiratory chain enzymes by indole acetic acid. AN EDAFOL AGROBIOL; 30(9/10): 979-991.
- Goodwin, T.W. and E.I. Mereer (1983) : Introduction to plant Biochemistry (2nd ed.). Pergmon Press, Oxford. New York. Toronto. Sydney. Paris. Frankfuri.pp.531-566.
- Gopal, V.K., Janardhanan and K.K.Lakshmanan, (1981): Epidermal studies on succulents: 1 monocotyledons. ACTA BOT. INDICA: 9(2): 297-304.
- Gregory, F.G., Spear J, and K.V.Thimann (1954) : The inter-relative between CO<sub>2</sub> Metabolism and Photoperiodism in Kalanchoe. Plant Physiol., 29: 220-229.

- Grimme, H., Von Braunschweig, L.C. and N.K.Nemath (1974):  
Potassium, calcium and magnesium interactions as  
related to cation uptake and yield. Landw. Forsch.  
30/II Sonderh; 93-100.
- \*Grove, G.R. (1941) : Morphological study of Agave lechuguilla.  
Bot. Gaz., 103 : 354-365.
- \*Haberlandt, G. (1918) : Physiologische Pflanzennaatomie,  
Verlag W. Engelmann.
- \*Haidri, Z.A. (1955a) : Incorporation of malic acid-2-<sup>14</sup>C  
and pyruvic acid-2-<sup>14</sup>C into starch. Plant Physiol., 30:4.
- \*Haidri, Z.A. (1955b): Synthesis of starch from organic acids  
in plants. Ph.D. Thesis, Univ. of Wisconsin.
- \*Hall, D.A., (1971): The influence of varied calcium nutrition  
on the growth and ionic composition of plants. Ph.D.  
Thesis. University of Leeds.
- Handley, J.F. and D.H. Jennings (1977) : The effect of ions  
on growth and leaf succulence of Atriplex hortensis  
var. cupreata. Ann. Bot., 41 : 1109-1112.
- Hanger, B.C. (1979) : The movement of Calcium in plants.  
Commun. Soil Sci. Plant Anal. 10 : 171-193.
- Hanson, A.D.; Nelson, C.E., Pederson, A.R. and E.H.Everson  
(1979): Capacity for proline accumulation during water  
stress in barley and its implications for breeding  
for drought resistance. Crop Sci., 19: 489-493.
- Harmer, P.M., Benne, E.J., Laughlin, W.M., and Y.Key (1953):  
Factors affecting crop response to sodium applied as  
common salt on michigan muck soil. Soil.Sci., 76:1-17.

- Hartsock, T.L. and P.S. Nobel (1976) : Watering converts a C<sub>3</sub> plant to day time uptake. Nature; 262: 574-576.
- Hartt, C.E. (1972) : Translocation of carbon-14 in sugarcane plants supplied with or deprived of phosphorus. Plant Physiol., 49: 569-571.
- Henningsen, K.W. and J.E. Boynton (1974) : Macromolecular physiology of plastids.IX. Development of plastid membranes during greening of dark-grown barley seedlings. J. cell Sci., 15 : 31-35.
- Higgins, J.W. (1976) : A high-performance liquid chromatographic analysis of the benzoate esters of saponins isolated from Agave. J. CHROMATOGR., 121(2):329-334.
- Hill, A.F. (1952) : Economic Botany. A Text book of useful plants and plant products. McGraw-Hill Book Company, New York, Toronto London. pp. 560.
- Holden, M. (1973) : Chloroplast pigments in plants with the C<sub>4</sub> dicarboxylic acid pathway of photosynthesis. Photosynthetica; 7(1) : 41-49.
- Humble, G.D. and K. Raschke (1971) : Stomatal opening quantitatively related to potassium transport. Plant Physiol., 48 : 447-453.
- Jamale, B.B. (1975) : "Physiological studies in saline plants". Ph.D. Thesis submitted to Shivaji University, Kolhapur (India).
- \* James, W.O. (1958) : Succulent plants. Endeavour; 17:90-93.
- Jordan, P.W. and P.S.Nobel (1979) : Infrequent Establishment

- of Seedlings of Agave deserti (Agavaceae) In the Northwestern Sonoran Desert. Amer. J.Bot., 66(9): 1079-1084.
- Joshi, G.V. and S.P.Bartakke (1974) : Light and dark  $^{14}\text{CO}_2$  fixation in Aloe vera var. indica. Maharashtra Vidnyan Mandir Patrika., 9 : 22-28.
- Kannan, S. (1987) : Foliar applications of micronutrients: Principles, mechanisms and crop response. In : National Symposium on Micronutrient stresses in crop plants: Physiological And Genetical Approaches To Control Them pp. 206-213.
- Kanwar, J.S. and N.S.Randhawa (1978) : Micronutrient Research in Soils and Plants in India (A Review). Indian Council of Agricultural Research, New Delhi, pp.47-61.
- Kao, C.H. (1981) : Senescence of rice leaves. VI. Comparative study of the metabolic changes of senescing turgid and water stressed excised leaves. Plant and Cell Physiol., 22 (4) : 683-688.
- Karadge, B.A. (1981) : "Physiological studies in succulents". Ph.D. Thesis submitted to Shivaji University, Kolhapur (India).
- \*Karmarkar, S.M. (1965) : "Physiological studies in succulent plants". Ph.D. Thesis submitted to the University of Bombay (India).
- Kashid, R.A. (Unpublished work from Shivaji University, Kolhapur, Laboratory).

- Kaufman, P.B., Petering, L.B. and J.G. Smith (1970) : Ultra-structural development of cork silica cell pairs in *Avena internodal epidermis*. Bot. Gaz., 131:173-185.
- Kintia, P.K., Bobeiko, V.A., Krochmaljuk W.W. and W.J. Tschirva (1975) : Saponins in the leaves of Agave americana L. PHARMAZIE., 30(6) : 396-397.
- Kirk, J.O.T. and R.L. Allen (1965) : Dependence of chloroplast pigment synthesis on protein synthesis : Effect of actidione Arch. Biochem. Biophys. Res. Commun., 21 : 523-530.
- Kirkby, E.A. and K. Mengel (1967) : Ionic balance in different tissues of the tomato plant in relation to nitrate, urea or ammonium nutrition. Plant Physiol., 42 : 6-14.
- Kluge, M. (1968) : Untersuchungen über den Gaswechsel von Bryophyllum während der Lichtperiode. II. Beziehungen zwischen dem Malatgehalt des Gewebes und der CO<sub>2</sub>-Aufnahme. Planta, 80 : 359-377.
- Kluge, M. (1969) : Zur Analyse des CO<sub>2</sub> - Austausches von Bryophyllum II. Hemmung des nachtllichen Stärkeabbaus in CO<sub>2</sub> verarmter Atmosphäre. Planta., 86 : 142-150.
- Kluge, M. and K. Fischer (1967) : Über Zusammenhänge zwischen dem CO<sub>2</sub> - Austausch und der Abgabe von Wasserdampf durch Bryophyllum diagamontianum Berg. Planta., 77: 212-223.
- Kluge, M. and I.P. Ting (1978) : Crassulacean Acid Metabolism: Analysis of an Ecological Adaptation. Billings, W.D.,

- Golley, F., Lange, O.L. and J.S. Olson (eds.)  
Springer-Verlag Berlin, Heidelberg, New York, pp.209.
- Koch, K. and K. Mengel (1975) : The effect of potassium on nitrogen utilization by spring wheat during grain formation. Agron. J., 69 : 447-480.
- Kristen, V.U. (1969) : Studies on the relationship between CO<sub>2</sub> gas exchange and air passage in the CAM succulent plants, Bryophyllum daigremontianum Berg. and Agave americana L. FLORA ABT A PHYSIOL BIOCHEM (JENA) 160(2) : 127-138.
- Kunitake, G. and P. Saltman (1958) : Dark fixation of CO<sub>2</sub> by succulent leaves : Conservation of the dark fixed CO<sub>2</sub> under diurnal conditions. Plant Physiol., 83 : 400-403.
- Laetsch, W.M. (1974) : The C<sub>4</sub> syndrome: a structural analysis. Ann. Rev. Plant. Physiol., 25 : 24-52.
- Lauchli, A., Spurr, A.R. and E. Epstein (1971) : Lateral movement of ions into the xylem of corn roots. II. Evaluation of a stelar pump. Plant Physiol., 48 : 118-124.
- Lazur' Evskii, G.V., Bobeiko V.A., and P.K. Kintia (1975) : Steroid glycosides from the leaves of Agave americana L. DOKL AKAD NAUK SSSR SER BIOL., 224 (6) : 1442-1444.
- Leloir, L.F. (1971) : Science, 172 : 1299-1303. In : Phytochemistry Vol. I. Miller, L.P. (ed.). Van Nostrand Reinhold Company, New York. Cinninnati. Toronto. London. Melbourne. pp. 410.

- Leopold, A.C. (1961) : Senescence in plant development.  
Science, 134 : 1727-1732.
- Levitt, J. (1967) : The mechanism of stomatal action.  
Planta, 74 : 101-118.
- Lewandowska, M. and P.G.Jarvis (1977) : Changes in chlorophyll and carotenoid content, specific leaf area and dry weight fraction in Sitka spruce, in response to shading and season. New Phytol., 79 : 247-256.
- Lewington, R.J. and E.W.Simon (1969) : The effect of light on the senescence of detached cucumber cotyledons.  
J. Exp. Bot., 20 : 138-144.
- Liaaen-Jensen, S. and A. Jensen (1971) : Quantitative determination of carotenoids in photosynthetic tissues. In "Methods in Enzymology". (Eds) San Pietro, A. pp. 586-662. Academic Press, Inc. Publishers, New York.
- Lin, L.F. (1984) : Extraction of leaf protein concentrate from sisal (Agave sisalana). J. Agric. Res.China., 33(2): 159-168.
- Lingle, J.C., Tiffin, L.O. and J.C.Brown (1963) : Iron compounds and plant nutrition. Ann. Rev. Plant Physiol., 19 : 239-248.
- Linser, H. and K. Herwig (1968) : Relationships between wind, transpiration and nutrient translocation in flax with particular regard to a varied water and potash application. Kali-Briefe, Fachgeb; 2:2.Floge.



- \*Lloyd, M.H. (1970) : Megagametophyte development in Agave parryi. Phytomor., 20 : 16-22.
- Lock, G.B. (1969) : Sisal, Thirty Year's Research in Tanzania. Pub. Longmans, Green and C.Ltd. London and Harlow; Printed in Great Britain by Spottiswoode, Ballantyne and Co Ltd., London and Colchester. pp.365.
- Loneragan, J.F., Snowball, K. and A.D.Robson (1976) : Remobilization of nutrients and its significance in plant nutrition. In "Transport and transfer processes in plants". Wardlaw, J.F. and J.B.Passions (eds.). Academic Press, New York. pp. 463-649.
- Mahapatra, S.C. and W.H. Johnson (1971) : Senescence and post senescence morphological and biochemical changes during flucuring of tobacco leaf. Plant physiol., 47 (Suppl.) : 297.
- Manestas, Y., Stamatakis, K., and Y. Samaras (1986) : Magnesium-regulation of 4-carbon pathway and crassulacean acid metabolism adenylate kinase. J PLANT PHYSIOL., 124 (1/2) : 165-170.
- Manners, D.J. (1973) : Starch and Inulin. In : Phytochemistry. Vol. I. Miller L.P. (ed.) Pub. Van Nostrand Reinhold Company, New York. Cinninnati. Toronto. London. Melbourne. pp. 410.
- Margna, V.T.V. and E. Margna (1974) : The intensification of flavonoid formation in senescent leaves in relation to shifts in protein metabolism. Eestri Nsy Tead Akad. Toim Biol., 23 (2) : 112-116.

- Marschner, H., Handley, R. and R. Overstreet (1966) :  
Potassium loss and changes in fine structure of core  
root tips induced by H<sup>+</sup>-ion. Plant Physiol., 41:  
1725-1735.
- Marschner, H., Kuiper, J.P.C. and A.Kylin (1981) : Genotypic  
differences in response of sugarbeet plants to  
replacement of potassium by sodium. Physiol.Plant., 51  
239-244.
- Marschner, H. and C. Richter (1974) : Calcium transport in  
roots of maize and bean plants. Plant Soil., 40:  
193-210.
- Martin, C.E., Lubbers, A.E. and J.A.Terri (1982) : Varia-  
bility in Crassulacean Acid Metabolism : A survey  
of North Carolina succulent species. Bot.Gaz.,  
143 (4) : 491-497.
- Matile, P. and E. Martinoia (1982) : Catabolism of Carotenoids:  
Involvement of peroxidase. Plant Cell Reports., 1:  
244-246.
- \*Maximov, N.A. (1929) : Internal factor of frost and drought  
resistance in plant. Protoplasma; 7 : 259-291.
- Meidner, H. and T.A. Mansfield (1968) : Physiology of stomata.  
Wilkins, M.B. (ed.). Tata McGraw Hill Publishing  
Company Ltd., Bombay-New Delhi. pp.179.
- Mengel, K. and E.A. Kirkby (1980): Potassium in crop  
production. Advances In Agronomy., 33: 59-109.
- Mengel, K. and E.A. Kirkby (1982) : Principles of plant  
nutrition. Publisher: International Potash Institute

- P.O. Box, CH-3048 Worblaufen-Bern/Switzerland  
(3rd ed.) pp. 655.
- Miller, L.P. (1973) : *Phytochemistry : The process and products of photosynthesis*. Vol. I. Van Nostrand Reinhold Company, New York. Cincinnati. Toronto. London. Melbourne. pp. 410.
- Milthroe, F.L. and J. Moorby (1969) : Ann. Rev. Plant. Physiol., 20 : 117-118. In : *Phytochemistry Vol. I*. Van Nostrand Reinhold Company, New York, Cincinnati. Toronto. London. Melbourne. pp. 410.
- Moyse, A. (1955) : Le metabolisme des acides organiques chez le Bryophyllum (Crassulaceae). I. Oxydations respiratoires et fixation de l'anhydride carbonique a l'obscurite par  $\beta$ -carboxylation, en fonction de la tension d'oxygene. Physiol. Plant., 8 : 453-477.
- \*Moyse, A; Champigny, M.L; Dardart, J. and G. Jolchine (1958) : Intern. Abstr. Biol. Sci. Sect. II. Intern. Congr. Biochem. 4th Congr. Vienna, Australia. pp. 138.
- Mukherjee, S.P., Kar R.K. and M.A. Choudhuri (1982) : Proline accumulation in relation to degree of drought resistance in plants of different ecological habitats. Sci. & Culture, 48: 402-404.
- Mulder, D. (1950) : Mg-deficiency in fruit trees on sandy and clay soils in Holland. Plant and Soil; 2: 145-157.
- Natr, L. (1975) : Influence of mineral nutrition of Photosynthesis and the use of assimilates. In : Photo-

- synthesis and Different Environments. Cooper, J.P. (ed.). Cambridge Univ. Press, Cambridge-London-New York-Melbourne. pp. 537-555.
- Neales, T.F. (1973) : The effect of night temperature on CO<sub>2</sub> assimilation, transpiration and water use efficiency in Agave americana. Aust.J.Biol.Sci., 26: 705-714.
- Neales, T.F. (1975) : The gas exchange patterns of CAM plants. In 'Environmental and Biological Control of Photosynthesis,' (Ed. R. Marcelle.). Proc. Conf. Limburgs Universitair Centrum, Diepenbeek, Belgium. pp.299-310.
- Neales, T.F., Hartney V.J. and A.A.Patterson (1968) : Physiological adaptation to drought in the carbon assimilation and water loss of xerophytes. Nature, 219: 469-472.
- Nelson, N. (1944) : A photometric adaptation of the Somogyi method for the determination of glucose. J.Biol.Chem., 153, 375-380.
- Nimbalkar, J.D. (1973) : "Physiological studies in sugarcane". Ph.D. Thesis submitted to Shivaji University, Kolhapur (India).
- Nishida, K. (1963) : Studies on stomatal movement of Crassulacean plants in relation to the acid metabolism. Plant Physiol., 16 : 281-298.
- Nishida, K. (1977) : CO<sub>2</sub> fixation in leaves of a CAM plant without lower epidermis and the effect of CO<sub>2</sub> on their deacidification. Plant Cell Physiol., 18:927-930.

- Nobel, P.S. (1976) : Water relations and photosynthesis of a desert CAM plant, Agave deserti. Plant Physiol., 58 : 576-582.
- Nobel, P.S. (1977) : Water relations of flowering of Agave deserti. BOT GAZ., 138(1) : 1-6.
- Nobel, P.S. (1984) : Productivity of Agave deserti; measurement by dry weight and monthly prediction using physiological responses to environmental parameters. Oecologia., 64 : 1-7.
- Nobel, P.S. (1985) : PAR, water and temperature limitations on the productivity of cultivated Agave fourcroydes. Journal of Applied Ecology, 22: 157-173.
- Nobel, P.S. and W.L. Berry (1985) : Element responses of agaves. Amer. J. Bot., 72(5) : 686-694.
- Nobel, P.S. and T.L. Hartsock (1979) : Environmental Influences On Open Stomates Of a Crassulacean Acid Metabolism Plant, Agave deserti. Plant Physiol., 63: 63-66.
- Nobel, P.S. and T.L. Hartsock (1981) : Shifts in the optimal temperature for nocturnal CO<sub>2</sub> uptake caused by changes in growth temperature for cacti and agaves. Physiologia Plantarum; 53: 523-527.
- Nobel, P.S. and T.L. Hartsock (1986): Short-term and long-term responses of Crassulacean Acid Metabolism plants to elevated CO<sub>2</sub>. Plant Physiol., 82 : 604-606.
- Nobel, P.S. and P.W. Jordan (1983) : Transpiration Stream of Desert Species : Resistances and Capacitances

- for a  $C_3$ , a  $C_4$  and a CAM plant. Journal of Experimental Botany. 34 (147) : 1379-1391.
- Nobel, P.S. and S.E.Meyer (1985) : Field productivity of CAM plant, Agave salmiana, estimated using daily acidity changes under various environmental conditions. Physiol Plant., 65 : 397-404.
- Nobel, P.S. and E. Quero (1986) : Environmental productivity indices for a Chihuahuan desert CAM plant, Agave lechuguilla. Ecology, 67(1) : 1-11.
- Nobel, P.S. and S.D. Smith (1983) : High and low temperature tolerances and their relationships to distribution of agaves. Plant, Cell and Environment; 6:711-719.
- Nordal, A. and G. Ogner (1964) : The detection of phorbic acid in Euphorbia palustris L. Acta Chem. Scand., 18, 830.
- Osmond C.B. (1967) : Acid metabolism in Atriplex. I. Regulation of oxalate synthesis by the apparent excess cation absorption in leaf tissue. Aust.J.Biol.Sci., 20 : 575-587.
- Osmond, C.B. (1978) : Crassulacean Acid Metabolism: A curiosity in context. Ann. Rev. Plant Physiol., 29: 379-414.
- Osmond, C.B. (Unpublished) In : Crassulacean Acid Metabolism: Analysis of Ecological Adaptation. Billings, W.D., Golley, F; Lange, O.L. and J.S. Olson (eds.). Springer-Verlag Berlin. Heidelberg. New York. pp.209.

- \*Obraztsava, V. T. and L.I.Nikiforova (1967) : Seasonal changes in the nitrogen metabolism of one year old shoots of woody plants of the Steppe Zone of Ukraine. Fiziol. Biokhimson. Pitan. Rast. Respub.Mezhvedon SB; 2: 81-85.
- Paleg, L.G. and D. Aspinall (1981) : The physiology and biochemistry of drought resistance in plants. Publ. Academic Press, Australia. pp. 466.
- Palfi, G., Koves, E., Bito, M. and R. Sebestyen (1974): The role of amino acids during water stress in species accumulating proline. Phyton; 32: 121-127.
- Pant, G., Sati O.P., Miyahara K. and T. Kawasaki (1986a): Spirostanol glycosides from Agave cantala. PHYTOCHEMISTRY (OXF)., 25(6) : 1491-1494.
- Pant, G., Sati, O.P., Miyahara K. and T. Kawasaki (1986b): A spirostanol glycoside from Agave cantala. PHYTOCHEMISTRY (OXF)., 25(12): 2895-2896.
- Parker, J. (1972) : Protoplasmic resistance to water deficits. In: Water deficits and plant growth. Kozlowski (ed.) Vol. III. Plant responses and control of water balance. Pub.Academic Press, New York and London. pp.125-176.
- Perur, N.G., Smith, R.L. and H.H. Wiebe (1961) : Effect of iron chlorosis on protein fractions of corn leaf tissues. Plant Physiol., 36: 736-739.
- Pflugger, R and K. Mengel (1972) : The photochemical activity of chloroplasts obtained from plants with a different potassium nutrition. Plant and Soil, 36; 417-425.

- Phillips, R.D. and D.H.Jennings (1976) : Succulence, cations and organic acids in leaves of Kalanchoe daigremontiana grown in long and short days in soil and water culture. New Phytol., 77 : 599-611.
- Pitman, M.G. (1972) : Uptake and transport of ions in barley seedlings.III. Correlation between transport to the shoot and relative growth rate. Aust.J.Biol. Sci., 25 : 905-919.
- Price, C.A., Clark, H.E. and H.E. Funkhouser (1972) : Functions of micronutrients in plants. In : Micronutrients in Agriculture. Soil Sci. Soc. of America; Madison/Wisconsin, pp. 731-742.
- \*Pucher, G.W., Vickery, H.B., Abrahams, M.D. and C.S.Leavenworth (1949) : Studies in the metabolism of crassulacean plants : Diurnal variations in organic acids and starch in excised plants Bryophyllum calycinum. Plant Physiol., 24 : 610-620.
- Queiroz, O. (1968) : Sur le metabolisme acid des Crassulacees. III. Variations d'activite enzymatic que sous l'action dy photoperiodisme et du thermoperiodisme. Physiol.V., 6 : 117-136.
- Queiroz, O. (1974) : Circadian rhythms and metabolic patterns. Ann. Rev. Plant. Physiol., 24:115-134.
- Rains, D.W., W.E.Schmid, and E. Epstein (1964) : Absorption of cation by roots: Effects of hydrogen ions and essential role of calcium. Plant Physiol., 39: 274-278.



- Ramani, S. (1987) : Mechanism of micronutrient uptake, transport and stress tolerance in plants. In : National Symposium On Micronutrient Stresses In Crop plants: Physiological AND Genetical Approaches to Control Them. pp. 237-244.
- Ramirez, H; Mariaj Delgado and E. Garcia-Peregrin (1977): Some properties of glutamate dehydrogenase from Agave americana L. leaves. Z PFLANZENPHYSIOL; 84(2): 109-120.
- Ramirez, H. and Garcia-Peregrin (1978): Differential effect of thiol binding reagents on the glutamate dehydrogenase activity from Agave americana L. Z PFLANZENPHYSIOL 87 (1) : 85-90.
- Ranson, S.L. and M. Thomas (1960) : Crassulacean Acid Metabolism. Ann. Rev. Plant Physiol., 11:81-110.
- Raschke, K. (1975 a):Stomatal action. Ann. Rev. Plant Physiol; 26: 309-340.
- Raschke, K. (1975b) : Simultaneous requirement of carbon dioxide and abscissic acid for stomatal closing in Xanthium strumarium L. Planta; 125 : 243-259.
- Raschke, K. (1976) : How stomata resolve the dilemma of opposing priorities. Philos. Trans. R. Soc., London. B 273 (927): 551-560.
- Reddy, A.R. and V.S.R. Das (1982) : Puruvate inorganic phosphate dikinase activity in different groups of crassulacean acid metabolism plants. PLANT SCI LETT., 25 (2) : 155-160.

- \*Regan, L. (1941): The development of the embryosac in Agave virginica. Bull.Torr.Bot.Club; 68:229-236.
- \*Richards, H.M. (1915) : Acidity and gas exchange in cacti. Carnegie Inst.Washington Publ; 208: 107.
- \*Romheld, V. and H. Marschner (1981): Rhythmic iron stress reactions in sunflower. Physiol.Plant.53 in press.
- Russell, R.S. and D. T. Clarkson (1976): Ion transport in roots system. In: Perspectives in experimental biology. Savies, P.S. and N. Sunderland (eds.). Vol.2. Botany. Pergmon Press, Inc; New York. pp.401-411.
- Saltman, P., Lynch, V.H., Kunitake, G.M. Stilt, C., and H. Spolter (1957) : The dark fixation of CO<sub>2</sub> by succulent leaves, metabolic changes subsequent to initial fixation. Plant Physiol., 32: 197-200.
- Sanada Y., and K. Nishida (1982): The Presence of Pyruvate Orthophosphate Dikinase in CAM plants. Z Pflanzenphysiol; 105 (2) : 189-192.
- Sane A.S., Hegade M.V. and P.N.Joshi (1979) : Resolution of enzymes that hydrolyse phosphate esters from Agave cantala on Amberlite IR-120 (Al<sup>3+</sup>). J CHROMATOGER; 168 (2) : 495-500.
- Savitskaya, N.N. (1976): The physiological role of proline in plants. Biol. Nauki., 19(2):49-61.
- Schery, R.W. (1954): Plants for Man. George Allen and Unwin Ltd., Ruskin House Museum Street London.pp.564.
- Schlimabach (1924): Embryosac formation in Agave chloracenta

and A. attenuata. In : Studies on Agaves I: Embryology of Agave angustifolia Haw. by Shirke D.R. J. Univ. Poona, Sci. Tech., 56: 105-110 (1984).

Schobert, B. and M. Tschesche (1978): Unusual solution proteins of proline and its interaction with proteins. Biochem. Biophys. Acta., 541: 270-277.

\*Seely, G.R. (1977): In : The intact chloroplast. Brader, J. (ed.) Vol. 2. p.1. Elsevier.

Sestak, Z., (1966): Limitations for finding a linear relationship between chlorophyll content and photosynthetic activity. Biol. Plant., 8: 336-346.

Sestak, Z. (1985): Chlorophylls and Carotenoids during leaf ontogeny. In : Czechoslovak Academy of Sciences: Photosynthesis During Leaf Development. Academic Praha. pp. 76-106.

Sharma, Shanti S., Sharma Shashi and V.K.Rai (1988): Possible involvement of phenolic compounds in stomatal movements. In : International Congress of plant physiology, New Delhi. p. 113.

Shirke, D.R. (1984): Studies on Agaves I : Embryology of Agave angustifolia Haw. J. Univ. Poona, Sci. Tech., 56: 105-110.

\*Shirke, D.R. and T.S.Mahabale (1978): Studies on cytoembryology and anatomy of the Agavaceae and some members of the Bignoniaceae. Ph.D.Thesis submitted to the Poona University.

- Shirke, D.R. and T.S.Mahabale (1985) : Studies on Agaves II: Embryology of Agave wightii Drumm. Biovigyanam; 11 (1) : 45-50.
- \*Shreve, E.B. (1916): An analysis of the causes of variations in the transpiring power of cacti. Physiol. Res., 2 : 73-127.
- Singh, T.N., Paleg, L.G. and D. Aspinall (1973): Stress metabolism. III. Variations in responses to water deficit in the barley plant. Aust. J.Biol.Sci., 26: 65-76.
- Smith, J., Andrew C., and P.S.Nobel (1986): Water movement and storage in a desert succulent: Anatomy and rehydration kinetics for leaves of Agave deserti. J Expo. BOT., 37 (180) : 1044-1053.
- Spincer, P.W. and J.S.Titus (1973): Apple leaf senescence: Leaf disc compared to attached leaf. Plant Physiol., 51 : 89-92.
- Stewart, G.R. and J.A. Lee (1974): The role of proline accumulation in halophytes. Planta; 120(3):279-289.
- \*Strogonov, B.P., Kabanov, V.V., Shevjakova, N.I., Lapina, L.P., Komizero, B.I. and B.A. Popov (1970): Structure and function of plant cells under salinity. Mosco Nauk.
- Suarez, Dolores and Eduardo Garcia-Peregrin (1977); Properties and partial purification of mevalonate kinase from Agave americana. PHYTOCHEMISTRY (OXF); 16 (6) : 661-665.

- Subramanian, S.S. and A.G.R. Nair (1970): Chlorogenin and Kaempferol glycosides from the flowers of Agave americana. PHYTOCHEMISTRY., 9(12): 2582.
- Sutton, B.G. (1975): The path of carbon in succulent plants at night. Aust. J. Plant Physiol., 2: 377-388.
- \*Szarek, S.R. (1974): Physiological mechanisms of drought adaptation in Opuntia basilaris Engelm. Ph.D. Thesis, Univ. Calif. Riverside.
- Szarek, S.R., Johnson, H.B. and I.P. Ting (1973): Drought adaptation of Opuntia absilaris. Significance of recycling carbon through Crassulacean Acid Metabolism. Plant Physiol., 52 : 539-541.
- Tan B.H. and G.M.Halloran (1982): Variation and correlations of proline accumulation in spring wheat culvitaris Crop Science., 22 : 459-463.
- Tanaka, K., and K. Sugahara (1980): Role of superoxide dismutase in the defense against SO<sub>2</sub> toxicity and induction of superoxide dismutase with SO<sub>2</sub> fumigation. Res. Rep. nat. Inst. environ. Stud. 11 (Studies on the effects of Air pollutants on plants and Mechanism of phytotoxicity): 155-164.
- Terry, N. (1980): Limiting factors in Photosynthesis I. Use of iron stress to control phytochemical capacity in vivo. Plant Physiol., 65: 114-120.
- Thimann, K.V. (1980): The senescence of leaves. In : Senescence in plants. Thimann, K.V.(ed.)Chemical Rubber Co.Press,Boca,Raton,Florida,USA. pp.85-115.

- Thimann, K.V., Tetley, R.M. and B.M.Krivak (1977):  
Metabolism of oat leaves during senescence. Plant  
Physiol., 51 : 783-786.
- Thomas, M. and H. Beevers (1949) : Physiological studies  
in acid metabolism in green plants II. Evidence of  
CO<sub>2</sub> fixation in Bryophyllum calycinum and the study  
of diurnal fluctuations in the genus. New Phytol.,  
48 : 421-477.
- Thomas, M. and S.L. Ranson (1954): Physiological studies  
on acid metabolism in green plants. III. Further  
evidence of CO<sub>2</sub> fixation during dark acidification  
of plants showing Crassulacean Acid Metabolism.  
New Phytol., 53 : 1-30.
- Thombre, R.R. (1987): "Studies in Physiology of leaf  
ontogeny in plants." Ph.D. Thesis submitted to  
Shivaji University, Kolhapur (India).
- \*Thornber, J.P. and R.S.Alberte (1977): In : Encyl.plant.  
physioul., Trebst, A. and M. Avron (eds.). N.S.  
Vol. 5 pp.574.Springer-Verlag.
- \*Thurlow, J. and J. Bonner (1948): Fixation of atmospheric  
CO<sub>2</sub> in the dark by leaves of Bryophyllum. Arch.  
Biochem., 19: 509-511.
- Ting, I.P. (1971): Nonautotrophic CO<sub>2</sub> fixation and Crassa-  
cean Acid Metabolism. In : Photosynthesis and  
Photorespiration. Hatch, M.D., Osmond, C.B. and  
R.O. Slatyer (eds.) New York: Wiley-Interscience.  
pp. 169-185.

- Ting, I.P., Dean, M.L. and W.M.Dugger (1967a): Leaf resistance in succulent plants. Nature (London); 213: 526-527.
- Ting, I.P., Thompson, M.L. and W.M.Dugger (1967b): Leaf resistance to water vapour transfer in succulent plants: effect of thermoperiod. Am.J.Bot., 54: 245-251.
- \*Ting, I.P., Johnson, H.B. and S.R. Szarek (1971): Gas exchange and productivity for Opuntia species. Riverside Prog. Rep..
- Ting, I.P. and S.R. Szarek (1975): Drought adaptation in Crassulacean Acid Metabolism plants. In : Environmental Physiology of desert organisms. Hadley, N.F. (ed.). Dowden, Hutchinson and Ross, Stroudsburg, Pa. pp. 157-167.
- Toth, S.J., Prince, A.L., Wallace, A., and D.S.Mikkelsen (1948): Rapid quantitative determination of 8 mineral elements in plant tissues by systematic procedure involving use of a flame photometer. Soil.Sci., 66: 456-466.
- Troughton, J.H. (1979): In : Encyl. Plant Physiol. N.S.Vol.6. M. Gibbs and E. Latzko (eds.). Springer-Verlag. pp.140.
- Troughton, J.H. (1971) : Photosynthesis and Photorespiration. M.D.Hatch and C.B.Osmond (eds.).Wiley-Interscience. pp.124.
- Usher, G. (1971): A Dictionary of Plants. CBS Publishers and Distributors, Delhi. pp.619.



- \*Varner, J.E., and R.C.Burrell (1950): Use of  $^{14}\text{CO}_2$  in the study of the acid metabolism of Bryophyllum calycinum. Arch. Biochem., 25: 280-287.
- \*Verduin, J. (1949): Diffusion through multiperforated septa. In : Photosynthesis in plants. Franck, J., Loomis, W.E. (eds.), pp.95-112. Ames, Iowa: Iowa State College Press.
- \*Vickery, H.B. (1954 a): The effect of temperature on the behaviour of malic acid and starch in leaves of Bryophyllum calycinum cultured in darkness. Plant Physiol., 29 : 385-392.
- \*Vickery, H.B. (1954b): The effect of abnormally prolonged alternating periods of light and darkness upon the composition of Bryophyllum calycinum. Plant Physiol., 29 : 520-526.
- Virgin, H.I. (1965): Chlorophyll formation and water deficit. Physiol. Plant., 18(4): 994-1000.
- Vora, A.B., Patel J.A., Vyas, A.V., Patel, B.R. and H.C. Patel (1974): Carbohydrate metabolism of Sorghum seedlings under low moisture level. Geobios., 1(6): 164-167.
- Walker, D.A. (1957): Physiological studies on acid metabolism in green plants. Biochem. J., 67: 73-79.
- Walker, D.A. (1962): Pyruvate carboxylation in plant metabolism. Biol. Rev., 37: 215-256.
- \*Watson, J.D. (1965): Molecular Biology of the Gene. T.E. Benjamin (ed.). New York, p. 494.



Wattendorff, J. (1976): A third type of raphide crystal in the plant kingdom: Six-sided raphides with laminated sheaths in Agave americana L. PLANTA (BERL); 130(3): 303-311.

Waughman, G.J. and D.L.Bellamy (1981): Movement of cations in some plant species prior to leaf senescence. Ann. Bot., 47: 141-145.

\*Whelan, W.J. (1958): Starch and similar polysaccharides. In : Encyclopedia of plant physiology. Ruhland, W. (ed.) Springer-Verlag, Berlin. pp.154-120.

Wilkomirski, B., Bobeiko V.A., and P.K.Kintia (1975): New steroid saponins of Agave americana. PHYTOCHEMISTRY (OXF) ., 14 (12) : 2657-2659.

Wilkomirski, B., Bobeiko V.A., and P.K.Kintia (1976): Thin layer chromatographic separation of steroid glycosides from Agave americana L. J CHROMATOGRAPHY ., 116 (2): 482-484.

\*Wolf, J. (1937): Beitrage Zur Kenntnis des Saurestoffwechsels sukkulenter Crassulacean.II. Mitteilung der Untersuchungen Zwischen Sedoheptose and Apfelsaure. Planta ., 26: 516-522.

Wolf, J. (1960) : Derdiurnale Saurerhythmus. In : Encyclopaedia of Plant Physiology. Ruhland, W.(ed.) Vol.12. pp. 809-889. Berlin, Heidelberg, New York:Springer.

- Yan, R.C. and L. Huang (1976): Studies on steroidal sapogenins of anage:III. Isolation and identification on steroidal sapogenins from some species of Agave. ACTA BOT STN., 18 (2) : 156-162.
- Zafra, M.F., Segovia J.L., Alejandro M.J., and E.Garcia-Peregrin (1981): Peroxisomal and mitochondrial citrate synthase (EC 4.1.3.7) in crassulacean acid metabolizing plants. REV ESP FISIOL., 37(4): 719-732.

..

\* Originals are not seen.