

LITERATURE CITED

- Abdul-Wahab, A.S. and Al-Juboory, B.A. (1975). Development of tolerance by cotton plant to gradual increase in sodium chloride concentrations in the soil. Bull.Coll. Sci.Univ.Beghdad, 16(2): 217-224.
- Ackerson, R.C. (1981). Osmoregulation in cotton in response to water stress. II. Leaf carbohydrate status in relation to osmotic adjustment. Plant Physiol. 67 (3): 489-493
- Ahmed, A.M., Heikal, M.D. and Shalad, M.A.(1980). Growth, photosynthesis and fat content of some oil producing plants as influenced by some salinization treatments. Phyton(Horn.),19: 259-268.
- Ahmad, R. and Huq, Z. (1974) : Some physiological and biochemical studies on spinach growing on saline soil . Pak.J.Bot. 6 : 49-52.
- Ahmad, R., Khan, D. & Ismail, S. (1986). Growth of Azadirachta indica and Melia azedarach at coastal sand using highly saline water for irrigation. Pak.J.Bot. 17(2):229-234.
- Ahmad, R. and Abdullah, Z. (1979). Salinity induced changes in the growth and chemical composition on potato. Pak.J.Bot. 11 : 103-112.
- Alberte, R.S., Fiscus E.L. and Naylor, A. W.(1975). The effect of water stress on the development of the photosynthetic apparatus in greening leaves. Plant Physiol. 55(2) : 317-321.
- Alberte, R.S., Thornber, J.P. and Fiscus, E.L. (1977). Water stress effects on the content and organisation of chlorophyll in mesophyll and bundle sheath chloroplasts of maize. Plant Physiol. 59: 351-353.
- Aleshin, E.P., Molokov, L.G. and Yokolev, B.V. (1971). Effect of various types of salinization on the activity of peroxidase in rice seedlings. Agrokhimiya. 11 : 100-102.
- Ansari, R. (1972). Effect of salinity on some Brassica oil seed varieties. Pak.J.Bot. 4: 55-63.

- Arbestain, R. I. (1977). Relation between acid phosphatase contents and the germinating capacity of different type of seeds. Circ.Farm 35 (256):341-355.
- Arnon, D.I.(1949). Copper enzymes in isolated chloroplast, I. polyphenol oxidase in Beta vulgaris. Plant Physiol. 24: 1-15.
- Ashour, N.I., Abdel-Halim, M.A. , Raafat, A. and Nour, T.A.(1977). Increasing salt tolerance of wheat at early stages of growth under chloride and sulphate types of salinity. Acta Agron.Acad.Sci.Hung. 26 :127-134.
- Aslam, M., Huffaker, R.C. and Rains, D. W. (1984). Early effects of salinity on nitrate assimilation in barley seedlings. Plant Physiol. 76 (2): 321-325.
- Aslam, Z.M.,Salim, Qureshi,R.H. and Sandhu G.R.(1987). Salt tolerance of Echinchola crusgalli, Biol.Plant.(Prague) 29(1): 66-69.
- Aspinall, D. and Paleg, L.G. (1981).Proline accumulation : Physiological aspects. In " Physiology and Biochemistry of Drought resistance in plants". Paleg, L.G. and Aspinall, D. (Eds.), Academic press,Sydney, PP. 205-241 and 411-466.
- Atkinson, M.R., Findlay, G.P., Hope, A.B., Pitman, M.G., Saddler, H.D.W.and West K.R. (1967). Salt regulation in mangrooves Rhizophora mucronata and Aegitalitis annula. Aust.J.Biol.Sci. 20: 589-599.
- Austenfeld, F.A. (1974). The effect of NaCl and other alkaline salts on the nitrate reductase activity of Salicornia europea L. Z. Pflanzenphysiol. 71: 288-296.
- Ayoub, A.T. (1977). Some primary features of salt tolerance in senna (Cassia acutifolia). J.Exp.Bot. 28: 492-494.
- Balasubramanian, V., Rajagopal, V., and Sinha, S.K. (1974). Stability of nitrate reductase under moisture and salt stress in some crops. Breeding Researches in Asia and Oceania, Indian J.Genet. 34A: 1055-1061.
- Ball,M.C. and Anderson, J.M. (1986). Sensitivity of photosystem II to NaCl in relation to salinity

- tollerence comparative studies with thylakoids of the salt tollerent Mangrove, Avicennia marina, and the salt sensitive pea, Pisum sativum. Aust.J.Plant.Physiol., 13 : 689-698.
- Bardzik, J.M., Marsh, H.V.J. and Havis, J.R. (1971). Effects of water stress on the activities of three enzymes in maize seedlings. Plant Physiol., 47: 828-831.
- Barlow, E.W.R., Boersma, L. and Young, J.L. (1976). Root temperature and soil water potential effect on the growth and soluble carbohydrate concentration of corn seedlings. Crop.Sci., 16 (1): 59-62.
- Barnett, N.M. and Naylor, A.W.(1966). Amino Acid and protein metabolism in bermunda grass during water stress. Plant Physiol., 49: 591-594.
- Basiouny, F.M. and Biggs, R.H. (1971). Uptake and translocation of iron in citrus. Proc.Fla.State.Hortic Sac., 84: 17-23.
- Baskin, C.C. and Baskin, J.M. (1974). Response of Astragalus tennesseensis to drought. Change in free amino acid and amides during water stress and possible ecological significance. Oecologia., 17 (1): 11-16.
- Bates, L.S., Waldren, R.P. and Teare, I.D. (1973). Rapid determination of free proline for water stress studies Plant and Soil., 39: 205-207.
- Beevers, L. and Hageman, R.H. (1969). Nitrate reduction in higher plants. Ann.Rev.Plant Physiol., 20: 495-522.
- Ben-Hayyim, G., Spiegel-Roy, P. and Neumann, H. (1985). Relation between ion accumulation of salt sensitive and isolated stable salt tolerant cell lines of Citrus aurantium Plant Physiol., 78: 144-148.
- Bernstein, L. (1975). Effect of salinity and sodicity on plant growth. Ann.Rev.Phytopathology. 13: 295-312.
- Bernstein, L. and Hayward, E.H. (1958). Physiology of salt tolerance. Ann.Rev.Plant Physiol., 9: 24-48.
- Bhatti, A.S. and Sarwar, G. (1977). Response of corn to micronutrients (Zn and Cu) on a saline soil. I Growth and ionic relationships. Plant and Soil. 48: 719-724.

- Bhivare, V.N. (1984). Physiological studies in pulses. A Ph.D. thesis submitted to Shivaji University, Kolhapur.(India).
- Billard, J.P. and Boucaud, J. (1982). Effect of sodium chloride on the nitrate reductase of Suaeda maritima var. macrocarpa. Phytochemistry, 21: 1225-1228.
- Blum, A. and Ebercon, A. (1976). Genotypic responses in Sorghum to drought stress III. Free proline accumulation and drought resistance. Crop.Sci., 16 (3) : 428-431.
- Boggess, S.F., Aspinall, D. and Paleg, L.G.(1976). Stress metabolism. IX. The significance of end product inhibition of proline biosynthesis and of compartmentation in relation to stress induced proline accumulation. Aust.J.Plant.Physiol., 3(3): 513-526.
- Boggess, S.F. and Steward, L.R., (1976). Contribution of arginine to proline accumulation in water stressed barley leaves. Plant Physiol.(Bethesda), 58(6) : 796 - 797.
- Bottacin, A., Cacco, G. and Saccomani, M. (1985). Nitrogen absorption and assimilation in NaCl resistant and NaCl-susceptible millet genotypes (Pennisetum americanum). Can.J.Bot., 63 : 517-520.
- Bourque, D.P. and Naylor, A.W. (1971). Large effects of small water deficits on chlorophyll accumulation and ribonucleic acid synthesis in etiolated leaves of jack bean (Canavalia ensiformis(L.) D.C.) Plant Physiol., 47: 591-594.
- Bowen, J.E. (1969). Absorption of Copper, Zinc and Manganese by sugarcane tissue. Plant Physiol., 44: 255-261.
- Brachet, and Bichaut, N.(1972). Influence of environmental moisture conditions on the phenol compound content in Calluna vulgaris L., C.R.Rebd.Seances.Acad.Sci.Ser.D.Sci.Nat., 275(19): 2137-2139.
- Bradshaw, A.D., McNeilly, T.S. and Gregory, R.P.G.(1965). Industrialization, evolution and the development of heavy metal tolerance in plants. In 'Ecology and the

- industrial society'. Goodman, E.G., Edwards, R.W. and Lambert, J.M.(Eds.). P. 327-343.
- Brag, H. (1972). The influence of potassium on the transpiration rate and stomatal opening in Triticum aestivum and Pisum sativum. Plant Physiol. 26: 250-257.
- Bunce, J. A. (1982). Effects of water stress on photosynthesis in relation to diurnal accumulation of carbohydrates in source leaves. Can.J.Bot. 60(3): 195-200.
- Chandra, S. and Chauhan, R.S. (1985). Free proline in barley, pearl millet and chickpea grown under soil salinity stress. Indian J.Genet.Pl.Breed. 43: 457-464.
- Chang, C.W. and Wetmore, J.A.(1986). Effect of water stress on starch and its metabolizing enzyme activities in cotton (Gossypium hirsutum cultivar coker 100) leaves. Starch Staerks. 38 (9): 313-313.
- Chang, C. W. and Dryan, R. (1987). Effect of water stress on starch and sucrose metabolism in cotton leaves. Starch Staerke. 39(3): 84-87.
- Chavan, P.D. (1980). Physiological studies in plants. Ph.D. Thesis submitted to Shivaji University, Kolhapur (India).
- Chavan, P.D. and Karadge, B.A. (1980-A). Influence of salinity on mineral nutrition of peanut (Arachis hypogea L.). Plant and Soil. 54: 5-13.
- Cheeseman, J.M. and Wickens, L.K. (1986). Control of Na⁺ and K⁺ transport in Spergularia marina, III. Relationship between ion uptake and growth at moderate salinity. Plant Physiol. 67 : 15-22.
- Chen, Y ., Zahavi, E., Bark, P. and Umiel, N. (1980). Effects of salinity stresses on tobacco. 1. The growth of Nicotiana tobaccum callus cultures under sea water, sodium chloride and mannitol stresses. Z. Pflanzenphysiol. 98 : 141-154.
- Chhabra, R., Singh, S.B. and Abrol, I.P. (1979). Effect of exchangeable sodium percentage on the growth, yield

- and chemical composition of sunflower (Helianthus annus L.). Soil Sci., 127: 242-247.
- Chimiklis, P.G. and Karlander, E.P. (1973). Light and calcium interactions in Chlorella inhibited by sodium chloride. Plant Physiol., 51 : 48-56.
- Choudhury, S. R. and Choudhuri, M.A. (1986). Proline accumulation under water deficit stress and its utilization following stress release in two Jute (Corchorus) species. Indian J. Exp. Biol., 24(9):605-607.
- Chu, T.M., Aspinall, D. and Paleg, L.G.(1976). Stress metabolism VII salinity and proline accumulation in barley. Aust. J. Plant Physiol., 3(2): 219-228.
- Chu, T.M., Aspinall, D. and Paleg, L.G. (1976). Stress metabolism : VIII Specific ions effects on proline accumulation in barley. Aust. J. Plant Physiol. 3(4): 503-512.
- Coughlan, S.J. and Wyn Jones, R.G.(1982). Planta(Berl.), 154 (1): 617.
- Crooke, W.M. (1956). Effect of soil reaction on uptake of nickel from a serpentine soil. Soil Sci., 81: 269-276.
- Curtis, P.S. and Lauchli, A. (1987). The effect of moderate salt stress on leaf anatomy in Hibiscus cannabinus (kenaf) and its relation to leaf area. Am. J. Bot., 74(4): 538-542.
- Curtis, P.S. and Lauchli, A. (1983). Responses of Kenaf (Hibiscus canabinus) cultivars to salt stress. Growth rates and solute partitioning. Plant Physiol.(Suppl.), 72 : 135 (Abstract No.774).
- Dahiya, S.S. and Singh, M. (1976). Effect of salinity, alkalinity and iron application on availability of iron, manganese, phosphorus and sodium in pea (Pisum savitum L.)crop. Plant and Soil, 44: 69-702.
- D'Arrigo, C.M. , Radaelli, L., Loppolo, A. and Sambuco, G. (1983). Sodium in mineral nutrition. II. effect of sodium chloride on the uptake of some trace elements by

- bean (Phaseolus vulgaris L.) plants. Agrochimica, 27: 165-172.
- De Leo, P. and Sacher J.A. (1970). Senescence: Association of synthesis of acid phosphatases with banana ripening Plant Physiol. 46(2): 208-211.
- Deshpande, R.G. (1981). Physiological studies in pulses of Maharashtra. A Ph.D.thesis submitted to Shivaji University, Kolhapur, (India).
- Dias, M.A. and Costa, M.M. (1983). Effect of low salt concentrations on nitrate reductase and peroxidase of sugar beet leaves. J. Exp. Bot. 142: 537-543.
- Divate, M.R. and Pandey, R.M. (1981). Salt tolerance in grapes. I. Effect of salinity on mineral composition in plants. Indian J. Plant Physiol. 24 : 361-365.
- Dixit, G.B., Chavan, P.D., Karadge, B.A. and Wadkar, P.R. (1986). In Annual Progress report on a research project "Cytophysiological studies in salt tolerance of Crotolaria L. species", submitted to C.S.I.R., New Delhi.
- Doering, J. & Luedder, P. (1986). Gartenbauwissenschaft, 51 (11): 21-26.
- Downton, W.J.S. (1978). Growth and flowering in salt tressed avocado tress. Aust. J. Agric. Res. 29(3): 523-534.
- Downton, W.J.S. and Loveys, B.R. (1978). Compositional changes during grape berry development in relation to abscisic acid salinity. Aust. J. Plant Physiol. 5: 415-423.
- Dreier, W. (1983). The content of proline and salt resistance of plants. Biol. Plant (Erague), 25(2):81-87.
- Dunham, R.T. and Nye P.H. (1976). The influence of soil water content on the uptake of ions by roots. III. phosphate, potassium and magnesium uptake and concentration gradient in soil. J. Appl. Ecol. 13(3): 967-984.
- Dwivedi, R., Snehi, A.R., Qadar, B. A. and Joshi, Y.D. (1982). Studies on salt resistant characters in graminoid facultative alkali halophytes. Plant Physiol. 3: 231-236.

- Eck, H.V. and Musick, J.T. (1979). Plant water stress effect on irrigated grain Sorghum II. Effects on nutrients in plant tissues. Crop.Sci., 19:592-598.
- El. Sharkawi, H.M., and Salama, F.M. (1977). Effect of drought and salinity on some growth contributing parameters in wheat and barley. Plant and Soil, 46(2): 423-433.
- El. Sharkawi, H.M., Salama, F.M. and Mazen, A.A. (1986). Photosynthetica, 20(2):204-211.
- EL. Shourbagy, M.N. and Missak, N.L. (1975). Effect of growing season and salinity on growth, mineral composition and seed-lipid characteristics of some Ricinus communis L. varieties. Flora (Jena) 164(1): 51-72.
- Epstein, E. (1972). Mineral nutrition of plants: Principles and perspectives. John Wiley and Sons Inc., New York, London, Sydney, Toronto.
- Erdei, L. and Kuiper, P.J.C (1979). The effect of salinity on growth, cation content, Na^+ uptake and translocation in salt sensitive and salt tolerant Plantago species. Plant Physiol., 47:95-99.
- Fageria, N.K.(1985). Salt tolerance of rice cultivars. Plant and Soil, 88: 237-243.
- Flin, A. M. and Smith, D.L. (1967). The localisation of enzymes in cotyledons of Pisum arvenses L. during germination. Planta, 75: 10-22.
- Flowers, T.J. (1972). The effect of sodium chloride on enzyme activities from four halophyte species of chenopodiaceae. Phytochemistry, 11 (6): 1881-1886.
- Flowers, T.J., Flowers S. A. and Greenway, H.(1986). Effect of sodium chloride on tobacco (Nicotiana tabacum) plants. Plant Cell Environ., 9(8): 645-652.
- Flowers, T.J., Torke, P.F. and Yeo, A.R.(1977). The mechanism of tolerance in halophytes. Ann.Rev.Plant Physiol., 28:89-121.
- Flowers, T.J. and Hall, J.L.(1978). Salt tolerance in the halophyte, Suaeda maritima (L.) Dum.: The influence of

- the salinity of the culture solution on the content of various organic compounds. Ann. Bot., 42: 1057-1063.
- Forde, S.C.M. (1972). Effect of dry season drought on uptake of radioactive phosphorus by surface roots of the oil palm. (Elaeis guineensis Jacq.). Agron. J., 64(5): 622-623.
- Ford, C.W. and Wilson, J. R. (1981). Changes in level of solutes during osmotic adjustment of water stress in leaves of 4 tropical pasture species. Aust. J. Plant Physiol., 8(1): 72-92.
- Folin, O. and Denis, W. (1915). A colorimetric estimation of Phenols (and phenol derivatives) in urine. J. Bio. Chem., 22: 305-308.
- Foy, C.D., Chaney, R.L. and White, M.C. (1978). The physiology of metal toxicity in plants. Ann. Rev. Plant Physiol., 29: 511-566.
- Frota, J.N.E. and Tucker, T.C. (1978). Absorption rates of ammonium and nitrate by red kidney beans under salt and water stress. Soil Sci. Soc. Am. J., 42 (5): 753-756.
- Fukutoku, Y. and Yoshio, Y. (1981). Sources of proline nitrogen in water stressed soyabean (Glycine max). Plant Cell Physiol., 22(8): 1397-1404.
- Gaikwad, S.A. (1987). Studies in physiology of drought resistance in Moth bean (Phaseolus aconitifolius Jacq.) M. Phil Thesis submitted to Shivaji University, Kolhapur (India).
- Gaikwad, S. G. (1989). Physiological studies in Millets, Ph.D. Thesis submitted to Shivaji University, Kolhapur (India).
- Gates, C.T. (1968). The effect of water stress on plant growth. J. Aust. Inst. Agr. Sci., 30: 3-22.
- Giller, P. (1969). Secondary effects of drought on groundnuts (Arachis hypogea). Oleagineux., 24(2): 79-81.
- Gilmore, A.R. (1971). Effect of soil moisture stress on folliar nutrients of lobiolly pine. Trans. I ll. State Acad. Sci., 64 (4): 313-316.

- Goas, M. (1968). Contribution to the study of nitrogenous metabolism of halophytes. Amino acids and free amides of Aster tripolium L. in aqua culture. C.R. Academy Sc. (Paris), D-265: 1049 - 1052.
- Gorden, L. K. and Bichurina A.A. (1970). Certain features of respiratory metabolism of plants under conditions of an increasing water deficiency. Do. Acad. Nauk. SSSR. Scr. Biol., 192 (6) : 1384 - 1986.
- Gorham, J. E., McDonnell, E. B. and Wyn Jones, R.G. (1984). Salt tolerance in the Triticeae: Leymus sabulosus. J. Exp. Bot., 35(157): 1200-1209.
- Gorham, J.E. , Mc. Donnell, E.B. and Wyn Jones, R.G. (1985). Salt tolerance in the Triticeae : Growth and solute accumulation in leaves of Thinopyrum bessarabicum. J. Exp. Bot., 36: 1021-1031.
- Goyal, A., Rathore, V. S. and Kochhar, V.K. (1985). Effect of water stress on photosynthesis, proline accumulation and nitrate reductase activity in leaves of three genotypes of rice (Oryza sativa). Indian J. Agric. Res., 19(4) 215 - 224.
- Greenway, H., Hughes, P.G. and Klepper, B. (1969). Effect of water deficit on phosphorus nutrition of tomato plants. Physiol. Plant, 22 : 199-207.
- Greenway, H, and Munns, R. (1980). Mechanisms of salt tolerance in nonhalophytes. Ann. Rev. Plant Physiol., 31: 149-190.
- Guggenheim, J. and Waisel, Y. (1977). Effect of salinity, temperature and nitrogen fertilization on growth and composition of Rhodes grass (Chloris gayana Kunth). Plant and Soil, 47: 431-440.
- Guillen, M.G., Caro, M., Fernandez, F.G. and Cerda, A. (1978). Foliar composition of citrus seedlings irrigated with saline waters. Commun. Sci. Plant. Anal., 9: 595-606.
- Gupta, G. N., Prasad, K.G., Mohan, S. and Manivachakam, P. (1986). Salt tolerance in some tree species at seedling stage. Indian For., 112(2):101-103.

- Gururaja, R. G. and Rajeshwara, R.G. (1981). Pigment composition and chlorophyllase activity in pigeon pea (Cajanus indicus) and gingelly (Sesamum indicum) under sodium chloride salinity. India J. Exp. Biol., 19 (81): 768-770.
- Hageman, R.H., Leng, E.R., and Dudley, J.W. (1967). A biochemical approach to corn breeding. Adv. Agron., 19: 45-86.
- Hajrasuliha, S. (1980). Accumulation and toxicity of chloride in bean plants. Plant and Soil, 55: 133-138.
- Hallsworth, E.G., Wilson, S.B. and Greenwood, E.A.N. (1960). Copper and cobalt in nitrogen fixation. Nature, 187: 79-80.
- Hamid, A and Talibudeen, O. (1976). Effect of Na on the growth of and ion uptake by barley, sugarbeet and broad beans. J. Agric. Sci., 86(1): 49-56.
- Hansen, D.J., Dayanandan, P., Kaufman, P.B. and Brotherson, J.D. (1976). Ecological adaptations of salt marsh grass Distichlis spicata (Gramineae) and environmental factors affecting its growth and distribution. J. Bot., 63: 635-650.
- Hassan, N.A.K., Drew, J.V., Khudsen, D. and Olson, R.A. (1970). Influence of soil salinity on production of dry matter and uptake and distribution of nutrients in barley and corn. I. Barley (Hordeum vulgare). Agron. J., 62: 43-45.
- Hegde, B.A. and Patil, T.M. (1982). Effect of salt stress on the structure and mechanism in a noxious weed Parthenium hysterophorus L. Weed Res., 22(1): 51-56.
- Heikal, M.M.D. (1976). Physiological studies on salinity :2. Effect of NaCl on growth and photosynthetic pigments of kidney bean plants, raised in culture solution. Bull. Fac. Sci. Assiut Univ., 5 (1): 17-30.
- Herbert, D. (1955). Catalase from bacteria. In. "Methods in Enzymology", Vol. II. pp.784-786. Academic Press., New York.

- Hewitt, E.J.(1970). Physiological and biochemical factors which control the assimilation of inorganic nitrogen supplies by plants, In. "Nitrogen Nutrition of the Plant" Kirkby, E. A. (Ed.) pp. 78-103. The University Leeds.
- Heuer, B. and Plaut, Z. (1979). Bul. Mërkazj Volcani, Minhal Ha Mechker Ha Charkalni (Bet Dagen, Isr.), 216,pp 138.
- Ho, S.T., Chen, W. S. and Liu, W. F. (1984). Accumulation of free proline in sugarcane leaves under water stress. Rep.Taiwan Sugar Res.Inst., Q(105): 1-12.
- Hsiao, T.C. (1973). Plant responses to water stress. Ann.Rev.Plant Physiol., 24: 519-570.
- Hsiao, T.C., Acevedo, E., Fereres, F. and Henderson, D.W.(1976). Water stress, growth and osmotic adjustment Phil.Trans.R.Soc.Lond.B., 273: 479-500.
- Huffaker, R.C., Radin, T., Kleinkoff, G.E. and Cox, E.L. (1970). Effects of mild water stress on enzymes of nitrate assimilation and of the carboxylative phase of photosynthesis in barley. Crop.Sci., 10: 471-474.
- Ilahi, I. and Doerffling, K. (1982). Changes in abscisic acid and proline levels in maize varieties of different drought resistance. Physiol Plant., 55(2): 129-135.
- Iljin, W.S.(1923). Der Einfluss des Wassermanges auf die Kohlenstoff-assimilation durch die Pflanzen.Flora (Jena), 116: 393-408.
- Ivanova, S.M. and Karakash, L.A.(1965). The effect of inadequate aeration and soil moisture on the metabolism and the content of mobile and bound iron in apple trees. Ref.Zh.Biol., 9(59): 21-30.
- Jadhav (1984). Physiological studies in prosomillet (Panicum miliaceum L.). Shivaji University Kolhapur. (India).
- Jaeger, H. J. and Meyer, H.R. (1977). Effect of water stress on growth and prolein metabolism of Phaseolus vulgaris L. Oecologia (Berl), 30(1): 83-86.

- Jaworski, E.G. (1971). Nitrate reductase assay in intact plant tissues. Biochem. Biophys. Res. Commun., 43: 1274-1279.
- Jeschke, W. D., John, S. P. and Atkins, C. (1986). Effects of sodium chloride salinity on growth, development, ion transport and ion storage in white lupine (Lupinus albus cultivar. Ultra). J. Plant Physiol., 124(3/4): 257-274.
- Jones, M. M., Turner, N. C. and Osmond, C. B. (1981). Mechanisms of drought resistance. In "The Physiology and Biochemistry of Drought Resistance in Plants". L.G. Paleg and D. Aspinall, (Eds.) Academic Press, New York.
- Joolka, N. K., Singh, J. P. and Khera, A. P. (1977). Mineral composition of grape as affected by chloride and sulphate salts of sodium in soil. Indian J. Agric. Sci., 47: 201-203.
- Joshi, G.V., Dolan, T., Gee, R. and Saltman, P. (1962). Sodium chloride effect on dark fixation of CO₂ by marine and terrestrial plants. Plant Physiol., 37: 446-449.
- Joshi, G. V. (1973). Soil and plant relationship in the plants of the saline soils of the deccan. In "Symposium on Deccan Trap Country". 1968. Bull. Ind. Sci. Acad., 45: 30-38.
- Joshi, G. V. (1975). Physiology of salt tolerance in plants, Biovigyanam, 1: 21-39.
- Joshi, S. S. (1984). Effects of salinity stress on organic and mineral constituents in the leaves of pigeonpea (Cajanus cajan L. Var. C-11). Plant and Soil, 82: 69-76.
- Joshi, H. (1985). Influence of clipping and water stress on growth performance and nutrient value of Poa pratensis. Indian J. Ecol., 12(2):228-237.
- Jyung, W.H., Ehmann, A., Schlender, K.K. and Scala, A. (1975). Zinc nutrition and starch metabolism in Phaseolus vulgaris L. Plant Physiol., 55: 414-420.

- Kabisheva, T.Z., Klyshev, L.K., Rakova, N.M., Alikulov, Z.A., L'Vov, N.P. and Kretovich, V.L. (1981). Prikl. Biokhim. Mikrobiol. 16(6): 819-823.
- Kabuzenko, S.N. and Ponomareva, S.A. (1980). Chloride salinization effect on polysaccharide content and respiration intensity of crops different in salt resistance. Fiziol. Biokhim. Kult. Rust. 12(6): 620-624.
- Kale, S. and Singh, N. (1987). Effect of NaCl on chlorophyll content and photosynthesis. Dec, 30 to Jan, 1. "Abst. Natl. Seminar in Plant Physiol, Dharwad". pp.48.
- Kar, M. and Mishra, D. (1975). Inorganic pyrophosphatase activity during rice leaf senescence. Can. J. Bot. 53(5): 503-511.
- Karadge, B.A. (1981). Physiological studies in succulents. Ph.D. Thesis submitted to Shivaji University, Kolhapur (India).
- Karadge, B.A. and Chavan, P.D. (1980). "Physiological studies on salt tolerance in groundnut". Report of UGC Minor Research Project 8828/77, Shivaji University, Kolhapur (India).
- Karadge, B.A. and Chavan P.D. (1981). Salt tolerance studies in groundnut (Arachis hypogea L.) Var. TMV-10. Biovigyanam. 7(2): 137-144.
- Karadge, B.A. and Chavan P.D. (1983). "Physiological studies in salinity tolerance in Sesbania". Report of the Shivaji University Kolhapur, Research Project (SU/MTG/17982).
- Karadge, B.A. and Joshi G.V. (1983). Mineral composition, organic constituents and some enzyme systems of salt stressed Portulaca oleracea Linn. Biovigyanam. 9:125-132.
- Karamanos, A.J. (1978). Water stress and leaf growth of field beans (Vicia faba, L.) in the field. Ann. Bot. (Lond) 42(182): 1393-1402.
- Karmarkar, S.M. and Joshi, G.V. (1969). Mineral constituents of Bryophyllum pinnatum and their correlation with

- Crassulacean Acid Metabolism. J.Univ.Bombay, 65: 73-78.
- Khalid, M. and Malik, K. A. (1987). Salt tolerance studies on Atriplex rhagodiodes F. Muell. Environ.Expt.Bot., 27(1): 119-125.
- Kishore, D.K., Pandey, R.M. and Singh, R. (1986). Effect of salt stress on proline content of Perlette grapevines. Indian J.Plant Physiol., 29(2): 137-143.
- Kleinkopf, G.E., Wallace, A. and Cha, J.W. (1975). Sodium relations in desert plants: 4. Some physiological responses of Atriplex confertifolia to different levels of sodium chloride. Soil Sci., 122: 45-48.
- Kongstrud, K.J. (1969). Effect of soil moisture tension on growth and yield in black currents and apples. Acta Agro.Scand., 19(4): 245-247.
- Krishnamoorthy, H.N. and Siddique, S. (1985). Effect of salinity and B-nine on Vigna unguiculata (Cowpea Var. HFC-42-1). National Seminar on plant physiology, BHU, Varanasi, Feb. 21-23, 1985. Abstract, pp. 66-67.
- Krishnamurthy, R., Anbazhagan, M. and Bhagwat, K. A. (1987). Effect of sodium chloride toxicity on chlorophyll breakdown in rice. Indian J.Agric.Sci., 57(8): 567-570.
- Kulkarni, H. D.(1984). Physiological studies in moth bean (Phaseolus aconitifolius Jacq.) growth and mineral nutrition. M.Phil. thesis submitted to Shivaji University, Kolhapur (India).
- Kunjamma, H.R. (1983). Germination studies in Finger Millet (Eleusine coracana Gaertn.) M.Phil. Thesis submitted to Shivaji University, Kolhapur (India).
- Kunno, S.J. Fukui and Ojima M.(1964). Influence of soil moisture conditions on the chemical composition and seed formation of soybean plants. Bull.Nat.Inst.Agr.Sci D., 11: 111-149.
- Laforet, M.T. and Thomas, E.(1956). The effect of cobalt on haemosynthesis by bone marrow in vitro. J.Biol.Chem., 218 : 595-601.

- Lal, R.K. and Bhardwaj, S.N. (1984). Effect of salinity on mineral composition and ionic balance in field pea (Pisum sativum Linn. Var. arrensisis.). Indian J. Plant Physiol., 27: 351-354.
- Larsen, H. (1967). Biochemical aspects of extreme halophilism. Advan. Microb. Physiol., 1: 97-132.
- La Haye, P.A. and Epstein, E. (1969). Salt toleration by plants. Enhancement with calcium. Science., 166: 395-396.
- Laszlo and Kuiper, P.J.C. (1979). The effect of salinity on growth, cation content, Na^+ uptake and translocation in salt sensitive and salt-tolerant Plantago species. Physiol. Plant., 47: 95-99.
- Lawlor, D.W. and Milford, O.F.J. (1973). The effect of sodium on growth of water stressed sugarbeet. Ann. Bot., 37(151): 597-604.
- Lawlor, D.W. and Fock, H. (1977). Water stress induced changes in the amounts of some photosynthetic assimilation products and respiratory metabolites of sunflower leaves. J. Expt. Bot., 28(103): 329-337.
- Lee, K.C., Campbell, R.W. and Paulsen, G.M. (1974). Effect of drought stress and succinic acid, 2,2, dimethylhydrazide treatment on water relations and photosynthesis in pea seedling. Crop. Sci., 14(2): 279-282.
- Lessani, H. and Marschner, H. (1978). Relation between salt tolerance and long distance transport of sodium and chloride in various crop species. Aust. J. Plant Physiol., 5: 27-37.
- Levitt, J. (1956). Significance of hydration of the state of protoplasm. in "Hand-buch der Pflanzenphysiologie" Ruhland, W. Band III. pp. 650-651. Springer-Verlag, Berlin.
- Levy, Y. (1980). Field determination of free proline accumulation and water stress in lemon trees (Citrus limon). Hort. Sci., 15: 302-303.

- Ljunger, C. (1973). Further investigation on the nature of the heat resistance of thermophilic bacteria. Physiol Plant. 28: 415-418.
- Lowry, O.H., Rosebrough, N.J. Farv, A L. and Randall, R.J. (1950). Protein measurement with the folin phenol reagent. J.Biol.Chem. 193: 262-275.
- Lynch, J, Epstein, E. and Lauchli, A. (1982). Sodium ion-potassium ion relationship in salt stressed barley. Plant Nutr.Proc.Inst.Plant Nutr.Colloq. 9th. 11: 347-352.
- Maas, E.V., Ogata, G. and Garber, M.J. (1972). Influence of salinity on Fe, Mn and Zn uptake by plants. Agron.J. 64: 793-795.
- Maas, E.V. and Nieman, R.H. (1978). Physiology of plant tolerance to salinity. In "Crop tolerance to suboptimal land conditions". ASA CSSA SSSA pp. 277-299.
- Maehly, A.C. (1954). In "Methods of Biochemical Analysis". D.Gick (Ed.) Interscience Inc.New York. I: 385-386.
- Makrides, S. C. and Goldthwaite, J. (1981). Biochemical changes during bean (Phaseolus vulgaris) cultivar (Dwarf Horticultural Bush) leaf growth, maturity and senescence. Content of DNA, polyribosomes, ribosomal RNA, protein and chlorophyll. J.Exp.Bot. 32 (129): 725-736.
- Malakondaiah, N.and Rajeswar, R. G. (1980). Effect of folier application of phosphorus on chlorophyll content, Hill reaction, Photophosphorylation and $^{14}\text{CO}_2$ fixation under salt stress in peanut plants. Photosynthetica. 14(1): 17-21.
- Malik, A. K. and Shaukat, S.S. (1986). Effect of sodium chloride salinity on growth and peroxidase activity in Triticum aestivum cultivar Chanab 70. Pak.J.Bot. 18(1): 29-36.
- Maranville, J.W. and Paulsen, G.M (1970). Alteration of carbohydrate composition of corn (Zea mays L.) seedlings during moisture stress. Agron.J. 62(5). 605-608.

- Martinez, C. R. and Sanchez, L., De la, P. (1979). Growth, yield and mineral nutrition of strawberry under water deficits at various stages of development. An. Edafol. Agrobiol. 38(11-12) : 2195-2206.
- Martinez, V., Cerda, A. and Fernandez, F.G. (1987). Salt tolerance of four tomato hybrids. Plant and Soil. 97: 233-242.
- Matar, Y., Doering, H.W. and Marschner, H. (1975). Effect of NaCl and Na₂SO₄ on dry matter production, mineral content and organic compounds of spinach and lettuce. Z. Pflanzennaehr Bodenkd. 3: 292-307.
- Mattas, R.E. and Pauli, A.W. (1965). Trends in nitrate reduction and nitrogen fractions in young corn (Zea mays L.) plants during heat and moisture stress. Crop. Sci. 5: 181-184.
- May, L. H. and Milthorp, F. L. (1962). Drought resistance of crop plants. Field Crop. Abstr. 15: 171-179.
- Maximov, N.A. (1929). Internal factor of frost and drought resistance in plants. Protoplasma. 7: 259-291.
- McMichael, B.L. and Elmore, C.D. (1977). Proline accumulation in water stressed cotton leaves. Crop. Sci. 17(6): 905-908.
- Mengel, K. and Von Braunschweig, L.C. (1972). The effect of soil moisture upon the availability of potassium and its influence on the growth of young maize plants. (Zea mays L.) Soil. Sci. 114(2): 142-148.
- Mengel, K. and Krikby, E.A. (1980). Potassium in crop production. In "Advances in Agronomy". 33. pp. 59-103. Academic Press, New York.
- Mishra, D., Dash, K. C. and Mohopatra, B. (1978). Physiol. Ecol. Plant., 328-338.
- Molokov, V.G., Vakovlev, B.V. and Aleshin, B.P. (1973). Activity of cytochrome oxidase, polyphenol oxidase and peroxidase in rice seedlings during substrate salinization. Fiziol. Rast. 20(6):1170-1175.
- Mukharjee, U., Agrawal, N. and Sahai, R. (1982). Effect of salinity on seed germination, seedling establishment

- and growth behaviour of Phaseolus lunatus. Indian J. Bot., 5(2): 166-170.
- Muriel, J.L. and Guerra, J.M. (1984). Free proline and reducing sugars in water stressed sunflower leaves was studied to know its relationships and difference due to drought tolerant plant characters. An. Inst. Nac. Invest. Agrar. Ser. Agric., Q(26): 39-46.
- Murumkar, C.V. (1986). Physiological studies in chickpea (Cicer arietinum L.). Ph.D. thesis submitted to Shivaji University, Kolhapur (India).
- Naik, G.R. and Joshi, G.V. (1983). Ineffectual role of proline metabolism in salt-stressed sugarcane leaves. Proc. Indian Acad. Sci. Plant. Sci., 92(3): 265-270.
- Narasgaudar, N.A., Chavan, P.D. and Karadge, B.A. (1979). Germination of Sorghum vulgare Pers. under saline conditions. Geobios., 6: 327-328.
- Nasr, T.A., El-Azab, E.M. and EL-Shurafa, M.Y. (1977). Effect of salinity and water table on the mineral content of plum and peach. Sci. Hortic., 7(4): 347-358.
- Nelson, N. (1944). A photometric adaptation of the Somogyi method for the determination of glucose. J. Biol. Chem. 153: 375 - 380.
- Nigwekar, A. S. and Chavan, P. D. (1987). The influence of sodium chloride salinity on the growth and mineral nutrition of horse gram (Dolichos biflorus L.). Acta. Soc. Bot. Pol., 56(1): 93-100.
- Nimbalkar, J.D. and Joshi, G. V. (1975). Effect of increasing salinity on germination, growth and metabolism of sugarcane - var. CO 740. J. Biol. Sci., 18: 55-63.
- Nir, I, and Poljakoff- Mayber, A. (1966). The effect of water stress on the activity of phosphates from Swiss Chard chloroplasts. Isr. J. Bot., 15: 12-16.
- Norlyn, J.D. and Epstein, E. (1983). Variability in salt tolerance and mineral nutrition of four Triticale lines at emergence. Plant Physiol (Suppl.), 72: 135 (Abstract No. 773).

- Ohki, K. (1977). Manganese and Zinc status related to maximum growth for selected agronomic crops. Proc.Int.Seminar Soil Environment and Fertility Management in Intensive Agriculture. Tokyo, P.659-668.
- Osmond, C. B. (1963). Oxalates and ionic equilibria in Australian salt bushes(Atriplex). Nature, 198:503-504.
- Osonubi, O. (1984). Effect of water stress on leaf and root growth and water uptake of Gmelina arborea seedlings. Biol.Plant(Prague), 26(4): 246-252.
- Palfi, G., Koves, E., Bito, M. and Sebestyen, R.(1974). The role of amino acids during water stress in species accumulating proline. Phyton.Rev.Int.Bot.Exp. 32(2): 121-128.
- Paliwal, K.V. and Maliwal, G.L.(1972). Effects of salts on the growth and chemical composition of okra (Abelmoschus esculentus) and sponge gourd (Luffa cylindrica). J.Hortic.Sci. 47: 517-524.
- Pandey, D.P.and Kannan, S. (1979). Effects of sodium chloride pretreatment on cation absorption by bean plants. Z.Pflanzenphysiol. 92: 91-94.
- Pande, H.K. and Singh, P. (1969). Effect of moisture and nitrogen on growth yield and mineral content of rice. Ex.Agric. 5(2): 125-132.
- Parao, F.T. and Paningbatan, E. (1976). Drought resistance of rice varieties in relation to their root growth. Phillipp.J.Crop.Sci. 1(1): 50-55.
- Parker, J.(1970). Effect of defoliation and drought on root food reserves in sugar maple seedlings. U.S.Forest Serve.Res.Rap.N.C. 169: 1-8.
- Passera, C. and Albuzio, A. (1978). Effect of salinity on photosynthesis and photorespiration of two wheat species (Triticum durum CV. PEPE 2122 and Triticum aestivum CV. Manzotto). Can.J.Bot. 56(1): 121-126.
- Patil, M.H. (1984). Physiological studies of salt tolerance in groundnut and Sesbania grandiflora. M.Phil.thesis submitted to Shivaji University, Kolhapur. (India).

- Patil, P.K. and Patil, V.K. (1983). J.Hortic.Sci. 58(1): 141-146.
- Plaut, Z. (1974). Nitrate reductase activity of wheat seedlings during exposure to and recovery from water stress and salinity. Physiol Plant , 30(3): 212-217.
- Poljakoff - Mayber, A., Bar-Nun, N., Hasson, E. and Heichel, O. (1981). Respiratory carbohydrate metabolism of different pea varieties under saline conditions. Bot Gaz. 142: 431-437.
- Price, C. A. (1968). Iron compounds and plant nutrition. Ann.Rev.Plant Physiol. 19: 239-248.
- Price, C. A., Clark, H. E. and Funkhouser, H. E. (1972), Functions of micronutrients in plants. In "Micronutrients in Agriculture". Soil.Sci.Soc.America, Madison/Wisconsin, p. 731-742.
- Priebe, A. and Jaeger, H. J. (1978). Influence of NaCl on growth and ion content of plants differing in salt tolerance. Angew.Bot. 52(5/6): 331-342.
- Rahman, A. E., Shalaby, A.F. and El-Monayeri, M. O. (1971). Effect of moisture stress on metabolic products and ion accumulation. Plant and Soil, 34:65-90.
- Rahman, A.E., Shourbagy, M.N. and Manayeri, M.O.(1972). Salinity effects on carbohydrates and ion contents in some desert fodder plants. Bull.Fac.Sci.Cairo Univ. 45: 79-96.
- Rains, D.W. and Epstein, E. (1967). Sodium absorption by barley roots: Role of the dual mechanisms of alkali cation transport. Plant Physiol. 42 : 314-318.
- Rajgopal, V. V., Balasubramanian, V. and Sinha, S.K. (1977). Diurnal fluctuations in relative water content, nitrate reductase and proline content in water-stressed and non-stressed wheat. Physiol Plant , 40(1): 69-71.
- Rajmane, N.A. (1984). Physiological studies in tropical legumes. (Physiological studies in Psophocarpus tetragonolobus L.). Ph.D. Thesis submitted to Shivaji University, Kolhapur (India).

- Ramati, A., Lipschitz, N. and Waisel, Y. (1979). Osmotic adaptation in Panicum ripens. Difference between organs, cellular and subcellular levels. Physiol. Plant, 45(3): 325-331.
- Rao, A. S. and Nainawatee, H.S.(1980). Water-stressed associated proline accumulation in wheat seedlings. Haryana Agric. Univ. J. Res., 10(3): 365-368.
- Rao, G. G. and Rao, R. G. (1981). Pigment composition and chlorophyllase activity in pigeonpea (Cajanus indicus) and gingelly (Sesamum indicum) under NaCl salinity. Indian J. Exp. Bot., 19(8): 768-770.
- Ravikovitch, S. and Yoles, D. (1971). The influence of phosphorus and nitrogen on millet and clover growing in soils affected by salinity. II. Plant composition. Plant and Soil, 35: 569-588.
- Reddy, M. P. and Vora, A. B. (1985a) Effect of salinity on germination and free proline content of bajra (P. typhoides) seedlings. Proc. Indian Nat. Sci. Acad. Part B. Biol. Sci., 49: 702-705.
- Reddy, M.P and Vora, A.B. (1986). Changes in pigment composition, Hill reaction activity and saccharides metabolism in bajra (Pennisetum typhoides) leaves under sodium chloride salinity. Photosynthetica (Prague), 20(1): 50-55.
- Reddy, M.P. and Vora A.B. (1986). Salinity induced changes in pigment composition and chlorophyllase activity of wheat. Indian J. Plant Phusiol., 29(4): 331-334.
- Richards, L. A. and Wadleigh, C. H. (1952). Soil water and plant growth. In "Soil physical conditions and plant growth". E.T. Shaw (Ed). pp. 73-251. Academic Press, New York.
- Roland, A. (1975). Salt regulation of halophytes. Oecologia, 21: 57-71.
- Rozema, J. (1975). An ecophysiological investigation into the salt tolerance of Glaux maritima L. Acta. Bot. Neerl., 24: 407-416.

- Rozema, J. (1976). An ecophysiological study on the response to salt of four halophytic and glycophytic Juncus species. Flora, 165: 197-209.
- Rush, D.W. and Epstein, E. (1976). Genotypic responses to salinity. Difference between salt sensitive and salt tolerant genotypes of the tomato. Plant Physiol. 57(2): 162-166.
- Safaralliev, P. M., L'Vov, N. P., Mardanov, A. A. and Kretovich, V.L. (1984). Fiziol.Rast. 31(4): 658-665.
- Sakanaue, Y. and Iguchi, T. (1968-b). Effect of moderate or low soil moisture at vegetative stages on the growth and mineral uptake of rice. Nippan.Dojo.Hirvyogaku.Zasshi. 39: 214-218.
- Samuilov, F.D. and Lebedeva, O.L.A. (1973). Phosphorus compounds in corn roots under unfavourable conditions of moistening. Fiziol.Biokh.Im.Kutt.Ras. 5(3):247-251.
- Samules, S. (1972). Influence of water stress or deficiency on leaf-nutrient content and plant growth in sugarcane and other crops. J.Agric.Univ.P.R. 56(1): 81-84.
- Sanchez, R. A. A., Hall, J., Trapani, N. and Dehunau R.C. (1983). Effect of water stress on the chlorophyll content, nitrogen level and photosynthesis of leaves of 2 maize (Zea mays) genotypes. Photosynth.Res. 4(1):35-48.
- Sankhla, N. and Huber, W. (1975). Effect of salt and abscisic acid on invivo activity of nitrate reductase in seedlings of Phaseolus aconitifolius. Z.Pflanzen Physiol. 76(5), 467-470.
- Savitskaya, N.N. (1976). On the physiological role of proline in plants. Biol.Nauki (Moscow), 19: 49-61.
- Schmid, P. P. S. and Feucht, W. (1986). Carbohydrates, chlorophyll, proline and polyphenols in leaves of cherry combinations (Prunus arium L. on Prunus cerasus L.) showing different stress symptoms. Angew.Bot. 60(5/6): 365-372.

- Schmid, W.E., Haag, H.P. and Epstein, E. (1965). Absorption of zinc by excised barley roots. Physiol Plant, 18: 860-869.
- Schobert, B. (1977). Is there an osmotic regulatory mechanism in algae and higher plants? J.Theor.Biol., 68: 17-26.
- Sekine, T., Sasakawa, T., Morita, S., Kimura, T. and Kuratomi, K. (1965). Cf. laboratory manual for physiological studies of rice. Toshida, S., Forno, D., Cook, J. H. and Gomez, K. A. (Eds.). The International Rice Research Institute, Manila, 1972.
- Shaner, D.L. and Boyer, J.S. (1976a). Nitrate reductase activity in maize (Zea mays L.) leaves. I. Regulation by nitrate flux. Plant.Physiol., 58: 499-504.
- Shaner, D.L. and Boyer, J.S. (1976 b). Nitrate reductase activity in maize (Zea mays L.) leaves. II. Regulation by nitrate flux at low leaf water potential. Plant Physiol., 58: 505-509.
- Sharma, S. K. and Gupta, I. C. (1986). Saline environment and plant growth occurrence and properties of salt affected soils in India. Agro.Bot.Publisher. (India), p 1-20.
- Shimomurg, K. (1967). Effect of soil moisture on the growth and nutrient absorption of grapes. Acta.Agron.Acad. Sc.Hung., 16(1/2): 209-216.
- Shimose, N. (1973). Salt tolerance of crops. Jap.Agric.Res. Quarterly. 7: 178-184.
- Shkolnik, M.Y. (1984). Trace elements in plants. Development in crop science. Elsevier, Amsterdam-Oxford - New York - Tokyo. p. 236.
- Shourbaggy El, M.N. and Missak, N.L. (1975). Effect of growing season and salinity on growth, mineral composition and seed lipid characteristics of some Ricinus communis L. varieties. Flora(Jena)., 164: 51-72.
- Singh, S. and Singh, K. K. (1970). Effect of soil moisture conditions and potassium application on the chemical

- composition of the leaf of rice plant at different stages of growth and development. Proc.Nat.Acad.Sci.India. 40(3): 285-295.
- Singh, T.N., Paleg, L.G. and Aspinall, D. (1973). Stress metabolism III. Variations in response to water deficit in the barley plant. Aust.J.Biol.Sci. 26(1): 65-76.
- Singh, P.N. and Prasad, R. (1979). Effect of water stress on uptake and translocation of certain mineral elements. Natl.Acad.Sci.Lett.(India)., 2(6): 211-212.
- Singh, P.N. and Prasad, R. (1980). Water stress effects on growth and organic acid metabolism in groundnut (Arachis hypogea). Geobios (Jodhpur)., 7(1): 14-17.
- Singh, G. and Rai, V. K. (1981). Free proline accumulation and drought resistance in Cicer arietinum. Biol.Plant (Prague). 23(2): 86-90.
- Singh, G. and Rai, V. K. (1983). Responses of 2 Cicer arietinum cultivars with differential sensitivities to water stress. Soluble sugars and drought resistance. Indian.J.Ecol. 1012: 264-269.
- Singh, G. and Jain, S. (1983). Indian J.Plant Physiol. 25(2): 167-179.
- Sinha, S.K. and Nicholas, D. J. D. (1981). The physiology and biochemistry of drought resistance in plants. Paleg, L.G. and Aspinall, D. (Eds.) Academic press, London.
- Slatyer, R.O. (1969). Physiological significance of internal water relations in crop yield. In "Physiological aspects of crop yield". Eastin J. D. (Eds.) p.p. 53-79. Amer.Soc.Agron.Madison,Wiscnsin.
- Soufi, S. M. and Wallace, A. (1982). Sodium relations in desert plants: 8-Differential effects of NaCl and Na₂SO₄ on growth and composition of Atriplex hymenelytra (Desert Holly). Soil.Sci. 134: 69-70.
- Spyropoulos, C. and Marrommatis, M. (1978). Effect of water stress on pigment formation in Querus species. J.Exp.Bot. 20(109): 473-478.

- Starck, Z. and Kozinska, M. (1980). Effect of phytohormones on absorption and distribution of ions in salt stressed bean plants. Acta Soc. Bot. Pol., 49: 111-126.
- Steiner, M. (1935). Zur oekologie der Salzmasschen der nordostlichen vereinigten staaten von nordamerica Jahrl. Wiss. Bot., 81: 94-202.
- Stewart, J.D. and Hungate, F. P. (1966). Effect of soil moisture on uptake and translocation of ^{137}Cs , potassium ^{45}Ca and ^{85}Sr in Phaseolus vulgaris var. Red kidney. In "Proceed of International Symposium on Radiological concentration processes". 25-29, April, 1966. Stockholm Swed. Pergamon Press London 399-407.
- Stewart, C.R. (1971). Effect of wilting on carbohydrates during incubation of excised bean leaves in the dark. Plant. Physiol., 48: 792-794.
- Stewart, G.R. and Lee, J.A. (1974). The role of proline accumulation in halophytes. Planta., 120: 279-289.
- Storey, R. and WynJones, R. J. (1978). Salt stress and comparative physiology in the Gramineae. IV. Comparison of salt stress in Spartina townsendii and three barley cultivars. Aust. J. Plant Physiol., 5: 839-850.
- Strogonov, B.P. (1964). Physiological basis of salt tolerance of plants. Academy of Sciences of the U.S.S.R. Trans. A. Poljakoff Mayber, A.M. Meyer, Israel Program Sci. Trans. Jerusalem.
- Strogonov, B.P., Kabanov, V.V., Sherijakova, N.I., Lapina, L.P., Komizerko, E.I., Popov, B.A., Dostanova, R.Kh. and Prykhodiko, L.S. (1970). Structure and function of plant cells under salinity, Nauka, Moskva.
- Takeshi, T. (1966). Relationship between drought tolerance and being in higher plants. I. Mineral content. Bot. Mag. (Tokyo), 79(938): 414-421.
- Tal Katz, M.A., Helkin, H. and Dehan, K. (1979). Salt tolerance in the wild relatives of the cultivated tomato. Proline accumulation in Lycopersicon esculentum Mill., L. peruvianum Mill. and Solanum pennellii. New Phytol., 82(2): 349-356.

- Talha, M., Rudwan, A.S. and Negh, S. (1975). The effect of soil moisture deficit on growth and alkaloid content of Carthamus roseus. G.Don.Curr.Sci. 44(17): 614-616.
- Tan, B.H. and Halloran, G.M. (1982). variation and correlation of proline accumulation in spring wheat cultivars (Triticum aestivum). Crop.Sci. 22(3): 459-463.
- Tesha, A. and Paul (1983). The effect of nitrogen rate and water stress on growth and water relations of young sweet corn (Zea mays cultivar iochief) plants. J.Am Soc.Hort.Sci. 108(6): 1049-1053.
- Thakur, P.S. and Rai, V.K. (1980). Water stress effects on maize. Carbohydrate metabolism of resistant and susceptible cultivars of Zea mays. Biol.Plant. 22(1): 50-56.
- Thakur, P.S. and Rai, V.K. (1984). Water stress effect on maize (Zea mays). Indian J.Ecol. 11(1): 92-98.
- Thukral, S. K., Behl, R.K. and Kumar, R.(1985). Water stress effects on some important physiomorphological attributes in oilseed Brassica. Ann.Biol.(Ludhiana. 12): 209-215.
- Thomas, M. and Beevers, M. (1949). Physiological studies in acid metabolism in green plants. II. Evidence of CO₂ fixation in Bryophyllum calycinum and the study of diurnal fluctuations in the genus. New Phytol. 48: 421-447.
- Timpo, J. D., Burke, J.J and Jerry, E.(1986). Effect of water stress on the organic acid and carbohydrate compositions of cotton (Gossypium hirsutum) plants. Plant.Physiol.(Bethesda) 82(3) : 724-728.
- Todd, G.W., Richardson, P.E. and Sengupta, S.P. (1974). Leaf and stem anatomical anomalies in a drought susceptible species Impatiens balsamica under conditions of drought stress. Bot.Gaz. 135(2): 121-126.
- Torello, W.A. and Rice, L.A.(1986). Effect of sodium chloride stress on proline and cation accumulation in

- salt sensitive and tolerant tuftgrasses. Plant Soil 93(2): 241-248.
- Toth, S.J., Prince, A.L., Wallace, A. and Mikklesen, D.S. (1948). Rapid qualitative determination of eight mineral elements in plant tissues by systematic procedure involving use of flame photometer. Soil Sci. 66: 459-466.
- Tsai, S.D. and Todd, G.W. (1972). Phenolic compounds of wheat leaves under drought stress. Phyton. Rev. Int. Bot. Exp. 30(1/2): 67-75.
- Tsui, C. (1948). The role of zinc in auxin synthesis in the tomato plant. Amer. J. Bot. 35: 172-179.
- Turner, N. C. (1979). Drought resistance and adaptation to water deficits in crop plants. In "Stress Physiology in Crop Plants". Mussell, H. and Staples, R. C. (Ed.), pp 343-372. Wiley Inter Science New York.
- Vandar, B. (1973). Influence of K/Ca ratio and drought on physiological disorders in tomato. Neth. J. Agric. Sci. 21(1): 56-67.
- Vallee, B.L. and Wacker, W.E.C. (1970). Metalloproteins. In "The Proteins" (2nd ed.) Neurath, H. (Ed.) p. 192, Vol. 5, Academic Press, New York.
- Varma, S.K., Malik, B.J. and Nath, J (1976). Nutrient uptake as affected by soil moisture regimes. Phosphorus levels and their interactions in cowpeas, Vigna sinensis. Botanique 7(1): 45-50.
- Vergin, H.T. (1965). Chlorophyll formation and water deficit. Physiol Plant 18(4): 994-1000.
- Vieira de Silva, J., Naylor, A.W., and Kramer, P.J. (1974). Some ultrastructural and enzymatic effects of water stress in cotton (Gossypium hirsutum L.) Proc. Nat. Acad. Sci. USA 71: 3243-3247.
- Volodarskil, N.I. and Bystrykh, E.E. (1974). Some changes in the pigment apparatus of leaves during ontogenesis under drought conditions. Dokl. Vses. (Ordena Lenina) Akad-Kh Naukim Vilenma. 3-25.

- Vora, A. B., Patel, J. A., Vyas, A. V., Patel, B. R. and Patel, H. C. (1974). Carbohydrate metabolism of Sorghum seedlings under low moisture level. Geobios. 1(6): 164-167.
- Wadkar, P. A. (1989). "Studies in salt tolerance of Crotalaria L. species". Ph. D. Thesis submitted to Shivaji University, Kolhapur. (India).
- Wahle, K. W. J. and Davies, N. T. (1977). Involvement of copper in microsomal mixed function oxidase reactions. a review. J.Si.Ed.Agric. 28: 93-97.
- Waisel, Y. (1985). The stimulating effects of sodium chloride on root growth of rhodes grass (Chloris gayana). Physiol.Plant. 64(4): 519-522.
- Wallace, A., Ramney, E. H. and Mueller, R. T. (1982). Sodium relations in desert plants. 7. Effects of sodium chloride on Atriplex polycarpa and A. canescens. Soil.Sci. 134: 65-68.
- Weimberg, R. (1970). Enzyme levels in pea seedlings grown on highly salinized media. Plant.Physiol. 46: 466-470.
- Welch, R.M. (1982). The biological significance of nickel. J.Plant Nutrition cf. Elements with More Toxic Effects in "Principles of Plant Nutrition". Mengel, K. and Kirkby, E. A. (Ed.). 564-565: International Potash Institute Bern, Switzerland.
- Wigharajah, K., Jennings, D.H. and Handley, J.F.(1975). The effect of salinity on growth of Phaseolus vulgaris. L. II. Effect on internal solute concentrations. Ann.Bot. 39: 1039-1055.
- Wilson, H.K. (1948). "Grain crops" pp.260-264, McGraw Hill. New York.
- Wilson, A.M. Mckell, C.M. and Williams, W.A., (1968). Drought and phosphorus affect growth of annual forage legumes. J.Range.Mange. 21 (5): 305-308.
- Wilson, J.R., Haydock, K.P. and Robins, M.F. (1970)..Response to salinity in Glycine. V.changes in the chemical composition of three Australian species and G. wightii (G. javanica) over a range of salinity

- stresses. Aust. J. Exp. Agr. Anim. Husband. 10: 156-165.
- Winter, E. and Laeuchli, A., (1982). Salt tolerance of Trifolium alexandrinum Comparison of the salt response of T. alexandrinum and T. pratense.
- Younis, M.A., Pauli, A.W., Mitchell, H.L. and Stickler, F.C. (1965). Temperature and its interaction with light and moisture in nitrogen metabolism of Corn. (Zea mays L.) seedlings. Crop. Sci. 5: 321-326.
- Zahid, M., Ashraf, A.R. and Haqqani, A. M. (1986). Studies on salt tolerance in wheat Pak. J. Agric. Res. 7(3): 160-164.
- Zhukouskaya, N.V. (1971). Possible role of phosphatase of hexose phosphates in plant metabolism under conditions of soil salinization. Fiziol. Rast. 18(2): 397-403.
- Zid, E. and Bourkhris, M. (1977). Some aspects of the salt tolerance of Atriplex halimus L. Multiplication, growth, mineral composition. Oecol. Plant. 12: 351-362.

* * * * *

- Aspinall, D., Nicholls, P.B. and May, L.H. (1964). The effects and soil moisture stresses on the growth of barley. I. Vegetative development and grain yield. Australian J. Agri. Res. 15, 729.
- Gates, C.T., Haydock, K.P. and Little, I.P. (1966) Response to salinity in Glycine. I. Glycine Javanica. Aust. J. Exp. Agr. Anim. Husb., 6 : 261-265 .
- Helala, H.M. and Mengel, K. (1981) : Interaction between light intensity and NaCl salinity and their effect on growth, CO₂ assimilation and photosynthate conversion in young broad beans. Plant physiol. , 67 : 999-1002.
- Hocking, P.J. (1985). Effect of sodium and potassium chlorides on the growth and accumulation of mineral ions by Cyperus involuratus Rottb. Aquatic Botany, 21 : 201-217.
- Joolka, N.K. and Singh J.P. (1979). Effect of soil salinity on the growth of citrus root stocks. Indian J. Agric. Sci., 49(11) 858-861.
- Levitt, J. (1972). Responses of plant to environmental stresses. Academic press, New york.
- Levitt, J. (1980) " Response of plants to Environmental Stresses " 2nd ed., Vol. 2, Academic press, New york.
- Loomis, W.E. (1934). Daily growth of Maize .Ann. J. Botany, 21: 1-6.
- Maranville, J.W. and Sullivan, C.Y. (1976). In " The Physiology of yield and management of sorghum in relation to genetic improvement ", University of Nebraska Press, Lincoln, Nebraska.
- Wimberg, R. (1970). Enzyme levels in ^{Pea} ~~Hea~~ seedlings grown on highly salinized media. Plant Physiol., 46 : 466-470