

A decorative border with a repeating floral or scrollwork pattern surrounds the central text.

Bibliography

REFERENCES

- Ackerson, R.C. and Younger, V.B. (1975). Responses of bermuda grass to salinity. Agron J., 67(5) : 678-681.
- Agarwal V.S. (1986) Economic plants of India. Botanical Survey of India, pp. 105 Publ. Kailash Prakashan, Calcutta.
- Albert, R. (1975). Salt regulation in halophytes. Oecologia (Berl.), 21 : 57-71.
- Albert, R. and Popp, M. (1977). Chemical composition of halophytes from the Neusiedler Lake region in Austria. Oecologia; 27: 157-170.
- Allen, O.N. and Allen, E.K. (1981). The Leguminosae A source Book of Characteristics, Uses and nodulation, Pub. The Univ. of Wisconsin Press U.S.A. 1981.
- Amonkar, D.V. (1977). Ecophysiological studies of halophytes - Studies on Salvadora persica, Ph.D. thesis submitted to Bombay Univ., Bombay.
- Anjal, K.S. and Bhosale, L.J. (1985) Study on sodium, potassium, calcium and chloride levels in the leaves and seeds of L. racemosa and S. alba., The Mangroves: Proc. Nat. Symp. Biol. Util. Cons. Mangroves, pp.230-232.
- Anderson, V.G. (1945) Some effects of atmospheric evaporation and transpiration on the composition of natural waters in Australia. J. Aust.Chem. Inst. Proc., 12 (41-68) : 83-98. *
- Arnon, D.I. (1949) Copper enzymes in isolated chloroplasts: Polyphenol oxidase in Beta vulgaris. Plant physiol., 24 : 1-15.

- 9
 Aronson J.A. (1989) Haloph, A data base of salt tolerant plants of the world, Publ. University of Arizona. Tucson, Arizona.
- Atkinson, M.R., Findlay, G.P., Hope, A.B., Pitman, M.G., Saddler, H.D.M. and West, K.R. (1967) Salt regulation in the mangroves Rhizophora mucronata Lam. and Aegialitis annulata R.Br. Aust.J.Biol.Sci., 20 : 589-599.
- Austenfeld, F.A. (1986) Nutrient reserves of Salicornia europaea seeds, Physiol. plantarum; 68 : 446-450.
- Awad, A.S., Edwards, D.G. and Campbell, L.C. (1990) Phosphorus Enhancement of salt Tolerance of Tomato Crop Sci., 30 : 123-128.
- Bagley, J.M. (1967) The salinity problem in reuse of water. In "Water supplies for Arid Regions" (L.Gordner and L.E. Meyers, eds.). Contrib. No. 10 of the Committee on Desert and Arid zones Research AAAS and the University of Arizona, Arizona.
- Balke, N.E. and Hodges, T.K. (1975) Plasma membrane adenosine triphosphate of oat roots. Plant Physiol., 55: 83-86.
- Bandopadhyay and Abrol (1984) cf Raising production potential of coastal saline soil by H.K. Pandey and M.D.Reddy, Wastelands News, Vol. III, No.2. ●
- Bandurski, R.S. (1955) J.Biol. Chem., 217: 137.*
- Basiouny, F.M. and Briggs, R.H. (1976). Rates of photosynthesis and the Hill reaction in citrus seedlings

affected by Fe, Mn and Zn nutrition. J.Amer.Soc.Hort Sci., 101 : 193-196.

Bates, L.S., Waldren, R.F. and Teare, I.D. (1973) Rapid determination of proline for water stress studies. Plant and Soil., 39: 205-207.

Beadle, N.C.W., Whalley, R.D.B. and Gibson, J.B. (1957) Studies in halophytes. 11. Analytic data on the mineral constituents of three species of Atriplex and their accompanying soils in Australia. Ecology, 38:340-4.

Bernstein, L. (1975). Effect of salinity and sodicity on plant growth. Ann.Rev.Phytopathology, 13:295-312.

Bhosale, N.B., Dhargalkar, V.K., Matondkar, S.G.P., and Bukhari, S.S. (1976). Biochemical composition of mangrove leaves from Goa. Indian J.Mar.Sci.5: 239-241.

Bieleski, R.L. and Ferguson, I.B. (1983). Physiology and metabolism of phosphate and its compounds. (Eds A. Lauchi and R.L.Bieleski) "In, Inorganic plant nutrition. Encyclopaedia of plant physiology, New series", Vol.15. pp. 422-449, Springer-Verlag, New York.

Bishop, N.J. (1966) Partial reactions of photosynthesis and photoreduction. Ann.Rev.Plant Physiol., 17: 185-208.

Birch, W.R. (1975). Some chemical and calorific properties of tropical marine angiosperms compared with those of other plants. J.Appl.Ecol., 12 : 201-212.

- Black, R.F. (1956) Effects of NaCl in water culture on the ion uptake and growth of Atriplex hastata L. Aust. J. Biol. Sci., 9 : 67-80.
- Bocquier, G. (1964). The presence of tropical solonchized solonetz features in the chad basin. 8th Inten. Congr. Soil Sci. Abst. Paper 5, 103-106.*
- Boehle, J. jr. and Lindsay, W.L. (1969). Micronutrients. The fertilizer shoe-Nails. Pt.6, In the Limelight-Zinc, Fertilizer solutions, 13 (1): 6-12.
- Briens, M. and Larher, F. (1982). Osmoregulation in halophytic higher plants: a comparative study of soluble carbohydrates, polyols, betaines and free proline. Plant, Cell and Environment; 5: 287-292.
- Brown, J.C. (1956). Iron chlorosis. "In: Ann. Rev. Plant Physiol.", pp.171-190.
- Brownell, P.F. and Crossland, C.J. (1972). The requirement of sodium as micronutrient by species having the C₄ dicarboxylic photosynthetic pathway. Plant Physiol., 49 : 794-797.
- Brownell P.F. (1979). Sodium as an essential micronutrient element for plants and its possible role in metabolism. Adv. Bot. Res., 7: 117-224.
- Bunch, R.L., and Ettinger, M.B. (1964). Water quality depreciation by municipal use. J. Water Pollut. Control Fed., 36: 1411-1414.*
- Bunseki, N.; Gakkai, K., Shibu, H. (1966) Analysis of water 147-155, Kagaku Dojin Kyoto, Japan.*

- Caratini C., F.Blasco, and G.Thanikaimoni (1973)
Relation between the pollen spectra and the vegetation
of a South Indian Mangrove, Jour. Pollen et Spores
Vol. XV, No.2.
- Cassidy, N.G. (1971) Cyclic salt and plant health.
Endeavour., 30 : 82-86.
- Chapman, H.D. and Pratt, P.F. (1961) Chlorine In "Methods
of analysis for soils, plants and waters." (Eds.Chapman,
H.D. and Pratt, P.F.) University of California, Riverside.
pp. 97-100.
- Chapman, V.J. (1960) Salt marshes and salt deserts of
the world. Plant Science Monographs. Interscience
Publishers, Inc., N.Y. 392 pp.
- Chapman, V.J. (1974) In, "Proceedings of International
Symposium on Biology and Management of Mangroves Vol.I."
(Eds. G.E.Walsh) pp.3 Publ. East West Centre Honolulu.
- Chapman, V.J. (1975). The salinity problem in general,
its importance and distribution with special reference to
natural halophytes. In "Plants in saline environments,"
(Eds. A.Poljakoff. Mayber and J.Gale) pp.7-24. Publ.
Springer, New York.
- Chavan, P.D. and Karadge, B.A.(1986). Growth, mineral
nutrition, organic constituents and rate of photo-
synthesis in Sesbania grandiflora L. grown under saline
conditions. Plant and Soil., 93: 395-404.
- Chirputkar, M.P.(1969).Physiological studies in marine
plants of Bombay.Ph.D.Thesis,Bombay University,Bombay,India.

- Clark (1930a) cf 'The Leguminosae A source Book of characteristics, Uses, and nodulation' O.N. Allen and E.K. Allen. Publ. The Univ. of Wisconsin Press U.S.A.1981*
- Clark, R.B. (1984) Physiological aspects of calcium, magnesium and molybdenum deficiencies in plants. Agronomy monograph., 12 (2nd edition): 99-168. Madison, USA.
- Clarkson, D.T. and Hanson, J.B. (1980) The mineral nutrition of higher plants. - Annu. Rev. Plant Physiol., 31 : 239-298.
- Clough, B.F., Andrews, T.J. and Cowan, I.R. (1982). Physiological processes in mangroves (Eds. B.Clough) In: "Mangrove Ecosystems in Australia: Structure, Function and Management", pp.193-210. Australian National University Press, Canberra.
- Correll, D.S., and Johnston M.C. (1970) Manual of the vascular plants of Texas. Texas Research Foundation, Renner, Tex., pp.1881.*
- Critchley, CH.: (1982) Stimulation of photosynthetic electron transport in a salt-tolerant plant by high chloride concentrations Nature, 298 : 483-485.
- Critchley, CH., (1983) Further studies on the role of chloride in photosynthetic O₂ evolution in higher plants. Biochimica et Biophysica Acta, 724 : 1-5.
- Dansereau, Pierre (1957). Biogeography, an ecological perspective. Ronald Press, N.Y. 394 pp.
- Darlington, C.D. and Wylie A.P. (1955) Chromosome Atlas of Flowering Plants. Hafner Publ. Co., N.Y., 519 pp.

- Davidson (1930) Cf 'The Leguminosae A source Book of Characteristics, Uses, and nodulation (Eds. C.N.Allen and E.K.Allen). Publ. The Univ. of Wisconsin Press U.S.A. 1981.
- Dekock, P.C., Commislong, K., Farmer, V.C. and Inkson, R.H.E. (1960). Interrelationship of catalase, peroxidase, hematin and chlorophyll. Plant Physiol., 35: 599-604.
- Dilworth, M.J., Robson, A.D. and Chatel, D.L. (1979) Cobalt and nitrogen fixation in Lupinus angustifolius L. II Nodule formation and functions. New Physiol., 83:63-79.
- Duncan W.H. (1974) Vascular halophytes of the Atlantic and Gulf coasts of North America, North of Mexico. In, "Ecology of Halophytes" (Eds. R.J.Reimold and W.H. Queen), pp.23-46, Publ. Academic Press, INC. New York and London.
- Earl, F.R. and Jones, Q. (1962) Analyses of seed samples from 113 plant families. Eco.Bot., 16: 221-250.
- Epstein, E. (1972). "Mineral nutrition of plants: Principles and Perspectives". John Wiley and Sons Ins., New York, pp.412.
- Eriksson, E. (1958). The chemical climate and saline soils in the arid zone. UNESCC, Arid Zone Res.Climatol. Rev. Res. 10 : 147-180.
- Fernald, M.L. (1950) Gray's manual of botany. 8th ed. American Book Company, N.Y. 1632 pp.

- Fitter, A.H. and Hay, R.K.M. (1987) Environmental Physiology of plants (2nd ed.) Academic Press, New York.
- Flowers, T.J. (1985). Physiology of halophytes, Plant and Soil., 89 : 41-56.
- Flowers, T.J., Hajibagheri, M.A., and Clipson, N.J.W. (1986). Halophytes. Quarterly Review of Biology, 61(3): 313-337.
- Folin, O. and Denis, W. (1915). A colorimetric estimation of phenols (and phenol derivatives) in urine. J.Biol. Chem., 22 : 305-308.
- Galstone, A.W. (1969): In, "Perspectives in Phytochemistry" (Eds., Harborne, J.B. and Swain, T.S.), pp.193-204, Academic Press, London.
- Gayar, F. and Shazli, (1968). Toxicity of certain plants to culex pipiens L. larvae [Diptera: Culicidae]; Bull Soc Entomol Egypte; 52: 467-475.*
- Georgi and Curtler (1929): Cf 'The Leguminosae A source Book of characteristics, Uses and nodulation' O.N.Allen and E.K.Allen; Publ. The Univ. of Wisconsin Press U.S.A. 1981.*
- Georgi and Teik (1932) Cf 'The Leguminosae A source Book of characteristics, Uses and nodulation' O.N.Allen and E.K. Allen. Publ. The Univ. of Wisconsin Press U.S.A.1981.*
- Ghevade, K.S. (1983). Ecophysiological studies in a seagrass, Halophila beccarii. Ph.D. Thesis, Shivaji University, Kolhapur (Maharashtra), India.

- Ghildiyal, M.G., Pandey, M. and Sirohi, G.S. (1986). Proline content in linseed varieties as influenced by Zinc nutrition. Indian J. Plant Physiol., 29: 368-374.
- Ghose (1942). Indian for Leaflet No. 20, Cf "The Wealth of India", Raw Materials Vol. III: D-E, Council of Scientific and Industrial Research New Delhi, pp. 35-40; Publ. 1952.*
- Glenn, E.P. and O'Leary, J.W. (1984) Relationship between salt accumulation and water content of dicotyledonous halophytes. Plant, cell and Environment; 7: 253-261.
- Goldberg, A.A. (1958). Contributions to the study of Nari in Israel and especially in the Eastern Esdraelon Valley. Ph.D. Thesis, The Hebrew University, Jerusalem.*
- Golley and Hollister (1974). Walsh Gerald E. in "Ecology of Halophytes" (Eds. Reimold R.J. and Queen, W.H.), Academic Press, INC. New York and London 1974.*
- Gorham, J., Hughes, L.L. and Wyn Jones, R.G. (1980). Chemical composition of salt-marsh plants from Ynys Mon (Anglesey): The concept of physiotypes. Plant Cell Environment, 3: 309-18.
- Halket, A.C. (1911). Some experiments on absorption by aerial parts of certain salt-marsh plants. New Phytol., 10 : 121-139.*
- Hallsworth, E.G., Wilson, S.B. and Greenwood, E.A.N. (1960). Copper and Cobalt in nitrogen fixation. Nature, 187 : 79-80.

Harmer, P.M., Benne, E.J., Laughlin, W.M., and Key, Y. (1953). Factors affecting crop response to sodium applied as common salt on michigan muck soil. Soil.Sci., 76 : 1-17.*

Hawk, P.B., Oser, B.L. and Summerson, W.H. (1948). 'Practical physiological chemistry' Publ. The Blackiston Company, U.S.A.

Higbee (1948). Cf 'The Leguminosae A source Book of Characteristics, Uses and nodulation' O.N. Allen and E.K. Allen. Publ. The Univ. of Wisconsin Press U.S.A.1981.*

Hill, T.G. (1908). Observations on the osmotic properties of the root hairs of certain salt marsh plants. New Phytol., 7 : 133-142.*

Holman (1937) Cf 'The wealth of India, A Dictionary of Indian Raw Materials and Industrial products, Raw Materials, Vol. III : D-E, pp. 35-41 publ. Council of Scientific and Industrial Research New Delhi. 1952.*

Holman (1940). Cf 'The wealth of India, A Dictionary of Indian Raw Materials and Industrial products, Raw Materials Vol. III: D-E, pp.35-41 publ. Council of Scientific and Industrial Research New Delhi. 1952.*

Iljin, W.S. (1932). Anpassung der Halophyten an Konzentrierte salzlosungen. Planta, 16: 352-366.*

Imamul Huq, S.M. and Larher, F. (1983). Osmoregulation in higher plants; effects of NaCl salinity on non-noculated Phaseolus aureus L. II.Changes in Organic solutes New Phytol., 93: 209-216.

- Imbaba, S.K. (1972). Mineral element content of some benthic marine algae of the Kenya coast. Botanica Marina; XV : 113-115.
- Jagtap, T.G. and Untawale, A.G. (1981). Ecology of seagrass bed Halophila beccarii (Aschers) growing in Mandvi Estuary, Goa. Indian J. Mar.Sci., 10(4):402-404.
- Jamale, B.B. (1975). Physiological studies in saline plants. Ph.D.Thesis, Shivaji University, Kolhapur (India)
- Jefferies, R.L. (1981). Osmotic adjustment and the responses of halophytic plants to salinity. Bioscience, 31 (1) : 42-46.
- Jennings, D.H. (1968). Halophytes, succulence and sodium in plants—a unified theory. New Phytol., 67: 899-911.
- Jones, et al. (1968). Cf 'The Leguminosae A Source Book of Characteristics, Uses and nodulation' O.N.Allen and E.K. Allen. Publ. The Univ. of Wisconsin Press U.S.A.1981.*
- Jones, R.G., Brady, C.J. and Speirs, J. (1979). Ionic and Osmotic relations in plant cells. In "Recent Advances in the Biochemistry of cereals". (Eds D.L.Laidman and R.G. Wyn Jones), pp.63-103, Academic Press, London.
- Joshi, A.J. (1982). Physico-chemical characteristics of soils inhabited by halophytes, Suaeda nudiflora Moq and Salicornia brachiata Roxb. in Gujarat. Indian J.Mar.Sci., 11 (2) : 199-200.
- Joshi, G., Dolan, T., Gee, R., Saltman, P. (1962). Sodium chloride effect on dark fixation of CO₂ by marine and terrestrial plants. Plant Physiol., 37: 446-449.*

- Joshi, G.V. and Mishra, S.D. (1970). Photosynthesis and mineral metabolism in senescent leaves of Clerodendron inerme Gaertn. Indian J. Exp. Biol., 8: 41-43.
- Joshi, G.V., M.Pimpleskar and L.J.Bhosale (1972). Physiological studies in germination of mangroves. Botanica Marina, 15 : 91-95.
- Joshi, G.V. (1973). Soil and plant relationship in the plants of the saline soils of the Deccan. In, "Symposium on Deccan Trap Country", 1968., Bull.Ind.Sci.Acad., 45: 30-38.
- Joshi, G.V., L.Bhosale, B.B.Jamale and B.A.Karadge, (1975). Photosynthetic carbon metabolism in mangroves. Vol. II. Int.Symp. Biol. and Mgt.Mangroves, Honolulu, Hawaii, pp. 579-594.
- Joshi, G.V. (1975) Physiology of salt tolerance in plants. Biovigyanam, 1 : 21-39.
- Joshi, G.V. (1976). Early products of photosynthesis in plants exposed to salt and water stresses. The Biochem. J., 3 : 33-43.
- Joshi, G.V. and L.J.Bhosale (1982). Estuarine ecosystem of India. In., "Contributions to the Ecology of Halophytes" D.N.Sen. and K.S.Rajpurchit. Dr.W.Junk.Publ., The Hague, pp. 21-33.
- Kadam, S.D. and Bhosale L.J. (1985). Variations in different physical and chemical parameters of estuarine water and soils at different places in Ratnagiri district

- The mangroves; Proc. Nat. Symp. Biol. Util. Cons. Mangroves, 356-361.
- Karmarkar, S.M. (1965). Physiological studies in succulent plants. Ph.D. Thesis, University of Bombay, (India).
- Karmarkar, S.M. and G.V. Joshi, (1968). Effect of sodium chloride on $^{14}\text{CO}_2$ dark fixation in Bryophyllum pinnatum. Ind. J. Exp. Biol., 6 : 42-44.
- Karthiyesan, K. and Kannan, L. (1986). Photosynthetic productivity in three species of Rhizophora. The Mangroves; Proc. Nat. Symp. Biol. Util. Cons. Mangroves, 262-265.
- Karthiyesan, K. (1987). Indian Rev. Life Sci., 7 : 203-220. *
- Kliever, M. and Evans, H.J. (1963a) Identification of cobamide coenzyme in nodules of symbionts and isolation of the B_{12} coenzyme from Rhizobium meliloti. Plant Physiol., 38: 55-59.
- Kliever, M. and Evans, H.J. (1963b). Cobamide coenzyme contents of soybean nodules and nitrogen fixing bacteria in relation to physiological conditions. Plant Physiol., 38 : 99-104.
- Konigshofer, H. (1983). Changes in ion composition and hexitol content of different Plantago species under the influence of salt stress. Plant Soil., 72 : 289-296.
- Kotmire, S.Y. and Bhosale L.J. (1979). Some aspects of chemical composition of mangrove leaves and sediments.

- Mahasagar, Bull. Natn. Inst. Oceanogr., 12: 149-154.
2. Kotmire, S.Y. (1983). Ecophysiological studies in the mangroves of Western coast of India. Ph.D.Thesis, Shivaji University, Kolhapur (Maharashtra), India.
 3. Larsen, H. (1967). Biochemical aspects of extreme halophilism. Advan. Microb. Physiol., 1: 97-132.
 4. Lauchi, A. and Wieneke, J. (1979). Studies on growth and distribution of Na^+ , K^+ and Cl^- in soybean varieties differing in salt tolerance - Z. Pflanzenernaehr. Bodenk., 142 : 3-13.
 5. Lawrence, G.H.M. (1951). Taxonomy of vascular plants. MacMillan Co., N.Y. 823 pp.
 6. Loewengart, J. (1958). Geochemistry of waters in northern and central Israel and the origin of their salts. Bull. Res. Counc. Israel., 76: 176-205.
 7. Maharashtra State Gazetteers (1961). General series Volume A, Botany, Part III - Miscellaneous plants, pp. 35, 404 Publ. Maharashtra State, Bombay.
 8. Marschner, H. (1971). Why Can Sodium Replace Potassium in plants ? Reprint from proceedings of the 8th Colloquium of the International Potash Institute Uppsala/Sweden. Publ. International Potash Institute, Berne/Switzerland.
 9. Massoud, F.I. (1974). Salinity and alkalinity as soil degradation hazards, FAO/UNEP Expert consultation on soil Degradation. FAO Publ. Rome.

- Mathys, W. (1977). The role of malate, oxalate and mustard oil glucosides in the evolution of zinc resistance in herbage plants. Physiol. Plant., 40: 130-136.
- McMillan, C. and Monseley (1967). Salinity tolerance of five marine spermatophytes of Redfish Bay, Texas. Ecology, 48: 503-506.
- Mengel, K. (1977). Spezifische wirkungen des kaliums beider Ertragshildung der pflanzene. Bodenkultur., 28: 366-385.*
- Mengel, K. and E.A. Kirkby (1982). Principles of plant nutrition. Publ. International Potash Institute, Switzerland pp. 655.
- Metcalf, C.R. and Chalk, L. (1957). Anatomy of the dicotyledons, Vol. I, 502-535. Publ. Oxford Univ.Press. Inc., New York.
- Metcalf, C.R. and Chalk, L. (1979). "Anatomy of the dicotyledons" (2nd edition) Vol. I, Publ. Oxford Univ., Press, Inc., New York.
- Minchin, F.R. and Summerfield, R.J. (1976). Plant and Soil., 45 : 113.*
- Mishra, S.D. (1967). Physiological studies in mangroves of Bombay. Ph.D. Thesis, University of Bombay, Bombay, India.
- Mix, G.P. and Marschner, H. (1976). Calciumgehalte in Fruchten Von Paprika, Bohnen, Quitten and Hagebutten in

Verlauf des Fruchtwachstums - Z. Pflanzenernhr (Bodenkd.)

139 : 537-549.

Moore (1940). Cf 'The Leguminosae A source Book of characteristics, Uses, and nodulation' O.N. Allen and E.K. Allen. Publ. The Univ. of Wisconsin Press U.S.A. 1981.*

Morton, J.F. (1965). Can the red mangrove provide food, feed and fertilizer ? Eco. Bot., 19(2): 113-123.*

Mudie, P.J. (1974). The potential economic uses of halophytes. In, "Ecology of Halophytes". (Eds. R.J. Reimold and W.H. Queen.) pp. 565-591, Publ. Academic Press, INC. New York and London.

Muir, A.R. (1960). Cited by Dekock, P.D., Commissiong, K., Farmer, V.C. and Inkson, R.H.E. (1960). Inter-relationship of catalase, peroxidase, hematin and chlorophyll. Plant Physiol., 35 : 599-604.*

Mulik, N.G. (1987). Studies on some aspects of mangroves. Ph.D. Thesis submitted to The Shivaji University, Kolhapur (Maharashtra), India.

Nagai, (1902). Cf 'The Leguminosae A source Book of characteristics, Uses, and nodulation O.N. Allen and E.K.Allen. Publ. The Univ. of Wisconsin Press U.S.A.1981.*

Naik, M.S. and Asana, R.D. (1961). Effect of zinc deficiency on the synthesis of protein, mineral uptake and ribonuclease activity in cotton plant. Indian J. Plant Physiol., 4 : 103-111.

- Nelson, N. (1944). A photometric adaptation of Somogyi method for the determination of glucose. J.Biol.Chem., 153 : 375-380.
- Nukaya, A. (1983). Salt tolerance studies in muskmelons and other vegetables. Technical Bulletin No.8 Dept. of Horticulture, Fac. of Agr.Shizuoka University, Japan.
- O'Leary, J.W., Glenn, E.P., Watson, M.C. (1984). Agricultural production of halophytes irrigated with seawater. In, "Biosaline research - A step into the future" (Eds., D.pasternak and A.San Pietro). The Hague: Junk (in press).
- O' Leary, J.W., GLENN, E.P. and Watson, M.C. (1985). Agricultural production of halophytes irrigated with seawater, Plant and Soil., 89 : 311-321.
- Oosting, H.J. (1956). The study of plant communities. W.H.Freeman and Co., San Francisco. 440 pp.
- Osmond, C.B. (1963). Oxalates and ionic equilibria in Australian saltbushes (Atriplex). Nature, 198:503-504.
- Paleg, L.G. and Aspinall, D. (1981). Proline accumulation Physiological aspects. In L.G.Paleg, D.Aspinall, eds., Physiology and Biochemistry of Drought Resistance in plants. Academic Press, Sydney, P. 205.
- Pandey, H.K. and Reddy, M.D. (1988). Raising production potential of Coastal saline soil, Wastelands News, Vol. III, No.2.
- Pannier, F.P.(1959). El efecto dez distintas concentraciones salinas sobre el desarrollo de Rhizophora mangle L. Acta Cient. Venez., 10: 68-78.

- Pasternak, D., Danon, A., Aronson, J. and Benjamin, R. (1984a). Seawater agriculture in Israel: research, development and prospects. In 'Biosaline research - A step into the future' (Eds. D.Pasternak and A.San Pietro). The Hague : Junk (in press).
- Pasternak, D., Aronson, J., Ben-Dov, Y., Danon, A; Forti, M., Mendlinger S., and Siton D. (1984b). Development of arid zone crops for the Negev Desert of Israel. (Submitted to J. Arid Environ.).
- Perur, N.G., Smith, R.L. and Wiebe, H.H. (1961). Effect of iron chlorosis on protein fractions of corn leaf tissues. Plant Physiol., 36 : 736-739.
- Pickett, W.F. (1937). The relationship between the internal structure and photosynthetic behaviour of apple leaves. Kans. Agr. Expt. Sta. Tech. Bull., 42.
- Ponnamperuma, F.N. (1977). Varietal tolerance for salt in rice. In, "Plant response to salinity and water stress, Abstracts. Mildura, Australia.
- Popp, M. and Albert, R. (1980). Freie Aminosäuren and Stickstoffgehalte in Halophyten des Neusiedlersee Gebietes. Flora; 170: 171-180.
- Popp, M., Larher, F., and Weigel, P. (1984). Chemical composition of Australian mangroves. III. Free amino acids, total methylated compounds and total nitrogen. Z. Pflanzenphysiol., 114 : 15-25.
- Popp, M. (1984). Chemical composition of Australian mangroves. II. Low molecular weight carbohydrates. Z. Pflanzenphysiol., 113 : 411-421.

- Popp, M. Larher, F. and Weigel, P. (1985). Osmotic adaptation in Australian mangroves. Vegetatio; 61: 247-253.
- Price, C.A., Clark, H.E. and Funkhewer, H.E. (1972). Functions of micronutrients in plants. In : "Micro-nutrients in Agriculture". Dinauer, R.C. (ed.) Soil. Sci. Soc. of America, Madison/Wisconsin, P.731-742.
- Pulich, W.M. (1986). Variations in Leaf soluble Amino Acids and Ammonium Content in Subtropical seagrasses Related to salinity stress, Plant Physiol., 80:283-286.
- Radhakrishnan, N. (1985). Studies on the mangroves along the central west coast; Achra (Maharashtra). The Mangroves Proc. Nat. Symp. Biol. Util. Cons. Mangroves, Nov. 1985, 222-226 Shivaji University Publication, 1985.
- Rains, D.W. (1972). Salt transport by plants in relation to salinity. Ann. Rev. Plant Physiol., 23: 367.
- Rains, D.W. (1979). Salt tolerance of plants: strategies of biological systems, In 'The biosaline concept: An approach to the utilization of saline environments'. (Eds. A.Hollander) pp., 47-67, Plenum Publ., New York.
- Rao and Seshadri (1946). Proc. Indian Acad. Sci., 24A, 344.
- Rao, T.A. and Sastry, A.R. (1974). An outline of the coastal vegetation of India; Bull. Bot. Surv. India; 16: (1-4) : 101-115.
- Rao, V.S. (1965). Seasonal variations in the salinity and chemical composition of sea water of the coast of Bhavnagar. Salt Research and Industry; 2(3): 112-113.

- Ravanel, P. Michel, T. and Roland, D. (1984). Effects of rotenoids on isolated plant mitochondria; Plant Physiol. (Bethesda); 75: 414-420.
- Rebhun, M. (1965). Salinity increments in municipal sewage, their significance and sources and methods of reduction. Intern. J. Air Water Pollut., 9: 253-261.
- Reddy, K.R. and Rao, K.V.N. (1979). Effect of Zinc on growth and metabolism in two varieties of Cicer arietinum. Indian J. Plant Physiol., 22: 254-261.
- Rosenblum, I. and Y. Waisel, (1969). Autecology of Atriplex halimus. Research Report, Tel-Aviv University.*
- Rotar, P.J. (1965). Tannins and Crude proteins of tick clovers (Desmodium spp.). Trop. Agric., 42, 333.*
- Rowson, J.M. (1946). The significance of the stomatal index as a differential character. III. Studies on the genera Atropa, Datura, Digitalis, Phytolacca and polyploid leaves, Q. Jl pharm. pharmac., 19: 136-43.*
- Rozema, J. (1976). An eco-physiological study on the response to salt of four halophytic and glycophytic Juncus species. flora, 165: 197-209.
- Russell, W. (1972). Note sur la structure de la racine de Derris elliptica. Rev. Bot. Appl., 17: 539-40; 1937.*
- Salisbury, E.J. (1927). On the causes and ecological significance of stomatal frequency, with special reference to the woodland flora Phil. Trans. R.Soc. 216 B : 1-65.

- Sathe, S.S., Deshpande, S.V., Mulik, N.G. and Bhosale, L.J. (1986). Effect of endogenous salt levels on the chlorophyll contents of the leaves of Avicinea officinalis L., In "The mangroves: Proc. Nat.Symp.Biol. Util. Cons. Mangroves" pp. 297-299. Shivaji University Publ. 1986.
- Sekine, T., Sasakawa, T., Morita, S., Kimura, T. and Kuratom, K. (1965). Cf. Laboratory manual for physiological studies of Rice (Eds. Yoshida, S., Forno, D., Cook, J.B. and Gomez, K.A.) Publ. International Rice Research Institute, Manila, 1972.
- Sen Gupta, R. and Naik, S. (1981). Studies on calcium, magnesium and sulphate in the Mandovi and Zuari river systems (Goa). Indian J. Mar.Sci., 10(1): 24-34.
- Sen D.N., Kishan, S., Rajpurohit and Wissing F.W. (1982). Survey and adaptive biology of halophytes in western Rajasthan, India, In 'Tasks for vegetation Science', Vol. 2 (Eds. D.N. Sen and K.S. Rajpurohit), Publ. Dr.W. Junk. The Hague, The Netherlands.
- Sharma, S.K. and Gupta, I.C. (1986). Saline environment and plant growth. Agro Botanical Publishers (India). pp. 172.
- Shetty, G.P. (1971). Physiology of growth and salt tolerance of plants. A Ph.D. thesis submitted to Shivaji University, Kolhapur (Maharashtra) India.

- Shirgur, G.A. (1977). Indication of safe poison materials from indigenous plants for clearing unwanted fishes from nursery ponds. Indian J. Fish., 22: 126-132.
- Sidhu, S.S. (1974) Structure of epidermis and stomatal apparatus of some mangrove species. In "Proceedings of International Symposium on Biology and Management of Mangroves" (Eds Walsh, G.E. Snedaker and Howard, J.), Vol. II; Institute of Food and Agricultural Sciences, Univ. of Florida, Gainesville, Publ. 1975.
- Sinnappa, S. and Thuan C.E. (1971). Identification of rotenone in fish poisoned by Derris root resin. Malays Agric. J.; 48: 20-24.
- Soufi, S.M. and Wallace A. (1982). Sodium relations in desert plants: 8. Differential effects of NaCl and Na₂SO₄ on growth and composition of Atriplex hymenelytra. Soil Sci., 134 : 69-70.
- Spain, A.V. and J.A. Holt, (1980). The elemental status of the foliage and Branchwood of seven mangrove species from Northern Queensland. Division of soils divisional report No.49. Commonwealth Scientific and industrial research organisation, Australia 1980.
- Sprent, J.I. and Zahran, H.H. (1988). Infection, development and functioning of nodules under drought and salinity, (Eds. D.F. Beck and L.A.Materon), Nitrogen fixation by Legumes in Mediterranean Agriculture ICARDA-printed in Netherlands. ISBN 90 247 36242.

- Sprent, J.I., J.M. Sutherland and S.M. de Faria (1989).
In "Advances in Legume Biology Monograph. Systematic
Botany Vol. 29 :
- Stewart, G.R., Lee J.A. (1974). The role of proline
accumulation in halophytes. Planta, 120: 279-289.
- Stoddard, E.M. (1965) Identifying plants by epidermal
characters. Can. Agric. Exp. Stat. Circular., 227 USA.
- Stout, P.R. (1961). Micronutrients in crop vigour.
Proc. 9th Ann. Calif. Fertilizer Conf., pp.21-23.
- Strogonov, B.P., Kabanov, V.V., Shevjakova, N.I., Lapina,
L.F., Komizerko, B.I., Popov, B.A., Dostanova, R.Kh. and
Prykhod' Ko, L.S. (1970). Structure and function of
plant cells under saline conditions. Moscow, Nauka. pp.284.
- Suelter, C.H.C. (1970) Enzymes activated by monovalent
cations. Science, 168 : 789-795.
- Teakle, L.J.H. (1937). The salt (sodium chloride) content
of rain water. J. Dept. Agr. West. Aust., 14: 115-133. &
- Teichler-Zallen, D. (1969). Plant Physiol., 44: 701 Cf.
- Rains, D.W. (1976). 'Mineral Metabolism'. In "Plant
Biochemistry (Eds. J.Bonner and J.Varner) pp. 561-597.
Academic Press, New York.
- Terry, N. (1980). Limiting factors in photosynthesis I.
Use of iron stress to control phytochemical capacity
in vivo. plant physiol., 65: 114-120.
- The Wealth of India (1952). A Dictionary of Indian Raw
Materials and Industrial products, Raw Materials Vol.III.
D-E, pp.35-41 Publ. Council of Scientific and Industrial

Research New Delhi.

- Thomas, M. and Beevers, H. (1949). Physiological studies in acid metabolism in green plants. II. Evidence of CO₂ fixation in Bryophyllum calycinum and the study of diurnal fluctuations in the germs. New Phytol., 22 : 45-74.
- Thothathri, K. (1982). Fascicles of flora of India Fascicle 8 Leguminosae. Genus - Derris Publ. Botanical Survey of India P.C. Botanic Garden Howrah., 1982.
- Tiffin, L.D. (1972). Translocation of micronutrients in plants. In "Micronutrients in Agriculture" (Eds. J.J. Mortrest, P.M., Giordano and W.L. Lindsay) Soil Science Soc. Amer., pp. 199-229, Madison.
- Toxopeus 1952, Mallick and Ghosh (1968) Cf 'Fascicles of Flora of India' Fascicle 8 Leguminosae. Genus - Derris K. Thothathri. Publ. Botanical Survey of India P.C. Botanic Garden Howrah, 1982.*
- Treichel, S. (1975). The effect of NaCl on the concentration of proline in different halophytes. Z.Pflanzenphysiol., 76 : 56-68.
- Turrell, F.M. (1939). The relation between chlorophyll concentration and the internal surface of mesomorphic and xeromorphic leaves grown under artificial light. Iowa Acad.Sci. Proc., 46 : 107-117.*
- Turrell, F.M. (1944). Correlation between internal surface and transpiration rate in mesomorphic and

xeromorphic leaves grown under artificial light.

Bot. Gaz., 105 : 413-425.*

Tyler, G. (1976). Soil factors controlling metal ion absorption in the wood anemone Anemone nemorosa. Oikos., 27 : 71-80.*

Untawale, A.G. (1979). Country report for India. In 'Regional seminar on human uses of the mangrove environment and management implications'. Publ. UNESCO Decca Seminar : 1-22.

Uphof, J.C.T. (1941). Halophytes. Bot. Rev., 7:1-118.*

Vallee, B.L. and Wacker M.C.C. (1970). Metalloprotein: (Eds. H.Neurath) In 'The protein (2nd ed.)', Vol.5, Academic Press, New York, p.192.

Van den Honert, T.H. (1937). Over eigenschappen van plantenwortels, welke een rol spelen bij de opname van voedingszouten. Natur. Tijdschr. Ned., 47:150-162.

Van Die, J. and Willemsse, N.C.M. (1980). The supply of water and solutes by phloem and xylem to growing fruits of Yucca flaccida Haw. - Ber. Dtsch. Bot.Ges., 93:327-337.

Van stavern and Bass (1973). Cf 'Anatomy of the dicotyledons (2nd edition), Vol. I, C.R.Metcalf and L.Chalk, Publ. Oxford University Press, Inc. New York, 1979.

Waghmode, A.P. and G.V.Joshi (1982). Chemical composition of leaves of halophytes and sediments in Estuarine Habitat. Indian J. mar Sci., 11 : 104-106.

Waisel, Y., Hoffen, A. and Eshel, A. (1970). The localization of aluminium in the cortex cells of bean and barley roots by X-ray microanalysis. Physiol.Plant., 23: 75-79.

- Waisel, Y. and Rechav, Y (1972). Ecotypic differentiation in Phragmites communis Trin. *Hydrobiologia*, in press.
- Walsh, G.E. (1974) Cf 'Ecology of Halophytes, (Eds. R.J. Reimold and W.H. Queen), pp. 51-118, Publ. Academic Press, INC. New York and London.
- Walsh, G.E. (1974). Mangroves: A review. In : 'Ecology of Halophytes' (Eds. R.J.Reimold and W.H. Queen), Academic Press, New York, pp. 51-174.
- Walter, H. (1968). "Die Vegetation der Erde in Okologischer Betrachtung", Band II. Fischer Verlag, Stuttgart.
- Watson, J.D. (1965). Molecular Biology of the Gene. (Eds. T.E.Benjamin) New York, pp. 494.
- Wilson, J.R., Haydock, K.P. and Robins, M.F. (1970). Response to salinity in Glycine V. changes in the chemical composition of three Australian species and G. wightii (G. Javanica) over a range of salinity stresses. Aust.J.Exp.Agr. Anim. Husb., 10:156-165.
- Worsley and Nutman (1937) Cf 'The Leguminosae.A source Book of Characteristics, Uses, and nodulation' O.N. Allen and E.K.Allen; Publ. The Univ. of Wisconsin Press U.S.A. 1981.
- Wyllie, R.B. (1947). Conduction in dicotyledon leaves. Lowa Acad. Sci. Proc., 53: 195-202.

Yaalon, D.H. and Katz, A. (1962). The chemical composition of precipitation in Israel. Proc. 4th Congr. Israel Ass. Advan. Sci., pp.189-190.

Yaalon, D.H. and Ganor, E. (1968). Chemical composition of dew and dry fall-out in Jerusalem, Israel. Nature; (London), 217 : 1139-1140.

Yaalon, D.H., and Lomas, J. (1970). Factors controlling the supply and the chemical composition of aerosols in a near shore and coastal environment. Agr. Meteorol. 7 : 443-454.

Yadav et al. (1983). Cf 'Raising production potential of coastal saline soil by H.K.Pandey and M.D.Reddy; Wastelands News; 3(2):

Yeo, A.R. (1981). Salt tolerance in halophyte Suaeda maritima L. Dum. : Intracellular compartmentation of ions. - J.Exp. Bot., 32 : 487-497.

* Zahran, H.H. and Sprent, J.I. (1986). Effects of sodium chloride and polyethylene glycol on root hair infection and nodulation of Vicia faba L. plants by Rhizobium leguminosarum. Planta; 167, (In Press) Im 10's 2, is cussion

Zahran, M.A. and Wahid Amal A. Abdel (1982). ●

Halophytes and human welfare, Tasks for vegetation science, Vol. 2(Eds. D.N.Sen and K.S.Rajpurchit)

Dr.W.Junk Publ. The Hague. pp. 235-257.

* Originals are not seen.