Bibliography

BIBLIOGRAPHY

Abel,G.H. and Mackenzie,A.J. (1964). Crop Sci., 4 : 151-161.

Acharya, N. and Sahu, S.K. (1974). Indian J. Agric. Chem., 7(1) : 89-90.

Ackerson,R.C. and Younger,V.B. (1975). Agron.J.,67, 678-681.

Ahmad,R. and Hug,Z. (1974). Pakistan J.Bot., 6(1) : 49-52.

Ahmed,A.M.,Keikal,M.D. and Shalad,M.A. (1980). Phyton (Horn.), 19 : 259-268.

Aleshin,E.P.,Moloko,L.G. and Yakovlen,B.V. (1971). Agrokimiya, 11 : 100-102.

Allison,L.E. (1964). Cf. Advances in Agronomy, 16 : 139-179. Norman,A.G. Ed. Acad. Press, New York.

Ansari,R. (1972). Pak.J.Bot., 4(1) : 55-63.

Arbestain, Ribas, Ignacio (1977). Circ.Farm., 35(256) : 341-355.

Aslam,M.,Huffaker,R.C. and Rains,D.W. (1984) Plant Physiol.,76 : 321-325.

Atkinson,M.R.,Findley,G.P.,Hope,A.B.,Pitman,M.G.,Sadder,H.D.W. and West,Y.R. (1967). Aust.J.Biol.Sci., 20 : 589-599.

Ayers, A.D. (1952). Agron.J., 44 : 182-184.

Azizbekova,Z.S. and Babaeva,Z.A. (1970). Dokl.Akad.Nauk.Azerb.SSR., 26(1) : 53-56.

Baar,H. (1912) . J.Acad.Wiss.Math.-Naturn.K.L. 121, 667. In "The Germination of Seed" by Mayer,A.M. and Poljakoff - Mayber,A. Second Edition. Pub.Pergamon Press, 1975, pp.35.

Bains,S.S. and Fireman,M. (1964). Agron.J., 56 : 17-29.

Bansal,R.G.,Tiwari,R.K.,Singh,U.M. and Ravi,K. (1981). Plant Biochem., 8(1) : 28-33.

Bartakke,S.P. (1977). "Physiological Studies in Plants". Ph.D.Thesis submitted to Shivaji University.

Beer,S.,Shomer - Ilan,A. and Waisel,Y. (1975). Physiol.Plant., 34 : 293-295.

Beevers,L. and Guernsey,F.S. (1966). Plant Physiol., 41 : 1455-1458.

Beevers,L. and Splittstoesser,W.E. (1968). J.Exp.Bot., 19 : 698.

Bejaoul,M. (1980). Physiol.Veg., 18(4) : 737-747.

Ben.Zion,A.,Itai,C.H. and Vaadia,Y. (1967). Plant Physiol., 42 : 361-365.

Bernstein,L. (1964). Plant Anal.Fert.Proff., 4 : 25-45.

Bernstein,L. (1974). Agronomy, 17 : 39-54.

Bernstein,L. (1975). Ann.Rev.Phytopath., 13 : 295-312.

Bernstein,L. and Hayward,H.E. (1958). Annu.Rev.Plant Physiol., 9 : 25-46.

Bernstein,L.,Francois,L.E. and Clark,R.A. (1975). Soil Sci. Soc.A.Procee., 39(1) : 112-115.

Bewley,J.D. and Black,M. (1976). Physiology and Biochemistry of seeds in relation to germination, J. Development, germination and growth. Springer-Verlag, Berlin, Heidelberg, New York.

Bharadwaj,S.N. (1957), Cf.Rao,I.M. (1965). Soil Salinity and crop growth. In.Proceedings of the seminar on sea sa and plants. pp.55-58 CSMCRT, Bhavanagar, Gujarat.

SHIVAJI UNIVERSITY LIBRARY KOLHAPUR

Bharadwaj,S.N. (1965). Proceedings of seminar on sea, salt and plants. pp.93-99. CSMCRT, Bhavanagar, Gujarat.

Bhumbla,D.R.,Singh,B. and Singh,N. (1968). Indian J.Agro., 13(3) : 181-185.

Bidwell,R.G.S. (1958). Can.J.Bot., 36 : 337-347.

Biswas,T.K.,Panigrahi,S.S.,Mondal,S.D. and Dipale,K. (1979). Curr.Sci., 48(7) : 301-302.

Boiko,L.A. and Matukin,G.R. (1966). Soils and Fertil., 29 : 578.

Borthwick,H.A.,Hendricks,S.B.,Pareker,M.W.,Toole,E.H. and Toole,V.K. (1952). Proc.Nat.Acad.Sci., U.S.A.., 38 : 662-666.

Bottacin,A.,Cacco,G. and Saccomani,M. (1985). Can.J.Bot., 63(3) : 517-520.

Brown,R. (1965). Encyclopedia of Plant Physiology, XV/2, 894-908, Springer-Verlag, Heidelberg.

Buffum,B.C. (1886). Wyo.Agr.Expt.Sta.Bull., 29. Cf.Hayward, H.E. and Wadleigh,C.H. (1974). In.Advances in Agronomy, 1 : 1-38.

Buffum,B.C. (1899). Wyo.Agr.Expt.Sta. 9th Ann.Rept. Cf. Hayward,H.E. and Wadleigh, C.H.(1949), In : Advances in Agronomy, 1 : 1-38.

Catarino,E.M. (1969). Port.Acta.Biol.Ser.,11(1/2) : 1-28.

Cavalieri,A.J. and Huang,A.H.C. (1978). Plant Physiol., 61 : (4) Suppl., 27.

Cavazza,L. (1953). Nouvi,Giorn.Bot.Ital.N.S., 60:759-762.

Chang,C.W. (1961). In "Physiological aspects of crop nutrition" by Gupta,U.S., Pub.Atma Ram and Sons, Delhi, p.316.

Chatterji,U.N. and Kamal Mohnot (1964). Proc. of Arid Zon Sym. Cent.Arid.Zone Res., Inst.Jodhapur. Cf.Chatterji, U.N. (1969). Presidential Address, 56th Indian Sci.Cong.,Bombay, 1969.

Chatterton,N.J. and C.M.Mckell (1969). Acron.J.,61(3) ; 448-450.

Chatterton,N.J.,Goodin,J.R. and Dacan,C. (1971). Agron.J., 63 : 271-274.

Charan,P.D. and Karadge,B.A. (1980). Plant Soil.,56 : 201-207.

Ching,T.M. (1972). Metabolism of germinating seeds. In "Seed Biology" (T.T.Kozlowsk; Ed.) Academic Press, New York.

Chu,T.M.,Aspinall,D. and Paleg,L.G. (1976). Aust.J.Plant. Physiol., 3(2) : 219-228.

Cieslar,A. (1883). Forsch.Gehiete, Agrikultur. Physik, 6 : 270-295.

Collins,D.M. and Wilson,A.T. (1975). Phytochemistry, 11 : 1931-1935.

Come,D. and Tissaoui, T. (1973). In "Seed Ecology", (Ed.Heydecker,W.), pp.157-168. Butterworths, London.

Cooper,A.W. and Dumbron, E.B. (1973). Can.J.Bot.,51(6) : 763-773.

Corchete,P. and Guerra,H. (1986). Plant Cell Environ., 9(7) : 589-594.

Curtis,P.S. and Lauchli,A. (1985). Crop Science, 25(6) : p.944.

Dahiya,S.S. and Singh,M. (1976). Plant and Soil, 44(3) : 694-702.

De Leo,P. and Sacher,J.A. (1970). Plant Physiol., 46(2) : 208-211.

Dewey,D.R. (1960). Agron.J., 52 : 631-635.

Downton,W.J.S. (1977). Aust.J.Plant Physiol., 4 : 183-192.

Dubey,R.S. (1982). Biochem. Physiol. Pflanz.(BPP), 117(6) : 523-35.

Durrant,M.J.,Draycott,A.P. and Payne,A.A. (1974). Ann.Bot., 38(158) : 1045-1051.

Eaton,F.M. (1942). J.Agri.Res., 64 : 357-399.

Eldan,M. and Mayer,A.M. (1972). Physiol.Plant.,26 : 67-72.

El-Fouley,M.M. and Jung,J. (1970). Plant Physiol., 45(Annu.Suppl.).

El-Fouley,M.M. and Jung,J. (1972). Plant Soil, 36 : 497-500.

El-Mahdy.,Rafik,A. and Laila,A.El.Sebaiy (1983). J.Sci.Food Agric., 34(9) : 951-956.

El-Mansy,M.L. and Bond,C.A. (1978). Annu.Res.Rep.Kuwait Inst. Sci.Res., 26-34.

El-Shimi,N.M.,Damir,A.A. and Ragab,M. (1984). Food Chem., 14(1) : 11-20.

El-Shourbagy,Nabih,M. and Abdulla,O.A. (1979). Phyton (Horn). 17(1/2) : 79-86.

Epstein,E. (1968). Symp.Br.Ecol.Soc., No.9 : 345.

Epstein,E. (1972). Mineral Nutrition of Plants : Principles and perspectives. John Wiley and Sons Inc., New York, London, Sydney, Toranto.

Epstein,E.,Kingsbury,R.W.,Norlyn,J.D. and Rush,D.W.(1979) . In "The Biosaline Concept,' Ed.A.Hohaender Plenum Publishing Corp., pp.77-79.

Epstein,E.,Norlyn,J.D.,Rush,D.W.,Kingsbury,R.W.,Kelley,D.B., Winnigham,G.A. and Worna,A.F. (1980). Science, 210 : 399-404.

Evenari,M. (1956). Internat.Chickpea Newsletter, 6 : 23.

Evenari, M. (1961). Israel Proc.Int.Seed.Test Ass., 26 : 597-658.

Fattah,Q.A. and Bano,B. (1980). Trop.Grain Legume Bull., 20 : 16-17.

Flin,A.M. and Smith,D.L. (1967). Planta, 75 : 10-22.

Flowers,T.J. (1972). Phytochemistry, 11 : 1881-1886.

Flowers,T.J. and Hall,J.L. (1978). Ann.Bot., 42 : 1057-1063.

Frota,J.N.E. and Tuker,T.C. (1978). Soil Sci.Soc.Ann.J., 42(5) : 753-756.

Gale,J.,Kohl,H.C. and Robert,M.H. (1967). Physiol.Plant., 20 : 408-420.

Georgive,M. and Spansenavski,M. (1977). Godzb.Biol.Fak., 30 : 171-178.

Ghevade,K.S. and Joshi,G.V. (1980). Ind.J.Expt.Biol., 18 : 1344-1345.

Gill,K.S. and Singh,O.S. (1985). Indian J.Exp.Biol.,23:384-386.

Gowda,C.A. (1971). Physiology of salt tolerance of plants. Ph.D.Thesis submitted to Shivaji University, Kolhapur (India).

Greenway,H. (1965). Aust.J.Biol.Sci., 18(2) : 249-268.

Greenway,H. and Munns,R. (1980). Ann.Rev.Plant Physiol., 31 : 149-190.

Greenway,H. and Osmand,C.B. (1972). Plant Physiol.,49 : 256-259.

Guggenheim,J. and Waisel,Y. (1977). Plant and Soil.,47 : 431-440.

Guillen,M.C.,Caro,M.,Fernandez,B.G. and Cerda,A. (1978). Commun.Sci.Plant Anal., 9(1) : 595-606.

Gujarathi,B.G.,Karadge,B.A. and Chavan,P.D. (1981). Geobios., 8(6) : 273-275.

Gupta,U.S. and Kaur,P. (1970). Curr.Sci., 39 : 69-70.

Gupta,U.S. and Kaur,P. (1970). Sci. and Cult., 36 : 29-34.

Hall,J.L.,Diana,M.R.H. and Flowers,T.J. (1978). Planta, 140 : 59-62.

Haller,E. (1984). Exp.Agric., 20(3) : 235-244.

Hamid,A. and Talibudin,O. (1976). J.Agric.Sci.,86(1) : 49-56.

Hassan,N.A.K.,Drew,J.Y.,Khudsen,D. and Olsen,R.A. (1970). Agron.J., 62 : 43-45.

Hassan - Porath,E. and Poljakoff - Mayber,A. (1968) : Plant Cell Physiol., 9:195.

Hassan-Porath,E.,Kahana,I.K. and Poljakoff-Mayber,A. (1972). Plant Soil, 36(20 : 449-460.

Hatata,M. and Farah,M. (1982). Acta.Soc.Bot.Pol., 51(1) : 81-90.

Hayward,H.E. and Wadleigh,C.H. (1949). Cf. Hayward, H.E. and Wadleigh,C.H. (1974). In.Adv.In Agron., 1 : 1-38.

Heerkloss,B. and Wulf,B. (1980). Arch.Acker.Pflenenbau.Bodenkd., 24(4) : 241-246.

Hegde,B.A. and Patil,T.M. (1982). Weed Res., 22(1) : 51-56.

Heikel,M.M.D. (1976). Bull Fac.Sci.Assiut Univ., 5(1) : 17-30.

Helal,M.,Koch,K. and Mengel,K. (1975). Physiol.Plant, 35 : 310-313.

Hendricks,S.B. and Taylorson,R.B. (1974). Plant Physiol., 54 : 304-309.

Herbert,D. (1955). Catalase from bacteria. In, Methods in Enzymology, II : 784-786, Colowick,S.J. and Kaplan, N.O. (eds.). Academic Press, Inc.Publishers, New York.

Heuer,B. and Plant, Z. (1982). Physiol.Plant., 54 : 505-509.

Heydecker,W. (1973). Seed Ecology, Proc. 19th Easter School in Agr.Sci.Univ., Nottingham, London, Butterworths.

Huber,W. and Sankhala,N. (1974). Planta (Berl.), 116 : 55-64.

Huber,W.,Kreutmeier,F.and Sankhala,N. (1977). Ecophysiological studies on Indian arid zone plants VI. Effect of sodium chloride and abscissic acid on amino acids and protein metabolism in leaves of Phaseolus aconitifolius. Z.Pflanzenphysiol., 81 : 234-247.

Hunter,J.R. and Erickson, A.E. (1952). Agron.J., 44 : 107-109.

Ibrahim,Al Saidi (1980). Mesopotamia J.Agric., 15(1) : 125-136.

Im,H.B. (1969). Seoul, Univ.J.Biol.Agric.Ser.(B), 20(1) : 1530.

Ingle,T.L.,Beevers,L. and Hageman,R.H. (1964). Plant Physiol., 39 : 735-40.

Iyengar,E.R.R.,Kurian,T. and Tewari,A. (1968). "Utilization of sea water and coastal sandy belts for growing crops in India in saline irrigation for agriculture and forestry". (H.Boyko Ed.), Dr.W.N.Junk,N.V.Publishers.

Jackson,T.L.,Westermann and Moore,D.P. (1966) . Soil Sci.Soc. Am.Proc., 30 : 70-73.

Jaya,T.V. and Venkataraman,L.A. (1981). Food Chem., 7(2): 95-104.

Jennings,D.H. (1960). New Phytol. 67 : 899-911.

Jones,L.H.P. and Leeper,G.W. (1951). Plant and Soil, 3 : 154-159.

Joolka,N.K. and Singh,J.P. (1979). Indian J.Agric.Sci., 49(11) : 858-861.

Joshi,A.J. and Bhoite,A.S. (1987). "Abst.Natl Seminar in Plant Physiology, Dharwad, p.35.

Joshi,A.I. and Iyengar,E.R.R. (1982). Indian J.Plant Physiol., 25(1) : 65-70.

Joshi,G.,Dolan,T.,Gee,R. and Saltman,P. (1962). Plant Physiol., 37(3) : 446-449.

Joshi,G.V. and Karadge,B.K. (1979). Indian J.Exp.Biol., 17 : 167-170.

Joshi,G.V. and Karekar,M.D. (1973). INSA, 39(B) : 4 : 489-493.

Joshi,G.V.,Karekar,M.D.,Gowda,C.A. and Bhosale,L.J. (1974). Photosynthetica, 8(1) : 51-52.

Joshi,G.V. and Shitole,M.G. (1977). Biovigyanam, 3 : 123-124.

Joyce,D.C.,Aspinall,D. and Edwards,G.R. (1983). New Phytol., 93(3) : 439-466.

Kaddah,M.T.,Lehman,W.F. and Robinson,F.E. (1973). Agron.J., 65 : 845-847.

Kale,S.N. and Gupta,K. (1982). Geobios, 9(1) : 43-46.

Karadge,B.A. (1981). Physiological studies in plants. Ph.D. Thesis submitted to Shivaji University, Kolhapur (India).

Karadge,B.A. and Chavan,P.D. (1981). Biovigyanam, 7(2) : 137-144.

Karadge,B.A. and Chavan,P.D. (1983). Physiological studies on salt tolerance in Sesbania. Report of the Shivaji Univ. Research Project (SU/MTG/17982), p.31.

Karadge,B.A. and Joshi,G.V. (1983). Biovigyanam, 9 : 125-132.

Karekar,M.D. and Joshi,G.V. (1973). Botanica Marina, 16 : 210-220.

Karmarkar,S.M. and Joshi,G.V. (1969). J.Univ.Bombay, 65:73-78.

Karmarkar,S.M. and Ranganathan,T. (1971). Indian J. Expt.Biol., 1 : 123-124.

Kennedy,R.A. (1977). Z.Pflanzenphysiol., 83 : 11-24.

Khan,A.A. (1977). The physiology and Biochemistry of seed dormancy and growth, North Holland Publishing Co., New York.

Khot,S.B. (1986). Physiology of Germination Under Saline Conditions. M.Phil. Thesis submitted to Shivaji University, Kolhapur (India).

Kleinkopf,G.E.,Wallace,A. and Cha,J.W. (1975). Soil Science, 120(1) : 45-48.

Kling,E.G. (1954). Physiology of plant in saline soils. Byallelin Glavnogo Botanicheskogo Sada B. 18 : 59-73.

Knapp,R. (1966). Angew Bot., 39:230-241. Cf.Rachei, K.O. and Roberts,L.M. (1974). Grain Legumes of the lowland tropics. In "Advances in Agronomy", 26 : 1-132.

Knapp,R. (1967). Flora 157 B:3.

Koller,D.,Mayer,A.M.,Poljakoff Mayber,A. and Klein,A. (1962). Seed germination. Annu.Rev.Plant Physiol.,13 : 437-464.

Kovrigo,N.M. and Krustina,E.F. (1966). Izvestia Tskha, 1:42-50.

Kulkarni,R.K. (1975). Physiological studies in succulent plants. Ph.D. Thesis submitted to the Shivaji University, Kolhapur (India).

Kumar,D. and Malik,R.S. (1984). Indian J.Agron., 28(4) : 325-331.

Kumar,D.,Singh,C.P. and Sharma,N.N. (1982). Indian J.Plant. Plant.Physiol., 24(3) : 229-236.

Kumar,S. and Bharadwaj,P. (1981). Indian J. Plant Physiol. 24 : 123-127.

Kumar,S. and Bharadwaj,P. (1982). Indian J.Plant Physiol., 24(2) : 123-127.

LaHaye,P.A. and Epstein,E. (1969). Science, 166 : 213-218.

Lall,S.A. and Sakhare,R.S. (1970) : The Botanique, 1 : 23-28.

Lang,A. (1965). Encyl.Plant Physiol., XV/2 : 848-893. Springer-Verlag Heidelberg.

Lapina,L.P. (1966). Soviet Plant Physiol., 13 : 904-913.

Lapina,L.P. and Bikhmukhametora,S.A. (1972). Fiziol.Rast., 19(4) : 792-797.

Lashin,M.H. and Atansia,N. (1972). Z.Acker Pflanzenpau , 135 : 178-186.

Laszlo,E. and Kuiper, P.T.C. (1979). Physiol.Plant., 47 : 95-99.

Leeper,G.W. (1947). The form and fractions of manganese in the soil. Soil Sci., 63 : 79-94.

Lessani,H. and Marschner,H. (1978). Aust.J.Plant Physiol., 5 : 27-37.

Levitt,J. (1956). The Hardiness of Plants, Acad.Press, New York. In."The Germination of Seeds" by Mayer, A.M. and Poljakoff-Mayber, A. Second Edition. Pub.Pergamon Press, 1975, p.32.

Longstreth,David,J. Jorges,A. Bolanos, and Smith James E.(1984). Plant Physiol., 75(4) : 1044-1047.

Lowry,O.H.,Rosebrough,N.J.,Farr,A.L. and Randall,R.J. (1951). J.Biol.Chem. 193 : 262-275.

Maas,E.V. and Hoffman,G.J. (1977). ASCE J.Irrig.and Drainage Dv., 103 : 115-132.

Maas,E.V. and Nilman,R.H. (1978). ASA.CSSA.SSSA., pp.227-299.

Maas,E.V.,Ogata,G. and Garber,M.J. (1972). Agron.J.,64(6) : 793-795.

Macke,A.J. and Ungar,I.A. (1971). Can.J.Bot., 49 : 515-520.

Machlan,K.D. (1980). Aust.J.Agric.Res., 31 : 429-440.

Maehley,A.C. (1954). Methods of Biochemical Analysis (Glick,D. ed.). Inter Sci. Publishers, Inc. New York, 1954.

Magistad,O.C. (1945) : Bot.Rev., 11 : 181-230.

Mahmood,K. and Malik,K.A. (1987). Environ and Expt.Bot., 27(1) : 119-126.

Mahmoud,E.A. and Hill,M.J. (1981). Nz.J.Agric.Res., 24(1) : 67-72.

Maquire,J.D. (1973). Seed Ecology. Ed.Heydecker,W. Pub. Bitterworths, London, pp.289-311.

Malcoste,R. (1969). Compt.Rend.Paris, 269 : 1415-18.

Maliwal,G. and Paliwal,K.V. (1967) : Indian J. Plant Physiol., 10 : 26-35.

Maliwal,G.L. and Paliwal,K.V. (1972). Plant Soil.,35 : 221-228.

Maliwal,G.L. and Paliwal,K.V. (1986). Agric.Sci.Dig., 4(3) : 147-149.

Mancinelli,A.L.,Yaniv,Z. and Smith,P. (1967). Plant Physiol., 42 : 333-337.

Manga,V.K. and Saxena,M.B.L. (1981). Agric.Sc.Digest.,1(2) : 100-102.

Marcus,A. and Feeley,J. (1964). Proc.Natl.Acad.Sci.U.S.A., 51(6) : 1075-79.

Mater,Y.,Doering,H.W. and Marschner,H. (1975). Z.Pflanzenvnaehr Bodenkd., 3 : 295-307.

Mayeux,H.S.Jr. (1982). Weed Science, 30(6) : 597-601.

Meiri,A.,Kamburaff,J. and Poljakoff Mayber,A. (1971). Ann.Bot., 35(142) : 832-847.

Mishra,S.D. (1967). Physiological studies in mangroves of Bombay. Ph.D.Thesis submitted to University of Bombay (India).

Miyamoto,S.,Sosnovske,K. and Tipon,J. (1982). Agron.J., 74(2) : 303-307.

Molokov,L.G.,Yakovles,B.V. and Abshin,E.P.A. (1973). Fiziol. Rast., 20(6) : 170-175.

More,S.D. and Ghonsikar,C.P. (1982). J.Maharashtra Agric.Univ., 7(3) : 245-246.

Mukharji,A. (1967). Ph.D.Thesis, Univ.Jodhapur,Cf.Chaterji, U.N. (1969). Some considerations relating to seeds and seed germination. Presidential address. Fifty Sixth Indian Sci.Congress, Bombay, 1969.

Mukherjee,U.,Agrawal,N. and Sahai,R. (1982). Indian J.Bot., 5(2) : 166-170.

Mukherji,S. and Paul,A.K. (1971). Proc.58th Ind.Sci.Cong. Part III, 23-29.

Murumkar,C.V. (1986). Physiological studies in chickpea (Cicer arietinum L.). Ph.D.Thesis submitted to Shivaji University, Kolhapur (India).

Nanda,K.K. (1950). Curr.Sci., 19 : 22-24.

Narale,R.P.,Subramanian,T.K. and Mukherjee,R.K. (1969). Agron.J.,61:341-344.

Narasgaudar,N.A.,Chavan,P.D. and Karadge,B.A. (1979). Geobios., 6 : 327-328.

Narayanan,A. (1975). Proc.Symp., 89-96. Cf. Karadge,B.A. and Chavan,P.D. (1983). In : Physiological studies on salt tolerance in Sesbania. Final Report of the Shivaji University Project.

Negbi,M. and Koller,D. (1964). Plant Physiol., 39 : 247-253.

Nelson,H. and Paris,H.S. (1985). Irrig.Sci., 5(4) : 265-274.

Nelson,N.A. (1944). J.Biol.Chem., 153 : 375-380.

Nieman,H.P. (1962). Bot.Gaz., 123 : 279-285.

Nieman,R.H. and Clark,R.A. (1976). Plant Physiol., 57 : 157-161.

Nieman,R.H. and Shannon,M.C. (1976). In 'Proceedings of a workshop. Plant adaption to mineral stress in problem soils'. Publ.Commell. Univ.Agr.Expt.Stn., pp.359-367.

Nikolaeva,M.G. and Yonkuevich,B.B. (1979). Doki Acad.Nauk SSSR. 244(3) : 778 - 780.

Novikov,V.A. (1936). Germination of cotton in salt solutions of various concentrations. TSSS Soyuz NIKHI, Taskent.

Odegbaro,D.A. and Smith,O.E. (1969). J.Am.Soc.Horti.Sci., 94 : 167-170.

Oizumi,H.I.,Mihira Yasuotakasaki and Hiroshi,Nojima (1981). Tech.Bull.Fac.Horti.Chiba Univ., 0(29) : 29-34.

Ologhoba,A.D. and Babtunde,L.F. (1986). Food Chem. 20(2) : 117-126.

Osmond,C.B. and Greenway,H. (1972). Plant Physiol., 49 : 260-263.

Ota,K.,Ogo,T. and Omori,N. (1953). Sci.Rep.Fac.Agric. Okayama Univ., 2 : 28-37.

Palfi,G. and Juhasz,J. (1970). Acta Agron.Acad.Sci.Hung., 19(1/2) : 79-88.

Paliwal,K.V. and Maliwal,G.N. (1972). J.Horti.Sci., 47(4) : 517-524.

Paliwal,K.V. and Maliwal,G.L. (1973). Ann.Arid.Zone, 12 : 135-143.

Paliwal,K.V.,Maliwal,G.L. and Sharma,B.P. (1970). 1st Annual Report of ICAR Scheme of 'Salt tolerance of field crops'. Udaipur University, Udaipur.

Panigrahi,A.K.,Misra,M.K. and Misra,B.N. (1978). Indian J.Ecol., 5(1) : 98-101.

Parida,R.K.,Kar,M. and Mishra,D. (1981). Biol.Plant.(Prague), 23(4) : 249-259.

Parihar,J.S. and Baijal,B.D. (1983). Acta.Bot.Indica, 10(2) : 282-287.

Passera,C. and Albuzia,A. (1978). Can.J.Bot., 56 : 121-126.

Patil,B.A. (1967). Physiological studies in marine alga Ulva lactuca. Ph.D.Thesis submitted to Bombay University, Bombay, (India).

Paul,A.K. and Mukherji,S. (1972). Biol.Plant., 14(6) : 416-419.

Paul,A.K.,Mukherji,S., and Sircar,S.M. (1970). Osterreichische Botanische Zeit., 118(4) : 311-320.

Pearson,G.A. and Bernstein,L. (1958). Soil Sci., 86 : 254-61.

Pearson,G.A.,Ayers,A.D. and Eberhard,D.L. (1966). Soil Sc., 102 : 151-155.

Pessarakli,M. and Tucker,T.C. (1985). J.Plant Nutri., 8(11) : 1025-1046.

Pokrovaskaya,E.I. (1954). Metabolism of plants in saline soils. Avtoreferat Kandidatskoi dissentatsii.Moskva.

Pokrovskaya,E.I. (1957). Some data on the oxidoreductive processes in plants in halophytes. In "Pamyati akademika N.A. Maksimova, Izqatel'stvo Akademi, Nauk.SSSR.

Popov,D. (1969). Stud.Cercept Biochem., 12(4) : 377-385.

Prentice,N.,Burger,W.C. and Wider,H.E. (1969). Physiol.Plant., 22 : 157.

Price,C.E. and Fy,P.L. (1970). J.Exp.Bot., 21 : 228-235.

Prisca,J.T. and Vieira,G.H.E. (1976). Physiol.Plant., 36(4) : 317-320.

Rahman,A.El.,El.Shourbagy,M.N. and M.O.El Monayeri (1972). Bull.Fac.Sci.Cairo.Univ., 45 : 76-96.

Ramamoorthy,B. (1968). Seventh NESA Regional Irrigation Practices Seminar, Lahore, Pakistan, 16-28.

Raynolds,T. and Thompson,P.A. (1971). Physiol.Plant., 24 : 544-547.

Reddy,M.P. and Vora,A.B. (1986). Photosynthetica, 20(1) : 50-55.

Reddy,M.P. and Vora,A.B. (1985). Indian J.Plant Physiol., 28(2) : 190-195.

Reistad,R. (1970). Arch.Mikrobiol., 71, 353-360.

Richards,R.A. (1978). Aust.J.Agric.Res., 29(3) : 491-501.

Rizk,T.Y.,Ali,H.A. and Hasan,A.M. (1979). Mesopatamia J. Agric., 14(2) : 25-40.

Rizk,T.Y.,Hasan,A.M.,Ramabhan,A.E.T. and Alawi,B.J. (1979) : Mesopatamia J.Agric., 13(2) : 105-122.

Robinson,C. (1974). Dissertation Abst.International, B-35(2) : 675-76.

Rush,D.W. and Epstein,E. (1976). Plant Physiol., 57(2) : 162-166.

Sankhla,N. and Huber,W. (1974). Biochem.Physiol.Pflanz., 166(2) : 181-187.

Sarin,M.N. (1958). Indian J.Plant Physiol., 1 : 30-38.

Sarin,M.H. and Narayanan,A. (1968). Physiol.Plant., 21 : 1201-1209.

Sen,D.N. (1977). Chronica Botanica Co., New Delhi, 1977.

Sen,D.N. and Chawan,D.O. (1968). Cf.Chatterji,U.N. (1969). Presidential address, Fifty Sixth Indian Science Congress, Bombay, 1969.

Setia,R.C. and Narang,Shelly (1986). Flora (Jena), 177(5/6) : 369-375..

Sharma,S.K. (1983). Indian J. Exp.Biol., 21(22) : 690-692.

Sharma,S.K. and Gupta,I.C. (1986). Saline Environment and Plant Growth : Agro Botanical Publishers (India).

Sharma,V.K.,Dua,K.L. and Singh,R.P. (1975). Plant Sci., 7 : 61-64.

Sheoran,I.S. (1980). Indian J.Plant Physiol., 23(2) : 169-173.

Sheoran,I.S. and Garg,O.P. (1978). Physiol.Plant., 44 : 171-74.

Sheoran,I.S. and Garg,O.P. (1979). Physiol.Plant., 46 : 147-50.

Sheoran,I.S. and Garg,O.P. (1983). Indian J.Plant Physiol., 26(4) : 363-369.

Shimose,N. (1972). The Scientific Reports of Faculty of Agriculture, Okayama University, 40 : 57-68.

Shimose,N. (1973). Japan Agricultural Research Quarterly., 7(3) : 178-184.

Shomer-Ilan,A. and Waisel,Y. (1973). Physiol.Plant., 29 : 190-193.

Singh,M.,Lal,P. and Singh,K.S. (1971). Ann.Arid Zone, 10(4) : 255-260.

Singh,M.,Shukla,C.C. and Subbiah,B.V. (1974). Proceedings of Atomic Energy. Govt. of India, pp.328-329.

Sing,N. and Kale,S.R. (1985). Abst.Nat.Semi.Plant Physiol., BHU, Varanasi, Feb., 1985, pp.70-71.

Singh,O.S. and Vijaykumar,K.R. (1975). Seed Res., 2 : 12-18.

Singh,T.N. and Chandra,S. (1980). Indian J.Plant Physiol., 22(3) : 181-185.

Sionitt,N.,Kheradnam,M. and Ghorashy,S.R. (1973). Physiol. Plant., 29:272-273.

Sircar,S.M.,Das,T.M. and Lahiri,A.N. (1955). Nature, 175 : 1046.

Smith,H. (1975). "Phytochrome and photomorphogenesis", McGraw Hill Book Co., New York.

Sorour,F.A.,Asseed,M. and Gajem,Y.M. (1977). Libyan J.Agric., 6(1) : 11-18.

Stevens,H.C.M.,Chavan,K.,Lee,Siegel,B.Z. and Siegel,S.M. (1978). Phytochemistry, 17(9) : 1521-1522.

Stewar,G.R. and Lee,J.A. (1974). Planta, 120(3) : 279-289.

Storey,R. and Wyn Jones,R.G. (1975). Plant Sc.Lett., 4 : 161-168.

Storey,R. and Wyn Jones,R.G. (1978). Aust.J.Plant Physiol., 5 : 801-816.

Strack,Z. and Kozinska,Maring (1980). Acta.Soc.Bot.Pol., 49 : 111-126.

Stroganov,B.P. (1946). Doklady Akademii Nauk.SSSR.Vol.54(9).

Strogonov,B.P. (1949). In "Physiological aspects of crop nutrition" by Gupta,U.S.,Pub.Atma Ram and Sons, Delhi., p.315.

Strogonov,B.P. (1958). Plants and Soil Salinity. Izdatel'stvo Akademii Nauk SSSR.

Strogonov,B.P. (1964). Academy of Science of the USSR Trnsl. Israel program of Scientific Translations, Jerusalem.

Stroganov,B.P. and Ostapenko,L.A. (1941). In 'Physiological aspects of crop nutrition" by Gupta,U.S. Pub.Atma Ram and Sons, Delhi, p.315.

Strogonov,B.P.,Ivanitskaya,E.F. and Charnyadeve (1956). In "Physiological aspects of crop nutrition", by Gupta, U.S., Pub. Atmaram and Sons, Delhi, p.325.

Strogonov,B.P.,Kabanov,V.V.,Shevya, Kova,N.I., Lapina,L.P. and Komzerko,E.I. (1970). Structure and function of plant cells under salinity Moscow, Nauka.

Stuirer,C.E.E.,Kuiper,P.J.C. and Marsehner,H. (1978). Physiol.Plant., 42 : 124-128.

Subramaniam,V. (1979). Riso, 28(4) : 321-324.

Sudhakar,C.,Reddy,P.S. and Veeranjaneyulue,K. (1987). Indian J.Expt.Biol., 25(7) : 479-482.

Sung,J.M. (1981). J.Agric.Assoc.China New SER,0(113) : 41-47.

Syed,M.M. and Swaify,S.A.El.(1973). Trop Agric., 50(1) : 45-51.

Szukalski,H. (1968). Roczn,Nauk roln. 95A : 405-23.

Tailakov,N. (1967). Izv.Akad.Nauk.Turkmen SSR (Ser biol.Nauk), 1 : 34-39.

Taylor,R.M.,Young,E.F.,and Jr.Rivera,R.L. (1975). Crop Science, 15 : 734-735.

Taylorson,R.B. and Hendricks,S.B. (1972). Planta., 45(5) : 507-510.

Ter-Karapetian,M.S. (1957). Dok.Akad.Nauk.Armianskoi SSR, 25 : 117-120.

Tindal,P.C.,Singh,J.P. and Gupta,O.P. (1979). Indian J.Agric. Sci., 49(2) : 105-109.

Toro,S.V. (1987). Studies in physiology of salt tolerance of Setaria italica. M.Phil.Thesis submitted to Shivaji University, Kolhapur (India).

Treichel,S. (1975). Z.Pflanzenphysiol., 76(1) : 56-68.

Tulaikov,N.M. (1972). The solonet soils, their reclamation and use. 2nd Ed. Revised and Enlarged, GOSIZDAT.

Udovenko,G.V. and Alekseeva,E.I. (1973). Fiziol.Rast., 20(2) : 277-286.

Udovenko,G.V.,Semushina,L.A. and Petrochenko,N.G. (1971). Physiol.Rast., 18 : 708-715.

Ungar,I.A.,Benner,D.K. and David,C. McGraw.(1979). Ecology, 60(2) : 329-336.

Vartapetyan,B.B. (1966). Avtoreferat Doc.Diss.

Vasile,P.D. (1965). Lucrarite Gradinii Bot.Bucuresti Acta.Bot. Horti. Bucurestinsis Z., 683-792.

Verma,C.P.S. and Yadav,R.B.C. (1986). J.Agric.Crop.Sci., 156(2) : 12.

Verma,S.K. and Poonia,S.R. (1979). Indian J.Plant Physiol., 22(2) : 144-146.

Vora,A.B. and Gopalkrishnan, P.K. (1981). Sci.Cult., 46(6) : 224-226.

Wahhab,A. (1961). Arid.Zone Res., 14 : 185-192.

Waisel,Y. (1972). 'Biology of Halophytes'. Academic Press, New York.

Wareing,P.F. (1969). "Germination and Dormancy" In.Physiology of plant growth and development (M.B.Wilkins ed.), pp.605-644.

Webb,K.L. and Burley,J.W.A. (1965). Can.J.Bot., 43 : 281-285.

Weimberg,R. (1967). J.Biol.Chem., 242 : 3000-3006.

Weimbera,R. (1970). Plant Physiol., 46 :466-470.

Wieczoreck,E.B.,Morawiecka and Kwakowska,M. (1975). Rost.Aklim. Nasimenn, 19(3) : 257-68.

Wiley,L. and Ashton,F.M. (1967). Physiol.Plant., 20 : 688-696.

Wilson,J.P.,Haydock,K.P. and Robins,M.F. Aust.J.Exp.Agr.Anim. Hasb., 10 : 156-165.

Winter,K. and Willert,D.T.Von (1972). Z.Pflanzenphysiol., 67 : 167-170.

Wyn Jones,R.G. and Lunt,O.R. (1967). Bot.Rev., 33 : 401-426.

Young,J.L. and Varner,J.E. (1959). Arch.Biochem.Biophs., 84 : 71.

Young,J.L.,Hung,R.C.,Vanecko,S.,Marks,J.D. and Varner,J.E. (1960). Plant Physiol., 35 : 288.

Zhukouskaya,N.V. (1971). Fiziol.Rast., 18(2) : 397-403.

Zhukhovskaya,N.V. (1973). Fiziol.Rast., 20(1) : 71-78.

= ooo =