

REFERENCES

- Arber, E.A.N. (1905). Catalogue of the fossil plants of the Glossopteris flora in the Department of Geology. Br. Mus. Nat. Hist. London.
- Baksi, S.K. (1967). Fossil plants from Raghavapuram Mudstone, West Godavari District, A.P., India. The Palaeobotanist. 16(3) : 206-215.
- Bharadwaj, D.C. (1953). Jurassic woods from the Rajmahal Hills, Bihar, The Palaeobotanist, 2: 59-70.
- Biradar, N.V.(1967). Studies in fossil plants from Kota-Malari beds and embryology of the genus Phoenix Linn. A. Ph.D. Thesis submitted to University of Poona, Pune-411007.
- Bose, M.N. (1953). Ptilophyllum amarjolense. sp. nov. from the Rajmahal Hills, Bihar. Proc. natn. Inst. Sci. India 19(5) : 605-612.
- _____ (1953a). Bucklandia sahnii sp. nov. from the Jurassic of Rajmahal Hills, Bihar. The Palaeobotanist, 2 : 41-50.
- _____ (1958). Morrisia, a new genus of Cycadophytic fronds from the Rajmahal Hills, Bihar, The Palaeobotanist, 7(1) : 21-25.
- _____ (1958a). The occurrence of Cycadopteris Zigno in the Mesozoic rocks of India. The Palaeobotanist, 6 (1-2): 113-114, 1957.

- Bose, M.N. (1958b). Cycadopteris sp. from Rajmahal Hills, Bihar. Curr. Sci., 27 : 312.
- _____ (1959). Some fragmentary plant fossils from Narsinghpur Dist., Madhya Pradesh, India. The Palaeobotanist, 6 : 49-50, Stat 1957.
- _____ (1959). The fossil flora of Jabalpur group-1. Ptilophyllum institacallum n. sp. The Palaeobotanist, 7 (1) : 26-28.
- _____ (1966a). Significance of fossil plants in the Indian Gondwana stratigraphy. Sci. and Cult., 32 : 532-534.
- _____ (1966b). Fossil plant remains from the Rajmahal and Jabalpur series in the Upper Gondwana of India. Symp. Florist. Strat. Gond.Land. B.S.I.P. Lucknow : 143-154.
- _____ (1968). A new species of Williamsonia from the Rajmahal Hills, India. Jour. Linn. Soc. (Bot.), 61 (384) : 121-127.
- _____ (1974). Bennettitales in "Aspects and Appraisal of Indian Palaeobotany", B.S.I.P. Lucknow, 189-200.
- Bose, M.N. and Banerji, J. (1981). Cycadophytic leaves from the Jurassic-Lower Cretaceous rocks of India. The Palaeobotanist, 28-29: 218-300, 1981.
- _____ (1984). The fossil floras of Kachch. I - Mesozoic magafossils. The Palaeobotanist.33: 1-189.

- Bose, M.N. and Jain, K.P. (1964). Cycadolepis Saporta from the Rajmahal Hills, Bihar, India. The Palaeobotanist, 12(3) : 224-225.
- _____ (1967). Otozamites vemavaramensis sp. nov. from the Upper Gondwana of the East-coast of India. The Palaeobotanist. 15(3):314-315.
- Bose, M.N. and Kasat, M.L. (1968). The fossil flora of the Jabalpur series-4. Williamsonia senii sp. nov. in Sen Commemoration Vol. Bull. Bot. Soc. Beng., 305-309.
- _____ (1972). The genus Ptilophyllum in India. The Palaeobotanist. 19(2) : 115-145.
- Bose, M.N., Kutty, T.S. and Maheshwari, H.K. (1982). Plant fossils from the Gangapur formation. The Palaeobotanist, 30(2) : 121-142.
- Bose, M.N. and Maheshwari, H.K.(1974). Mesozoic conifers in "Aspect and Appraisal of Indian Palaeobotany". B.S.I.P. Lucknow. 212-223.
- Bose, M.N. and Roy, S.K. (1964). Studies on the Upper Gondwana of Kutch. 2. Isoetaceae. The Palaeobotanist, 12 (3) : 226-228.
- _____ (1968). On the occurrence of Pachypteris in the Jabalpur series of India. The Palaeobotanist, 16 (1) : 1-9.
- Bose, M.N. and Sah, S.C.D. (1968). Some pteridophytic remains from Rajmahal Hills, Bihar. The Palaeobotanist, 16(1) : 12-28.

- Bose, M.N. and Sukh-Dev. (1958). A few species of Ptilophyllum from Bansa, South Rewa Gondwana Basin. The Palaeobotanist, 6(11):12-15.
- _____ (1972). Three new species of Pagiophyllum from Bansa, Madhya Pradesh, India. Geophytology, 1 (2) : 122-161.
- Bose, M.N. and Zeba-Bano (1976). Genus Dictyozamites Oldham from India. The Palaeobotanist, 25(1) 79-91.
- _____ (1979). On some Cycadophytic leaves from the Jabalpur series. The Palaeobotanist, 26(1):1-9.
- *Brongniart. A. (1828). Prodrôme d'une histoire de Vegetaux fossiles: Dietonnaire. Sci.Nat.57:161-212.
- * _____ (1822). Histoire des végétaux fossiles ou recherches botaniques to géologiques sur les végétaux renfermés dans les diverces couches du globe, Paris, Vol. 1 : 265-288.
- Cotter, G. de. P. (1917). A revised classification of the Gondwana System. Rec. Geot. Surv. India, 48(1) : 23-33.
- Feistmantel, C. (1866). The fossil flora of the Gondwana System-IV. The fossil flora of the coal fields in Western Bengal. Mem. Geol. Surv. Ind., Palaeont. Ind., 4(2) : 1-66.
- _____ (1876). Fossil flora of the Gondwana System. Jurassic (Oolitic) flora of Kutch. Mem.Geol. Surv. India., Palaeont.Ind., Ser.11.2(1):1-80.

- Feistmantel, O. (1876). On some fossil plants from the Damuda Series in the Raniganj coal field collected by Mr. J. Wood Mason. Jour. Asiat. Soc. Bengal, 45 (2).
- _____ (1876a). Jurassic (Oolitic) flora of Katch-Fossil flora of Gondwana System. Mem. Geol. Surv. Ind., Pal. Ind., 2(1) : 1-80.
- _____ (1876b). Notes on the age of some fossil floras of India. Rec. Geol. Surv. Ind., 9(3):63-79.
- _____ (1876c). Notes on the age of some fossil floras of India. Rec. Geol. Surv. Ind., 9(4):115-144.
- _____ (1877). Notes on the fossil flora of India-XI. Notes on plant fossils from Barakar district (Barakar group). Rec. Geol. Surv. Ind., 10(2) : 73-74.
- _____ (1877a). Jurassic (Liassic) flora of Rajmahal group in the Rajmahal Hills. Mem. Geol. Surv. Ind., Pal. Ind., Ser. 2, 1(2) : 53-162.
- _____ (1877b). Jurassic (Liassic) flora of the Rajmahal group from the Golapilli (near Ellore), South Godavari district. Mem. Geol. Surv. Ind., Pal. Ind., 1 (3) : 163-190.
- _____ (1877c). Flora of the Jabalpur group (Upper Gondwana) in the Son-Narbada region. Mem. Geol. Surv. Ind., Pal. Ind., 2(2) : 81-105.

- Feistmantel, O. (1877d). Fossil flora of the Gondwana System.
Flora of the Jabalpur group (Upper Gondwanas) in the Son-Narbada region.
Palaeont. indica 2(2) : 1-25.
- _____ (1879). Flora of the Gondwana System-I. The flora of the Talchir-Karharbari beds. Mem. Geol. Surv. Ind., Pal. indica., 3(1): 1-64.
- _____ (1879a). Notes on the genus Sphenophyllum and Equisetaceae with reference to the Indian form Trizygia speciosa Royle (Sphenophyllum trizygia Ung.). Rec. Geol. Surv. Ind., 12 (3) : 163-166.
- _____ (1879b). The fossil flora of the Upper Gondwanas. Outlier of the Madras coast. Mem. Geol. Surv. Ind., Pal. Ind., 1(4) : 191-224.
- _____ (1880). The fossil flora of the Gondwana System II. Fossil flora of the South Rewa Gondwana basin. Mem. Geol. Surv. Ind., Pal. Ind., Ser. XII, 4(1) : 1-66.
- _____ (1880). Notes on the fossil plants from Kathiawar, Shekh Budin & Sirgiyah. Rec. Geol. Surv. India, 13(1) : 162-167.
- _____ (1882). The fossil flora of the Gondwana System-II. Fossil flora of the South Gondwana basin. Mem. Geol. Surv. Ind., Pal. Ind. Ser: X, 3(2) : 1-149.

- Feistmantel, O. (1889). Geological and palaeontological relations of the coal and plant bearing beds of Palaeozoic and Mesozoic age in the Eastern Australian and Tasmania with reference to fossil flora. Mem. Geol. Surv. NSW (Palaent.) 3 : 1-183.
- Foote, R.B. (1879). Geological structure of the eastern coast from Lat. 15° N to Musulipatnam. Mem. Geol. Surv. Ind. 16 (1) : 1-66.
- Fox, C.S. (1931). The Gondwana System and related formations. Mem. Geol. Surv. India, 58 : 1-241.
- Ganju, P.N. (1947a). On Beaniopsis rajmahalensis gen et. sp. nov., a new type of gymnosperm female fructification from the Jurassic of Bihar. Proc. Indian Acad. Sci. 25B(5) : 95-104.
- Gopal, V., Jacob, C. and Jacob, K. (1957). Stratigraphy and Palaeontology of the Upper Gondwana of the Ramnad district on the East Coast. Rec. Geol. Surv. India, B (4) : 477-496.
- *Gothan, W. (1912). Uber die Gattung Thinnfeldia Etingshausen Abst. naturlist, Ges. Nurnberg 19(3) : 67-80.
- Gupta, K.M. (1943). A new species of Williamsonia (W. sahnii) from the Rajmahal Hills, Bihar, India J. Ind. Bot. Sci., 22 : 191-199.
- _____ (1954). Notes on some Jurassic plants from the Rajmahal Hills, Bihar, India. The Palaeobotanist, 3(1) : 18-25.

- Gupta, K.M. and Sharma, B.D. (1968). Investigations on the Jurassic Flora of the Rajmahal Hills, India. 1 On the Bennettitalean genus Dictyozamites, with description of D.sahnii sp. nov. Jour. Palaeont. Soc. India (P.N. Gunju Memorial volume), 5-9:21-28.
- _____ (1968b). Investigations on the Jurassic Flora of the Rajmahal Hills, India. 2-On a new species of Ptilophyllum, P. sahnii. from Amarjola in Amrapara region J. Palaent. Soc. India, 11 : 1-7.
- Gururaja, M.N. and Pant, S.C. (1970). A note on fossil plants from Rajmahal Hills, Bihar. Indian Miner. 24 (4) : 386-388.
- *Halle, T.G. (1913). The Mesozoic flora of Graham Land. Wissenschaftliche Ergebnisse der Schwedischen Súd-polar - Expedition, 1901-1903, 3: 1-122.
- *Heer, O. (1881). Contributions a 'la' flore du Portugal. Sect. Trav. Geol. Port (Lisbon).
- Holden, R. (1915). On the cuticle of some Indian fossil conifers. Bot. Gaz. 60(3) : 215-227.
- Jacob, K. (1938). Fossil plants from the Sakrigalihat in the Rajmahal Hills with remarks on the age of the beds. Proc. 25th Ind. Sci. Congr., 3 : 152-153, Calcutta.

- Jacob, K. and Jacob, C. (1954). Cuticular study of Indian Ptilophyllum frond from Cutch and Jabalpur. Mem. Geol. Surv. Ind. Palaeont. Ind. (N.S.) 33 (1) : 1-35.
- Jain, K.P. (1967). Some plant remains from the Upper Gondwana of East Coast, India. The Palaeobotanist, 16 (2) : 151-155.
- Kasat, M.L. (1970). Some pteridophytic remains from the Mesozoic rocks of India. The Palaeobotanist, 18 (2) : 212-214, 1969.
- Krausel, R. and Jain, K.P. (1964). New fossil Coniferous woods from the Rajmahal Hills, India. The Palaeobotanist, 12(1) : 59-67.
- Lele, K.M. (1955). Plant fossils from Parsora in the South Rewa Gondwana basin, India. The Palaeobotanist, 4 : 23-24.
- _____ (1962). Studies in the Middle Gondwana flora-1. On Dicroidium from the South Rewa Gondwana basin. The Palaeobotanist, 10 : 48-68.
- _____ (1962a). Studies in the Middle Gondwana flora-2. Plant fossils from the South Rewa Gondwana basin. The Palaeobotanist, 10(1-2) : 69-83.
- _____ (1963). Studies in the Middle Gondwana flora-3. Platyspermic seeds and Megaspore impressions from the South Rewa Gondwana basin. The Palaeobotanist, 11 : 13-18.

- Lele, K.M. (1964). The Problem of Middle Gondwana in India
XXII. Inten. Geol. Congr. Ind. Part IX.
Proc. Sec. 9, Gondwanas, New Delhi 181-202.
- Lele, K.M. and Maithy, P.K. (1964). Studies in the Glossopteris
flora of India-15. Revision of the
epidermal structure of Noeggerathiopsis
Feistmantel. The Palaeobotanist, 12: 7-17.
- *Lesquereux, L. (1878). On the cordaites and their related
generic divisions in the carboniferous
formation of the United States. Proc.
Amer. Phil. Soc., 17 : 135-155.
- Mahabale, T.S. and Satyanarayana, T. (1979). Upper Gondwana
Plant fossils from East Godavari district
in Andhra Pradesh, India. Geophytology, 9(1):
65-82.
- Maheshwari, H.K. (1966b). Studies in the Glossopteris flora
of India-30. Remarks on the age of Lower
Gondwana beds of Bansoli valley, Santhal
Parganas, Bihar, India. Symp. Florist.
Strat.Gond.Land. B.S.I.P.Lucknow:110-120.
- _____ (1986). Thinnfeldia indica Feistmantel and associated
plant fossil from Tiruchirapalli District,
Tamilnadu, India. The Palaeobotanist, 35(1):
13-21.
- Maheshwari, H.K. and Navneetha Kumaran, K.P. (1974). Some
new conifer remains from the Jabalpur
Group. The Palaeobotanist, 23(1): 30-39.

Medlicott, H.B. and Blandford, W.T. (1879). A manual of the Geology of India chiefly compiled from the observations of the Geological Survey, Calcutta, 1 : 1-444; 2 : 445-817.

*Morris, J. (1840). See Appendix in Capt. Grants C.M. Memoir to illustrate the geological map of Cutch. Trans. Geol. Soc. Ser. 2, 5(2) : 289-329.

Oldham, R.D. (1893). A manual of Geology of India. 1-543. 2nd Ed. Calcutta.

Oldham, T. and Morris, J. (1863). Fossil flora of the Rajmahal Hills, Bihar. In "Fossil flora of the Gondwana system". Mem. Geol. Surv. India, Palaeont. Ind. Ser. 2(1) : 1-52.

Pant, D.D. (1958). The structure of some leaves and fructifications of the Glossopteris flora of Tanganyika. Bull. Brit. Mus. Nat. Hist., 3 (4) : 127-176.

_____ (1962). Some recent contributions towards the knowledge of Glossopteris flora. Proc. Sum. Seh. Bot. Darjeeling : 302-319.

Pant, D.D. and Verma, B.K. (1964). The cuticular structure of Noeggerathiopsis. Feistmantel and cordaites, Unger. Palaeontographica, 115 B : 21-44.

Pascoe, E.H. (1969). A manual of geology of India and Burma. 2 (3rd Ed.) Govt. of India Press, Calcutta.

- Rao, A.R. (1947). Nipanioruha granthia gen. et. sp. nov. A new petrified coniferous shoot from the Rajmahal Hills, Bihar. J. Ind. Bot. Iyenger. Comm. Vol. 389-397.
- _____ (1959). Two hitherto unreported plant fossils from Rajmahal Hills, Bihar. Curr. Sci. 19 : 378-380.
- _____ (1964). Stachyotaxus sampatkumarani sp. nov. from Onthea in the Rajmahal Hills, Bihar. The Palaeobotanist, 12 : 217-219.
- _____ (1972). The Jurassic Flora of Rajmahal Hills. Seward. Mem. Leet. B.S.I.P. Lucknow, 1-14.
- _____ (1974). Pentoxylae. In "Aspects and Appraisal of Indian Palaeobotany". B.S.I.P. Lucknow: 201-211.
- Rao, A.R. and Bose, M.N. (1971). Podostrobus gen. nov. from Onthea in the Rajmahal Hills, India. The Palaeobotanist, 12 : 217-219.
- Rao, C.N. (1959). On the occurrence of Dicroidium (Tinnefeldia) feistmantelii in the East coast Gondwana of Vemavaram, Andhra Pradesh. Proc. 46th Indian Soc. Cong. 3 : 278.
- Roy, S.K. (1963). Studies on the Mesozoic flora of Cutch and Kathiawar-1. Ptilophyllum. sp. nov. Proc. 50th Ind. Sci. Congr. 3 : 396. Delhi.
- _____ (1968). Pteridophytic remains from Kutch and Kathiawar, India. The Palaeobotanist, 16 (2) : 108-114, 1967.

- Sah, S.C.D. (1958). Ptilophyllum sakrigaliensis n. sp. from
Sakrigalighat, Rajmahal Hills, Bihar.
Proc. 45th Ind. Sci. Congr., Madras 3
(Abst.) : 337 Madras.
- Sah, S.C.D. and Jain, K.P. (1964). Some fossil woods from
the Jurassic of Rajmahal Hills, Bihar,
India. The Palaeobotanist, 12 : 169-180.
- _____ (1965). Ginkgoites rajmahalense sp. nov. from the
Jurassic of Rajmahal Hills, Bihar, India.
The Palaeobotanist 13 (2) : 155-157.
- Sah, S.C.D. and Sukh-Dev. (1957). Thinnfeldia chunakhalensis
sp. nov. from the Jurassic of Rajmahal
Hills, Bihar. The Palaeobotanist, 6(1):22-24.
- Sahni, B. (1921). The present position of Indian Palaeobotany.
Proc. Asiat. Soc. Ben. (N.S.) 27(4):152-178.
- _____ (1928). Revision of Indian fossil plants - Pt.I.
Coniferales (Impression and incrustation).
Palaeont. Ind. 11 : 1-49.
- _____ (1931). Revision of Indian fossil plants. Pt.II
Coniferales (b. Petrifications). Palaeont.
Ind. (N.S.) 11. 54-124.
- _____ (1931c). A petrified Williamsonia (W. seawardiana)
sp. nov. from the Rajmahal Hills, India.
Mem. Geol. Surv. India. Palaeont Indica.
(N.S.) Pt. 3 20 : 1-19.

- Sahni, B. (1932). Dadoxylon zalesskyi a new species of Cordaitann trees from the Lower Gondwanas of India. Rec. Geol. Surv. India; 66(4): 418-429.
- _____ (1935). Recent discoveries in the Rajmahal flora. (A petrified Williamsonia). Proc. 6th Int. Bot. Congr. 2 : 248-249.
- _____ (1936). The occurrence of Matonidium and Weichselia in India. Rec. Geol. Surv. India. 71(2) : 156-165.
- _____ (1940). The Deccan Traps - An episode of Tertiary era. (Gen. Press. Add.) Proc. 27th Ind. Sci. Congr. 2 : 1-21.
- _____ (1940). Palaeobotany in India. T.J. Indian. bot. Sci. 18 : 201-208.
- _____ (1948). The Pentoxylae. A new group of Jurassic gymnosperms from the Rajmahal Hills of India. Bot. Gaz. 110 : 47-80.
- Sahni, B. and Rao, A.R. (1933). On some Jurassic plants from the Rajmahal Hills. J. Proc. Asiat. Soc. Bengal. (N.S.) 27(2) : 183-208.
- Saksena, S.D. (1952). On a new species of Phyllothea (P. sahnii) from the Southern Rewa Gondwana basin, Central India, and its comparison with P. etheridgi Arber from the New Castel series, New South Wales, Australia. The Palaeobotanist, 3 : 51-53.

- Saksena, S.D. (1952). Correlation of the Gondwana based on the evidence of the plant fossils. Agra Uni. Jour. Res. (Sc.), 1 : 1-13.
- Satyanarayana, T. and Mahabale, T.S. (1976). A new species of the genus Ptilophyllum from the East Coast Gondwana of Andhra Pradesh. Proc. 63rd. Indian Sci. Congr. Pt. III. Sect. IV. Botany : 69 (Abst.)
- * Schimper, W.P. (1869-1874). Triale de Paleonologie vegetale, On la Flora du Monde primitif dans ses rapports avec les formations geologiques et la Flore du Monde actuel. Vols & atlas. Paris.
- Seward, A.C. (1919). Fossil plants. Univ. Pres. Cambridge 4, 165-284.
- Seward, A.C. and Sahnı, B. (1920). Indian Gondwana plants : A revision. Mem. Geol.Surv. Ind., Pal.Ind. (N.S.), 7 : 1-41.
- Sharma, B.D. (1967). Investigations on the Jurassic flora of Rajmahal Hills, India-4. On a new species of Indian Bucklandia, B. guptai with remarks on B. sahnii Bose Amaghiniana. 5 (2) : 35-44.
- Sharma, B.D. (1968). Investigations on the Jurassic flora Rajmahal Hills, India 5. Epidermal studies on the bracts in two species of Williamsonea,

- W. guptai and W. amarjolense. Acta. Bot. Hungarica, 14(34) : 378-383.
- _____ (1968). Investigations on the Jurassic flora of Rajmahal Hills. India. Acta. Bot. Hungarica, 14 (3-4) : 373-383.
- _____ (1969a). On some fossil cycadean frond from India. Bull. Bot. Surv. India. 11(1 & 2):115-119.
- _____ (1969b). Bucklandia dicholoma sp. nov. from the Middle Jurassic of Rajmahal Hills, India. Ameghiniana 6 (4) : 303-308.
- Sharma, B.D. (1970). On the structure of a Williamsonia cf. W. scotica from the Middle Jurassic rocks of the Rajmahal Hills. Ann.Bot. 34(135).289-296.
- _____ (1971). On a collection of Bennettitalean stems and fructifications from Amarjola in the Rajmahal Hills, India. Palaeontographica. 135 B:48-52.
- Sharma, B.D., Surana, A.C. and Singh, A.P. (1973). Jurassic plants from Amarjola in the Rajmahal Hills. J. Palaeont. Soc. India. 16: 27-34, 1971.
- Sitholey, R.V.(1954). The Mesozoic and Tertiary flora of India. A Review. The Palaeobotanist 3 : 55-59.
- _____ (1963). Gymnosperms of India-I (Fossil forms). Bull. Nat. Bot. Gard. Lucknow. 86 (2) : 1-78.
- _____ & Bose, M.N. (1971). Weltrichia santalensis (Sitholey & Bose) and other Bennettitalean male fructifications from India. Palaeontographica. 131 B : 151-159.

- Srivastava, R.N. and Shah, S.C. (1966). Ginkgo (Ginkgoites)
digitata Brongn. from the Rajmahal Hills,
Santhal Parganas (Bihar), Rec. Geol. Surv.
India, 94 (2) : 309-312.
- Sukh-Dev and Zeba-Bano (1980). Some plant remains from
Hoshangabad District. Madhya Pradesh.
The Palaeobotanist, 26(3) : 206-213.
- Surange, K.R. (1966). Distribution of Glossopteris flora in
Lower Gondwana formations of India. Symp.
Florist. Strat. Gond. Land. Lucknow:55-68.
- _____ (1968). Studies on the Glossopteris flora of India-9.
A male fructification becoming monoletic
spores from the Lower Gondwanas of India.
The Palaeobotanist, 6 : 47-48.
- _____ (1974). Other Lower Gondwana gymnospermous plants.
In "Aspects and Appraisal of Indian
Palaeobotany". B.S.I.P.Lucknow: 170-178.
- Surange, K.R. and Lele, K.M. (1956). Studies in the Glossopteris
flora of India-6. Plant fossils from
Talchir beds of South Rewa Gondwana basin,
India. The Palaeobotanist, 4: 23-24.
5 (2) : 82-90.
- Townrow, J.A. (1967). The Brachyphyllum crassum complex of
fossil conifers. Paps. Proc. R.Soc.
Tasmania. 101 : 149-172.
- _____ (1968). Gondwana floras of the Deccan Trap country,
Bull. Ind. Sci. Acad. 45 : 222-244.

- Vagyani, B.A. (1984). On the occurrence of Desmiophyllum indicum Sahni from the Vemavaram (A.P.) Proc. V. Indian Geophytol. Conf. Lucknow: 362.
- _____ (1985). Occurrence of Ginkgoites crassipes (Feistmantel) Seward, from the Jurassic of Andhra Pradesh. Curr. Sci. 54 (14):705-706.
- _____ (1986). On the occurrence of Pterophyllum footeanum Feistmantel/Uppugunduru, Andhra Pradesh. Indian bot. Repr. 5(2) : 212-213.
- Vagyani, B.A. and Jamane, M.R. (1987). On the occurrence of Elatocladus plana (Feistmantel) Seward 1919, from Uppugunduru (A.P.). Curr. Sci. 56 (19) : 1023-1024.
- Vagyani, B.A. and Zuting, M.P. (1986). Occurrence of Pterophyllum distans, Morris, from Uppugunduru, Andhra Pradesh. Geophytology, 16(1) : 133.
- Vishnu-Mittre (1953). A male flower of the Pentoxylae, with remarks on the structure of the female cones of the group. The Palaeobotanist, 2: 75-84.
- _____ (1954a). Petrified spores and Pollen grains from the Jurassic rocks of the Rajmahal Hills, Bihar. The Palaeobotanist, 3 : 117-128.
- _____ (1954b). Araucarites bindrabunensis sp. nov. a megastrobilus from the Jurassic of the Rajmahal Hills, Bihar. The Palaeobotanist, 2 : 75-89.

- Vishnu-Mittre (1956). Masculostrobus sahnii sp. nov a
petrified male cone from the Jurassic of
Rajmahal Hills, Bihar. Grana-Palynolog,
(N.S.) 1 (2) : 99-107.
- Vishnu-Mittre (1957). Studies on the fossil flora of Nipania,
Rajmahal series, India-Bannettiales.
The Palaeobotanist, 5(2) : 95-99, 1956.
- _____ (1957). Studies on the fossil flora of Nipania
(Rajmahal series), India. Pentoxylae. The
Palaeobotanist, 5 (2) : 95-99.
- _____ (1959). Studies on the fossil flora of Nipania
(Rajmahal series) Bihar Coniferales.
The Palaeobotanist, 6 : 82-112.
- Vredenburg, E.W. (1910). Summary of Geology of India. Calcutta.
- Wadia, D.N. (1953). Geology of India : 1-536 London
57). Geology of India (3rd edn.) Revised -
Macmillan, London.
- Zeiller, R. (1902). Observations sur quelques plantes fossiles
des Lower Gondwana. Mem. Geol. Surv. India,
Palaeont. indica, N.S. 2(1) : 1-40.

* Not seen in original.