

BIBLIOGRAPHY

A

G

GA Abdel Rahman, A.M. (1987). Effects of salinity and GA on water content, growth and mineral compost of cowpea, calabrease and red raddish plants. Biol. Plant. 29 (5). 365-373.

^{growth} Abdullah Z-UN-N. and Ahmed, R. (1981) Effects of saline soils amended with calcium nitrate on the growth and chemical Constituents of Potato (*solanum tuberosum*) Plants Pak. J.Bot. 13.: 55-68.

Ackerson, R.C. Youngner, V.B. (1975). Responses of bermudagrass to salinity Agron. J. 67 : 678-681.

Adams P and L.C. Ho. (AFRC Inst Hortic. Res. Little Hampton, West sussex. BN17 6LP, UK) J.HORTIC SCI. 64(6) ; 725-732 (1989).

n Effect of constant and Fluctuating salinity on the yield quality and Ca status of tomatoes.

Adams, P and Rachel Holder (Horticulture Res. International Little hampton, West sussex BN 17 6LP, UK) J HORTIC SCI 67 (1) : 137-142. (1992) Effects of humidify, Calcium and salinity on the accumulation of dry mater and calcium by the leaves and fruit of tomato (Lycopersicon esculentum).

Ahmed, AM, Heikal, M. MD. and Zindah, M.A. (1980). Effect of salinization treatments on growth and some related Phy activites of some leguminous plant. Nat Monspel. REv. Bot. Gen Meditery. (33) : 1-10.

Ahmed A.M. Heikal M. M. and shaddad M.A.(1979). Change in some plants over range of salinity stress Biol. Plant., 21 (4) : 259-256.

Z

Ahmed A.M. Heikal M.MD. and zindan, M.A. (1980). Effect of salinization treatments on growth and some related Phy activities leguminous plants Na+ Monspel Rev. Bot Gen Mediterr : 0 (33) : 1-10.

Allison, L.E. (1964) Salinity in Relation to Irrigation Advances in Agronomy, 16 : 140-179.

Aly, M.A. AHa, A. S.EL Beltagy and R.A. Jones (Fac. Agric. A in shams Univ. Egypt) Egypt J. Hortic 15 (1) : 107-120 1988 (1989) [In Engl. with Engl. and Arabic summ]. salt tolerance in *Lycopersion esculentum* III and post harvest quality of *Lycopersicon esculentum*.

*Ansari, R. (1972) effect of salinity on some *Brassica* oilseed Varieties. Pak J. Bot. 4(1) : 55-63.

*Aphale (1978) in Physiological studies in Millets (*Setaria italica*)Msc thesis.

Z

Arnon, D.I. (1949). Copper enzymes in isolated chloroplast; Polyphenol oxidase in Beta Vulgaris Plant Physiol., 24; 1-15.

Arnold, A. 1955. Die Bedeutung der chlorionen fur die Pflanza Jena.

O

Ashour, N. I., Abel, Halim, M.A. Raafat, A and Nour, T.A (1977). Increasing salt tolerance of wheat at early stages of growth

under chloride and sulphate types of salinity Acta. Agron Acad. Sci Hung., 26 : 127-134.

Aslam, M. (1975) Potassium and sodium inter-relations in growth and alkali cation content of safflower Agron.J., 67 : 262-264.

Ayoub, A.T (1974) Effect of Calcium on sodium Salinization of beans (Phaseolus Vulgaris L.) J. Exp.Bot., 25(85) 245-252.

Ayoub A.T. (1975) Effect of some soil amendments on sodium uptake and translocation in dry beans (P. VulgarisL.) in relation to sodium toxicity J. Agric Sci. Camb., 84 : 537-541.

Azizbekova, Z.S. and Z. A Babaeva (1970) Effects of sulphate chloride salinization on appearance and movement of potassium, calcium and magnesium in plants. Dokl. Akad. Nauk. Azerb. SSR., 26(11) : 53--56
Dokl Akad

Azizbekova, Z.S. and Rasulova, D.A (1972). Effect of nitrogen Fertilization on the chloride salting. Dokl. Akad. Nauk. Azerb. SSR., 28 (5) : 71-73.

rice
Baba, I., Inada, K, and Tajima, K, (1964). Mineral nutritron and Occurrence of Phy disease. In the mineral nutrition of the rice plant. Proceeding of a Symposium at the International Rice Research institute. Pobl. John Hopkins Press, Baltimore, Maryland.

Bala, A.A, and R.A.stepheson (1978). The genetics and physiology of tuber production in winged bean. In : 1st international Symposium on Developing the potential of the winged bean. 63-70.

Ball,M.C. and Anderson, J.M. (1986). Sensitivity of Photosystem II to sodium chloride in relation to salinity tolerance, comparative studies with thylakoids of the salt tolerant mangrove, Aricenia marina and the sensitive pea, Pisum sativum. Aust.J. Plant physiol., 13(5) : 689-698.

Bates,L.S. Waldren, R.P and Teare. I.D.(1973) Rapid determination of free proline for water stress studies. Plant and Soil, 39 : 205-209

Bernstein, L. and Ayres, A.D. 1953. Proc. Am. Soc. Hort. Sci., 61 : 360-366.

Bernstein, L. and H.E. Hayward (1958). Physiological of salt tolerance. Ann.Rev.Plant Physiol., 9 : 25-46

Bernstein, L. (1975). Effect of salinity and sodicity on plant growth. Ann.Rev. Phytopathology. B : 293-312

Bhatti, A.S. and sarwar, G. (1977). Response of corn to micronutrients (zinc and copper) on a saline soil : I Growth and ionic relationships. Plant soil. 48 (3) : 719-724.

Bhandari, L.K. (1988) Physiological studies in some cultivars of achillies (capsicum annuum L.) under saline conditions Ph.D thesis, Pune University.

Bhardwaj, S : N. 1959. Procg.Natn Acad.Sci. India Sec.B., 29 : 168-171.

Bin, I.H. (1969) study on the salt tolerance of rice and other crops in reclaimed soil areas and on the Fertilization effectiveness of NP and K in reclaimed salty area seoul Univ. J. Biol. Agri. Sec (B).. 20 : 15-30.

Broyer, T.C and stout, P.R.(1959) The macronutrien element. Ann. Rev. Plant Physio., 10 : 277-300.

Brown ,A.H. and D.K.Chapman (Dept. of Biology, Univ. of Phila, Pa, U.S.A.) Ann Bot (LOND) 47(2):226-228 1981. Comparative Physiology of plant behaviour in

Brown, J.C. (1966) Fe and Co. uptake as related to root sap and stem exudate citrate in soyabeans Physiol. Plant. 19 : 968-976.

Brown,J.C. (1978). Mechanism of iron uptake by plants. Plants.Cell Environ., 1:249-257.

C

Buhl,M.B. and Stewart Cecil,R. (1983). Effect of sodium chloride e on proline synthesis and utilization in excised barley (Hordeum Vulgare) (CV. Larker) leaves. Plant Physiol (BETHESDA), 72:664-667.

Burkill,L.H. (1966). A dictionary of Economic products of many . v Peninsula Kuala Lumpur: Ministry of Agriculture and Co-operatives.

Cram., W.J. (1976). In : Encyclopaedia of Plant Physiology : Transport in Plant, (ed) U. Luttge, M.G.Pitman, 2A 284-316. Springer. Berlin.

Chapman,V.J. (1966). In : salinity and aridity : new approaches to problems. H.Boyko (ed.) Junk, The Hague. pp 23-42.

Chapman,V.J. (1966). Vegetation and salinity. In salinity and aridity : New approaches to old problems. Boyko, H. (Ed.), 23-42. The Hague Junk.

Charizoulakis,K.S. (Sub-tropical plants Olive tree Inst. 73100 Chania, Crete, Greece) J.Hortic Sci 67(1):115-120, 1992. Effects of sodium chloride salinity on germination growth and yield of green house cucumber.

Chavan,P.D. and Karadge,B.A. (1980). Influence of salinity on mineral nutrition of Peanut (Arachis Hypogea). Plant Soil, 54:5-13.

Chu,T.M., Aspinal,D. and Paleg,L.G. (1976). Stress metabolism VII. Salinity and Proline accumulation in barley. Aust. J. Plant Physiol., 3:219-228.

Chu' Yung,V.L. and Lapina, L.P. (1974). Intensity and productivity of photosynthesis in plants under salinization. S-KH Biol. 9:381-384.

Clarke,L.D. and Hannon,N.J. (1970). The mangrove swamp and salt marsh communities of Sydney district II. Plant growth in relation to salinity and water logging. J.Ecol., 58:351-369.

Chippa,B.R. and Lal,P. (1985). Effect of soil salinity on yield, yield attributes and nutrients uptake by different varieties of wheat. An.Edafol.Agrobiol., 44(11/2):1681-1692.

New Series, Vol 2A, P.284-316, Springer-Verlag, Berlin.

Dahiya,S.S. and Singh,M. (1976). Effect of salinity alkalinity and iron application on availability of iron, manganese, phosphorus and sodium in Pea (Pisum Sativum) crop. Plant and Soil, 44(3):697-702.

D'Arrigo,C.M., Radell,L., Loppolo,A and Sambucetti, A (1983). Sodium in mineral nutrition-II. Effect of sodium chloride on the uptake of some trace elements by bean (Phaseolus Vulgaris L.). Plants. Agro Chimiya 27:165-172.

Deshpande,R.G. (1981). Phy. studies in pulses of Maharashtra. Ph.D. thesis approved by Shivaji University, Kolhapur (India).

Deo,R., Kanwar,J.S. 1969. J.Indian Soc. Soil Sci., 16:365-370.

Divate,M.R. and Pandey,R.M. (1981). Salt tolerance in grapes III. Effect of salinity and chlorophyll, photosynthesis and respiration. Indian J.Plant Physiol.,24(1):74-79

Downton,W.J.S. (1977). Aust J. Pl. Physiol., 4:183-192.

Downton, W.J.S. (1978). Growth and flowering in salt stressed avocado trees. Aust. J.Agric.Res., 29(3):523-534.

Downton,W.J.S. and Loveys,B.R. (1981). Aust. J.Pl. Physiol., 8:443-452.

D'Souza,T.J. and Mistry,K.B. (1979). Uptake and distribution of gamma emitting activation products Fe, Co, Mn and Zn in plants. Environ Ex. Bot.19:193-200.

Dreier W. (1983a). The content of proline and the salt resistance of plants. Biol. plants., 25:81-87.

El-Saidi,M.T. and Hawash,M. (1971). The effect of using saline water for irrigation on the growth and chemical properties of roselle plants (Hibiscus, Sabdaritta). Z.Acker Pflanzenbau., 134(3):251-256.

El-Sherbierry,A.E., Rable,R.K., Mohammed,E.A. and Ahmed,W.E. (1986). Effect of sodium chloride and nitrate on dry matter. Prodn. and micro nutrient content of wheat plant Soil.Sci. Plant Nutrition, 32(2):201-210.

El-Shourbagy, M.N. and Krishk, H.T. (1975). Phyton., 17(12):101-108.

Epstein (1972). Mineral nutrition of plants : Principles and perspectives. John Wiley and Sons Inc., New York, London, Sydney and Toronto.

Ekdahl, I. (1957). Kgl. Lant bruks. Hogskol., Ann., 23:497-518.C.F. Broyer and stout 1959. Thje macronutrient elements Ann.Rev.Plant., Physiology, 10:277-300.

Farias, Marlucia Elias De and Feliciano E.V. Flores (Curso Pos-Graduacaoem Ecol., Centro De Ecol., Univ. Federal do Rio Grande do Sul, 90.049-Porto Alegre, R.S., Brazil) Rev. Biol. 49(1):97-106., 1989 (In Port with Port. and Engl. summ) Effects of different NaCl conc. on growth and Water Economy.

Fernandez, F.G., Caro, M. and Cerdá, A. (1981). Interactive effect of salinity and N fertilization peppers Capsicum annuum L. Angles DE EDAFOLOGIA Y AGROBIOLOGIA pp. 1799-1806.

Fernandez, F.G., Cavo, M. and Cerdá, A. (1977). Influencia de NaCl in irrigation water on yield and quality of sweet pepper (Capsicum annuum) Plant and Soil, 46 : 405-411.

Ferrari, J.P. and Aillaud, G. (1971) 'Bibliographie du Genre Capsicin' J.Agric. Trop.Bot.Appl., 18, 385-479.

Flower, D.B. and Hall, J.W. (1980). Crop response to saline soil conditions in the park land area of saskatchewan, Canada, Can. J. Soil. Sci. 60 : 439-450.

Folin, O. and Denis, W. (1915). A colorimetric estimation of phenols (phenol-derivatives) in Urine. J.Biol.Chem. 22 : 305-308.

Francois, L.E. T.J., Donovan, K.Lorenz and E.V. Maas. (USDA-ARS, US. Salinity lab. 4500. Glenwood Drive, Reverside Calif. 92501) Agron J 81 (5) : 707-712. 1989 salinity effects on rye grain yield quality.

Garg, B.K. and Garg, O.P. (1980). Salinity and plant nutrition : Effect of sodium carbonate and sodium bicarbonate on the growth and absorption of essential macro-nutrients and sodium in pea (Pisum sativum ev. Multifreezer). Proc.Indian Natl.Sci. Acad. (Part-B) Biol.Sci., 46(5) : 694-698.

Gates, C.T., Haydock, K.P., Claringbold, P.J. and Robins, F.M. (1966). Growth of varieties of three Sorghum species at different levels of salinity. Aust. Jour. Expl. Agr. Anim. Husb., 6 : 161-169.

Gauch, H.G. and Eaton, F.N. (1942). Effect of saline substrate on hourly levels of carbohydrates and inorganic constituents of barley plants. Plant Physiol., 17 : 347-365.

Gauch, H.G. and Wadleigh, W.C.H. (1942). The influence of saline substrate upon the absorption of nutrients by bean plants. Proc.

Amer. Soc. Hort. Sci. 41 : 365-369.

Gauch, H.G. and C.H. Wadleigh (1943). A new type of intermittently irrigated sand culture equipment. Plant Physiol 18 : 543-548.

Gauch, H.G. and Wadleigh, C.H. (1944). Effect of high salt concentration on growth of bean plants. Bot. Gaz. 105 : 379-387.

Gauch, H.G. and Wadleigh, C.H. (1945). Effect of high concentration of sodium calcium, chloride and sulphate on ionic absorption by bean plants. Soil. Sci. 59 : 139-153.

Genkel, P.A. and Bakanova, L.V.

Genkel, P.A. and Bakanova, L.V. (1974). The Stimulating effect of low doses of sodium chloride on the sugar beet. Fiziol. Rast. 21 (4) : 812-818.

iz

Giridhar I.K. (central soil salinity Rese Karnal Haryana 132001). Indian. J. Agric. Sci. 59(8) 500-503 1989. Response of sunflower (Helianthus annuum) to saline water irrigation and changing root zone.

Goas, M. (1968). Contribution to the study of nitrogenous metabolism of halophytes. Amino acid and free amides of Aster trifolium L. in aquaculture C.R. Academy Sc. (Paris) D-265 : 1049-1052.

Gowda,C.A (1971). Philosophy of salt tolerance of plants. Ph.D. thesis submitted to Shivaji University, Kolhapur (India).

Greenway, H. (1962). Plant responses to saline substrates.II.Chloride, sodium and potassium uptake and translocation in young plants of Hordeum vulgare during and after a short term sodium chloride treatment. Aust.J. Biol. Sci. 15 : 39-57.

Greenway, H. (1965). Plant response to saline substrates, VII. Growth and ion uptake throughout plant development in two varieties of Hordeum vulgare. Aust. J. Biol. Sci., 18 : 763-779.

Greenway, H.A., Gunn and Thomas, D.A. (1966). Plant response to saline substrates VIII. Regulation of ion concentration in salt sensitive and halophytic species. Aust. J. Biol. Sci. 19 : 741-756.

Greenway and Munns, R. (1980). Mechanism of salt tolerance in non-halophytes. Ann.Rev. Plant. Physiol. 31 : 149-170.

Gururaja Rao, C. and Rajeshwara Rao, G. (1981). pigment composition and chlorophyllase activity in pigeon pea (Cajanus indicus spren.) and gingelly (Sesamum indicum L.) under NaCl salinity. Indian J. Exp. Bot., 19 : 760-770.

Hashim M.M. A.S.El Beltagy and R.A. Jones (Fac. Agric. Ain shams Univ, Egypt) Egypt. J.Hortic 15(1) : 97-106 1988 (89) (In Engl. with Engl. and Arabic summ.) salt tolerance in Lycopersicon esculentum.

Hanson, A.D., Nelson, C.E. and Emerson, E.H. 1977. Crop. Sci., 17

: 720-726.

Harris, J.A., Gortner, R.A., Hoffman, W.F. Lawrence, J.V. and alentine, A.T. 1924. J. Agr. Research 27. 893-924.

Harris, J.A., Hoffman, W.F. and Lawrence, J.V. (1925). Proc. Soc. Exp. Biol. Med. 22, 350-353.

Hassan Porath, E., Khane, I. and Poljakoff-Mayber, A. (1972). The effect of chloride and sulphate types of salinity on growth and on osmotic adaptation of pea seedlings. Plant Soil. 36(2):449-460.

Hassan, N.A.K., Drew, J.V., Knudsen, D. and Olsen, R.A. (1970). Influence of soil salinity on production of dry matter and uptake and distribution of nutrients in barley and corn. I. Barley (*Hordeum vulgare*) Agron J., 62(I):43-45.

Hawk, P.B., Oser, B.L. and Summerson, W.H. (1948). Practical Physiological Chemistry, Publ. the Balckiston Company, U.S.A.

Hawker, J.S. and Walker, R.R. (1978). Effect of sodium chloride on expansion rates and invertase activity of leaves. Aust. J. Plant. Physiol., 5:73-80.

Hayward, H.E. and Long, E.M. (1941). Botan. Gaz. 102:437-462.

Hayward, H.E. and Spurr, W.B. (1943). Effect of osmotic concentration of substrates on the entry of water into corn roots. Bot. Gaz. 105:152-164.

Hayward, H.E. (1955). In proc. 14th Internat. Horticultural Congr. (J.P.) Nieuwstrater, (ed.) pp. 385-399. Netherland Veeman-Zonen.

A Hegde, B.A. and T.M. Patil (1982). Effect of salt stress on the structure and carbon flow mechanism in noxious weed. Parthenium hysterophorus L. Weed Research, 22:52-56.

Heiser, C.B. and Smith, P.G. (1953). 'The cultivated capsicum peppers'. Econ. Bot., 7, 214-226.

Heiser, C.B. and Pickergill, B. (1969). 'Name for the cultivated capsicum species (Solanaceae)', Taxon, 18, 277-283.

Heiser, C.B. (1969a). Nightshades. San Francisco: Freeman.

Heiser, C.B. (1969b). 'Systematics and the origin of cultivated plants', Taxon, 18, 36-45.

Heimer, V.M. (1973). The effects of sodium chloride, potassium chloride and glycerol on the activity of nitrate reductase of a salt tolerant and two non-tolerant plants. Planta, 113(3):279-281.

Heikal, M.M.D. (1976). Physiological studies and salinity 2 : effect of NaCl on growth and photosynthetic pigments of kidney bean plants, raised in culture solution. Bull. Fac., Sci. Assiut

Univ., 5(1):17-30.

Hetherington,A.A. and Trewavea,A.A. (1982). Calcium dependent protein kinase in pea shoot membrane. FEBS Lett. 145:67-71.

Helal,A.M. and Mengel,K. (1981). Interaction between light intensity and their effects on growth, CO₂ assimilation and photosynthete conversion in young broad beans. Plant Physiol., 67:999-1002.

^f Hoffman,G.J. and Rawlins,S.L. (1971). Agron. J., 63:877-880.

Hoffman,G.J. (1980). Proc. Inter-American salinity and water Mgmt. Tech. Conf., Juarez, Mexico,49-64.

Hosmani,M.M. (1982). Chilli Mrs. Sarasijakshi M. Hosmani near Savanur Nawab's Bungalow, Narayanpur, Dharwad-580008. ⁸

Huber,W. and Sankhala,N. (1974). Untersuchunger über den Einflabs von Abscian and Gibberellinsurebenandlung auf die Aktiviten ethiger Enzymedes Kohlenhydrataloffwechsels in Blattem von Pennisetum typhoides. Keimlingum/ Planta. 116:55-64.
Keimlingum

Ilijin,W.S. (1938). Ca content in different plants and its influence on the production of organic acids. Bull Assoc. Russe. Res/ Sci.) a Prague. SEct. Sci. Nat.el Nath., 41:43-46.

Imamul Huq,S.M. and Larher,F. (1983). Osmoregulation in higher plants : Effect of NaCl salinity on non nodulated Phaseolus aureus. L. I. Growth and mineral content. New Phytol. 93:203-208.

Imamul Huq. S.M. and Larher,F (1983). Osmoregulation in higher plants : Effects of NaCl salinity on non nodulated Phaseolus aureus L.II. Changes in organic solutes. New Phytol., 93:209-216.

Imamul Huq, S.M. and Larher, F. (1983c). Effect of NaCl salinity on the growth and the nitrogen status of cowpea (V. Sinensi L.) and mung bean (P. aureus L.) Z. Pflanzenphysiol. 112:79-87.

Imamul Huq., S.M. and Larher, F. (1984). Osmoregulation in higher plants : Effect of maintaining high Na:Ca ratio on the growth ion balance and organic solute status of NaCl stressed cowpea (Vigus sinensis L.) Z. Pflanzenphysiol., 113:163-176.

Ingle,R.K. and Colman,B. (1976). The relationship between carbonic an hydrase activity and glycolate excretion in the blue green alga Coccochloris peniocystis. Planta, 128:217-223.

Iwaki,S. (1956). Studies on the salt injury in rice plant. Mem. Ehime. Univ. Sec., 2:1-156.

Jocoby,B. and Ratner,A. (1974). Mechanism of sodium exclusion in bean and corn plant - a revaluation. In : Plant Analysis and Fertilizer problems. Ed. Wehrmann,J. German Society of Plant Nutrition, Hannover, pp. 175-184.

- Jamale,B.B. (1975). "Physiological studies in saline plants." Ph.D. thesis submitted to Shivaji University, Kolhapur (India).
- Jaworsky,E.G. (1971). Nitrate reductase assay in intact plant tissue. Biochem. Biophys. Res. Commun., 43:1274-1279.
- Jeschke,W.D., Aslam,Z. and Greenway,H. (1986). Effects of NaCl on ion relations and carbohydrate status of roots and on osmotic regulation of roots and shoots of Attriplex amnicola Plant Cell Environ., 9 (7):559-569.
- Joham,H.E. (1957). Carbohydrate distribution as affected by calcium deficiency in cotton. Plant Physiol., 32:113-117.
- Joham,H.E. (1955). The calcium and potassium nutrition of cotton as influenced by sodium. Plant Physiol., 30:4-10.
- Joshi,G.V. and Naik,G.R. (1980). Response of sugarcane to different types of salt stress. Plant and Soil, 56:255-63.
- Kale,V.R. (1962). Physiological analysis of salt tolerance of four varieties of wheat. Thesis approved for Ph.D. degree of Post Graduate School, I.A.R.I., New Delhi.
- Karadge,B.A. (1981). Physiological studies in succulents. Ph. D. thesis, Shivaji University, Kolhapur (India), pp. 351.
- Karadge,B.A. and Chavan,P.D. (1981). Salt tolerance studies in groundnut (Arachis hypogaea L.) Variety TMV-10. Biovigyanum., 7(2):137-144.
- Karadge (1983). Physiological studies in salinity tolerance of Sesbania aculeata Poit. Biol. Plant (Praha), 25(6):412-418.
- Karadge,B.A. and Chavan,P.D. (1983). Physiological studies in salinity tolerance of Sesbania aculeata Poit. Biol. Plant. 25(c):412-418.
- Karadge,B.A., Danawade,D.N. and Chavan,P.D. (1983). Biovigyanum, 9:47-58.
- Kawasaki,T., Akiba,T. and Moritsugu,M. (1983). Effects of high concentrations of sodium chloride and polyethylene glycol on the growth and ion absorption in plants. Plant Soil, 75:75-86.
- Kawathe,R.B. (1985). Physiological studies in safflower (Carthamus tinctorius L.) cv. Tara under saline conditions. M. Phil. dissertation approved by University of Poona.
- Kirk,J.O.T. and Allen R.L. (1965). Dependence of chloroplast pigment synthesis on protein synthesis : Effect of actidione. Arch. Biochem. Biophys. Res. Commun., 21:523-530.
- Krishnamoorthy,H.N. and Siddique,S. (1985). Effect of salinity and B-nine on Vigna unguiculata (cowpea var. HFC 42-1). Abst. Proc. of Natl. Seminar on Pl. Physiol., Banaras, pp. 66 (Abs. No. 110).

Kleinkopf,G.E., Wallace A. and Cha,J. (1975). Sodium relations in desert plants. Some physiological responses of Atriplex confertifolius to different levels of sodium chloride. Soil Sci., 120:45-48.

Kokane,P.S. and Patil,B.A. (1975). Soil Plant - relation in sorghum vulgare. The Botanique. VI(1):49-52.

Korla,B.N., R.S.Rattan and R.K.Goval (Dep. Vegetable crops, Dr. Yashwant Singh Parmar, Univ. Horticulture Forestry, Solan, Himachal Pradesh-173 230, India). Indian J. Amin Sci. 62(2):135-138. 1992. Performance of turmeric (Curcuma Longa L.).

Kovalskaya,E.M. (1945). Iz. An SSSR. pp.19-20.

Lal,R.K. and Bharadwaj,S.N. (1984). Effect of salinity on mineral composition and ionic balance in field pea (Pisum sativum Linn. var. arvensis). Indian J. plant Physiol., 27:351-354.

¹⁹⁸⁷
Lal,R.K. and Bharadwaj,S.N. (1987). Studies on nitrogen metabolism of salinity stressed field pea (Pisum sativum L. va. arvensis). Indian J. Plant Physiol., 30(2):165-169.

Langdale,G.W., Thomas,J.R. and Littleton,T.G. (1973). Agron.J., 65:468-470.

Lipman,C.B. (1938). The importance of silicon aluminium and chloride for higher plants. Soil Sci., 45:189-198.

Laszlo,E. and Kuiper,P.J.E. (1979). The effect of salinity on growth, cation content, Na⁺ uptake and translocation in salt sensitive and salt tolerant, plantago species. Physiol. Plant., 47:95-99.

Lee,K.J., Han,J.S., Lee,S.W. and Park,C.H. (1974). 'Investigation of lipids in hot pepper', Korean J. Food Sci. Tech., 7, 91-5.

Lessani,H. and Marschner,H. (1978). Relation between salt tolerance and long distance transport of sodium and chloride in various crop species. Aust. J. Plant Physiol., 5:27-37.

Levitt,J. (1972). Responses of plants to environment at stresses. Academic Press; New York.

Liu,K.B. and S-X Li (Dep. Horticulture Mich State univ. East Lansing Mich 48824, U.S.A.) Sci. Hortic (AMST) 46 (1/2):97-108. 1991. Effects of sodium chloride on element balance, Peroxidase Isoenzyme and protein banding patterns of lycopersicon leaf cultures and regenerated shoots.

Lorimer,G.H., Badger,M.R. and Andrews,T.J. (1976). The activation of ribulose-1,5-bisphosphate carboxylase by carbon dioxide and magnesium ions. Equilibria, kinetics, a suggested mechanism and physiological implication. Bio-chemistry, 15:529-536.

Maas,E.V., Ogata, G. and Garber, M.J. (1972). Influence of

salinity on the uptake of Fe., Mn and Zn by plants. Agron J., 64: 793-795.

Maas, E.V. and Nieman, R.H. (1978). Physiology of plant tolerance to salinity. In crop tolerance to sub-optimal land conditions. (Ed.) Jund, G.A. Chap. 13, Am. Soc. Agron. Spec. Publ., 32 : 277-299.

Malik, Y.S., Metrotra, N. Pandita, M. L. and Jaiswal R.C. (1983). Indian J. Agri. Sci., 53(9) : 861-862.

Marschner, H., Mix, G. (1973). Einfluss von natriumchloride und Mycostatin auf den Mineralstoffgehalt in Blattgewebe und die Feinstruktur der chloroplasten. Z. Pflanzenernähr. Bodenkd. 136: 203-219.

Matshady et al. (1982). Effect of soil salinity and water stresses on growth and content of nitrogen, chloride and phosphate and wheat and triticale.

Natal
Mator, Y., Doering, H.W. and Marschner, H. (1975). Effect of NaCl and Na₂SO₄ on dry matter production mineral content and organic compounds of spinach and lettuce. Z. Pflanzennähr. Bodenkd., 3 : 292-307.

Matukhan, G.R. and Zhukopovskaya, N.V. (1961). ATPase activity and absorption of p32 by the plants as affected by the type of soil salinity. V. kn : Fezisy dokladov konferentisii 'Kornevde pitanie V obmenie Veshchestv : Productivmostic rastinii, MS 100-101.

Maximov, N.V. (1929). Internal factor of Frost and drought resistance in plants. Protoplasma; 7 : 259-291.

Mc Elory, W.D. and Glass (eds.) .(1951). Phosphorus metabolism A symposium on the role of phosphorus in the metabolism of Plants and animals, Vol. I. Johns Hopkins Press Baltimore 762 p.

Mc Elory, W.D. and Glass B. (eds.) (1952). Phosphorus metabolism A symposium on the role of phosphorus in the metabolism of plants and animals Vol. II. Johns Hopkins Press, Baltimore, 930 pp.

Meiri, A. and Poljakoff-Mayber (1967). The effect of chloride Salinity on growth of bean leaves in thickness and in area. Israel J. Bot. 16:115-123.

Meiri, A. and A. Poljakoff Mayber (1969). Israel J. Bot., 18:99-112.

Meiri, A. and Poljakoff-Mayber, A. (1970). Effect of various salinity regimes on growth, leaf expansion and transpiration rate of bean plants. Soil. Sci., 109:26-34.

Meiri, A., Kamburoff, J. and Poljakoff-Mayber, a. (1971). Response of bean plant to sodium chloride and sodium sulphate salinization. Ann. Bot., 35(142) : 837-847.

Miniberg, S. Ya and Le Zu (1974). Effect of soil salinization and

m

molybdenum on nitrogen metabolism in bean leaves. Fiziol. Biochim, Kul't Rast., 6(2):175-179.

Morachan, V.B and shanthe, R. (1974). Studies on the comparative tolerance of minor Millets to saline Irrigation. Madras Agric. I. 61(8) :439-446.

Moore, D.P, Overstreet, R. and Jacobson, L. (1961). Uptake of Magnesium and its interaction with calcium in excised barley roots. Plant Physiol., 36(3) :290-295.

Murray, A.J.S. and Ayers, P.G., (1986). Infection with powdery mildew can enhance the accumulation of proline and glycinebetaine by Salt stressed barley seedlings. Physiological and Molecular Pathology, 29 (2). 271-277.

Murumkar, C.V. (1986). 'Physiological studies in chickpea (Cicer arietinum L)'. Ph. D. Thesis submitted to Shivaji University, Kolhapur (India).

Murumkar, C.V. and Chavan,, P.D. (1986). Influence of saltstress on biochemical processes in chickpea, cicer arietinum L. Plant soil, 96(3) : 439-444.

Nanawati, G.L. (1973). Note on the effect of salts on the growth, mineral nutrition and quality of tomato (Lycopersicon esculentum Mill). Indian J. Agric. Sci., 43(6) : 612-614.

Nelson, N.A. (1944). Photometric adaptation of the somogyi's method for the determination of glucose. J. Biol.Chem., 153 : 375-380.

Nieman, H.P. (1962). Some effects of sodium chloride on growth photosynthesis and respiration of twelve crop plants. Bot. Gaz., 123 :277-285.

Nieman, R. H. (1965). Expansion of bean leaves and its suppression by salinity. Plant Physiol., 40 (1) : 151-161.

Nieman, R. H. and Poulsen, L.L. (1967). Interactive effects of salinity and atmospheric humidity on the growth of bean and cotton plants. Bot. Gaz. 128 : 69-73.

Nieman, R. H. and Poulsen, L.L. (1971). Plant growth suppression on saline media. Interactions with light. Bot. Gaz., 132 :14-19.

Nieman, R. H. and Clark, R. A. (1976). Interactive effects of salinity and phosphorous nutrition on the concentrations of phosphate and phosphate-esters in mature photosynthesizing corn leaves. Plant Physiol., 57 :157-161.

Nieves, M. A. Cerda and S. Navarro (Dep. Quimica, Univ. Politecnica Valencia) Suelo planta 1(1) :117-126. 1991 (Inspan. with span and Engl. summ.) Plant growth accumulation and ditribution of chloride, sodium and potassium in 2 lemon rootstocks.

- Nimbalkar, J./D. (1973). Physiological studies in sugarcane,. Ph. D. Thesis submitted to Shivaji University, Kolhapur (India).
- Nimbalkar, J.D. and Joshi, G.V. (1975). Effects of increasing salinity on germination, growth and mineral metabolism of sugarcane var. CC 740. J. Biol. Sci., 18 :55-63.
- Nukaya, A., Masui, L. and Ishida, A. (1982). Salt tolerance of green soybeans as affected by various salinities in sand culture. J. Japan Soc. Hort. Sci., 50:487-496.
- Nyborg , M. and Bently, C.F. (1971). Sulphur deficiency in represseed and cereal grains Sulphur Insitituta J.Z. 16-17.
- Ohta, Y. (1958). Characteristics of red pepper (*C. annuum*) collected in Afganistan Iran, Sieken-Zhio, 9 : 23-28.
- Osmond, C.B. (1967). Acid metabolism in Atriplex,. Regulation of oxalate synthesis by the apparent excess cation absorption in leaf tissue. Aust. J. Biol. Sci., 20 : 575-587.
- Palovskava, M.M. and V. A. Khramov. (Volgogr. Agric. Inst, Volgograd, USSR) DOKL VSES ORDENA LENINA ORDENA TRUD KRASNOGO ZNAMENI AKAD S-KH NAUK IM LENINO(1) :32-33 (In Russ. with Russ. summ) growth of sorghum seedlings and their proline content under the effect of salts.(1990)
- Pandey, U.K. R.D.L. Srivastava (Dept. Crop Physiol., chandrashekhar Azad, Univ. Agric. Technol, Kanpur 208002) Indian J. Plant Physio 32(2) : 175-177. 1990.
- Passera, C and Albuzio A (1978) . Effect of salinity on photosynthesis and photorespiration of two wheat species (*Triticum durum* cv. PEPE 2/22 and *Triticum aestivum* cv. Marzoffe) Can. J. Bot., 65(1) : 121-126.
- Patil, V.K. and Bhambota, J. (1980). Salinity studies in citrus. I. Effect of various levels of salinity on the macronutrient status of seedling root stocks. J. Indian Soc. Soil. Scie. 28(1) : 72-79.
- Patil, T.M> (1980). Physiological studies in Parthenium hysterophorus, Ph.D. Thesis accepted by Shivaji University, Kolhapur.
- Patil, P.K. and Patil, V.K. (1983). Effect of soil salinity levels on growth and chemical composition of *syzygium cumini* L. J. Hort. Sci. 58 : 141-156.
- Petolino, J.F. and Leone, I.A. (1980). Saline aerosol : Some effects on the physiology of Phaselous vulgaris (cv. Topcrop). Phytopathology, 70 : 229-232.
- Pokrovskaya, E.I. (1958). Salt hardiness and various metabolic pathways in glycophytes. Fiziol. Rast., 5 : 260-266.
- Polya, G.M. and Davies J.R. (1983). Resolution and properties of a protein kinase catalyzing, fine phosphorylation of wheat germ

cyclokinin-binding proteins. Plant Physiol., 71 : 482-488.

Price, C.A. (1968). Iron compounds and plant nutrition. Ann. Rev. Plant Physio. 19 : 239-248.

Pakroo, N. and Kashirad, A. (1981). The effect of salinity and iron application on growth, mineral uptake of sun-flora (Helianthus annus L.) J. Plant Nutrition, 4 : 45-56.

Palfi, G. and Juhaazz, J. (1970). Increase of the free proline level in water deficit leaves as a reaction to saline of cold root media. Acta Agion Acad. Sd. Hung. 19 : 79-88.

Palfi, G., Kores, E. Bito, M. and Sebestyan, R. (1974). The role of amino acids during water stress in species accumulating proline Phyton Rev. Int. Bot. Exp. 32 : 121-128.

Paliwal, K. V. (1972). Irrigation with saline water ICAR Monograph No. 2 (New Series), New Delhi, India, 198 pp.

Paliwal, K.V. and Maliwal, G.L. (1980). Growth and nutrient uptake relationship of some crops in saline substrate. Ann. Arid. Zone, 19 : 251-257.

Paliwal, K.V. and Maliwal, G.L. (1972). Effect of salts on the growth and mineral nutrition of Okra (Abelmoschus esculentus) and sponge ground (Luffa cylindrica). J. Hortic Sci., 47 : 517-524.

Paliwal, K.V. and Maliwal, G.L. (1975). Effect of salts on the growth and mineral nutrition of cabbage (Brassica oleracea) in soil and sand culture. Proc. Ind. Natl. Sci. Acad. Part B. Biol. Sci. 41 : 155-160.

Witchell
Paliwal, K.V. Maliwal, G.L. and Monohar, S.S. (1976). Effect of the level of salinity of irrigation water on the growth and yield of barley varieties grown on a sandy soil of Rajasthan (India). Ind. J. Agric. Sci. 46 : 159-164.

Prabhakaran Nair, K. P and N.C. Khulbe (Inst. Agric Techol. University centre, Box 110 Dschang, carneroone) Exp Agric 21(2) 221-226 1990 (In Engl with Engl and span summ) Differential response of wheat and barley genotypes to substitute induced salinity under north Indian conditions.

Pickersgill, B (1969) 'The domestication of chili peppers,' in. The Domestication and Exploitation of Plants and Animals (ed. V Ucko, P.J. and Dimbleby, G.W.), London: Duckworth.

DUCK

Rahman, A., El-Shourbagy, M.N. and Monayiri, M.O. (1972). Salinity effects on carbohydrates and ion contents in some desert fodder plants. Bull. Fac. Sci. Cairo Univ., 45 : 79-96.

Rains, D.W. (1972). Salt transport by plants in relation to salinity. Ann. Rev. Plant Physiol., 23 : 267-288.

Rains, D.W. and Epstein, E. (1967a). Sodium absorption by barley roots. Its mediation by mechanism 2 of alkali action

transport. Plant Physiol., 42 : 319-323.

Rajmane, N.A. (1984). Physiological studies in tropical legumes Physiological studies in Psopocarpus tetragonolobus L. Ph. D. Thesis, Shavaji University, Kolhapur, India, 331.

Rangarajan, A.V. Mahadevan, N.R. and Iyemperumal S. (1973). Incidence and control of the mite Amblyseius Ovalis Evans on Chilli, Madras Agric. J. 60(7) : 616-617.

Ranjeva, R., Reffeno, G., Boudet, A.M. and Marme, D. (1983). Activation of plant quinate NAD⁺ 3-oxidoreductase by Ca²⁺ and Calmodulin. Proc. Natl. Acad. Sci. U.S.A., 80 : 5222-5224.

Rathert, G. (1983). Effects of high salinity stoose on mineral and carbohydrate metabolism of two cotton. (Gossypium barbadense) varieties. Plant Soil, 73(2) : 247-256.

Rathert, G. and Doering, H.W. (1983). Influence of extreme K:Na ratios and high substrate salinity on plant metabolism of crops differing in salt tolerance, VIII. Ion specific salinity effects on carbohydrates and degradative enzymes of two soybean varieties. J. Plant Nutr., 6 : 583-595.

Ravikowitch, S. and Porth, A (1967). The effect of nutrients on the salt tolerance of crops. Plant and Soil, 26 : 49-71.

Riley, J.J. (1968). Physiological responses of plants to salinity Ph. D. Thesis, Univeristy of Arizona.

Roeb, G.W. Wienke, J. and Fuehr. F. (1982). Effect of high sodium chloride concentration in the nutrient medium of transpiration, abscisic acid, cytokinin and proline content of 2 soyabean (Glycine max) cultivars.

Z. Pflazernernachr Bodenkd. 145(2) : 103-106.

Roth, Hannelore, (Institute Trops is che Landwirtschaft, karl marx-Universität Fichtestr. 28, DDR -7030 (Leipzig) BEITR TROP Landwirsch veterinaerm 27 (3) : 305-312 1989. (In Ger. with Germ, Engl., RUSS., Fr and span. summ.) The influence of sodium chloride or sodium sulphate substrate salinity on the growth and dry matter prodn. of Triticum aestivum L., Hordeum vulgare L. and oryza sativa.

Rus, D.W. and Epstein, E., 1976, pl. Physiol, 57:162-166.

Rush, D.W. and Epstein, E. (1976). Differences between salt sensitive and salt tolerant genotypes of the tomato. Plant Physiol., 57 : 162-166.

Rylski, I. (1972). Effects of the early environment on flowering in pepper (Capsicum annuum) J. Amer. Soc. Hort. Sci. 97 (5) : 648-651.

Sadale (1989) M.Phil. D. Thesis submitted to Shivaji University of Kolhapur.

Salim, MR C. Saxena and M Akbar (Irri P.O. Box. 933, manili

philippines) Crop Sci 30(3) : 654-659 1990. Salinity stress and varietal resistance in rice.

Salimath, B.P. and Marme, D. (1983). Protein phosphorylation and its regulation by calcium and calmodulin in membrane fractions from zucchini (*Cucurbita pepo* cultivar senator) hypocotyls Planta (BERL) 158 : 560-568.

Samani, A.M., Maftaun, M, Baisiri, A. and Sepaskha, A.R. (1980) Growth and chemical composition of dry beans as affected by soil salinity and N. Fertilization. Plant and Soil 54 : 217-222.

Sarin, M.N. (1961b) Physiological studies on salt tolerance in crop plants. XIV. Further studies on the effect of sodium sulphate on respiration of wheat and gram seedlings. Ind. J. Plant Physiol; 38-46.

Sarin, M.N. (1961). Physiological studies on salt tolerance of crop plants. XVI. Influence of sodium sulphate on chemical composition of wheat and gram seedlings. Indian J. Plant Physiol. 4 : 38-46.

Sastri, B.N. (ed.) (1950). The wealth of India, Raw Materials, Vol. 2, Delhi: Council of Scientific and Industrial Research.

Schoch P.G. (1972). Effect of shading on structural characteristic of the leaf and yield of fruit in capsicum annuum. J. Amer. Soc. Hort. Sci. 97 (4) : 361-464.

Schobert, B. (1977). Is there an osmotic regulatory mechanism in algae and higher plants ? J. Theor. Biol., 68 : 17-26.

Schobert, B and Tschesche, H. (1978). Unusual solution properties of proline and its interaction with proteins. Biochem. Biophys. Acta., 541 : 270-277.

Sekine, T. Sasakahia, T. Morito, S. Kimara, T and Kuratomi, K. (1965). cf. laboratory manual for physiological studies of Rice. Ed. Yashida, S. Forno, D. Cook, J.H. and Gomex, K.A., Publ. by the International Rice Research

Seemann, J.R. and Chratchley, C. (1985). Effects of salt stress on the growth, ion content, stomatal behaviour and photosynthetic capacity of a salt sensitive species. Phaseolus vulgaris L. Planta, 164 : 151-162.

Setia, R.C. and Narang, Shelly (1985). Effect of salinity stress and plant growth regulators on seed germination and seedling growth in pea (Pisum Sativum). Flora (Jena), 177 (5/6) : 369-375.

Sharma, S. K. (Central soil salinity Res. Inst. Karnal, Haryana - 132001) Indian J. of Plant Physio 32(3) : 200-205 1989. Effect of salinity on growth, ionic and water relation of 3 wheat genotypes differing in salt-tolerance.

Shennan, C., Hunt, R. and Mac Robbie, E.A.C. (1987). Salt tolerance in Aster tripolium L : i. The effect of salinity of salinity on growth. Plant Cell Environ., 10(1) : 59-66.

Shetty, G.P. (1971). Physiology of growth and salt tolerance of plants. Ph. D. Thesis submitted to Shivaji University, Kolhapur (India).

Shevyakova,N.I. and Komizerko,E.I. (1969). Amino acid metabolism in a culture of callus tissue from cabbage leaves under salinization conditions. Dokl. Akad. Nauk. USSR, 186. 548-553.

Shimose,N. (1963). Physiology of salt injury in crops. Effects of iso-osmotic pressure prepared by NaCl and Na₂SO₄ on growth and the absorption of mineral elements by rice plants. Jour. Sci. Soil Tokyo. (107-113).

Shimose,N. (1972). Physiology of salt injury in crops IX. Salt tolerance of barley, wheat and asparagus. The scientific reports of the Faculty of Agriculture, Okayama Univ., 40:57-68.

Shimose,N. (1973). Salt tolerance of crops. Japan Agric. Res. Quarterly, 7(3):176-184.

Siegel,S.M., Siegel,B.Z., Massey,J., Babne,P. and Chen,J. (1980). Growth of corn in saline waters. Physiol. Plant 50(1):71-73.

Singh,T.N., Aspinall,D., Paleg,I.G. and Boggess,S.F. (1973). Stress metabolism.II. Changes in proline concentration in excised plant tissues. Aust.J. Biol. Sci., 26:57-63.

Singh,M., Shukla,C.C. and Subbiah,B.V. (1974). The effect of salinity and SAR on the growth and uptake of some plant nutrients and translocation of p32 by rice. 'Use of radio-isotopes and radiations in studies in plant productivity.' (Proc. of Symp. organized by Food and Agricultural Committee, Dept. of Atomic Energy, Govt. of India). pp. 323-329.

Svitsev,M.V., S.A.Ponomareva and E.A.Kuznetsova (1973). Effect of salinization and herbicides on chlorophyllase activity in tomato leaves. Fiziol. Rast., 20(1):62-65.

Smith,C.E. (1968c). The New World centers of origin of cultivated plants and archaeological evidence, Econ. Bot., 22, 253-266.

Smith,G.S., Middleton,K.R. and Edmonds,A.S. (1980). Sodium nutrition of pasture plants. : 2. Effect of sodium chloride on growth, chemical composition and the reaction of nitrate nitrogen. New Phytol., 84(4), 613-622.

Smith M.K. and McComb,J.A. (1981). Effect of sodium chloride on the growth of whole plants and their corresponding callus cultures. Aust. J. Plant. Physiol. 8(3):267-276.

Sonneveld,C. and A.M.Van Der Burg (Glass house crops Res. Stn., P.O.Box 8, N.L. 2670 AA Naaldwijk, Neth) Neth J. Agric Sci. 39(2) 115-122. 1991. Sodium chloride salinity in fruit veg crops in soilless culture.

Stark,Z., Karwowka,R. and Kraszewska,E. (1975). Effect of

several stress conditions and growth regulators on photosynthesis and translocation of assimilates in the bean plant. Acta. Soc. Bot. Pol. (4). 567-588.

Stewart,G.R. and Lee,J.A. (1974). The role of proline accumulation in halophytes. Planta, 120, 279-289.

Stiborova,M., Svetlana,K. and Brezinova,A. (1987). Effect of NaCl on the growth and biochemical characteristics of photosynthesis of barley and maize. Photosynthetica (Prague 21(3):320-328.

Stoker,O. (1954). Der Wesser Und Assimilationsha. Ushalt Su de igerischer wustenpflanzen. Ber. Deut. Bot. Ges., 67:288-298.

St.Omer,L. and William,S. (1980). Field and greenhouse investigations of the effect of increasing salt stress on the anatomy of Jaumea carnosa (Asteraceae) a salt marsh species. Am. J. Bot., 67:1455-165.

Strogonov,B.P. (1964). Physiological basis of salt tolerance of plants. Academy of sciences of the U.S.S.R. Trans. A. Poljakoff-Mayber, A.M.Mayer, Israel program Sci. Transl. Jerusalem.

Strogonov,B.P. (1964). Physiological basis of salt tolerance of plants. Academy of sciences of the U.S.S.R. Trans. A Poljakoff-Mayber, A.H.Mayer. Israel progr. Sci. Transl., Jerusalem.

Strogonov,B.P. (1974). Structure and function of plant cells in saline habitats. John Wiley and Sons., New York, pp. 284.

Strogonov,B.P. and Henckel,P.A. (1961). Physiology of plant consuming saline water. Proc. Symp. Salinity Probl. Arid Zones. Teheran (1958). pp. 145-151.

Strogonov,B.P., Kobanov,V.V., Shevjakova,N.I.Lapina,L.P., Komzerko,E.I., Popov,B.A., Dostanova,R.Kh. and Prykhod'ka,L.S. (1970). Structure, Funktiziya Kletok rastenii pri sasolenii (Structure and function of plant cells under salinity), Moscow, Nauka.

Strogonov,B.P., Tarvardyan,V.I. and Kakanov V.V. (1972). Effect of absorbed ions of sodium and chloride of pea plants. Fiziol. Rast., 19(4):787-791.

Staart,B.L., Krieg,D.R. and Abernathy,J.R. (1985). Photosynthesis and stomatal conductance responses of Johnson grass (Sorghum halepense) to water stress Weed Sci., 33(5):635-639.

Syed,M.M. and Swaify,S.A.EI. (1973). Effect of saline water irrigation on N. C0310 and H-50-7209. Cultivars of sugarcane II Chemical composition of plants. Trop. Agric., 50:43-51.

Tailakov,N. (1970). Some features of nitrogen phosphorus metabolism of corn and joughara in conditions of salinization. Izvi Akad. Nauk. Turkm. SSR SER. Biol. Nauk., 3:34-39.

Tal,M. and Andriana,K. (1980). Salt tolerance in the wild relatives of the cultivated tomato. The effect of proline on the growth of callus tissue of Lycopersicon esculentum and L.Peruvianum under salt and water stresses. Z. Pflanzon, Physiol., 98(4):283-288.

Takada,H. (1954). J.Instt. Polytech Osaka City Univ. Ser. Biol.D5:81-96.

Tindall,D.R., Yopp,J.H., Schmid,W.E. and Miller,O.M. (1977). J.Physiol., 13:127-133.

Tindal,P.C., Singh,J.P. and Gupta,O.P. (1979). Indian J. Agric. Sci., 49(2):105-109 of Karadge,B.A. and Chavan,P.D. (1983) In Physiological studies on salt tolerance in Sesbania. Final Report of Shivaji University Project.

Tiku,B.L. (1976). Effect of salinity on the photosynthesis of the halophytes: salicornia rubra and Distichlis Stricta. Physiol. Plant.37(I):23-28.

Totawat,K.L. and Saxena,S.N. (1971). Effect of variation in salinity and alkalinity of applied irrigation waters on the amino acid make up Phaseolus aureus. Plant and Soil. 34:43-48.

Townsend,A.M. (1980). Responses of selected free species to sodium chloride. J. Am. Socitlortic. 105(6):878-883.

Treichel,S. (1975). The effect of NaCl on the concentration of proline in different halophytes. Z. Pflansenphysiol., 76:56-58.

Treichel,S. (1975). Crassulaceon acid metabolism in a salt tolerant member of Aizoaceae : Aptenia cordifolia. Plant. Sci. Lett. 4:141-144.

Udovenko,G.V., Semushine,L.A. and Petrochenko,N.C. (1971). Character and possible explanation of the changed photosynthetising activity of plant during salinization. Fiziol, Rast., 18(4):709-715.

Ungar,I.A., Hogan,W. and McClelland,M. (1969). Amer. Midl. Natur.82:564-567.

Upadhyay,D.C. and M.N.Sarin (1976). Physiological studies on salt tolerance in Pisum Sativum L. IV. Ionic composition and nitrogen metabolism. Acta. Agron. ACad. Sci. Hung., 25(3/5):455-560.

Vaidya and Sahasrabuddhe,K.R. (1970). Introduction to Agronomy and soil and water management. Soil formation and dev., pp. 10-30, Publisher-Kulkarni,A.A., Continental Prakashan, Tilak Road, Pune-30 (India).

Veluthambi,K. and B.W.Poovaiah (1984). Calcium promoted protein phosphorylation in plants. Science, 233:167-169.

Veluthambi,K. and B.W.Poovaiah (1984b). Calcium and calmodulin required phosphorylation of soluble and membrane proteins from corn coleoptiles Plant Physiol., 76:359-365.

Varshey and Baijal (1977). Effect of salt stress on chlorophyll contents of some grasses. Indian J. Plant Physiol., 20(22):161-163.

Van Der Beek J.G. and A. Ltifi (Directorate General International Co-operation, P.O.Box 20061, 2500 EB The Hague, Neth). Euphytica 57(1):51-56. (1991). Evidence of salt tolerance in pepper varieties (*Cap. annuum L.*) in Tunisia.

Vora, Robins and Jerry L. Jacobs (Bio Ganele' valley Natl. Wild life Refuge Alamo, Texas 78516). Tex J. Sci. 42(2):167-178. (1990). Soil differences between native brush and cultivated fields in the lower Rio Grandi Valley of Texas (U.S.A.).

Wadkar,P.R. (1989). Studies in salt tolerance of *crotalaria L.* species. Ph.D. thesis, Shivaji University, Kolhapur (India).

Wallace, Arthus (Lab. Biomed. Environ. Sci., Univ. Calif., 900 veteran Ave., Los Angeles, CA 90024-1786, U.S.A.). Soil Sci. 47(6):426-429. (1989). Interactions of excesses of copper and salinity on vegetative growth of bush beans at two difference PH levels in soln. culture.

Wallace, Arthur and A.M. Abou-Zamzam (Lab. Biomed. Environ. Sci., Univ. Calif, 900 Veteran Ave., Los Angeles, Calif. 90024-1786, U.S.A.) Soil Sci. 147(6):436-438. (1989). Cobalt and Zn interaction in bush beans grown in solution culture.

Wallace,A., Mueller,R.T. and Remney,E.M. (1973). Sodium relations in desert plants : 7. Effects of sodium chloride on *Artiplex polycarpa* and *A.Canescens* ssp. Soil Sci., 134(1):65-68.

Wallace,A., Cha,J.W. and Muller,R.T. (1980). Effect of NaCl on some trace metals in bush beans. J. Plant Nutr. 2(142):115-117.

Wallace.A., Romney,E.M. and Muller,R.T. (1982). Sodium relations in desert plants : 7. Effect of sodium chloride on *Artiplex polycarpa* and *A.Canescens* ssp., Soil Sci., 134(1):65-68.

Walter,H. (1955). The water economy and the hydrature of plants. Ann. Rev. Plant Physiol., 6:239-253.

Walter,H. (1961). The adaptations of plant to saline soils. Arid Zones Research Vol. XIV. Salinity problems in the arid zones.

Weil, Ray R. and Khal,N.A. (1986). Salinity tolerance of winged bean (*Psohocarpus tetragonolobus*) as compared to that of soybean (*glycine max*). Agron. J., 78(1):67-70.

Weissenbock,G. (1969). Flora (Jena), B-158:369-389.

West,D.W. and J.A.Taylor (1980). The response of *Phaseolus vulgaris* L. to root-zone Avaevo-biosis, Waterlogging and high sodium chloride. Ann. Bot. 46:51-60.

Whittingham,C.P. and Pritchard,G.G. (1963). The production of

glycollate during photosynthesis in Chlorella. Proc. Royal Soc., B., 157:366-382.

Wignarajah,K, Jennings,D.H. and Handley,J.F. (1975a). Effect of salinity on growth of Phaseolus vulgaris L. I. Anatomical changes in the first trifoliate leaf. Ann. Bot. 39:1029-1038.

Wignarajah,K, Jennings,D.H. and Handley,J.F. (1975-b). Effect of salinity on growth of Phaseolus vulgaris L. II. The effect of internal solute concentration. Ann. Bot. 39:1039-1055.

Yadav,J.S.P. and Sharma,B.M. (1980). An appraisal of alkali tolerance of gram (Cicer arietinum) in the field Agrokemie es Talajtan., 29 (3/4):456-462.

Yamasaki,T. (1964). The role of micro elements. In the mineral nutrition of rice plant. Prog. Symp. IRR. Feb. 1965), Oxford Pub. Co., 1965.

Zhukovskaya,N.V. (1973). Uptake and accumulation of phosphates by plants in salinized soil. Fiziol. Rast., 20(1):71-78.

Zid,E. and Grignon,C. (1986). Comparative effects of NaCl KC1 and Na₂SO₄ on the growth and mineral nutrition of young Citrus aurantium L. Acta oecologica. Oecologia Plantarum, 7(4):407416.

Abdel Rasoul et. al. 1980

Effect of some growth regulators on the concentration of organic acids and Aminoacids in Maize (Zea mays cultiar Americani Bodry) seedling under different levels of salinity :

1 The concentration of organic acid s. A in , Shams Univ. Fac. Agric.Res.Bull.) 0 (1330:1-9)

Ansari et.al 1978

Ansari,R.,S.M. Ala (1978). At Energy Agric. Res.Cent Tando

Arnon, D.I. (1958)

Chloroplasts and Photosynthesis . Brookhaven symposia in Biol., 11: 181 - 235

Ashby W.C and N.C.W.Beadle (1957) studies in halophytes, III salinity factors in the growth of Australian salt bushes.

Ecology., 38 : 344-357.

Baumeister, W. and Schmidt,L.(1962). On the role of sodium in plant metabolism. Flora Allg.Bot.Zeitung,152 : 24-26

Beadle,N.C.W. (1957) Studies in halophytes.II .

Analytical data of the mineral constituents of 3 species of Atriplex and their accompanying soils in Australia Ecology ..38 :340-344

Bharucha,F.R. and Navalkar, B.S (1942). Studies in the ecology of mangroves [4] of University of Bombay, Vol. XXVII, Part 3.

Beevers L.(1976) Nitrogen metabolism in plants, Edward Arnold.London

Beevers L and Hageman,R.H. (1969) Nitrate reduction in higher plants. A. Rev. Pl. Physiol,20 : 495-522

Billard J.P.and Boucaud,J (1982).Phyto chemistry, 21(6):1225-1228

Black R.F. (1960)

Effect of NaCl on the ion uptake and growth of Atriplex Vesicaria Heward. Aust. J.Biol. Sci., 13 : 249-266

Bogorad, L. (1966) The biosynthesis of chlorophylls. In 'The chlorophylls ' : Eds. Vernon, L.P. and seely G.R. Academic Press, New-york and London, 481-510.

Bottacin, A., Cacco, G. and saccomani, M (1985) Nitrogen absorption and assimilation in NaCl resistant and NaCl susceptible millet genotypes (Pennisetum americanum). Can.J.Bot. 63 : 517-520

Boucaud J. (1972) Effects of sodium chloride on the activity of nitrate reductase on two halophilic varieties : Suaeda Maritima, Var. Macrocarpa etvar. Flexilis. Physiol.Plant..27 : 37-42

Chapman H.D. and Pratt P.E. (1961) Chlorine, In "Methods of analysis of soils, plants and Waters" (Eds. chapman,H.D.and Pratt, P.F.) University of California , Riverside , pp. 97-100

Chavan, P.D. (1980). Physiological studies in plants physiological studies in Eleusine coracana Gaertn.) A.Ph.D. Thesis submitted to the Shivaji University, Kolhapur . (India)

Coupe, M., Champigny, M.L. and Moyse, A (1967) Sur la localisation intracellulaire de la nitrate reductase dans les racines d'orge.
Physiol. Veg... 5 : 271-291

Dalling, M.J.; N.E. Tolbert and R.H. Hageman (1972-a) Intracellular location of nitrate reductase and nitrite reductase I. Spinach and tobacco leaves . Biochem.biophys. Acta... 283 : 505-512

Dalling, M.J.; N.E.Tolbert and R.H. Hageman (1972-b) Intracellular location of nitrate and nitrite reductase II.Wheat roots.
Biochem biophys. Acta., 283 : 513-519

Daniel, A.L. (1956) Stoff Wechsel und Mineral salzren ahrung einzelliger Grunnalgen III. Atmung und Oxydative Assimilation Von Chorella. flora (Jena). 143. 31-66

Dix, P.J. and Pearce, R.S. (1981). Proline accumulation in NaCl. resistant and sensitive cell lines of Nicotiana sylvestris.

Durie et al. 1965. Technical communication of Commonwealth. Sci. Industri. Res. Org., 47: 33-37.

Epstein, E. (1969). Mineral metabolism of halophytes. In Ecological aspects of mineral nutrition of plants . Ed.I.H.Rorison; 345-355. Oxford : Black Well , 484 pp.

Evans, H.J. and Nason, A.(1953). Pyridine nucleotide-nitrate reductase from extracts of higher plants. Plant physiol. 28 : 233-254

Finkle, B.J. 1967 Patterns of phenolic mediation in plants and animals. In phenolic compounds and metabolic regulation.
Edited by B.J. Finkle and V.C. Runecles, Appleton - Century - crofts.

Gaijkwad, S.G., Karadge, B.A. and Chavan, P.D. (1986) Effect of salinity on nitrate reductase activity on four millet species.
Biovigyanum. 12 (1) : 82-83.

Green, H.H.(1938) .Vet Rec., 50,37 : 1185 CF. Sauchelli, V.(1969) Trace elements in Agriculture, Publ. by Van Nostrand Reinhold company. Newyork. Cincinnati. Toronto London, Melbourne.

Hayward, H.E. and Bernstein, I. (1958). Plant growth relationships on salt affected soils. Bot. Rev. 24 : 534-636.

Hayward and Wadleigh C.H. (1949).CF Hayward H.E. and Wadleigh, C.H. (1974) In Adv. In Agron., 1 : 1 - 38

Heikal , M.M.D.(1977). Physiological studies on salinity : VI. Changes in water content and mineral composition of some plants over a range of salinity stress.Plant soil. 48 (1) : 223-232

Heuer, B. and Plant, Z (1979). Metabolic changes occurring in plants exposed to environmental stress condition. Bul.Merkaz, Volcani, Minhal Ha Machkar Ha Charklani (Bet Dagen, Isr.), 216:pp.138

Hewitt, E.J. (1975) Assimilatory nitrate and nitrite reduction. A. Rev. Pl. Physiol., 26 : 73-100

Huber,W.(1982) Effects of salt treatment on the nitrogen assimilation of Lemna minor. Biochem. Physiol.Pflan2. (BPP) 177(3):259-265

Hyder, S.Z and H. Greenway (1965) Effects of Ca^{++} on plant sensitive to high NaCl Concentrations. Plant and soil . 123:258-260
Il, Yasova, S.G. 1948. Filiala An ASSR, Seriya Botanicheskaya, 5:58-65

Iyengar, E.R.R. (1978). Studies with P32 and Cl^{36} on seedlings of crops grown under salinity. Curr. Agric. 2 : 39-42.

Iyenger, E.R.R.Abraham, M. and Mehta, B.R. (1974). Note on cation exchange capacity and cation accumulation in roots of sugarcane and tomato grown with sea water dilution.
Ind. J. Agric.Res. 8 : 187-189.

Jennings, D.H. (1976). Biol Rev., 51 : 433-486

Jones , R.W. and Sheard ; R.W. (1972) ,
Nature New Biol. 238 : 221- 222

Joy, K.W. (1969). Nitrogen metabolism of Lemna minor II Enzymes of nitrate assimilation and some aspects of their regulation.
Plant Physiol. 44 : 049-053

Keller, B. (1925). J.Ecol. 13 : 224 -261.

Khot, S.B. (1978) Msc. thesis submitted to Shivaji University, Kolhapur (India)

Konigshofer et al 1983. Changes in ion composition and hexitol content of different Plantago species under the influence of salt stress
Plant and soil. 72 : 289 - 296

Kratz, W.A. and Myers, J. (1955) Nutrition of growth of several blue green algae. Am.J.Bot., 42 : 282 - 287

Lal and Bhardwaj 1980

La Haya,P.A.and E. Epstein (1969). salt toleration by plants, Enhancement with calcium. Science 166 : 395 - 396.

Lewis, J.A. and Papavizas, G.C. (1967) Effect of tannins on spore germination and growth of fusarium solani F phaseolus and Verticillium albo (phytopathogens).

Lipman, C.B.(1938) The importance of Silicon, Aluminium and Chloride for higher plants. Soil Sci., 45 : 189-198.

Lipman, C.B. Davis ,A.R.and West, E.S. (1926) The tolerance of plants for NaCl. Soil Sci. , 22 : 303 - 322.

Losada, M., Ramirex, J.M. Paneque, A. and Del Campo, F. F. (1965) Light and dark reduction of nitrate of nitrate in are constituted chloroplast system. Biochem. Biophys. Acta., 109 : 85-96

Lumin, J. Gallatin , M.H. and Batchelder, A.R.(1963) Saline irrigation of several vegetable crops at various growth stages. I. Effect on yield Agron. J. 55 (2) : 107 - 110

Lundegardh , H.(1954) Plant analysis and fertilizer problem, 1-6 (Institute de Researches pour les Huiles at oleagine uni. Paris pp.262)

Machackova, I. and Zmrhabz (1985) The effect of some salts and osmotic shock on phosphate uptake in Maize roots. Biology Plantarum. 27 (1) : 34 - 40.

Magistad, O.C. (1945) Bot Rev. , 11 : 181 -230.

Mass, E.V. and Hoffman,G.J.(1977), Crop salt tolerance current Assessment. J.Irri.Drain, Div I.R. 8 : 115 - 134.

Mass, E.V. Ogata,G. and Garber,M.J.(1972) Agron.J. 64 (6):793-795
Mass et al 1945

Malakondaiah, N.and Rajeshwar Rao, 6 (1980). Effect of foliar application of Phosphorus on chlorophyll content, hill reaction. Photophosphorylation and carbon 14 labelled carbon dioxide fixation under salt stress in peanut plants (Arachis hypogea CV.TMV-2)
Photosynthetica (Prague) , 14 (1) : 17-21

Mazelis M.and Stumpf C.R.(1955) Fat metabolism in higher plants. VI. In incorporation of p³² into peanut mitochondrial phospholipids.
Plant Physio. 30 : 237-243

Mirza,R.A and Khalid, Mehmood (1986) Comparitive effect of sodium chloride and sodium bicarbonate on germination, growth and ion accumulation in Phaseolus aureus Roxb. C.V. Biologia (Lahore), 32 (1) : 257 -272

Moghe, V.B. (1965) Zinc in India Agriculture. fertilizer New India, 10, 10 : 23-27

Morison, S.E. (1963) Journals and other documents on the life and Voyages of christopher columbus, New York, Limited Editions club.

Neish, 'A.C. (1939) Studies on chloroplasts. II Their chemical composition and distribution of certain metabolites between the chloroplasts and the remainder of the leaf Biochem.J. 33:300-308

Osmond, C.B.(1966) Divalent cation absorption and interaction in Atriplex Aust. J.Biol.Sci. , 19 : 37-48

Okusanya Olubukanla T. and Ebong Umoh E.(1984) The effect of calcium nitrate and sodium dihydrogen phosphate on the grwoth and mineral composition of Luffa aegyptiaca in saline medium. Biol.Afr 1(1) : 53-63

Pandey , D.P and Kannan (1979) Effects of Sodium Chloride pretreatment on cation absorption by bean plants. Z.Pflanzenphysiol. 92 : 91-94

Pearson, G.A Ayers,A.D. and Eberhard, D.L.(1966) Salt tolerance of rice during germination and early seedling development Siol Sci
102 : 151 -156

Rijven, A. H.G.C.(1958) Effect of some inorganic nitrogenous substances on growth and nitrogen assimilation of young embryo invitro Aust. J. Biol. Sci., 11 : 142-154

Ritenour, G.L., Joy K.W. Bunning, J. Hageman, R.H. (1967)
Intracellular localization of nitrate reductase, nitrate reductase and glutamic acid dehydrogenase in green leaf tissue.
Plant Physiol. 42 : 233-237

Safaraliev P.M., L'Vov, N.P. Mardanov. A.A. and Kretovich V.L.(1984) on the causes of decreased nitrate reductase activity inn legumes under conditions of salinity. Fiziol.Rast. (Mosc.),31(4):658-665

Sankhla, N. and Huber, (1975) Effect of salt and abscist and on in-vivo activity of nitrate redctase in seedlings of Phaseolus aconitifolius. Z. Pflanzenphysiol., 76 :467

Semushina, L.A. (1970)Tr.Prikl.Bot. Genet. Selek. ,43:180-190

Shannon, M.C (1980)Agron J., 70:719-722

Shannon, M.C (1985)Pl.Soil. , 89 :227-242

Sharma, S.K. and Garg, O.P.(1983), Curr. Agric. 7 : 36-40
Sharma,D.C. Puntamkar, S.S.Jain , S.V. and Seth, S.P (1977).
Effect of different frequencies of irrigation with saline water on the yield of water and salt accumulation in saline soil.Ind.J.Agric.Bot. 47 : 485-488

Shevyukova, N.I.and E.I. Konizerko (1969) Amino acid metabolism in a culture of callus tissue from cabbage leaves under salinization conditions. Dokl.Akad.Nauk.USSR., 186 : 548-553

Sommer, A.L. (1930) Elements necessary in small amounts for plant growth .Am.Fert. 72 (6) 15-18

Sommer, A.L.(1926) Studies concerning the essential nature of aluminium and silicon for plant growth. Univ Calif.Publ.Agric.Sci, 5 : 57-81

Sommer, A.L. (1931) Copper as an essential for plant growth . Plant-Physiol , 6 : 339-345

Srivastava, R.P.(1964) Effect of Micronutrients on growth characteristics of Bana II Zinc Fertilizer News India26-32(June 1964)

Starck, Z and Kozinska, Maring (1980) Acta.Soc.Bot.Pol 49 :111-126
 Stewart, G.R. (1968) The effect of cydohexamide on the induction of nitrate and nitrate reductase in Lemna minor L. Phy to Chemistry, 1 : 1139-1142

Stroganov, B.P Ivanitskaya, E.F. and charnyadeve (1956) In physiological aspect of crop nutrition " by Gupta, U.S., Pub. Atmaram and sons, Delhi, P.325

Tamhne, R.V., Motiramani, D.P., Bali, V.P. and Donahue, R.L.(1966) soils- Their chemistry and fertility in tropical Asia presntice Hall of India (Private) Ltd. Pub. (1966)

Thomas,M .and Beevers, H.(1949) Physiological studies of acid metabolism in green plants II Evidence of CO₂ fixation in Bryophyllum calycinum and the study of diurnal fluctuations in the germs.

New phytol. 48 : 421-447

Toro , S.V.(1987) Studies in physiology of salt tolerance of Setaria italica M.Phil. thesis submitted to Shivaji Univ., Kolhapur,(India)

Walter, H. (1955) The water economy and the hydrature of plants.
Ann Rev. Plant physiol. , 6 : 239-252

Walter, H. (1961) The adaptations of plants to saline soils, Arid zone Research, Vol.XIV. Salinity problems in the Arid zones, published by UNESCO , proceeding of the Tehran symposium.

Whittenberg , D.C. and Joham, H.E. (1964). Carbohydrate composition and distribution in cotton plant as affected by substitution of sodium for calcium. Bot Gaz. 125 : 56-62

Wilson, S.B. and Nichols, D.J.D.(1967) A cobalt requirement of non nodulated ligumes and for wheat. Phytochem. 6 : 1057-1066

Venkatramana S. and V.S.R. Das (1982) Distribution of Nitrogen assimilating enzyme in relation to photosynthesis in certain 4-carbon pathway grassed z. Pflaznphysiol. 105 (4) : 289-296