



*Bibliography .....*

- Albert, R.(1975). Salt Regulation in Halophytes. Oecologia (Berl.), 21: 57-71.
- Albert, R. and Kinzel, H.(1973). Unterscheidung von Physiotypen bei Halophyten des Neusiedlerseegebietes (Osterreich). Z. Pflanzenphysiologie, 70 :138-158.
- Albert, R. and Popp, Marianne, (1977). Chemical composition of halophytes from the Neusiedler Lake Region in Austria Oecologia (Berl.). 27 :157-170.
- Allen, O.N. and Allen, E.K. (1981). The Leguminosae. A source book of characters, uses and nodulation. The University of Wisconsin Press.
- Almeida, S.M. (1990). The flora of Savantwadi, Maharashtra India Vol-I p.152. Scientific Publishers. Jodhpur.
- Amonkar,D.V. (1977). Physiological studies in halophytes; Studies in Salvadora persica, Linn. Ph.D. Thesis, Bombay University.(India)
- Anjal, K.S. and Bhosale, L.J.(1985). Study of sodium, potassium, calcium and chloride levels in the leaves and seeds of L.racemosa and S.alba. In:The Mangroves : Proc. Nat. Symp. Biol. Util. Cons. Mangroves. Ed. Bhosale L.J. pp. 230-232.
- Arnon, D.I. (1949). Copper enzymes in isolated chloroplasts : Polyphenol oxidase in Beta vulgaris. Plant Physiol., 24 : 1-15.
- Aronson, J.A. (1989). Haloph - A data base of salt tolerant plants of the world. Ed. Whitehead E.E. The Uni. of Arizona Tucson, Arizona.
- Atkinson, M.R., Findlay, G.P., Hope, A.B., Pitman, M.G., Saddler, H.D.W. and K.R.West (1967). Salt regulation in the mangroves Rhizophora mucronata and Aegialitis annula. Aust. J. Biol. Sci., 20 : 589-599.
- Austenfeld, F.A. (1986). Nutrient reserves of Salicornia europaea seeds, Physiol. Plant., 68 : 446-450.
- Austenfeld, F.A. (1988). Seed dimorphism in Salicornia europaea : Nutrient reserves. Physiol. Plant., 73 : 502-504.
- Baker, H.G. (1974). The evolution of weeds. Annual Rev. Ecol. Syst. 5 : 1-24.

Baker, G.A. and D.L.O'Dowd.(1982). Effect of parent plant density on the production of achene types of the annual Hypochoeris glabra. J.Ecol. 70 : 201-215.

Ball, M.C., Taylor, S.E. and Terry, N. (1984). Properties of thylakoid membranes on the mangrove Avicennia germinans and Avicennia marina, and the sugar beet, Beta vulgaris, grown under different salinity conditions. Plant Physiol., 76 : 531-535.

Barth, H.(1982). The biogeography of mangroves. In: Contributions to the ecology of halophytes, Eds: D.N.Sen and K.S.Rajpurohit, Dr. W.Junk publishers, The Hague, Boston, London, pp.35-60.

Bates, L.S., Waldren, R.P. and Teare, I.D. (1973). Rapid determination of proline for water stress studies. Plant and Soil, 39 : 205-207.

Bazzaz, F.A. (1973). Seed germination in relation to salt concentration in three populations of Prosopis farcta. Oecologia, 13:73-80

Beadle, N.C.W. (1952). Studies in halophytes. I-Germination of the seeds and establishment of the seedling of five species of Atriplex in Australia. Ecology, 33 :44-52.

\* Becker, H.(1913). Über die Keimung verschiedenartiger Fruchte and Samen bei derselben Spezies Beih. Bot. Cen tralbl., 29: 21-143.

\* Bentham, G.(1865). "Leguminosae." In Genera plantarum (Bentham, G and Hooker, J.D. eds.), 1(2)

Bernstein, L.(1975). Effect of salinity and sodicity on plant growth. Ann.Rev. Phytopathology, 13 : 295-312.

Bhat, J.L. (1973). Ecological significance of seed size to emergence and dormancy characteristics in Indigofera glandulosa. Jap. J. Ecol., 23 : 95-99,

Bhosale, L.J. (1974). Physiology of salt tolerance of plants. Ph.D.Thesis, Shivaji Uni. Kolhapur (India).

Bhosale, L.J. (1979). Distribution of trace elements in the leaves of mangroves. Indian J.of Mar.Sci., 8(1):58-59.

Bhosale, L.J. (1985). Free amino acids in mangroves-Significance. In: The Mangroves : Proc. Nat. Symp. Biol. Util. Cons. Mangroves pp.89.98 ed. L.J.Bhosale.

Bhosale, L.J., Waghmode, A.P. and Kotmire, S.Y.(1983). In : Indian Review of Life Science, 3:265-286. Eds. D.N. Sen & Sandeep Kumar, Geobios International Jodhpur.

- Bielecki, R.L. and Ferguson, I.B. (1983). Physiology and metabolism of phosphate and its compounds (Eds A. Lauchi and R.L. Bielecki) In, Inorganic plant nutrition. Encyclopaedia of plant physiology. New series, Vol.15. pp.422-449. Springer-Verlag, New York.
- Blasco, F., C. Caratini, S. Chand and G. Thanikaimoni (1975). Main characteristics of Indian mangroves. In. Proc. Int. Symp. Biol. and Management of Mangroves. vol. I pp. 71-87 Eds. G.E. walsh, S.C.Snedakar and H.L.Teas Int. Food. Agri. Sci., Univ. Florida, Gainesville.
- Bliss, R.D.,Platt-Aloia, K.A. and Thomson, W.W.(1986). Osmotic sensitivity in relation to salt sensitivity in germinating barley seeds. Plant,Cell Environment, 9 :721-725.
- Breen, C.M.,Evenson, C., and Rogers, K.(1977). Ecological studies on *Sporopholus virginicus* (L.) Kunth with particular reference to salinity and inundation. *Hydrobiologia*,54 : 135-140.
- Briens, M. and Larher, F.(1982). Osmoregulation in halophytic higher plants: a comparative study of soluble carbohydrates, polyols, betaines and free proline. *Plant, Cell Environment*, 5: 287-292.
- Brownell, P.F. (1965). Sodium as an essential micronutrient element for a higher plant (*Atriplex vesicaria*). *Plant Physiol.*, 40:460-468.
- Brownell, P.F. (1968). Sodium as essential micronutrient element for some higher plants. *Plant and Soil*. 28 : 161-164.
- Brownell, P.F. and Crossland, C.J. (1974).Growth responses to Sodium by *Bryophyllum tubiflorum* under conditions inducing crassulacean acid metabolism. *Plant Physiol.*, 54 : 416-417.
- Brun, A. (1988). Effect of sodium chloride on a tropical halophyte (*Canavalia obtusifolia* DC): Growth, distribution of sodium and potassium water status. *Acta Oecol. Plant.*, 9(2) : 173-186.
- \* Bussler, W.(1963). a. Die Entwicklung von calcium - Mangel-symptomen. *Z.Pflanzenernahr. Dueng. Bodenkd.*, 100 : 53-58.
- \* Bussler, W.(1963). b. Die Entwicklung von Calcium - Mangel-symptomen. *Z. Pflanzenernahr. Dueng. Bodenkd.*, 105 : 113-136.

- Caldwell, C.R. and Haug, A. (1981). Temperature dependence of the barley root plasma membranebound  $\text{Ca}^{2+}$  and  $\text{Mg}^{2+}$  dependent ATPase. Physiol. Plant., 53:117-124.
- Cassidy, N.G. (1970). The distribution of potassium in plants. Plant Soil, 32: 263-267.
- Chirputkar, M.B. (1969). Physiological studies in marine plants of Bombay. Ph.D.Thesis, University of Bombay, Bombay, (India).
- \* Chopra and Badhwar, (1940). Indian J. Agri. Sci., 10: 23.
- Clarkson, D.T. and Hanson, J.B. (1980). The mineral nutrition of higher plants. Annu. Rev. Plant Physiol., 31: 239-298.
- Cook, T. (1969). The Flora of Presidency of Bombay, Vol. I. Botanical survey of India., Culcutta. II Ed.p. 438.
- \* Corner, E.J.H. (1951). Phytomorphology, 1: 117.
- Cramer, G.R., Epstein, E. and Lauchli, A. (1989). Na-Ca interaction in barley seedlings; relationship to ion transport and growth. Plant, Cell Environment, 12:551-558.
- Cramer, G.R., Epstein, E. and Lauchli, A. (1991). Effect of sodium, potassium and calcium on salt-stressed barley. II-Elemental analysis Physiol. Plant., 81:197-202.
- Cramer, G.R. and Nowak, R.S. (1992). Supplemental manganese improves the relative growth, net assimilation and photosynthetic rates of salt-stressed barley. Physiol. Plant., 84:600-605.
- Dalby, D.H. (1963). Seed dispersal in Salicornia pusilla. Nature (London), 199 : 197-198.
- \* Darwin, C. (1857). On the action of seawater on the germination of seeds. J. Linn. Soc., 1 :130-140
- \* De Candolle, M.A.P. (1825). Memoires sur la famille des Legumineuses. Paris.
- Dietert, M.F. and Shontz, J.P. (1978). Germination ecology of a Maryland population of saltmarsh bulrush (Scirpus robustus). Estuaries, 1: 164-170.
- Drosdoff, M. and C.D. Nearpass. (1948). Quantitative microdetermination of magnesium in plant tissue and soil extracts. Anal. Chem., 20: 673-674.

- Durie, R.A., Schaffer, H.N.S. and Swaine, D.J.(1965). Technical communication of Commonwealth Sci. Industr. Res. Org., 47:33-37.
- \* Earle, F.R. and Jones, Q. (1962). Econ. Bot., 16 :221.
- Edwards, G. and Walker, D.(1983). C3,C4: Mechanism. and cellular and environmental regulation of Photosynthesis. Blackwell, Oxford.
- EL-Ghonemy, A.A., Wallace,A., EL-Gazzar, A.M., and Romney, E.M., (1982). Sodium relations in Desert Plants 6. Variations in vegetation characteristics along a transect in the Quttara Depression, Egypt. Soil Sci., 134 (1):57-64.
- El-Sheikh and Ulrich, A (1970). Interaction of Rubidium, Sodium and Potassium on the Nutrition of Sugar Beet plants. Plant Physiol., 46 : 645-649.
- Epstein, E.(1965). Mineral metabolism. In: Plant Biochemistry, eds. J. Bonner and J.E.Varner, pp. 438-466. Academic press, New York and London.
- Epstein, E. (1969). Mineral metabolism in halophytes. In Ecological Aspects of the Mineral Nutrition of Plant I.H.Rorison, ed. Black well, Oxford.
- Epstein, E.(1972). Mineral Nutrition of plants: Principals and Perspectives. Wiley, New York.
- \* Eshel, Y. (1966). Ecotypic differentiation in Prosopis farcta (Banks et Sol.) Eig. M.Sc. Thesis, Tel-Aviv Univ., Tel-Aviv.
- Flowers, T.J., Hajibagheri, M.A., Caipson, N.J.W.(1986). Halophytes. The Quaterly Review of Biology, 61 (3): 313-337.
- Flowers, T.J., P.F.Troke, and A.P.Yeo. (1977). The mechanism of salt tolerance in halophytes. Annu. Rev. Plant Physiol., 28: 89-121.
- Folin, O. and Denis,W. (1915). A colorimetric estimation of phenols (and phenol derivatives) in urine. J.Biol. Chem., 22:305-308.
- Galstone, A.w. (1969). In: Perspectives in Phytochemistry Eds., Harborne, J.B. and Swain, T.S.,pp 193-204. Academic press, London.
- Gaykar, B.M. (1991). Studies of zinc from mangroves and their environment. Ph.D. Thesis, Shivaji Uni. Kolhapur (India).

- Ghevade, K.S. (1983). Ecophysiological studies in a seagrass, Halophilla beccariei Aschers. Ph.D. Thesis, Shivaji University Kolhapur. (India).
- Glendinning, D.R. (1963). The inheritance of bean size and number of bean per pod in cacao (Theobroma cocoa L) with a note on bean shape. Euphytica, 12: 311-322.
- Glenn, E.P. and O'Leary, J.W. (1984). Relationship between salt accumulation and water content of dicotyledonous halophytes. Plant Cell Environment, 7 : 253-261.
- Glenn, E.B., O'Leary, J.W., Wastson, M.C., Thompson, T.L. and Kuehl R.O.(1991). Salicornia bigelovii Torr. : An oil-seed halophyte for seawater irrigation. Science, 251 : 1065-1067.
- Golley. (cf. Walsh, G.M.1974). Mangroves : A review In : Ecology of Halophytes. Eds. R.J. Reimold and W.H.Queen, Academic press, New York, pp. 51-174.
- Golley and Hollister. (cf. Walsh, G.M. 1974). Mangroves: A review. In: Ecology of Halophytes, Eds. R.J.Reimold and W.H. Queen, Academic press, New York, pp. 51-174.
- Golley, Siddhu, Hollister.(cf. Walsh, G.M. 1974). Mangroves : A review. In: Eccology of Halophytes, Eds. R.J. Reimold and W.H.Queen, Acaclemic press, New York, pp. 51-174.
- Gorham, A.V. and Gorham, E. (1955). Iron, manganese, ash and nitrogen in some plants from salt marsh and shingle habitats. Ann. Bot. (London), 19: (N.S.) 571-577.
- Gorham, J., Hughes, L.L. and Wyn Jones, R.G.: (1980). Chemical composition of salt-marsh plants from Ynys Mon (Anglesey): the concept of physiotypes. Plant Cell Environment, 3: 309-318.
- Gorham,J., Hughes, L.L. and Wyn Jones R.G. (1981), Low-molecular-weight carbohydrates in some salt-stressed plants. Physiol. Plant., 53:27-33.
- Graham, R.D. (1979). Transport of copper and manganese of the xylem exudate of sunflower. Plant, Cell Environment, 2: 139-143.
- Gururaja Rao,G. and Rajeshwara Rao,G.(1981). Pigment comsition and chlorophyllase activity in pigeon pea (Cajanus indicus Spreng.) and gingelly (Sesamum indicum L.) under NaCl salinity. Indian J.Exp. Bot., 19:768-770.

Hollister. (cf Walsh, G.M. 1974). Mangroves : A review. In : Ecology of Halophytes. Eds. R.J. Reimold and W.H.Queen, Academic press, New York. pp. 51-174.

Hallsworth, E.G., Greenwood, E.A.N. and Yates, M.G. (1964). Studies on the nutrition of forage legumes. III. The effect of copper on nodulation of Trifolium subterraneum L. and Trifolium repens. Plant Soil, 20, 17-33.

Harper, J.L. (1977). Population Biology of plants. Academic Press New York.

Harper, J.L., Lovell, P.H. and Moore, K.G. (1970). The shapes and sizes of seed. Ann. Rev. Ecol. Syst., 1:327-356.

Hattink, T.A. (1974). A revision of Malesian Caesalpinia, including Mezoneuron (Leguminosae - Caesalpiniaceae). Reinwardtia, 9(1) : 1-69. pb. Herbarium Bogoriense LBN. Bogor.

\* Hawk, P.B., Oser, B.L. and Summerson, W.H. (1948). Practical chemistry, The Blakiston company, U.S.A.

Hendrix, S.D. (1984). Variation in seed weight and its effects on germination in Pastinaca sativa L. (Umbelliferae). Amer. J. Bot., 71:795-802.

Hepler, P.K. and Wayne, R.O. (1985). Calcium and Plant development. Annual Review of Plant Physiology, 36 : 397-439.

\* Humpries, E.C. (1967). University West Indies st. Augustine Trinidada, 2: 34-35.

Hutchinson, J. (1926). The families of flowering plants, I Dicotyledons, Mac Millan and Co. London.

Hutchinson, J. (1964). The genera of flowering plants. Vol. I. Oxford University press, Oxford.

Jacoby, B. (1964). Function of bean roots and stems in sodium retention. Plant Physiol., 39: 445-449.

Jamale, B.B. (1975). Physiological studies in saline plants. Ph. D. Thesis. Shivaji University, Kolhapur (India).

Jamale, B.B. and Joshi, G.V. (1976). Physiological studies in senescent leaves of Mangroves. Indian J. Expt. Biol., 14 : 697-699.

Jamale, B.B., and Joshi, G.V. (1977). Seasonal variation in organic and inorganic constituents in mangroves. J. Shivaji University (Science), 17:131-138.

Jamale, B.B. and Joshi, G.V. (1978). Effect of age on mineral constituents. Polyphenols, polyphenol oxidase and peroxidase in leaves of mangroves. Indian J. Expt. Biol., 16(1): 117-119.

\* Jones, Q. and Earle, F.R. (1966). Econ. Bot., 20: 127.

Joshi, A.J. (1982). Ecophysiological aspects of some tropical salt marsh halophytes. In: Contributions to the ecology of halophytes Eds. Sen D.N. and Rajpurohit K.S. pp. 189-195. pbs. Dr. W. Junk Publishers. The Hague / Boston / London.

Joshi, A.J. and Iyengar, E.R.R. (1977). Germination of Suaeda nudiflora Moq. Geobios, 4 :267-268.

Joshi, A.J. and Iyengar, E.R.R. (1987). Effect of Sea water Salinity on free amino acids and mineral ions in Suaeda nudiflora Moq. In: Proc. Indian Acad. Sci. Plant Sci., 97(4) : 309-314.

Joshi, G.V. (1975). Physiology of salt tolerance in plants. Biovigyanum, 1: 21-39.

Joshi, G.V. (1976 a). Early products of photosynthesis in plants exposed to salt and water stresses. The Biochem. J. 3:33-43.

Joshi, G.V. (1976 b). Studies in photosynthesis under saline condition. Final report on the P.L. 480 Project. Shivaji University, Kolhapur, India.

Joshi, G.V. and Bhosale, L.J. (1982). Estuarine ecosystem of India. In: Contributions to the ecology of halophytes. Eds. D. N. Sen and Rajpurohit K.S. pp. 21-34. Dr. W. Jank publishers The Hague/Boston/London.

Joshi G., Dolan, J., Gee, R., Saltman, P. (1962). Sodium chloride effect on dark fixation of CO<sub>2</sub> by marine and terrestrial plants. Plant Physiol., 37(3):446-449

Joshi, G.V. and Jamale, B.B. (1975). Ecological studies in mangroves of Terekhol and Vashishti rivers. Bull. Dept. Mar. Sci. Univ. Cochin., 7: 751-760.

Joshi, G.V. and Mishra S.D. (1970). Photosynthesis and mineral metabolism in senescent leaves of Clerodendrum inerme Gaertn. Indian. J. Expt. Biol., 8: 41-43.

Joshi, G.V. and Shinde, S.D. (1978). Ecogeographical studies in Terekhol and Vashisthi Rivers. Shivaji University Publication, Kolhapur.

Karadge, B.A. and Chavan, P.D. (1983) Physiological studies in salinity tolerance of Sesbania aculeata Poir. Biol. Plant., 25 :412-418.

Karkar, M.B. and Bhosale, L.J. (1985). Organic constituents in the leaves of R. apiculata and K. candel. In: The Mangroves i Proc. Nat. Symp. Biol. Util. Cons. Mangroves. Ed. Bhosale L. J. pp. 259-261.

Karmarkar, S.M. (1982). Senescence in mangroves. In: Contributions to the ecology of halophytes Eds. D.N. Sen and K.S. Rajpurohit. pp. 173-187. Dr. W. Junk. publishers. The Hague / Boston / London.

Kathiiresan, K. and Kannan, L. (1985). Photosynthetic productivity in three species of Rhizophora. In. The Mangroves: Proc. Nat. Symp. Biol. Util. Cons. Mangroves. Ed.Bhosale L.J. pp 262-265.

Kelley, P.M. and Izawa, S. (1978). the role of chloride ion in photosystem II. I. Effect of chloride ion on an photosystem II electron transport and on hydroxylamine inhibition. Biochem. Biophys. Acta., 502: 198-210.

Khan, M.A. and I.A. Ungar (1984 a). Seed polymorphism and germination responses to salinity stress in Atriplex triangularis willd. Bot.Gaz., 145: 487-494.

Khan, M.A. and I.A. Ungar (1984 b). The effect of salinity and temperature on the germination of polymorphic seeds and growth of Atriplex triangularis willd. Amer. J. Bot. 71:481-489.

Kirtikar, K.R. and Basu, B.D.(1975). Indian medicinal plants Vol. I. Edition III. Eds. Blatter, E. Caius, J.F.; Mhaskar, K.S. M/s Bishen Singh, Mahendra Pal Singh Dehra Dun.

Konigshofer, H.(1983). Changes in ion composition and hexital content of different Plantago Species under the influence of salt stress. Plant Soil, 72. 289-296.

Kotmire, S. Y. (1983). Ecophysiological studies in the mangroves of western coast of India. Ph. D. Thesis, Shivaji Univercity, Kolhapur (India).

Kotmire, S.Y. and Bhosale, L.J. (1979). Some aspects of chemical composition of mangrove leaves and sediments. Mahasagar, 12(3):149-154.

Kotmire, S.Y. and Bhosale, L.J. (1985). Leaf senescence behaviour of Thespesia populnea under saline and nonsaline conditions. In: The mangroves: Proc. Nat. Symp. Biol. Util. Cons. Mangroves. Ed. Bhosale L.J. pp. 266-271.

Kramer, D. Lauchali, A., Yeo, A.R. and Gullasch, J. (1977). Transfer cell in roots of Phaseolus coccineus; Ultrastructure and possible function in exclusion of sodium from the shoot. Ann. Bot. (London), 41: 1031-1040.

Kulkarni, B.G. (1988). Flora of Sindhudurg. Flora of India. Series-3 Botanical survey of India.

Lauchli, A. (1984). Salt exlusion: An adaptation of legumes for crops and pastures under sline conditions. In salinity tolerance in Plants. Strategies for Crop Improvement eds. Staples R.C. and Toenniessen G.H. 171-187.

Legge, R.L., Thompson, E., Baker, J.E. and Liebermn, M. (1982). The effect of calcium on the fluidity and phase properties of microsomal memberanes isolated from postcli macteric Golden Delicious apples. Plant cell Physiol., 23: 161-169.

Lokhande E.D. (1983). Ecophysiological studies in halophytes. studies in Pentatropis cynanchoides. Br. Ph. D. Thesis. Univ. of Bombay. Bombay (India).

Loneragan, J.F. and Snowball, K. (1969) Calcium requirements of plants. Aust. J. Agric. Res., 20 : 465-478.

Lesko, G.L. and R.B. Walker. (1969). Effect of sea water on seed germination in two Pacific Atoll Beach species. Ecology, 50(4) : 730-734.

Macke, A. and I.A. Ungar. (1971). The effect of salinity on seed germination and early growth of Puccinellia nuttalliana. Can. J. Bot., 49:515-520.

Mall, L.P., Singh, V.P., Garge, A. and Pathak S.M. (1985), Mangrove forest of andamans and some aspect of its ecology. In : The Mangroves. Proc. Nat. Symp. Biol. Util. Cons. Mangroves. Ed. Bhosale L.J. 25-38.

Matsumaru, T. (1991). Analysis of chlorine in plants by Hot water Extraction Method. Japanese J. of soil Sci. and Plant Nutrition, 62(3): 307-310.

Marschner, H. (1986). Mineral nutrition of higher plants. Academic Press. London.

- Maun, M.A. and P.B. Carver. (1971). Seed Production and dormancy in Rumex crispus. II. The effects of removal of various proportions of flowers at anthesis. Can. J. Bot., 49: 1841-1848.
- Mc Mahon, K. and Ungar, I.A. (1978). Phenology, distribution and survival of Atriplex triangularis willd in an Ohio salt pan. Amer. Midl. Naturalist., 100: 1-14.
- Mengel, K. and Kirkby, E.A. (1982). Priniciples of plant Nutrition 3<sup>rd</sup> ed. Int. Potash Inst. Bern, Switzerland.
- Mishra, S.D. (1967). Physiological studies in mangroves of Bombay. Ph.D. Thesis, University of Bombay Bombay, (India).
- Mohite, B. D. (1990) Physiological studies in Leguminous Halophytes. M.Phil. Thesis, Shivaji Univercity, Kolhapur (India).
- Morgan, P. W., Taylor, D.M. and Joham, H.E. (1976). Manipulation of IAA-oxidase activity and auxine deficiency symptoms in intact cotton plants with manganese nutrition. Plant Physiol., 37 : 149-156.
- Morton, J.F. (1965). Can the red mangrove provide food, feed and fertilizer? Eco. Bot., 19(2):113-123.
- Mulik, N. G. (1987). Studies on some aspects of mangroves. Ph.D. Thesis Shivaji University, Kolhapur. (India).
- Muilk, N.G. and Bhosale, L.J. (1985). Comparative study of sodium, potassium, calcium and chlorides from the seeds and leaves of A. ilicitolius from different licalities. In : The mangroves. Proc. Nat. Symp. Biol. Util. Cons. Mangroves. Ed. Bhosale L.J. pp. 214-217.
- Nakanishi, H. (1988). Dispersal Ecology of the Maritime plants in the Ryukyu Islands, Japan. Ecol. Res., 3: 163-173.
- Naskar, K. (1983). Halophytes and their Unique Adaptation on the Sundarban's Mangrove Swamps in India. J. Indian Soc. Coastal Agric. Res., 1(2) : 91-105.
- Nelson, N. (1944). A photometric adaptation of Somogyi method for the determination of glucose. J. Biol. Chem., 153 : 375-380.
- Ogan, M. T. (1990). The nodulation and nitrogenase activity of natural strands of mangrove legumes in a Nigerian Swamps. Plant and Soil., 123 : 125-129.

- Okusanya, O.T. (1977). The effect of sea water and temperature on the germination behaviour of Crithmum maritimum. Physiol. Plant., 41 : 265-267.
- O'Leary, J. W., Gleen, E.P. and Watson, M.C. (1985). Agricultural production of halophytes irrigated with sea water, Plant and soil., 89 : 311-321.
- \* Onnis, A. and Bellettato, R. (1972) . Dormienza e alotolleranza in due specie spontanee di Hordeum (H. murinum L.e.H. marinum Huds.). G. Bot. Ital. 106 :101-113.
- Paleg, L. G., Douglas, T.J., van Daal, A. and Keech, D.B., (1981) Proline, betaine and other organic solutes protect enzymes against heat inactivation. Aust. J. Plant Physiol., 8 : 107-114.
- Partidge, T.R. and Wilson, J.B. (1987). Germination in relation to salinity in some plants of salt marshes in Otago, New Zealand. New Zealand J. of Bot., 25 :255-261.
- Penfound, W. T. (1952). Southern swamps and marshes. Bot. Rev., 18 : 413-446.
- Perur, N. G., Smith R.L. and Wiebe, H.H. (1961). Effect of iron chlorosis on protein fraction on corn leaf tissue. Plant Physiol., 36 : 736-739.
- Poljakoff-Mayber, A., Symon, D.E., Jones, G.P., Naidu, B.P. and paleg, L.G. (1987). Nitrogenous Compatible solutes in native south Australian Plants. Aust. J. Plant Physiol., 14: 341-350.
- Popp, M. (1982). Genotypic differences in the mineral metabolism of plants adapted to extreme habitats, In Proceeding of first international symposium on genetic specificity of mineral nutrition of plants. Beograd,: 159-171.
- Popp, M. (1984). Chemical Composition of Australian Managroves I. Inorganic Ions and Organic Acids Z. Pflanzenphysiol. Bd., 133(5): 395-409.
- Popp, M. and Albert, R. (1980). Freie Aminosäuren und Stickstoffgehalte in Halophyten des Neusiedlersee Gebietes. Flora, 170 : 171-180.
- Popp, M. Larher, F. and Weigel, P. (1984). Chemical composition of Australian managroves. III. Free amino acids, total methylated onium compounds and total nitrogen. Z. Pflanzenphysiol. Bd. 114(5) 15-25.

Popp, M., Larher, F. and Weigel, P. (1985). Osmotic adaptation in Australian mangroves. Vegetation, 61 : 247-253.

Praeger, R. L. (1913). On the buoyancy of seeds of some Britanic plants Eroc. Roy. Dubl. Soc. Sci., 14, 13-62.

Price, C.A., Clark, H.E. and Funkhoefer, H.E. (1972). Functions of micronutrients in plants. In : Micronutrients in agriculture Dinauer. R.C.(ed). Soil. Sci. Soc. of America Madison / Wisconsin, P. 731-742.

Pulliam, H.R. and Brand, M.R. (1975). The production and utilization of seeds in plains grassland of southeastern Arizona. Ecology, 56 : 1158-1166.

\* Rahimi, A. (1970). Kupfermangel bei hoheren pflanzen. Landwirtsch. Forsch., Sonderh., 25(I) : 42-47.

\* Rahimi, A. and Bussler, W. (1974). Kuperfermangel bei hoheren pflanzen und sein histochemischer Nachweis. Landwirtsch. Forsch., Sonderh. 30(II) : 101-111.

Rain, D.W., Epstein, E. (1967). Preferential absorption of potassium by leaf tissue of the Mangrove Avicennia marina : an aspect of halophytic competence in coping with salt. Astralian J. Biol. Sci., 20 : 847-857.

Rajpurohit, K.S. and Sen, D.N. (1979). Seasonal Variation in chloride ion percentage of plants and soils of Pachpadra salt basin in Indian Desert, Indian J. Bot., 2 : 17-23.

Rengel, Z. (1992). The role of calcium in salt toxicity. Plant, Cell, Environment, 15 : 625-632.

Romheld, V. and Marschner, H. (1981). Iron deficiency stress induced morphological and physiological changes in root tips of sunflower. Physiol. plant., 53 : 354-360.

Rudulier, D. LE., Gcas, G. and Larher, F. (1982) Onium Compounds, Amides and Amino Acids Levels in Nodules and other Organs of Nitrogen fixing plants. Z. Pflanzenphysiol. Bd., 105(5) : 417-426.

Sandmann, G. and Boger, P. (1983). The enzymatological function of heavy metals and their role in electron transfer process of plants. In Encyclopedia of plant physiology, New series Eds. A. Lauchli and R.L. Bielecki, Vol. 15A, pp. 563-596. Springer-Verlag, Berlin and New York.

Scholander, P.F. (1968). How Mangroves Desalinate Sea water. Physiol. Plant., 21 : 251-261.

- Sekine, T., Sasakawa, T., Morita, S., Kimura, T., and Kuratom, K. (1965). Cf. Laboratory manual for physiological studies of Rice Eds. Yoshida, S., Forno, D., Cook, J. B. and Gomez, K. A. Pub. International Rice Research Institute, Manila, 1972.
- Seneca, E.D. (1969). Germination response to temperature and salinity of four dune grasses from the outer banks of North Carolina. Ecology, 50 : 45-53.
- Sher, M. and Sen, D. N. (1991). Polymorphism as an adaptation in seeds of Halophytes in Indian desert. In. Proceedings of international symposium on environmental influences on seed and germination mechanism. Recent advances in research and technology. Eds. Sen D. N. and Sher M. pp. 207-212.
- Shetty. G. P. (1971). Physiology of growth and salt tolerance of plants. Ph.D. Thesis. Shivaji University, Kolhapur. (India).
- Siddhu, (cf. Walsh, G.M. 1974). Mangroves : A review In : Ecology of Halophytes. Eds. R.J. Reimold and W.H. Queen, Academic Press, New York, pp 51-174.
- Siddhu and Hollister. (cf Walsh, G. M. 1974). Mangroves : A review. In : Ecology of Halophytes. Eds. R.J. Reimold and W.H. Queen, Academic Press, New York. pp 51-174
- Singh, K., Yadav, J. S. P. and Singh, V. (1991). Tolerance of trees to soil salinity. J. Indian Soc. Soil. Sci., 39: 549-556.
- Smith, I.A.C., Popp, M. Luttge, U.L., Cram, W.J., Diaz, M. Griffiths, H., Lee, H.G.J., Medina, E., Schafer, C., Stimmel, K.H. and Thonke, B. (1989). Ecophysiology of Xerophytic and halophytic vegetation of a coastal alluvial plain in northern Venezuela VI. Water recations and gas exchange of mangroves. New Phytol., 111: 293-307.
- \* Sokal, R.R. and Rohlf, F.J. (1981). Biometry II Ed. p 859 W.H. Freeman and Co., San Fransisco.
- Soufi, S.M. and Wallace, A., (1982). Sodium relations in Desert Plants. 8. Differential effects of NaCl and Na<sub>2</sub>SO<sub>4</sub> on growth and Composition of Atriplex hymenelytra (Desert Holly) Soil Sci., 134 (1) : 69-70.
- Spain, A.V. and Holt, J.A. (1980). The elemental status of the foliage and branchwood of seven Mangrove species from Northern Queensland. Division of soil. Divisional Report No. 49. Commonwealth Scientific and Industrial Research Organisation, Australia.

- Stebbins, G.L. (1976). Seed and seedling ecology in annual legumes.I. A comparison of seed size and seedling development in some annual species. Oecol. Plant., 11 : 321-331.
- Steward, G.R. and Lee, J.A.(1974). The role of proline accumulation in halophytes. Planta, 120 : 279-289.
- Storey, R. and R.G.Wyn Jones (1977). Quaternary ammonium compounds in plants in relation to salt resistance. Phytochemistry, 16 : 447-453.
- \* Strogonov, B.P.(1973). Structure and function of plant cells in saline Habitats, IPST Jerusalem.
- \* Strogonov, B.P., Kabanov, V.V., Shevjakova, N.I., Lapina, I.P., Komizerko, B.I., Popov, B.A., Dostanova, N.I., and Prykhod' Ko, L.S. (1970). Structure and function of plant cells under saline conditions. Moscow, Nauka, pp 248.
- Subramanian, A.N. and Venugopalan, V.K. (1983). Phosphorus and iron distribution in two mangrove species in relation to environment. Mahasagar, 16(2) : 183-191.
- \* Sudyina, O.H. and Fomishyna, R.M. (1974). Effect of chlorides on chlorophyllase activity. Ukr. Bot. Zh., 31 : 327-332.
- Svitsev, M.V, Ponomarova, S.A. and Kuzhetsova, E.A. (1973). Effect of salinization and herbicide on chlorophyllase activity in tomato leaves. Eizio. Rast., 20: 62-65.
- Tanaka Tyozaburo (1976) Tanaka's Cyclopedias of edible plants of the world. Ed. Sasuke. Nakao, Keigaku publishing Co. Tokyo, Japan.
- \* Taubert, F.(1894). Leguminosae. In : Die Naturlichen Pflanzenfamilien Eds. Engler and Prantle, 33 : 70
- Teas, H.J. (1985). Nutrient element cycling in Rhizophora mangrove ecosystem. In : The Mangroves. Proc. Nat. Symp. Biol. Util. Cons. Mangroves. Ed. Bhosale L.J. pp. 7-15.
- Thomas, M. and Beevers, H. (1949). Physiological studies in acid metabolism in green plants. II. Evidence of CO<sub>2</sub> fixation in Bryophyllum calycinum and the study of diurnal fluctuations in the germ. New Phytol., 22 : 45-74.
- Thorne, D.W. and H.B. Peterson. (1954). Irrigated soils their fertility and management. New York. The Blakiston co. Inc. 392.

- Tiffin, L.O. (1970). Translocation of iron citrate and phosphorus in xylem exudate of soybean. Plant physiol., 45 : 280-283.
- Tiffin, L.D. (1972). Translocation of micronutrients in plants. In: Micronutrients in Agriculture Eds. J.J. Mortrest, P.M., Giordano and W.L. Lindsay. Soil Science Soc. Amer., pp. 199-229. Madison.
- Toth, S.J., Prince, A.L., Wallace, A. and Mikkelsen, D.S. (1948). Rapid quantitative determination of eight mineral elements in plant tissues by systematic procedure involving use of flame photometer. Soil Sci., 66 : 459-466.
- \* Treggi, G. (1961) Pl. Soil, 15 : 291-294
- Treichel, S., (1975). Der Einfluß von NaCl auf die Prolinkonzentration verschiedener Halophyten. Z. Pflanzenphysiol., 76 : 56-68.
- Ungar, I.A., (1962). Influence of salinity on seed germination in succulent halophytes. Ecology, 43 : 763-764.
- \* Ungar, I.A. (1965). An ecological study of the vegetation of the Big Salt Marsh, Stafford County, Kansas, Univ. Kansas sci Bull., 46 : 1-98.
- Ungar, I.A. (1967). Influence of salinity and temperature on seed germination. Ohio J. Sci., 67 : 120-123.
- Ungar, I.A. (1971) Atriplex patula var. hastata (L) gray seed dimorphism. Rhodora, 73 : 548-551.
- Ungar, I.A. (1974). The effect of salinity and temperature on seed germination and growth of Hordeum jubatum. Can. J. Bot., 52 : 1357-1362.
- Ungar, I.A. (1977). Salinity, temperature and growth regulator effects on seed germination of Salicornia europaea L. Agnatic Bot., 3 : 329-335.
- Ungar, I.A. (1978). Halophyte seed germination. Bot. Rev., 44 : 233-264.
- Ungar, I.A. (1979). Seed dimorphism in Salicornia europaea L. Bot. Gaz., 140 : 102-108.
- Ungar, I.A. (1982). Germination ecology of halophytes. In : Contributions to the ecology of halophytes. Eds. Sen, D.N. and Rajpurohit, K.S. pp. 143-154. Dr. W. Junk publishers. Hague / Gostone / London.

- Ungar, I.A. (1984). Autecological studies with Atriplex triangularis. In : Proc. of Symposium on the biology of Atriplex and related chenopodes. Eds. A.A. Tiedemann, E.D. Mc Arthur, H.C. Stutz, K.R. Stevens and K.L. Johnson. pp. 40-52.
- Ungar, I.A., D.K. Benner and D.C. Mc Graw, (1979). The distribution and growth of Salicornia europaea on an inland salt pan. Ecology, 60 : 329-336.
- Ungar, I.A. and W. Hogan. (1970). Seed germination in Iva annua L. Ecology, 51 : 150-154.
- Untawale, A.G., Wafar, S., and Bhosale, N.B., (1980). Seasonal variation in heavy metal concentration in mangrove foliage. Mahasagar, 13(3) : 215-223.
- Vaughan, D., Dekock, P.C. and Ord, B.G. (1982). The nature and localization of superoxide dismutase in fronds of Lemma gibba L. and the effect of copper and zinc deficiency on its activity. Physiol. Plant., 54: 253-257.
- \* Waisel, V. (1958). Germination behavior of some halophytes. Bull. Res. Coun. Israel, 6D : 187-189.
- Waisel, Y. (1972). Biology of halophytes. Academic press, New York.
- \* Waisel, Y. and Eshel, A. (1971). Localization of ions in the mesophyll cell of the succulent halophyte Sueda monoica Forsk. by X-ray microanalysis. Esperientia, 27 : 230-232.
- Wallace, A., Romney, E.M., and Mueller, R.T., (1982). Sodium relations in Desert plants: 7. Effects of sodium chloride on Atriplex polycarpa and Atriplex canescens. Soil Sci., 134(1) : 65-68.
- Walsh, G.E. (1974). Mangroves: A review. In : Ecology of Halophytes. Eds. R.J. Reimold and W.H. Queen, Academic Press, New York, pp. 51-174.
- Waughman, G.J. and Bellamy, D.L. (1981). Movement of cations in some plant species prior to leaf senescence. Ann. Bot., 47 : 141-145.
- Wealth of India. Raw materials, Vol. I to XI. C.S.I.R. Publication, New Delhi.
- Wolniak S,M, (1988). The regulation of mitotic spindle function. Biochemistry and cell Biology, 66 : 490-514.

Woods, L.E. and H.A. Mac Donald. (1971). The effect of temperature osmotic measure stress on the germination of Lotus corniculatus. J. Exp. Bot., 22 : 575-585.

Yeo, A.R. (1981). Salt tolerance in halophyte Suaeda maritima L. Dum. Intracellular compartmentation of ions. J. Exp. Bot., 32 : 487-497.

Zahran M.A. and Wahid A.A.A. (1982). Halophytes and human welfare. In : Contributions to the ecology of halophytes. Eds. D. N. Sen and Rajpurohit, K.S. pp 235-258. Dr. W. Junk publishers. The Hague / Boston / London.

Zid, E. and Bourkhris, M. (1977). Some aspects of salt tolerance of Atriplex halimus L. Multiplication, growth, mineral composition. Oecol. Plant. 12 :351-362.

\* : Originals not seen.