

BIBLIOGRAPHY



- Agadi, V.V. and A.G. Untawale (1978) : Marine algal flora of Goa coast. Seaweed Res. Util., 3 : 56-70.
- Agadi, V.V., N.B. Bhosale and A.G. Untawale (1978) : Metal concentration in some seaweeds of Goa (India). Bot. Mar., 21 : 247-250. (.)
- Agadi, V.V., N.B. Bhosale and A.G. Untawale (1981) : Trace metal concentration in some marine algae of Maharashtra Coast (India) : Proceedings of Seminar on Status of Environmental Studies in India, March, 1971 pp. 192-199.
- Ahilan, B. and N.V. Sujathkumar (1990) : Seaweed, is it really useful? Sea Food Export Journal Sept.Oct. issue 23-25.
- Anonymous (1977) : Seaweed survey of the southeast coast of Tamil Nadu, Salt Res. Indus., 13 : 57-62.
- Aron, D.I. (1949) : Copper enzymes in isolated chloroplasts. Poly-phenol oxidase in Beta vulgaris. Plant Physiol., 24: 1-15.
- Atkinson, M.J. and S.V. Smith (1983) : C:N:P ratios of benthic marine plants, Limnol. Oceanogr., 28 : 568-574.
- Balkrishnan, M.S., B.B. Chougule and L.T. Deore (1974) : J. Univ. Poona, pp. 141. / Title ?
- Barker, S.A. (1955) : A cyclic sugar alcohols. In : Modern Methods of Plant Analysis Vol. II (Eds. K. Peach and M.V. Tracey), Springer-Verlag, Berlin pp. 55-63.
- Bates, L.S., R.P. Waldren and I.D. Teare (1973) : Rapid determination of free proline for water stress studies, Plant and Soil. 39 : 205-207.
- Biswas, K. (1945) : A general review of the marine algae of the Western coast of India. Bombay Nat. Hist. Soc., 45(4) : 513-530.
- Biswas, K. and A.K. Sharma (1950) : Seagrass of Indian sea . J. Royl. Stat. Soc. Bengal (Science), 16 (1) : 79-87.

- Blinks, L.R. (1954) : In automatic microorganism. ed. B.A. Fry and J.L. Peel, P. 224, London : Cambridge University Press.
- Block, R.J.E., C. Durrum and G. Zweig (1955) : A manual of paper chromatography. Academic Press Publ.
- * Borgesen, F. (1928) : A list of marine algae from Bombay. Dansk vedensk Seisic Biol. medelie 12 (2) : 64.
- Boergesen, F. (1930) Some Indian green and brown algae especially from the shore of Presidency of Bombay-1. J. Indian Bot.Soc., 91 : 151-174.
- Boergesen, F. (1933) : Indian Bot. Soc., 12 (1) : 1.
- * Boergesen, F. (1935) : A list of marine algae from Bombay. Kgl. Daske Videnskabernes Selskals. Biologiske Meddelser, XII, 1-64.
- Bogges, S.E., D. Aspinall and L.G. Paleg (1976) : Stress metabolism in the significance of end-product inhibition of proline biosynthesis and of compartmentation in relation to stress induced proline accumulation, Aust. J. Plant Physiol., 3 : 513-525.
- Booth, E. (1975) : Seaweeds in Industry. In : Chemical Oceanography 2nd Edition vol.4 (Eds. J.P. Riley and G. Skirrow), Academic Press, London, pp. 219-268.
- * Bryan, C.W. and L.G. Hummerstone (1973) Brown Seaweeds as indicators of heavy metals in estuaries in South West England J. Mar. Biol. ASS. U.K., 53 : 705-720.
- Cavaliere, A.J. and A.H.C. Haung (1979) : Evaluation of proline accumulation in the adaptation of diverse species of marsh halophytes to the saline environment, Ann. J. Bot. 66 : 307-312.
- Chacko, P.I. and M.M. Pillari (1958) : Studies on utilization of seaweed resources of Madras state. Contr. Mar. Biol. St. Krusadai Island, 6 : 1-12.

- Chapman, V.J. (1970) : Seaweeds and their uses. Methuen & Co. Ltd., London, pp. 304.
- Chapman, V.J. (1970) : Seaweeds and their uses. Methuen & Co. Ltd., London pp. 304.
- Chapman, A.R.D. (1973) : A critique of prevailing attitudes towards the control of seaweed zonation on the seashore. Bot. Mar. : 16 80-82.
- Chapman, V.J. and D.J. Chapman (1981): The algae Macmillan London, pp. 481.
- Chauhan, V.D. and V. Krishnamurthy (1968) : An estimation of algin bearing seaweeds in the Gulf of Kutch. Curr. Sci., 37 : 648.
- Chauhan, V.D. (1977) : Report on the survey of marine algal resources of the Maharashtra coast. CSMCRI, Bhavnagar.
- Chauhan, V.D. (1978) : Report on the survey of marine algae resources of Maharashtra coast. Salt Res. Ind., 14 : 1-10.
- Chauhan V.D. (1978) : Report on the survey of economic seaweed resources of Maharashtra coast, India. Salt, Res. Indus., 14 : 21-41.
- Chauhan, V.D. and P. Mairh (1978) : Report on survey of economic seaweeds resources of Saurashtra coast, India. Salt Res. Ind., 14 : 21-41.
- Chougule, B.B. (1991) : Derbesi boergesenii (Iyengar et Ramanathan) Mayhoub from Malvan, Maharashtra, Biologia India 2(1&2) : 81-83.
- Chu, T.M., D. Aspinall and L.G. Palag (1974) : Stress metabolism (VI) temperature stress and the accumulation of proline in barley leaves, Aust. J. Plant. Physiol., 1 : 87-97.
- Cryer, R. (1976) : The significance and variation of atmospheric nutrient inputs in a small catchment system. J. Hydrol, 29(1&2) : 121-137.

Desai, B.N. (1967) : Seaweed resources and extraction of alginates and agar. Proc. Seminar Sea, Salt and Plants (Ed.) V. Krishnamurthy (CSMCRI, Bhavnagar) pp. 343-351.

Deshpande, A.A. and G.S. Swamy (1987) : Introduction of proline accumulation by methyl parathion in Sorghum (sorghum bicolor) Curr. Sci. 56(20) : 1068-1070.

Deviprasad, P.V. and Y.B.K. chowdary (1979) : Growth and mineral nutrition of Gloeotaenium loitlesbergerianum (Chlorococcales, Chlorophyceae). Indian J. Bot., 2(2) : 166-170. §
see p.60

Dhargalkar, V.K., T.G. Jagtap and A.G. Untawale (1980) : Biochemical constituents of seaweeds along the Maharashtra coast Indian J. Mar. Sci., 9(4) : 297-299.

Dhargalkar, V.K. (1981) : Studies on marine algae of the Goa coast. Ph.D. Thesis, Bombay University.

Dhargalkar, V.R. (1986) : Biochemical studies in Ulva reticulata Forsskal. Mahasagar 19(1) : 45-51.

Dixit, S.C. (1940) : J. Univ. Bombay, 8(5) : 1.

Eilers, H. (1926) : Zur kenntnis der Ernährungsphysiologie von Stichococcus bacillaris Nag. Rec. trav. botan. Neerl., 23 : 362-395.

Folch et al. (1957) C.F. Neighbors, M.A. and M.H. Horn (1991) : Nutritional quality of macrophytes eaten and not eaten by two temperate and one herbivorous fishes : a multivariate comparison Marine Biology, 108 : 471-476. §

Folin, O. and W. Denis (1915) : A calorimetric method for determination of phenols and phenol derivatives in urine, J. Biol. Chem. 22 : 305-308.

Fries, L. (1972) : The influence of phenolic compounds on the growth of Goniotrichum elegans (Chauv.) In : Proc. VIIth Int. Seaweed Symp., (Ed. K. Nizisawa) Pb. Univ. Tokyo Press pp. 575-579.

- Fuge, R.J. and K.H. James (1974) : Trace metal concentration in Fucus from British channel. Mar. Poll. Bull., 5 : 9-12.
- Fuse, S. (1962) : The animal community in the Sargassum belt. Physiol. Ecol., 11 : 23-45.
- Glass, A.D.M. and B.A. Bohm (1969) : The accumulation of cinnamic and benzoic acid derivatives in Pteridium aquilinum and Anthrrium felix - Fleming. Phytochem. 8 : 371-377.
- Govindjee and B.I. Braun (1974) : Light absorption, emission and photosynthesis. In : Algal Physiology and Biochemistry (Ed. W.D.P. Stewart) Blackwell Scientific Publications, Oxford pp. 346-390.
- Hanisak, M.D. (1981) : Methane production from the red seaweed Gracilaria tikvahiae, Proc. Int.Seaweed Symp., 10 : 681-686.
- Hoppe, H.A., T. Levring and Y. Tanaka (1979) : Marine algae in pharmaceutical science \, Pb. Walter de Gruyer, Berlin pp.807.
- Joshi, G.V. and M.D. Karekar (1973) : Pathway of $^{14}\text{CO}_2$ fixation in marine algae. Proc. Indian Nat. Sci. Acad., 39 Part B(4) : 489-493.
- Joshi, G.V. and C.A. Gowda (1975) : Seasonal variations in chemical composition of Sargassum ilicifolium Grun. and sea water. Indian J. Mar. Sci., 4 : 165-168.
- Joshi, G.V. (1976) : Studies in photosynthesis under saline conditions. Final Report P.L. 480 Project No. A7-SWC-95, Pb. Dr. (Smt) Usha Ithape, pp. 105-157.
- Kalimuthu, S. (1989) : Variations in growth and mannitol and alginic acid contents of Sargassum myriocystum J. Agardh. / 8
- / Kalimuthu, S., V.S.K. Chennubhotla, M. Selvaraj, M. Najmuddin and R. Panigrahy (19?) : Alginic acid and mannitol contents in relation to growth in Stoechospermum marginatum (C. Agardh) Kuetzig. / 8

- Katoh, S., I. Sugi, I. Shiratori and I. Takamiya (1961) :
Distribution of plastocyanin in plants, with special
reference to its localization in chloroplasts. Archs.
Biochem. Biophys., 04 : 136-141.
- Kiran, E., I. Tekosy, K.C. Guven, E. Guler and H. Guner (1980) :
Studies on seaweeds for paper production, Botanica Marina, 23
: 205-208.
- Krishnamurthy, V. (1954) : J. Madras Univ., 20 : 161.
- Krishnamurthy, V. and H.V. Joshi (1970) : A checklist of Indian
marine algae (CSMCRI, Bhavnagar) pp. 37.
- Kulkarni, A.H. and J.D. Nimbalkar (1981) : Seasonal variations in
chemical composition of Gracilaria corticata J. Ag. and sea
water. Geobios, 8 : 106-111. ^
- Kulkarni, A.H. and J.D. Nimbalkar (1983) : Initial products of
photosynthetic carbon assimilation and some photosynthetic
enzymes in Gracilaria corticata J. Ag., Photosynthetica,
17(2) : 189-192. ^
- Kulkarni, A.H. and J.D. Nimbalkar (1983a) : 3-Phosphoglycerate and
glucose formation from ¹⁴C-aspartate in Gracilaria corticata
J.Ag., Photosynthetica, 17(4) : 605-606.
- Kulkarni, A.H. (1984) : Physiological studies in marine alga.
Gracilaria corticata JAG., Ph.D. Thesis, Shivaji University,
Kolhapur.
- Lapointe, B.E. (1981) : The effect of light and nitrogen on
growth, pigment content and biochemical composition of
Gracilaria foliifera V anguistissima J. Phycol., 17(1) :90-95.
- Lapointe, B.E. (1987) : Phosphorus- and nitrogen-limited
photosynthesis and growth of Gracilaria tikvahiae
(Rhodophyceae) in the florida keys : an experimental field
study. Marine Biology, 93 : 561-568.
- Leeper, E.M. (1976) : Seaweed : Resource of 21st Century ?
Bioscience, 26 : 357-358.

- Litler, M.M. and K.e. Arnold, (1982) : Primary productivity of marine macroalgal functional form groups from south western north America, J. Phycol., 18 : 307-311.
- Liu, C.Y., C.Y. Wang and S.S. Yand (1981) : Seasonal variation of the chlorophyll contents of Gracilaria cultivated in Taiwan. In : Xth Int. Seaweed Symp. (Ed. T.Levring) W DEG Berlin pp.455-460.
- Macmillan J.D., W.A. Maxwell and C.O. Chichester (1966) : Function of Carotenoids in protection of Rhizotorula glutinis against irradiation from a gas laser. Photochem. Photobiol., 5 : 567-577.
- Maxwell, W.A., J.D. Macmillan, C.O. Chichester (1966) : Lethal Photosensitization of Microorganism with light from a contineous wave a Gas Laser. Photochem Photobiol. 5 : 567-577.
- Meeks, J.C. (1974) : Chlorophylls. In : Algal Physiology and Biochemistry (Ed. W.D.P. Stewart) Blackwell Scientific Publications, Oxford pp. 161-175.
- Mehta, B.R. and R.G. Parekh (1978) : Mannitol content in brown algae of the coast of Saurashtra. Botannica Marina, 21 : 251-252.
- / Misra, J.N. (1960) : Proc. Symp. Alqalogy, Indian Coun. Agri. Res., 187-203.
- Mitra, G. (1946) : Development of Chilka lake,k Cuttack.
- Mohanty, S.K. and R. Shridhar (1982) : Physiology of rice Tungro virus disease; Proline accumulation due to infection. Plant Physiol., 56 : 89-93.
- Mouradi-Givernaud, A., T. Givernaud, H. Morvan and J. Cosson (1992) : Agar from Gelidium latifolium (Rhodophyceae, Gelidiales) : Biochemical composition and seasonal variations. Botanica Marina, 35 : 153-159.

- Naqvi, S.W.A., S.S.Y. Kamat, L. Fernandes, C.V.G. Reddy, D.S. Bhakuni and B.N. Dhawan (1980): Screening of some marine plants from the Indian coast for biological activity. Botanica Marina 24 : 51-55.
- Neighbors, M.A. and M.H. Horn (1991) : Nutritional quality of macrophytes eaten and not eaten by two temperate one herbivorous fishes : a multivariate comparison. Marine Biology, 108 : 471-476.
- Nelson, N. (1944) : A photosynthetic adaptation of the Somogyi method for determination of glucosa. J. Biol. Chem., 153 : 379-380.
- Norton, T.A. (1985) : The zonation of seaweeds on rocky shores, in : The ecology of rocky coasts, (Eds.) P.G. Moore and R. Seed (Hodder and Stoughton, London) pp. 7-21.
- Novak, K. and R.A. Rasmussen (1981) : Seaweed dyes, Botanica Marina, 14 : 343-346.
- O', Kelley, J.C. (1968) : Mineral nutrition of algae, A. Rev. Pl. Physiol., 19 : 89-112.
- O'Kelley, J.C. (1974) : Inorganic nutrients. In : Algal Physiology and Biochemistry (Ed. W.D.P. Stewart) Blackwell Scientific Pb. Oxford, pp. 610-635.
- Onraet, A.C. and B.L. Robertson (1987) : Seasonal variation in yield and properties of Agar from sporophytic and gametophytic phases of Onikusa pristoides (Turner) Akatsuka (Gelidiaceae, Rhodophyta) Botanica Marina, 30 : 491-495.
- Parekh, R.G., L.V. Maru and M.J. Dave (1977) : Chemical composition of green seaweeds of Saurashtra Coast. Bot. Mar., 20 : 359-362.
- Parija, P. and B. Parija (1946) : Indian Bot. Soc. M.O.P. Iyengar Commen. Vol. pp. 267.
- Patil, B.A. and G.V. Joshi (1970) : Photosynthetic studies in Ulva lactuca. Bot. Mar., 13 : 111-115.

- Patil, B.A. and G.V. Joshi (1971) : Photosynthetic studies in Ulva lactuca, Ethanol insoluble fraction. Bot. Mar., 14 : 22-23.
- Penniman, C.A. and A.C. Mathieson (1987) : Variation in chemical composition of Gracilaria tikvahiae McLachlan (Gigartinales, Rhodophyta) in the Great bay estuary, New Hampshire. Botanica Marina, 30 : 525-534.
- Prasanna Verma, R. (1959) : Proc. Indian Acad. Sci., B 49 : 245.
- Preston, A., D.F., Jefferies, B.R. Harvey and A.K. Stere (1970) British Isles Coastal waters : the concentration of the selected heavy metals in seawaters, suspended matter and biological indicators - a pilot survey. Envir. Poll., 3 : 69-82.
- Prince, J.S. and S.W. O'Neal (1979) : The ecology of Sargassum pteropleuron Grunow (Phaeophyceae, Fucales) in the waters off South Florida. Phycologia, 18(2) : 109-114.
- Prince, J.S. and E.L. Daly (1981) : The ecology of Sargassum pteropleuron in the waters of South Florida, USA : 4, Seasonal variation in manitol, Protein, Ash and laminarian. Phycologia : 20 (3) : pp. 232-241.
- Provasoli, L. and I.J. Pintner (1968) : The effect of phenolic compounds on the morphology of Ulva 11th Pacific Science Congress in Tokyo. Proc. Abt. Pap. Fish, 7 : 23.
- Ragan, M.K. and A. Jensen (1977) Quantitative studies on brown algal phenols. I. Estimation of absolute polyphenols content of Ascophyllum nodosum (L.) J. Expt. Mar. Biol. & Ecol., 30 : 209-221.
- Ragan, M.M. and A. Jensen (1978) : Quantitative studies on brown algal phenols. II. Seasonal variation in polyphenols content of Ascophyllum nodosum (L.) Le Jol and Fucus vesiculosus (L.) J. Expt. Mar. Biol. & Ecol., 34 : 245-258.
- Rao C.K., V.D. Chauhan and V.K. Indusekhar (1983) : Elemental Composition of certain green Seaweeds of Porabandar reef. Indian J. Mar. Sci., 12 : 197-199.

- Rao, C.K. and V.K. Indusekhar (1989) : Seasonal variation in chemical constituents of certain brown seaweeds and sea water from Saurashtra coast : 1 Carbon, Nitrogen and Phosphorus. Mahasagar, 22 (2) : 63-72.
- Rao, C.K. and A.G. Untawale (1991) : Polyphenols content of Indian seaweeds. Mahasagar 24(2) : 99-102.
- Rao, P.S.N., V.D. Chavan and K.S. Rao (1982) : Effects of NaCl, pH and carbon source on growth of brown algae, Dunaliella Indian J. Mar. Sc : 11 : 262-263.
- Rao, U. and T. Sreeramula (1963) : Vertical zonation and seasonal variation in the growth of Porphyra on Vishakhapattanam Coast Curr. Sci., 33(1) : 16-17.
- Redfield, A.C., B.A. Ketchum and F.A. Richards (1963) : The influence of organisms on the chemical compositions of seawater. pp. 26-77. In M.N. Hill (ed.) The Sea Vol. 2 P.B. Willey.
- Seeliger, U. and P. Edwards (1977) : Correlation coefficients and concentration factor of Cu and Pb in Seawater and benthic algae Mar. Poll. Bull. 8 : 16-19.
- Shacklock, P.R., D. Robson, I. Forsyth and A.C. Neish (1973) : Further experiments (1972) on the vegetative propagation of Chondrus crispus T₄ Natl. Res. Council. Atl. Reg. Lab. Tech. Rep., 18 : 22.
- Shetty, G.P. (1971) : Physiology of growth and salt tolerance of plants. Ph.D. thesis, Shivaji University, Kolhapur, India.
- Shitole, M.G. (1980) : Photosynthesis in marine and fresh water algae. Ph.D. Thesis, Shivaji University, Kolhapur.
- Sieburth, J.M. and A. Jensen (1969) : Studies on algal substance in the sea. II. The formation of gelbstoff (humic material) by exudates of Phaeophyta. J. Exp. Mar. Biol. Ecol., 3 : 275-289.

- Singh, A., T. Ramkrishna and M. Sreedhara Murthy (1980) : Some ecological observations on two agarophytes from India. Hydrobiologia, 75 : 185-188.
- Singh, N.B. and R.G. Singh (1988) : Proline and dry matter accumulation in sugarcane under moisture stress. Indian J. Plant Physiol., 29(2) : 171-174.
- Sreenivas Rao, P., E.R.R. Iyengar and F. Thivy (1964) : Survey of algin bearing seaweeds in Adatra reef, Okha. Curr.Sci., 33 : 464.
- ✓ Srinivasan, K. (1946) : Ecology and seasonal succession of the marine algae at Mahabalipuram (seven pagodas) near Madras, J. Indian Bot.Soc. (M.O.P. Iyengar Comm. Vol.) 267-278.
- ✓ Stein, J.R. and C.A. Borden (1984) : Causative and beneficial algae in human disease conditions : a review, Phycologia, 23 : 485-501.
- Subramaiah, K. (1974) : Intertidal ecology of rocky shore at Mandapam Camp India. Indian J. Mar. Sci., 3 : 58-60.
- Subbaramiah, K., K. Rama Rao and M.R.P. Nair (1979) : Marine algal resources of Lakshadweep. Int. Natl. Symp. Marine algae of Indian Ocean Region, CSMCRI, Bhavnagar (Abstract).
- Subbaramiah, K., K. Rama, Rao and P.V. Subba Rao (1987) : Seaweed resources potential of Andhra Pradesh coast and their utilization. Natl. Symp. Mar. Resdour. Techniquesd, evaluation and Management, Andhra University, Waltair (Abstract).
- Thivy, F. (1960) : Seaweed utilization in India. Proc. Symp. Algol, ICAR, New Delhi, pp. 345-365.
- Umamaheshwar Rao, M. and T. Sreeramulu (1964) : An ecological study of some intertidal algae of the Visakhapatnam coast. J.Ecol., 52 : 595-616.
- Umamaheshwar Rao, M. (1969) : The seaweed potential of the seas around India. Proc. symp. Living Resources of the seas around India pp. 687-692 (1973).

- Umamaheshwar Rao, M. (1989) : Seasonal variation in growth, alginic acid, and mannitol content of Sargassum wightii and Turbinaria conoides from the gulf of Mannar, India Proc.Int. Seaweed Symp., 6 : 579-584.
- Umamaheshwar Rao, M. (1970) : The economic seaweeds of India. Bull.Cent. Mar. Fish Res. Inst., 12 : 1-68.
- Umamaheshwar Rao, M. (1989) : Indian seaweed resources and their management. J. Mar. Biol. Ass. India, 31(1&2) : 234-238.
- Untawale, A.G. and V.K. Dhargalkar (1975) : Report on the seaweed resdources of the Goa coast. Tech. Report, NIO, Goa, pp.10.
- Untawale, A.G., V.K. Dhargalkar, V.V. Agadi and T.G. Jagtap (1979): Marine algal resources of the Maharashtra coast. Tech.Report N.I.O., Goa pp. 48.
- Untawale, A.G. (1980) : The occurrence of the red alga Bangia fuscopurpurea (Dillwyn) Lyngbye (Bangiales - Rhodophyta) from the Malvan coast (Maharashtra), India.
- Untawale, A.G. and V.V. Agadi (1981) : Occurrence of green alga Ernodesmis verticillata (Kuetzing) Boergesen at Malvan (Maharashtra coast) Mahasaqar, 14(3) : 199-201.
- Untawale, A.G., V.K. Dhargalkar and V.V. Agadi (1981) : Status report on marine algal resources of the Indian coast for research and development. Tech. Rep., N.I.O. Goa.
- Yamamoto, H.Y., C.O. Chinchestor and T.O.M. Nakayama (1962) : Biosynthetic origin of oxygen in the leaf Xanthophyll : Arch. Biochem. Biophys., 96 : 645-649.
- Youngblood, W.W., M. Blumer, R.K. Guillard and F. Flore (1971) : Saturated and unsaturated hydrocarbon in benthic algae. Mar.biol., 8 : 190-201.
- Ziongde, M.D., S.Y. Singbal, C.F. Moraes and C.V.G. Reddy (1976) : Arsenic, copper, zinc and manganese in the marine flora and fauna of coastal and estuarine waters around Goa. Indian J. Mar. Sci., 5 : 212-217.

P
6/11/94