

VJ-Bibliography

REFERENCES

- Al-Jaff, D. M. A., G. T. Cook, N. N. Stephen, T. C. Atchinson and H. J. Duncan (1982). The effect of glyphosate on frond regeneration, bud development, survival, and storage, rhizome, starch content in bracken (Pteridium aquilinum). Ann. Appl. Biol., 101(2), 323-330.
- Altman, J. and C. I. Campbell (1977). Effects of herbicides on plant diseases. Annu. Rev. Phytopath., 15, 361-86.
- Arnon, D. I. (1949) : Copper enzymes in isolated chloroplast. Polyphenol oxidase in Beta vulgaris. Plant Physiol., 24; 1-15.
- Ashton, F. M. and A. S. Crafts (1981). Aliphatics, pp 65-90 and Glyphosate PP 236-253. In: Mode of Action of Herbicides; Wiley New York.
- Ashton, F. M. , O.T. de. Villiers, R. K. Glenn, and W. B. Duke (1977). Localization of metabolic sites of action of herbicides. Pestic. Biochem. Physiol., 7, 122-41
- Aslam, M. and R. C. Huffaker ((1973). Effect of DCMU, Simazine and atrazine on nitrate reductase in Hordeum vulgare in vitro and in vivo. Physiol. plant., 28, 400-04.

- Bajaj, K. L., P. P. Singh, and G. Kaur (1985). Effect of cercosporin toxin on polyphenol metabolism in mung bean (Vigna radiata L. Wilczek) leaves- Biochem Physiol Pflanz, 180; 621-624.
- Barnett N. M. and A. W. Naylor (1966). Amino acid and protein metabolism in Bermuda grass during water stress. Plant Physiol; 41, 1222-1230.
- Bartels , P. G. and A. Hyde (1970). Chloroplast development in 4-Chloro-5 (dimethylamino)-2-(α , α , α -trifluoro-m-tolyl)-3(2H)-pyridazinone (Sandoz 6705)-treated wheat seedlings. A pigment, ultrastructural, and ultracentrifugal study. Plant Physiol; 45. 807-10.
- Burz, W.(1977). Degradation of polyphenols in plants and plant cell suspension cultures. Physiol. Veg; 15; 261-277.
- Bates, L. S.; Waldren, R. P. and I. D. Tease (1973); Rapid determination of free proline for water stress studies Plant and soil, 39: 205-207.
- Becerril, J. M., S. O. Duke, and J. Lydon (1989) Glyphosate effects on shikimate pathway products in leaves and flowers of velvet leaf (Abutilon theophrasticum Medic). Phytochemistry, 28, 695-99.
- Bell, D. T., D. E. Koeppe and R. J. Miller (1971). The effects of drought stress on respiration of isolated corn mitochondria. Plant Physiol., 48, 413-415.

Bellinder, R. R., K. K. Hatzics, and H. P. Wilson (1985). Mode of action investigations with the herbicides HOE-39866 and SC-0224. Weed Sci., 33, 779-85.

Birch, E. C., and L. S. Vickery (1961), The effect of maleic hydrazine on certain chemical constituents of flue-cured tobacco. Can J. plant Sci., 41, 170-75.

Blowes, W. M., K. J. Schmaizl and S. M. Jones (1985). Effect of glyphosate on the establishment, growth and nodulation of 14 pasture legume cultivars. Aust. J. Expt. Agric., 25 (2). 347-350.

Blum A. and A. Ebercon (1976). Genotypic responses in ^sorghum to drought stress. III Free proline accumulation and drought resistance Crop Sci.; 16, 428-431.

Boggess, S. F., D. Aspinall and L. G. Paleg (1976), Stress metabolism IX. The significance of end product inhibition of proline biosynthesis and of compartmentation in relation to stress-induced proline accumulation. Aust. J. Physiol., 3, 513-25.

Brecke, B. J. and W. B. Duke (1980). Effect of glyphosate on intact bean plants (Phaseolus vulgaris) and isolated cells. Plant physiol. (Bethesda); 66 (4). 656-659.

- Brown, A.E. and S.S. Sharma (1984). Production of polysaccharide degrading enzymes saprophytic fungi from glyphosate-treated flax and their involvement in retting. Ann. Appl. Biol. 105, 65-74.
- Burns, E.R., G.A. Buchanan and M.C. Carter. (1971) Inhibition of carotenoid synthesis as mechanism of action of amitrol, dichloromate, and pyrichlor. Plant Physiol. 47, 144-48.
- Butt, V.S. (1985). Oxygenation and oxidation in the metabolism of aromatic compounds. In - Annual Proceedings of the phytochemical society of Europe. (C.F. Van Sumere and P.J. Lea, eds). Vol. 25, pp 349-365. Oxford Univ. Press, Oxford. ISBN 0-19-854170-8.
- Campbell, F.W., J.O. Evans, and S.C. Reed (1976). Effect of glyphosate on chloroplast ultrastructure in quackgrass mesophyll cells, Weed Science, 24, 22.
- Canal, M.J., R.S. Tames, and B. Fernandez (1987) Effects of glyphosate on phenolic metabolism in yellow nutsedge leaves. Physiol Plant, 69, 627-32.
- Chinoy, J.J., O.P. Sexena, P.G. Abraham, R.B. Pandya, J.C. Dave, K. Gurumurti and K. Sastri (1969). Physiology of seed germination in relation to early production of ascorbic acid and ascorbic

- acid oxidase in wheat (Triticum) and peanut (Arachis). PL 480 final Res. Progress report project No.FG. In 182 (At-CR-87) PP. 1-350.
- Coggon, D. and E. D. Acheson (1982). Do phenoxy herbicide cause cancer in man? Lancet, 1 : 1057-1059.
- Cole, D. J. (1985). Mode of action of glyphosate- a literature analysis. In - The Herbicide Glyphosate. (E. Grossbard and D. Atkinson, eds.) London: Butterworths, pp 48-74.
- Cole, D. J., J. C. Caseley, and A. D. Dodge (1983), Influence of glyphosate on selected plant processes. Weed Res., 173-83.
- Comai, L., D. Facciotti, W. R. Hiatt, G. Thompson, R.E. Rose, and D. M. Stalker (1985). Expression in plants of a mutant aro A gene from *Salmonella typhimurium* confers tolerance to glyphosate. Nature, 327, 741-44.
- Comes, R D., L. Y. marquis, and A. D. Kelley (1981). Response of seedlings of 3 perrenial to dalapon, amitrol and glyphosate. Weed Sci., 29(5), 619-621.
- Creasy,, L. L. and M. Zucker (1974). Phenylalanine ammonia-lyase and phenolic metabolism. In Recent Advances in Phytochemistry (V. C. Runeckles and E. E. Conn. eds) 8: 1. Academic press New York.

Crowley, J. and G. N. Prendeyille (1980). Effects of herbicides of different mode of action on leaf cell membrane permeability in Phaseolus vulgaris. Can J. Plant Sci., 60(2), 613-620.

Das, V. S., C. S. Reddy, and M. Santakumari (1977). Improvement of yield, carbohydrate and nitrogen levels in corn by alachlor. Curr Sci., 46, 575.

Das V. S .R. and santakumari (1975). M. Proc. Indian Acad. Sci B 82, 108. C.F. Rama Das V. S. and A. S. Raghavendra. Stomata : The Physiology and biochemistry of their regulation in leaves. (1977), Curr Sci., 51, 586.

Davis B.N.K., (1965). The immediate and long term effects of the herbicide MCPA on soil arthropods. Bull ent. Res. 56, 357-66.

Deane-Drummond, C.E. and C. B. Johnson (1980). Absence of hitrate reductase activity in San 9789 bleached leaves of barley seedlings (Hordeum vulgare cv. Midds), Plant Cell Environ., 3, 303-08.

Demos, E. K., M. Woolwine, R. H. Wilson, and C. McMillan (1975). The effect of ten phenolic compounds on hypocotyl growth and mitochondrial metabolism of mung bean. Amer. J. Bot.; 62, 97-102.

- Devine, M. D., S.O. Duke and C. Fedtke (1993). Physiology of herbicide action. (Huber L. A. and K. Bernhaut, Eds) PTR Prentice- Hall, New Jersey.
- DiCosmo, F., and G. H. N. Towers (1984). Stress and secondary metabolism in cultured plant cells. Rec. Adv. Phytochem., 18, 97-175.
- Dimitrova, T- Z. and B. B. Benko (1987). Effectiveness of some herbicides in controlling braken (Pteridium aquilinum). Acrokhim Rastit Zasht; 22(2). 108-112.
- Duke, S. O. (1985). Effects of glyphosate on matabolism of phenolic compounds. In. The Herbicide Glyphosate, E. Grossbard and D. Atkinson, eds. London: Butterworths pp. 75-91.
- Duke, S. O. (1986) Naturally occuring chemical compounds as herbicides. Rev. Weed Sci., 2, 15-44.
- Duke, S. O. (1988) 'Glyphosate'. In Herbicides-Chemistry, Degradation, and mode of action, (P. C. Kerney and D. D. Kaufman, eds) New York: Dekker, pp 1-70.
- Duke, S. O., and R. E. Hoagland (1978). Effects of glyphosate on metabolism of phenolic compounds I. Induction of phenylalanine ammonialyse activity in dark-grown maize roots. Plant Sci. Lett. 11 : 185-190.
- Duke, S. O. and R. E. hoagland (1981). Effects of glyphosate on the metabolism of phenolic compounds.VII. Root-fed amino acids and glyphosate toxicity in soybean (Glycine max) seedlings. Weed Sci., 29, 197-302.

- Duke, S.O., R.E. Hoagland and C.D. Elmore (1979). Effects of glyphosate on metabolism of phenolic compounds. iv. Phenylalanine ammonialyase activity, free amino acids, and soluble hydroxyphenolic compounds in axes of light-grown soybeans. Physiol. Plant., 46: 307-317.
- Duke, S.O., R.E. Hoagland, and C.D. Elmore (1980). Effects of glyphosate on metabolism of phenolic compounds. v. Interactions with L-a-aminoxy-E-Phenylpropionic acid. Plant Physiol., 65: 17-21.
- Duke, S.O. and A.W. Naylor (1974). Effects of light on phenylalanine ammonia-lyase activity in dark-grown Zea mays (L) seedlings. Ibid, 2: 289-293.
- Duke, S.O., and A.W. Naylor (1976). Light control of anthocyanine biosynthesis in Zea Seedlings. Physiol. Plant., 37: 52-68.
- Duke, S.O., R.D. Wauchope, R.E. Hoagland and G.D. Wills (1983), Influence of glyphosate on uptake and translocation of ca⁺⁺ion in soybean seedlings (Glycine max). Weed Res., 23(3) 133-40.
- Eberbach, P.L. and L.A. Douglas (1983). Persistance of glyphosate in a sandy loam. Soil Biol. Biochem; 15(4), 485-488.

- Elmore, C. D. and H. R. Leffler (1976) Development of cotton fruit III. Amino acid accumulation in protein and nonprotein nitrogen fractions of cottonseed. Crop Sci., 16 : 867-871.
- Epstein, E. (1972). Mineral nutrition of plants Principles and perspectives, John Wiley and Sons, Ins. New York. pp. 285-321.
- Erikkson, M., L. Hardell; N. O. Berg; T. moller and O. Axelson (1981). Soft tissue sarcomas and exposure to chemical substances : A case refferent study. Br. J. Ind. med., 38 : 27-33.
- Evans, J. (1982). Nitrate reductase activity in check pea; A preliminary investigation. International Chickpea news-letter. 6 : 22-23.
- Faulkner, J. S. (1981). The effects of paraquat and glyphosate residues in sprayed herbage on the development of seedlings of a normal and a paraquat tolerant variety of Lolium perenne. Grass Forage Science, 35[4]. 311-318.
- Fedtke, C. (1977). Formation of nitrite in plants treated with herbicides that inhibit photosynthesis. Pestic. Sci.; 8, 152-56.
- Fernandez C. H. (1977). In Aliphatics. Klingman C. H. and F. M. Ashton (1982). Weed Science : Principles and Practice. (L. J. Noordhoff Ed.) A Wille. Interscience Publication.

Fernandez, C. H. and D. E. Bayer (1977). Weed Science, 25, 369. In Aliphatics. Klingman C. G. and F. M. Ashton (1982). Weed Science: Principles and Practices. (L. J. Noordhoff Ed.) A Wiley-Interscience Publication.

Folin, O. and W. Dennis (1915) : A colorimetric method for the determination of phenols (and phenol derivatives) in urine. J. Biol. Chem.; 22 : 305-308.

Gale, J., and M. Hagan (1966). Plant antitranspirants. Ann. rev. plant physiol., 17, 269-281.

Geiger, D. R., S. W. Kapitan, and M. A. Tucci (1986).. Glyphosate inhibits photosynthesis and allocation of carbon to starch in sugar beet leaves. Plant physiol., 82, 468-72.

Giardina, M. C. M.De., Agazio, M. T. Giardi, and R. Buffone (1983). Potassium uptake in Atrazine- treated roots of sensitive and resistant plant. Pestic., Biochem. physiol.; 19(1), 11-14.

Geiger, D. R. and H. D. Bestman (1990). Self limitation of herbicide mobility by phytotoxic action. Weed Sci., 38 : 324-24.

Glass, A; D. M. (1974). Influence of phenolic acids upon ion uptake III. Inhibition of potassium ion absorption. J. Expt. Bot., 25, 1104-B.

Gotturp, O., P.A. O'Sullivan, R.J. Schraa, and W.H. Vanden Born. (1976). Uptake, translocation, metabolism and selectivity of glyphosate in Canada thistle and leafy spurge. Weed Res., 16, 197-201.

Grambow, H.J., and B. Langenbeck-Schnwich (1983). The relationship between oxidase activity, peroxidase activity, hydrogen peroxide, and phenolic compounds in the degradation of indole-3-acetic-acid in Vitro, Planta, 157, 131-37.

Granda, G.A. (1993). Chemical eradication of fique (Furcraea spp.) plants infested by Macana virus. Rev. of plant patho; 72, 6282.

Gresshoff, P.M. (1979). Growth inhibition by glyphosate and reversal of its action by phenylalanine and tyrosine. Aust. J. Plant Physiol.; 6, 177-185.

Gruzdyev, (1983). The Chemical protection of plants. Mir. publ. Moscow. C.F. Sivaswamy, S.N. (1991). Pesticide and carcinogenesis. J. Ecobiol. 3(1) : 1-9.

Gurd, M.R., G.L.M. Harmer and B. Lessel (1965). Acute toxicity and 7 month feedings studies with mecocrop and MCPA. Fd. Cosmet. Toxicol., 3: 883-885.

Haderlie, L.C. (1975). Field, Physiological, and biochemical characteristics of glyphosate action. Ph.D Dissertation, Univ. of Illinois.

- Haderlie, L. C., J. M. Widholm, and F. W. Slife (1977). Effect of glyphosate on carrot and tobacco cells. Plant Physiol. 60 : 40-43.
- Harborne, J. B. (1986). The role of phytoalexins in natural plant resistance. Amer. Chem. Soc. Symp. Ser., 296, 22-35.
- Hawk, P. B.; Oser, B. L. and W. H. Summerson (1948) : Practical physiological Chemistry pb. The Blackstone Co., USA. Toronto
- Hoagland, R. E. (1980). Effects of glyphosate on metabolism of phenolic compounds VI. Effect of glyphosine and glyphosate metabolites on phenylalanine ammonia-lyase activity, growth, and protein, chlorophyll, and anthocyanin levels in soybean (Glycine max) seedlings. Weed Sci. 28 : 393-400.
- Hoagland R. E. (1990). Interaction of indoleacetic acid and glyphosate on phenolic metabolism in soybeans. Pestic. Biochem. Physiol., 36, 68-75.
- Hoagland, R. E. and S. O. Duke (1982). Biochemical effects of glyphosate [N- (Phosphonomethyl) glycine]. In Biochemical Response Induced by Herbicides, Symposium series 181. Edited by D. E. Moreland, j. B. St. John and F. O. Hess. p 175-205, American Chemical Society, Washington, D.C.

Hoagland, R. E. and S. O. Duke (1982). Effects of
glyphosate on metabolism of phenolic compounds
VIII Comparision of the effects of aminoxyacetate
and glyphosate. Plant and cell physiol-23,(6).

Hoagland, R. E., S. O. Duke and C.D.Elmore (1978). Effects
of glyphosate on metabolism of phenolic compounds
II. Influence on soluble hydroxyphenolic
compounds, free amino acid and soluble protein
levels in dark-grown maize roots. Plant Sci.
Lett., 13 : 291-299.

Hoagland, R. E., S. O. Duke and C. D. Elmore (1979).
Effects of glyphosate on metabolism of phenolic
compounds II phenylalanine ammonialyase activity,
free amino acids, soluble protein and
hydroxyphenolic compounds in axes of dark-grown
soybeans. Physiol. plant; 46,: 357-366.

Hollander, H. and N. Amrhein (1980). The site of inhibition
of the shikimate pathway by glyphosate- Inhibition
by glyphosate of phenyl propanoid synthesis in
Buck wheat (Fagopyrum esculentum moench). Plant
Physiol, 66 823--829.

Holliday, M. J. and N. T. Keen (1982). The role of
phytoalexins in the resistance of soybean leaves
to bacteria; effect of glyphosate on glyceollin
accumulation Phytopathology, 72, 1470-74.

- IARC, (1974). Monographs on the evaluation of the carcinogenic risk of chemicals to humans. International Agency for Research on cancer, Layon, France. 5 : 141.
- IARC, (1976). Ibid. Vol XII., 282.
- IARC, (1978). Ibid. Vol XVIII ; 140.
- IARC, (1980). Ibid supplement, 2, 425.
- Irena, J. and J. Duczek (1984). Influence of simazine on nitrate uptake and nitrate reductase activity in Triticum aestivum and cucumis sativus seedlings. Acta. Soc. Bot. pol. 53(2) 247-256.
- Ishikura, N., S. Teramoto, Y. Takeshima, and S. Mitsui (1986). Effects of glyphosate on the shikimate pathway and regulation of phenylalanine ammonia-lyase in Cryptomeria and Perilla cell suspension cultures. plant Cell Physiol., 27, 677-84.
- Jacob, G. S., J. R. Garbow, L. E. Hallas, N. M. Kimak, G. M. Kishore, and J. Schaefer. (1988). Metabolism of glyphosate in Pseudomonas sp. strain L Br. Appl. Environ. Microbiol. 54, 1953-58.
- Janardhan, K.; Murthy, P. V. ; Giriraj, K. and S. Panchaksharich (197)- A rapid method for determination of osmotic potential of plant sap. Curr. Sci. 44 : 90.

Jarvis, P. G. (1971) : The estimation of resistance of carbondioxide transfer. Plant photosynthetic production. Mannual of Methods (Eds.) Z. Sestak, J. and P. G. jarvis, Dr. W. Jank. pb. The Hague : 566-631.

Jaworski, E. G., (1971). Nitrate reductase assay in intact plant tissue. Biochem. Biophys. Res. Commun., 43 : 1274-1279.

Jaworski, E. G. (1972) Mode of action of N-phosphonomethyl-glycine : inhibition of aromatic amino acid biosynthesis. J. Agric. Food. Chem. 20. 1195-1198.

Jeffery, L. S., J. R. English, and J. Connell (1981). The effects of fall application of glyphosate on corn (Zea mays), soybean (Glycine max). and Johnson grass (Sorghum halepense). Weed Sci., 29(2), 190-195.

Johal, G. S. and J. E. Rahe (1984). Effect of soil borne plant pathogenic fungi on the herbicidal action of glyphosate on bean seedlings, Phytopathology, 74. 950-55.

Johal, G. S., and J. E. Rahe (1988). Glyphosate, hypersensitivity and phytoalexin accumulation in the incompatible bean anthrachose host-parasite interaction. Physiol. Molec. Plant Pathol., 32, 267-81.

Johnson, C. B. and H. Smith (1978). Phytochrome control of amino acid synthesis in cotyledons of Sinapis alba, phytochemistry, 17, 667-670.

Kakhniashvili, Kh. A., N. N. Sikharulidze, G. G. Gogoladze, and M. Sh. Giauri, (1989). Effects of sym-triazines and Roundup on biochemical characteristics and quality of tea. Subtrop. Kul't; 2, 111-14.

Katan, J., and Y. Eshel (1973). Interactions between herbicide and plant pathogens. Res. Rev; 45, 145-77.

Katsumi, M. and M. Fukuharu (1969). The activity of -amylase in the shoot and its relation to gibberellin induced elongation. Physiol. plant., 22: 68-75.

Kirk, J.O.T. and R. L. Allen (1965). Dependence of chloroplast pigment synthesis on protein synthesis. Effect of actidione. Arch. Biochem. Biophys. Res. commun; 21, 523-530.

Kishore, G. M., L. Brundage, K. Kolk, S. R. Padgett, D. Rochester, Q. K. Huynh, and G. Della-Cioppa (1986). Isolation, purification and characterization of a glyphosate-tolerant mutant of E. Coli EPSPS. Fed. Proc. Amer. Soc. Expl. Bio., 45, 1506.

Kishore, G. M. and G. S. Jacob. (1987). Degradation of glyphosate by Pseudomonos sp. PG. 2982 via a sarcosine intermediate J. Biol. Chem., 262, 12164-169.

Kishore, G. M. and D. M. Shah (1988). Amino acid biosynthesis inhibitors as herbicides. Annu. Rev. Biochem., 57, 627-63.

Kitchen, L. M., W. W. Witt, and C. E. Rieck (1981). Inhibition of chlorophyll accumulation by glyphosate. Weed Sci.; 29(4), 513-516.

Klepper, L. A. (1974). A mode of action herbicides: Inhibition of the normal process of nitrite reductase. Nebraska Agric. Expt. Stn. Res Bull.; 259, 1-42.

Klepper, L. A. (1975). Inhibition of hitrate reduction by photosynthetic inhibitors. Weed Sci.; 23, 188-90.

Klepper, L. A. (1976). Nitrite accumulation within herbicide treated leaves. Weed Sci.; 24. 533-35.

Klepper, L. A. (1988). Synergistic levels of NO_x emissions from soybean leaves caused by a combination of salicylic acid and photosynthetic inhibitor herbicides. Pestic. Biochem. Physiol.; 32, 173-79.

Klingman C. G. and f. M. Ashton (1982). Weed Science : Principles and practices (L. J. Noordhoff Ed,) A Wiley-Interscience Pyblication. pp 1-15.

Kogima, M. and E.E.Conn (1982). Tissue distribution of chlorogenic acid and of enzymes involved in its metabolism in leaves of Sorghum bicolor, plant physiol. 70: 922-925.

Lacuesta, M., B. Gonzalez-Moro, C. Gonzalez-Murua, and A. Munoz-Rueda (1990). Temporal study of the effect of phosphinothricin on the activity of glutamine synthetase, glutamine dehydrogenase and nitrate reductase in Medicago sativa L., J. Plant Physiol., 135. 410-414.

Latunde-Dada, A.O., and J.A. Lucas (1985). Involvement of the phytoalexin medicarpin in the differential response of callus lines of lucern (Medicago sativa) to infection by Verticillium albo atrum physiol. Plant. pathol. 26. 31-42.

Lee, T.T. (1981). Effect of glyphosate on synthesis and degradation of chlorophyll in soybean (Glycine max, Cultivar Chippura) and tobacco (Nicotiana tabacum cultivar white gold) cells. Weed Res.; 21, 314.

Lee, T. T. (1982). Mode of action of glyphosate in relation to metabolism of indole-3-acetic acid. Physiol plant, 54, 289-94.

Lee, T.T. (1982). Promotion of indole-3-acetic acid oxidation by glyphosate in tobacco callus tissue. J. plant Growth Regul., 1, 37-38.

- Lee, T.T. (1984). Release of lateral buds from apical dominance by glyphosate in soybean and pea seedlings. J. plant. Growth. Regul., 3, 227-35.
- Lee, T.T. and T. Dumas (1985). Effect of glyphosate on indole-3-acitic acid metabolism in tolerant and susceptible plants. J. of plant Growth Regul., 4(1) 29-40.
- Lee, T.T., T. Dumas, and J.J. Jevnikar (1983). Comparision of the effects of glyphosate and related compounds on indole-3-acetic acid metabolism and ethylene production in tabacco callus. Pestic. Biochem. physiol., 20, 354-59.
- Lee, T.T., A.N. Starratt, and J.J. Jevnikar (1982). Regulation of enzymic oxidation of indole-3-acetic acid by phenols : Structure-activity relationship. Phytochemistry, 21, 517-23.
- Levesque, C. A. J.E. Rahe, and D.M. Eaves (1987). Effect of glyphosate on Fusarium spp : its influence on root colonization of weeds, propagule density in the soil, and crop emergence. Can. J. Microbiol. 33, 354-60.
- Lowry, O.H., N.J. Roserbrough, A.L. Furr, and R.J. Randall (1951). protein measurement with the Folin phenol reagent. J. Biol Chem., 193: 262-275.

- Lydon, J., and S.O. Duke (1988). Glyphosate induction of elevated levels of hydroxybenzoic acid in higher plants. J. Agric. Food. Chem., 36, 813-18.
- Lydon, J., and S.O. Duke (1989). Pesticide effects on secondary metabolism of higher plants. Pestic Sci., 25, 361-73.
- Lynch, J.M. and D.J. penn (1980). Damage to cereals caused by decaying weed residues. J. Sci. Food Agric., 32 (3), 321-324.
- Mahadevan, A and R. Sridhar (1982). Methods in physiological plant pathology (IIInd Ed.) Ph. Sivakami, Indira-nagar, Madras.
- Mann, J.D., L.S. Jordar, and B.E. Day (1965). A survey of herbicides for their effect upon protein synthesis. Plant physiol., 40, 840-43.
- Margna, U.(1977). Control at the level of substrate supply -An alternative in the regulation of phenyl propanoid accumulation in plant cells. Ibid, 16: 419-426.
- Margna, J.T. Vainjarv, and L. Lðanest (1989). Different L-phenylalanine pools available for the biosynthesis of phenolics in buckwheat seedling tissues. Phytochemistry, 28, 469-75.
- Marina, A. and C. Giardina (1984). Loss of recovery capacity of plasmalemma potassium influx after cutting in chlorsulfuron pretreated maize. (*zea mays*) roots. plant. Physiol., 76(4), 940-42.

Marshall, G., R.C. Kirkwood, and D.J. Martin (1987) Studies on the mode of action of asulam, aminotriazole and glyphosate in Equisetum arvenseL. (field horsetails). II : The metabolism of [¹⁴C] aminotriazole and [¹⁴C] glyphosate. Pestic.

Sci., 18, 65-77.

Marriage, P.B. and S.V. Kahn (1978). Weed Science, 26, 374. C.F. Aliphatics. Klingman C.G. and F.M. Ashton (1982) Weed Sci., Principles and Practices. (L.J. Noordhoff Ed.) A Wiley-Interscience Publication.

McLachlan, K.D. (1980). Acid-phosphatase activity of intact roots and acid phosphorus nutrition in plants. 1. assay condition and phosphatase activity. Aust. J. Agric Res., 21,: 429-440.

Mikulka, J. and J. Zemanek (1981). The effect of herbicide on tegrowth of Canda thistle (Circium arvense). Ochr. Rostí; 17 (1), 45-52.

Moore, J.K., H.D. Braymer, and A.D. Larson (1983). Isolation of a Pseudomonas sp. which utilizes the phosphate herbicide glyphosate. Appl. Environ. Microbiol., 46, 316-20.

Morandi, D. (1989). effect of xenobiotics on endomycorrhizal infection and isoflavonoid accumulation in soybean roots. Plant Physiol. Biochem., 27, 697-701.

- Moreland, D.E., S.S. Malhotra, R.D. Guenhagen, and E.H. Shokraii (1969). Effects of herbicides on RNA and Protein synthesis. Weed Sci. 17, 556-63.
- Moshier, L.J. (1980). Response of honeyvine milk weed (Ampelomus Olbidus) to herbicide application. Weed Sci., 28 (6); 722-724.
- Mueller, W.C. and C.H. Beckman (1978). Ultrastructural localization of polyphenol oxidase and peroxidase in roots and hypocotyls of cotton seedlings. Can. J. Bot. 56; 1579-1587.
- Munns, R., C.J. Bready, and E.W.R. Barlow (1979). Solute accumulation in the apex and leaves of wheat during water stress. Aust. J. of plant physiol. 6, 379-389.
- Munoz-Rueda, A., C. Gonzalez-Diaz (1986). Effect of glyphosate on photosynthetic pigments, stomatal response and photosynthetic electron transport in Medicago sativa and Trifolium pratense. physiol plant. 66(1).
- Munoz-Rueda, A., C. Gonzalez-Murua, J.L. Becerril, C. Arreseigor, and M. Sanchez-Diaz (1986). The effect of asulam on water potential and Nitrate reduction, Plant Sci., 46, 21-27.
- Munoz-Rueda, A., C. Gonzalez-Murua, F.L. Hernando, and M. Sanchez-Diaz (1986). Effects of glyphosate (N-cphosphonomethyl)-glycine) on water potential, and activities of nitrate and nitrite reductase and aspartate aminotransferase in lucerne and

- clover. J. plant physiol., 123 107-15.
- Muzik, T.J. (1970). Weed Biology and Control Mc. Graw-Hill Book Company. pp 1-13.
- Nelson, N. (1944). A photometric adaptation of Somogyi's method for the determination of glucose. J. Biol. Chem., 153 : 375-380.
- Niklicek, L., Bergmannova and L. Taimor (1983). The effect of herbicide glyphosate on the uptake and translocation of phosphorus-32 and calcium-45 in quackgrass (Elytrigia repens). OCHR,rostl., 19(2), 147-52.
- Nilsson, G. (1977). Effects of glyphosate on the amino acid content in spring wheat plants. Swed. J. Agric. Res., 7 : 153-157.
- Nir, A.P., and S. Klein (1970). The effect of water stress on mitochondria of root cells. plant physio., 45, 173-177.
- Parkar, C. (1975). Effects on the dormancy of plant organs. In Herbicides-Physiology, Biochemistry, Ecology, vol. 1. L.J. Audus, ed. New York : Academic, pp. 165-90.
- Penner, D. and ashton (1967). Harmonal control of protease activities in squash cotyledons. plant physiol., 42 : 791-796.

Pihakaski, S. and K. Pihakaski (1980). Effect of glyphosate on ultrastructure and photosynthesis of Pellia epiphylla. Ann. Bot. (LOND), 46(2) 133-142.

Pospisilova J. and A. Janyska (1980). Side effects of the herbicide Livo. CIPC 40 and Ramrod W.P. on onion seedlings. Bulletin, Vyzkumy slechtitelsky ustav zelinarsky olomouc. (1979/1980) No. 23/24, 3-12.

Prakash, T.R., R. S. Murthy, and P.M. Swamy, (1989). Influence of thiobencarb on nitrate reductase, nitrite reductase and DCPIP photoreduction in rice and Echinochloa crus-galli (L.) (barnyardgrass). Weed Res., 19, 427-32.

Putnam A.R., (1976). Weed Science; 24, 425. Cf. In : Aliphatics. Kligman C.G., and F.M. Ashton (1982). Weed Science; Principles and Practices. (L.J. Noordhoff Ed.) A Wiley-Interscience publication pp 1-15.

Raatikainen, M., H. Siltanen, C. Rosenberg, T. Raatikainen and J. Mukula (1976). Herbicide residues on cowberries (Vaccinium vitis idea) bilberries (V. myrtillus) and lichens in controlled ground spraying experiment on woodland. Ann. Agric. Fenn.; 18, (2) 112-116.

Rahe, J.E., C.A. Levesque, and G.S. Johal. (1990). Synergistic role of soil fungi in the herbicidal efficacy of glyphosate. Amer. Chem. Soc. Symp. Ser., 439, 260-75.

- Rao, I., M., P.M. Swamy, and V.S.R. Das. (1977) Weed Sci., 25, 469. CF Ramdas V. S. and A. S. Raghavendra. Stomata. The physiology and biochemistry of their regulation in leaves (1977). Curr. Sci., 51. 586.
- Rao, R.K., R. M. Mannon, A. Gnanam, and S. Bose (1988). Inhibition of nitrate and nitrite reductase induction in wheat by Sandoz, 9785. Phytochemistry, 27, 685-88.
- Ravel, P., and D. Leela (1976). Effects of various herbicides on the mineral constituents of pineapple leaves. Geobios, 3, 40-42.
- Ray, I. M. and W.B. Sisson (1986). Nitrate reductase activity of Klein grass (Panicum coloratum L.) during drought in the northern chihuahuan Desert. J.Range Manage., 39; 531-535.
- Rubin, J. L., C. G. Gaines, and R. A. Jensen (1982). Enzymological basis for the herbicidal action of glyphosate. Plant Physiol. 70, 833-39.
- Saeed, M. and S.H. Duke (1990). Chloroplastic regulation apoplastic amylase activity in pea seedlings. Plant physiol 93, 131-40.
- Salazar, L.C., and A.P. Appleby. (1982). Germination and growth of grasses and legumes from seeds treated with glyphosate and paraquat. Weed Sci., 30(3), 235-237.

Saltveit, M.E. Jr. (1988). Postharvest glyphosate application reduces toughening, fiber content, and lignification of stored asparagus spears. J. Amer. Soc. Hort. Sci., 113, 564-72.

Santakumari, M., and V. S. Das (1979). photosynthetic carbon fixation and changes in the levels of carbohydrate under the influence of diuron or atrazine in some crop and weed species. Indian J. Plant Physiol., 22. 262-268.

Schuster, C., R. Oelmuller, R. Bergfeld, and H. Mohr (1988). Recovery of plastids from photooxidative damage: significance of a plastidic factor. Planta, 174, 289-97.

Sekine, T., Sasakwa, T., Morita, S., Kimura, T. and Kuratom, K. (1965) c.f. Laboratory manual for physiological studies of Rice (Eds. Yoshida, S., forno, D., Cook, J. B. and Gomez, K.A.) Publ. International Rice Research Institute Manila 1972.

Servaites, J.C., M.A. Tucci and D. R. Geiger (1987). Glyphosate effects on carbon assimilation, ribulose bisphosphate carboxylase activity, and metabolite levels in sugarbeet leaves. Plant Physiol., 85, 370-74.

Sharon, A., Z. Amsellem, and J. Gressel (1992). Glyphosate suppression of an elicited defense response. Increased susceptibility of Cassia obtusifolia to a mycoherbicide Plant Physiol.-98 (112), 654-659.

Sheail, John (1985), Pesticide and nature conservation.
Clarendon press-Oxford, 123-35.

Sherma, J. (1980): Quantitative Thin-Layer chromatography (TLC) In: Analytical methods for pesticides and plant growth regulators (Ed. G. Zweig.) Academic Press New York: 79-122.

Singh, B., and D.K. Salunke (1970). Some metabolic responses of bush beam plants to a subherbicidal concentration of certain S-triazine compounds.
Can., J. Bot. 48. 2213-17.

Singh, B., D.K. Salunkhe and S.H.Lipton(1972). Hort sci; 47, 441.C.F. RamaDas, V.S., C.S. Reddy, and M. Santakumari (1977). Improvement of yield, carbohydrate and nitrogen levels in corn by alachlor. Curr. Sci., 46 575.

Singh T. N, D. Aspinal, L.G. Paleg and S.F. Boggess (1973). Stress metabolism. II Changes in proline concentration in excised plant tissues. Aust. J. Biol. Sci., 26, 45-56.

Skender, A., I. Stevic, and L. Pitra (1983). Effects of herbicides and moving on the surface and subterranean biomass of Johnson grass (Sorghum halepense) in ditches. Fragm Herbol Jugosl; 12(1), 111-119.

Song, F.G., Z. Zheng, and Q. X. Ge(1993). A priliminary study of five herbicides on Fusarium oxysporum f.Sp. vasinfectum. Rev. of Plant Patho: 72, 1677.

Sost, D., A. Schulz, and N. Amerhein (1984).

Characterization of a glyphosate-insensitive
5-enolpyruvylshikimic acid-3-phosphate synthase.
FEBS Lett., 173, 328-42.

Stalker, D.M., W.R. Hiatt, and L. Comai (1985). A single
amino acid substitution in the enzyme.
5-enolpyruvylshikimate-3-phosphate synthase
confers resistance to the herbicide glyphosate.
J. Biol. Chem., 260, 4724-28.

Steinrucken, H.C. and N. Amrhein (1980). The herbicide
glyphosate is a potent inhibitor of 5
enolpyruvylshikimic acid-3-phosphate synthase.
Biochem. Biophys. Res. Commun.; 94: 1207-1212.

Stewart, C.R. and A.D. Hanson (1980). Proline accumulation
as a metabolic response to water stress. In :
Adaptation of plants to water and high
temperature stress. Turner N.C. and P.J. Cramer
(Eds.) A Wiley- Interscience Publication.
John-Wiley-New York.

Stewart, G.R., and J.A. Lee (1974). The role of proline
accumulation in holophytes. Planta, 120, 279-89.

Stoddard, E. M. (1965). Identifying, plants by epidermal
characters. Can. Agric. Expt. Stat. Circular, 227
USA.

Swanton, C.J. (1985). Control of Teuctium canadense with
herbicides. Can. J. plant Sci., 65(1). 163-165.

- Szogyi, M., T. Cserhati, and Z. Szigeti (1989). Action of paraquat and diquat on proteins and phospholipids. Pestic Biochem. and physiol. 34, 240-245.
- Trogisch, G.D., H. Kocher, and W.R. Ullrich (1989). Effects of glufosinate on anion uptake in Lemna gibba. G. l. Z. Naturforsch, 446, 33-38.
- Tweedy, J. A., and S.K. Ries (1967). Effect of simazine on nitrate reductase in corn. Plant physiol., 42, 280-82.
- Tymonko, J.M. and Foy, C. L. (1978). Inhibition of protein synthesis by glyphosate. Plant Physiol Ann. Suppl., 61 : 41.
- Umamahesh, V., K.C. Reddy, and S.M. Pandya (1984). Effects of two herbicides on the foliar epidermis and morphology of Celosia argentea. Geobios, 11(3). 128-130.
- Unger, M. and J. Olsen. (1980). Organochlorine compounds in the adipose tissue of diseased people with and without cancer. Environ. Res. 23: 256-263.
- Vaughn, K.C., and S.O. Duke (1981). Tentoxin-induced loss of plastidic polyphenol oxidase. physiol. plant, 53: 421-428.
- Vaughn, K.C., and S.O. Duke (1988). Polyphenol Oxidase; the chloroplast oxidase with no established function. Physiol. plant, 72, 659-65.

Vieia da Silva. J. (1976) In: Water and plant life problems and modern approaches, vol. XIX (eds) O.L. Lange, L. Kappen and E.D. Schulze, Springer-Vexlag, Berlin/Heidelberg/New York. pp. 536.

Villanueva, C.M.J., M.B. Fernandez, and T.R. Sanehez (1985). Effect of glyphosate on the growth and the chlorophyll and carotenoid levels of yellow nutsedge (Cyperus esculents). Weed. Sci., 33(6). 751-754.

Votila, M.K. Evjen, and T.H. Iversen (1980). The effect of glyphosate on the development and cell ultrastructure of white mustard. (Sinapis alba) seedlings. Weed. Res., 20(3), 153-158.

Waldecker, M.A. and D.L. Wyse (1985). Chemical and physical effects of the accumulation of glyphosate in common milk weed (Asclepias syriaca) root buds. Weed Sci., 33, 605-11.

Waldren, R.P. and I.D. Teare (1974), Free proline accumulation in draught stressed plants under laboratory conditions. Plant Soil; 40, 689-692.

Ward, E.W.B. (1984). Supression of metalaxyl activity by Glyphosate. Evidence that host defese mechanisms contribute to metalaxy] inhibition of Phytophotra megasperma F. Sp. glycinea in soybeans,. Physiol. Plant. pathol.; 25, 381-86.

Williams, M.C. and E.H. Cronin (1963). Effect of silvex and 2,4,5-T on alkaloid content of tall larkspur. Weeds, 11, 317-19.

Williams, M.C. and L.F. James (1983). Effects of herbicides on the concentration of poisonous compounds in plants; A review Amer. J. Vet. Res. 44, 2420-22.

Wu, M.T., BB. Singh, and D.K. Salunke (1971). Influence of foliar application of Simazine, Igran and GS-14254 on Delta Aminolevulinic acid dehydratase of pea seedlings. Phytochem., 10, 2025-27.

Yoder, K.S. and E.J. (1982). Effect of selected herbicides on ascospores discharge of Venturia inaqualis. Can. J. Pl. Scl.; 62 (2), 509-512.

Young, F.L., D.R. Gealy, and L.A. Marrow (1984). Effect of herbicide on germination and growth of 4 grass weeds. Weed Sci., 32(4). 489-493.