
BIBLIOGRAPHY

- Achitov, M. (1961) : Role of potassium in drought tolerance.
In : Potassium and Plant Physiology. Pot. Res. Inst. of India, Gurgaon, Haryana, India. pp.21-36.
- Acquaye, D.K. (1974) : Factors determining the potassium supplying power of soils of Ghana. Potash Rev. subject 27, suite 61.
- Alexander, T.M. (1972) : Soils of India. Publ. by the Fertilizer Association of India.
- Ali, M.H.; Dhua, S.P. and Das Gupta, K.P. (1976) : Available potassium status of soils of west Bengal and response of high yielding rice to potassium. *Indian Soc. Soil Sci. Bull.* No.10 : 164-169.
- Amir, S. and Reinhold, L. (1971) : Interaction between K-deficiency and light in ^{14}C sucrose translocation in bean plants. *Physiol. Plant*, 24 : 226-231.
- Andrews, M. (1986) : The partitioning of nitrate assimilation between root and shoot of higher plants. *Plant Cell and Environ.*, 9 : 511-519.
- Anonymus (1990) : "Catalase". The paper presented in "News and View of Plant Physiology". NVPP, Vol.VI, pp.8
- Ansari, A.O. and Bowling, D.J.F. (1972) : Measurement of the transroot electrical potential of plants grown in soil. *New Phytol.*, 71 : 111-117.
- Aoki, S. and Yamamoto, A. (1968) : Mulberry and potassium. *Pot. Rev.* 2., Subj. 16, 38th Suite : 1-10.

Arneke, W.W. (1981) : The influence of potassium on the components of the water potential and on the rate of growth of *Phaseolus vulgaris*. L. *Pot. Rev.*, 7, Subj. 13, 5th Suite : 1-5.

Arnon, D.I. (1949) : Copper enzymes in isolated chloroplasts : Polyphenol oxidase in *Beta vulgaris*. *Plant Physiol.*, 24 : 1-15.

Arnon, D.I. and Stout, P.R. (1939) : Molybdenum as an essential element for higher plants. *Plant Physiol.*, 14 : 599-602.

Asada, K. (1992) : Production and scavenging of active oxygen in chloroplasts. In : Molecular Biology of Free Radical Scavenging Systems. (ed.) Scandalics, J.C. pp.173. Cold Spring Harbar Laboratory Press, New York.

Asher, C.J. and Ozanne, P.G. (1967) : Growth and potassium contents of plants in solution cultures maintained at constant potassium concentrations. *Soil Sci.*, 103 : 155-161.

Attoe, O.J. and Troug, E. (1946) : Exchangeable and acid-soluble potassium as regards availability and reciprocal relationships. *Proc. Soil Sci. Soc. Am.*, 10 : 81-86.

Baba, I.; Inada, K. and Tajima, K. (1964) : Mineral nutrition and the occurrence of physiological diseases. In : The mineral nutrition of the rice plant, Proceeding of a symposium at the International Rice

Research Institute, Publ. John Hopkins Press,
Baltimore, Maryland.

- Ball, M.C., Chow, W.S. and Anderson, J.M. (1987) : Salinity-induced potassium deficiency causes loss of functional photosystem II in leaves of grey mangrove, *Avicennia marina*, through depletion of the atrazine binding polypeptide. *Aust. J. Plant Physiol.*, 14 : 351-361.
- Balsubramanian, K.A. (1975) : Pattern of distribution of certain cations in downy mildew affected *Sorghum* and soil. *Plant and Soil*, 43 : 621-626.
- Bamberger, E. and Mayer, A. M. (1960) : Effect of kinetin on formation of red pigment in seedlings of *Amaranthus retroflexus*. *Sci.*, 131 : 1094-1095.
- Barankiewicz, I.J. (1978) : CO₂-exchange rates and ¹⁴C photosynthetic products of maize leaves as affected by potassium deficiency. *Z. Pflanzenphysiol.*, 89 : 11-20.
- Barker, A.V. and Maynard, D.N. (1969) : Potassium nutrition and ammonium assimilation by crop plants. *Pot. Rev. Subj.*, 3, 32nd Suite : 1-9.
- Barnett, N.M. and Naylor, A.W. (1966) : Amino acid and protein metabolism in bermuda grass during water stress. *Plant Physiol.*, 47 : 591-594.
- Batchelor, J.T.; Scott, H.D. and Sojka, R.E. (1984) : Influence of irrigation and growth stage on element concentrations of soybean plant parts. *Commun. Soil. Sci. Plant Anal.*, 15 : 1083-1109.

- Bates, L.S.; Waldren, R.P. and Teare, I.D. (1973) : Rapid determination of proline for water stress studies. *Plant Soil.*, 39 : 205-207.
- Behboudian, M.H. and Anderson, D.R. (1990) : Effect of potassium deficiency on water relations and photosynthesis of the tomato plant. *Plant and Soil*, 127 : 137-139.
- Bellinger, Y. and Larher, F. (1987) : Proline accumulation in higher plants : A redox buffer. *Plant Physiol. Life Sci. Adv.*, 6 : 23-27.
- Benloch, M.; Ojeda, M.A.; Ramos, J. and Rodriguez-Navarro, A. (1994) : Salt sensitivity and low discrimination between potassium and sodium in bean plants. *Plant and Soil*, 166 : 117-123.
- Beringer, H. (1982) : Potassium requirement of tropical crops and physiological functions of potassium. In : Phosphorus and potassium in the tropics. The Malaysian society of soil science, Malaysia. 271-283.
- Beringer, H. (1985) : Potassium uptake as a function of its requirement and K supply. *J. Pot. Res.*, 1 : 1-16.
- Berthouly, M. and Gurrier, G. (1979) : Calcium-Potassium-magnesium interactions in *Sorghum*. 3. Effect of potassium deficiency on mineral distribution. *Commun. Soil Sci. Plant. Anal.*, 10 : 1557-1571.
- Besford, R.T. (1975) : Effect of potassium nutrition on leaf

- protein concentrations and growth of young tomato plants. *Plant and Soil*, 42 : 441-451.
- Beevers, L. and Hageman, R.H. (1983) : Uptake and reduction of nitrate. In : *Bacteria and Higher Plants*. (eds.) Lauchli, I.A.; Bielski, R.L. *Encyclopedia of plant physiology*, Vol.15A, Berlin Heidelberg, New York : Springer-Verlag, 351-376.
- Bhat, A.R.; Dhatt, A.S.; Mir, N.A. and Wani, M.H. (1996) : Effect of potassium on macro-nutrient accumulation in pathrnakh pear leaves grown on two rootstocks. *Indian J. Plant Physiol.*, New Series 1(1) : 36-39.
- Bhivare, V.N. and Nimbalkar, J.D. (1984) : Biochemical changes leading to senescence in bean leaf. *Biovigyanam*, 10 : 31-34.
- *Blanchet, R. (1958) : Doctoral thesis No.4033, Paris : 131-132.
- Blanchet, R.; Studer, R. and Chaumont, C. (1962) : Interactions entre l'alimentation hydrique des plantes. *Ann. Agron. (Paris)* : 93-110.
- Blatt, M.R. (1987) : Electrical characteristic of stomatal guard cells. *Nature*, 170 : 272-287.
- Blatt, M.R. (1988) : Potassium-dependent bipolar gating of potassium channels in guard cells. *J. Membr. Biol.*, 102 : 235-246.
- Blits, K.C. and Gallagher, J.L. (1990) : Salinity tolerance of *Kosteletzkya virginica* II. Root growth, lipid

- content, ion and water relations. *Plant Cell Environ.*, 13 : 419-425.
- Bohra, J.S. and Doerffling, K. (1993) : Potassium nutrition of Rice (*Oryza sativa L.*) varieties under NaCl salinity. *Plant and Soil.*, 152 : 299-303.
- Botrill, D.E. and Possingham, J.V. (1969) : The effect of mineral deficiency and leaf age on the nitrogen and chlorophyll content of spinach chloroplasts. *Biochem. Biophys. Acta.*, 189 : 80-84.
- Bowling, D.J.F. (1976) : Potassium In crop production. In : "Advances in Agronomy", Vol.33, (Ed.) N.C. Brady, Academic Press, New York, pp.59-110.
- Brag, H. (1972) : Influence of potassium on the transpiration rate and stomatal opening in *Triticum aestivum* and *Pisum sativum*. *Physiol. Plant.*, 26 : 250-257.
- Bray, R.H. (1943) : The sources of plant nutrients in the soil. In : Soil conditions and plant growth (gth ed.) Jarrold and Sons Ltd., Norwich. pp.512-522.
- Bray, R.H. and Turk, E.D. (1938) : The release of potassium from non-replaceable forms in illinois soils. *Proc. Soil Sci. Soc. Am.*, 3 : 101-105.
- Brownell, P.F. (1979) : Sodium as an essential micronutrient element for plants and its possible role in metabolism. In : "Advances in Botanical Research". (Ed.) Woolhouse, H.W. Vol.7, Academic Press, London, pp.117-224.

Buczek, J. (1979) : Ammonium and potassium effect on nitrate assimilation in cucumber seedlings. *Acta Societatis Botanicorum Poloniae*, Vol.XLVIII, nr 2 : 157-169.

Bulychev, A.A. and Vredenberg, W.J. (1976) : Effect of ionophores A 23187 and nigericin on the light induced redistribution of Mg^{2+} , K^+ and H^+ across the thylokoïd membrane. *Biochem. Biophys. Acta.*, 449 : 48-58.

Burr, G.O.; Hartt, C.E.; Tanimoto, T.; Takahashi, D. and Brodie, H.W. (1957) : The circulatory system of the sugarcane plant. UNESCO/NS/RIC/133.

Burridge, J.C.; Lockard, R.C. and Acquaya, D.K. (1964). The levels of nitrogen, phosphorus, potassium, calcium and magnesium in the leaves of cocoa (*Theobroma cacao L.*) as affected by shade, fertilizer, irrigation and season. *Ann. Bot.*, 28 : 401-417.

Bussler, W. (1964) : Comparative examinations of plants suffering from potash deficiency. Verlag Chemie, Weinheim.

Cakmak, I. (1994) : Activity of ascorbate-dependent $H_2O_2^-$ scavenging enzymes and leaf chlorosis are enhanced in magnesium and potassium deficient leaves, but not in phosphorus deficient leaves. *J. Exp. Bot.*, 45(278) : 1259-1266.

Cakmak, I. and Marschner, H. (1990) : Decrease in nitrate uptake and increase of proton release in zinc-deficient

cotton, sunflower and buckwheat plants. *Plant and Soil*, 129 : 261-268.

Cakmak, I.; Hengeler, C. and Marschner, H. (1994-a) : Partitioning of shoot and root dry matter and carbohydrates in bean plants suffering from phosphorus, potassium and magnesium deficiency. *J. Exp. Bot.*, 45(278) : 1245-1266.

Cakmak, I.; Hengeter, C. and Marschner, H. (1994-b) : Changes in phloem export of sucrose in leaves in response to phosphorus, potassium and magnesium deficiency in bean plants. *J. Exp. Bot.*, 45(278) : 1251-1257.

Causton, D.R. and Venus, J.C. (1981) : The Biometry of Plant Growth. Edward Arnold (Pub.) Ltd., London.

Chamel, A. (1969) : A study of some aspects of potassium uptake by leaves, using the radio isotope K⁴². *Pot. Rev.* 4 Subj. 3, 31st Suite : 1-16.

Chang, H.T. and Loomis, W.E. (1945) : Effect of CO₂ on absorption of water and nutrients by roots. *Plant Physiol.*, 20 : 221.

Chatterjee, C. and Jain, R. (1994a) : Pigen pea. In : Potassium nutrition of some crop plants (Eds.) M. Singh and M.K. Mishra. Pub. Pot. Res. Inst. India, Gurgaon, Haryana, pp.53-57.

Chatterjee, C. and Jain, R. (1994b) : Sorghum. In : Potassium nutrition of some crop plants (Eds.) M. Singh

and M.K. Mishra. Pub. Pot. Res. Inst. India, Gurgaon, Haryana, pp.20-25.

Chatterjee, C. and Rashmi (1994) : Wheat. In : Potassium nutrition of some crop plants (Eds.) M. Singh and M.K. Mishra. Pub. Pot. Res. Inst. India, Gurgaon, Haryana, pp.12-15.

Chatterjee, C. and Sainy, R. (1994a) : Groundnut. In : Potassium nutrition of some crop plants (Eds.) M. Singh and M.K. Mishra. Pub. Pot. Res. Inst. India, Gurgaon, Haryana, pp.43-46.

Chatterjee, C. and Sainy, R. (1994b) : Groundnut. In : Potassium nutrition of some crop plants (Eds.) M. Singh and M.K. Mishra. Pub. Pot. Res. Inst. India, Gurgaon, Haryana, pp.26-29.

Chatterjee, C.; Nautiyal, R.N. and Agarwala, S.C. (1986) : Potassium concentration in tissue and metabolic activities with potassium supply in Wheat. *J. Pot. Res.*, 2(2) : 41-50.

Chavan, P.D. (1980) : Physiological studies in plants. A Ph.D. Thesis submitted to the Shivaji University, Kolhapur (India).

Cheeseman, J.M. and Hanson, J.B. (1979) : Energy linked potassium influx as related to cell potential in corn roots. *Plant Physiol.*, 64 : 842-845.

Chow, W.S.; Ball, M.C. and Anderson, J.M. (1990) : Growth and photosynthetic response of spinach to salinity :

- Implication of K⁺ nutrition for salt tolerance. Aust.
J. Plant Physiol., 17 : 563-578.
- Clark, R.B. (1968) : Organic acids of maize (*Zea mays* L.) as influenced by mineral deficiencies. *Crop. Sci.*, 8(2) : 165-167.
- Clark, R.B. (1984) : Physiological aspects of calcium, magnesium and molybdenum deficiencies in plants. Agronomy monograph (2nd edition) Madison, U.S.A. pp.99-168.
- Clarkson, D.T. and Hanson, J.B. (1980) : The mineral nutrition of higher plants. *Ann. Rev. Plant Physiol.*, 31 : 239-298.
- Coronell, R.E. and Wallihan, E.F. (1973) : Phosphorus concentration and uptake in rice straw and grain as influenced by deficiencies of nitrogen, potassium and manganese. *Kalikasum Phillip. J. Biol.*, 2 : 96-108.
- Cowan, I.R. and Milthrope, F.L. (1968) : Plant factors influencing the water status of plant tissue. In : "Water Deficit and Plant Growth", (Ed.) T.T. Kozlowski, Vol.I, pp.137-197. Academic Press, New York.
- Cram, W.J. (1976) : Negative feedback regulation of transport in cells. The maintenance of turgor, volume and nutrient supply. In : Encyclopedia of Plant Physiol., New series Vol.2A(Eds.) U.Luttge and M.G. Pitman) pp.284-316. Springer-Verlag, Berlin.

Cramer, G.R.; Lauchli, A. and Polito, V.S. (1985) :
Displacement of Ca^{+2} by Na^+ from the plasmalemma of
root cells : A primary response to salt stress. *Plant
Physiol.*, 79 : 207-211.

Cramer, G.R.; Lauchli, A. and Polito, V.S. (1985) :
Displacement of Ca^{+2} by Na^+ from the plasmalemma of
root cells : A primary response to salt stress. *Plant
Physiol.*, 79 : 207-211.

Das, B.K. and Sen, S.P. (1974) : The relationship between N,
P and K deficiency and crop yield : The uptake and
translocation of solutes. In : Proc. Symp. "Use of
radio isotopes and radiations in the studies of Plant
Productivity", organised by Deptt. Atomic Energy, Govt.
of India, pp.323-339.

Das, B.K. and Sen, S.P. (1981) : Effect of nitrogen,
phosphorus and potassium deficiency on the uptake and
mobilization of ions in bangal gram (*Cicer arietinum*).
J. Bioscience, 3 : 249-257.

Dashek, W.V. and Erickson, S.S. (1981) : Isolation, assay,
biosynthesis, metabolism, uptake and translocation and
functions of proline in plant cells and tissues. *Bot.
Rev.*, 47 : 349-385.

De Kock, P.C. and Morrisen, R.I. (1958) : The metabolism of
chlorotic leaves 2 organic acids. *Biochem. J.*, 76 :
272-277.

- Dela. Guardia, M.D. and Benlloch, M. (1980) : Effects of potassium and gibberllic acid on stem growth of whole sunflower plants. *Physiol Plant*, 49 : 443-448.
- De Leo, P. and Sacher, J.A. (1970) : Senescence : Association of synthesis of acid phosphatase with banana ripening. *Plant Physiol.*, 46 : 208-211.
- Demos, I.K.; Woolwine, M.; Wilson, R.H. and McMillan, C. (1975) : The effects of ten phenolic compounds on hypocotyl growth and mitochondrial metabolism of mung bean. *Am. J. Bot.*, 62 : 97-102.
- Demming-Adams, B. (1990) : Carotenoids and photoprotection in plants : a role for the xanthophyll zeaxanthin. *Biochim Biophys. Acta.*, 1020 : 1-24.
- Dillon, J.P. and Reilly, M.L. (1980) : The nitrate assimilation capacity of some Irish-grown wheat (*Triticum aestivum*) varieties-6. Inorganic nutrient effects on nitrogen metabolism. *Proc. Royal Irish Acad.*, 80-B : 153-164.
- Doman, D.C. and Geiger, D.R. (1979) : Potassium in crop production. In : Advances in Agronomy. Vol.33, (Ed.) N.C. Brady, Academic Press, New York, 1980 pp.59-110.
- Duff, S.M.G.; Lefebvre, D.D. and Plaxton, W.C. (1989) : Purification and characterization of phosphoenol pyruvate phosphatase from *Brassica nigra* suspension cells. *Plant Physiol.*, 90 : 734-741.
- Duff. S.M.G.; Gautam, S. and William, C.P. (1994) : The role

- of acid phosphatase in plant phosphorus metabolism.
Physiol. Plant., 90 : 791-800.
- Ebeid, M.M.; Hussain, S. and Adeeba, A.L. (1983) : Influence of potassium deficiency on proline and protein contents in Mesquite (*Prosopis juliflora*) seedlings. *Beitr Biolpflanz.*, 58(3) : 443-448.
- Elliott, D.C. (1976) : Cytokinin action in enzyme induction is a membrane related phenomenon. Abstracts 9th International Conference on Plant Growth Substances, Lausanne, pp. 86-87.
- Elliott, D.C. (1979) : Ionic regulation for cytokinin dependent betacyanin synthesis in *Amaranthus* seedlings. *Plant Physiol.*, 63 : 264-268.
- Elzam, O.E. and Hodges, T.K. (1967) : Calcium inhibition of potassium absorption in Urn roots. *Plant Physiol.*, 42 : 1483-1488.
- Epstein, E. (1972) :Mineral nutrition of Plants : Principles and Perspectives. John Wiley and Sons Ins., New York : 412.
- Ernst, W.H.O.; De Neeling, A.J. and Vooijs, R. (1983) : Replacement of sodium and potassium in natriphobe and a natriophile *Senecio* species. *Z. Pflanzenphysiol.*, 112 : 147-154.
- Esaka, M. and Asahi, T. (1982) : Purification and properties of catalase from sweet potato root microbodies. *Plant and Cell Physiol.*, 23(2) : 315-322.

- Evans, H.J. and Sorger, G.L. (1966) : Role of mineral elements with emphasis on univalent cations. *Ann. Rev. Plant Physiol.*, 17 : 47-76.
- Fabian-Galan, G. (1970) : Influence of phosphorus and potassium deficiency on the free amino acids content of sunflower leaves. *Rev. Roum. Biol. Ser. Bot.*, 15(5) : 345-349.
- Farah, S.M. (1981) : An examination of the effect of water stress on leaf growth of crops of field bean (*Vicia faba* L.) 2. Mineral content. *J. Agric. Sci.*, 96 : 337-346.
- Fergusson, I.B. (1980). Movement of mineral nutrients into the developing fruit of the kiwi fruit (*Actinidia chinensis*). *N.Z.J. Agric. Res.*, 23 : 349-354.
- Fink, S. (1991) : Structural changes in conifer needles due to Mg and K deficiency. *Fertilizer Res.*, 27 : 23-7.
- Fischer, R.A. (1972) : Aspects of potassium accumulation by stomata of *Vicia faba*. *Aust. J. Biol. Sci.*, 25 : 1107-1123.
- Fischer, R.A. and Hsiao, T.C. (1968) : Stomatal opening in isolated epidermal strips of *Vicia faba*. II. Response to KCl concentration and the role of potassium absorption. *Plant Physiol.* 43 : 1953-1958.
- Flowers, T.J.; Troke, P.F. and Yeo, A.R. (1977) : The mechanism of salt tolerance in halophytes. *Ann. Rev. Plant Physiol.*, 28 : 89-121.

- Folin, O. and Denis, W. (1915) : A calorimetric estimation of Phenols and phenol derivatives in urine. *J. Biol. Chem.*, 22 : 305-308.
- Ford, C.W. (1984) : Accumulation of low molecular weight solutes in water stressed tropical legumes. *Phytochemistry*, 23 : 1007-1015.
- Forster, H. and Mengel, K. (1969) : The effect of a short term interruption in the K supply during the early stage on yield formation. Mineral content and soluble amino acid content. *Z. Acker. D. Pflanzenbau.*, 130 : 203-213.
- Forster, J.C. and Jeschke, W.D. (1993) : Effect of potassium withdrawal in nitrate transport and on the contribution of the root to nitrate reduction in the whole plant. *J. Plant Physiol.*, 141 : 322-328.
- Franks, F. and Eagland, D. (1975) : The role of solvent interactions in protein conformation. *CRC Crit. Rev. Biochem.*, 3 : 165-219.
- Fric, F. (1976) : Oxidative enzymes. In : *Encyclopedia of plant physiology, New series, Vol.4. Physiological plant pathology* (Eds.) Heitefuss, R. and Williams, P.H.; Springer-Verlag Berlin, Heidelberg, New York, 1976, pp.617-631.
- Fritsch, H. and Jung, J. (1984) : Enzyme activities and leaf constituents in barley seedlings at different nutrient levels. *Z. Pflanzenphysiol.*, 114 : 433-442.

Gaikwad, D.K. (1995) : Physiological studies in salinity tolerance of grain Amaranth. A Ph.D. Thesis, Shivaji University, Kolhapur, India.

Gale, J. (1975) : Water balance and gas exchange of plants under saline conditions. In : Plants in saline environments. Ecological studies 15. (Eds.) Paljakoff-Mayer, A. and Gale, J. Springer Verlag, New York, pp.186-192.

Gauch, H.G. (1957) : Mineral nutrition of plants. *Ann. Rev. Plant Physiol.*, 8 : 31-64.

Geisler, G. and Stamp, P. (1978) : Chlorophyll content and PEP carboxylase activity in leaves of young maize plants supplied with different amounts of potassium. *Z. Acker-Pflanzenbau.*, 147 : 181-189.

Ghildiyal, M.C.; Pandey, M. and Sirohi, G.S. (1986) : Proline content in linseed varieties as influenced by zinc nutrition. *Indian J. Plant. Physiol.*, 24 : 368-374.

*Ghosh, N.A. and Hasan, A. (1977) : *Fertilizers News*, 22(4) : 10-12.

Giaquinta, R.J. (1977) : Potassium In crop production. In : Advances in agronomy. Vol.33 (Ed.) N.C. Brady. Academic Press, New York, 1980. pp.59-110.

Glass, A.D.M. (1976) : Regulation of potassium absorption in barley roots. An allosteric model. *Plant Physiol.*, 58 : 33-37.

- Glass, A.D.M. and Perley, J.E. (1980) : Varietal differences in potassium uptake by barley. *Plant Physiol.*, 65 : 160-164.
- Goering, H. and Thien, B.H. (1979) : Influence of nutrient deficiency on proline accumulation in cytoplasm of *Zea mays* L. seedlings. *Biochem.Biophys. Pflanz.*, 174 : 9-16.
- Goldstein, A.H.; Baertlein, D.A. and Dann, A. (1989) : Phosphate starvation stress as an experimental system for molecular analysis. *Plant Mol.Biol. Rep.*, 7 : 7-16.
- Goswami, N.N. and Bandyopadhyay (1978) : Potassium dynamics in alluvial soils. In : Potassium in Soils and Crops. Pot. Res. Inst. of India, New Delhi, pp.35-49.
- Goswami, N.N.; Bapat, S.R.; Leelavati, C.R. and Singh, R.N. (1976) : Potassium deficiency in rice and wheat in relation to soil type and fertility status. *Bulletin of Indian Society of Soil Science*, 10 : 194-198.
- Graham, R.D. and Ulrich, A. (1972) : Potassium deficiency induced changes in stomatal behaviour, leaf water potentials and root system permeability. *Plant Physiol.*, 49 : 105-109.
- Grattan, S.R. and C.M. Grieve (1992) : Mineral element acquisition and growth response of plants grown in saline environments. Agriculture. *Ecosystems and Environment*, 38 : 275-300.
- Greenway, H. and Pitman, M.G. (1965) : Potassium

- retranslocation in seedlings of *Hordeum vulgare*. *Aust. J. Biol. Sci.*, 18 : 235-247.
- Greenway, H. and Munns, R. (1980) : Mechanism of salt tolerance in nonhalophytes. *Ann. Rev. Plant Physiol.*, 31 : 149-190.
- Grimme, H. (1974) : Potassium release in relation to crop production. In : Proceedings of the 10th congress of the International Potash Institute, Berne, 113-118.
- *Grinberg, A.A. (1971) : Physiochemical basis of the protective function of catalase. *Latv. PSR. ZI. Akad. Veslis.*, 2 : 60-62.
- Gross, E.L. and Prashner, S.H. (1974) : Correlation between monovalent cation induced decrease in chlorophyll 'a' fluorescence and chloroplast structural changes. *Arch. Biochem. Biophys.*, 164 : 460-468.
- Grubben, G.J.H. (1976) : The cultivation of Amaranth as tropical leaf vegetable with special reference to S. Dahomey. *Comm. Dept. Agric. Res. R. Trop. Inst. (Netherlands)* No.67, 207 : 65-80.
- Guerero, M.G.; Vega, J.M. and Losada, M. (1981) : The assimilation of nitrate reducing system and its regulation. *Ann. Rev. Plant Physiol.*, 32 : 169-204.
- Gutierrez, L.E.; Crocomo, O.J. and Basso, L.C. (1978) : Effects of potassium deficiency on some metabolic aspects of Brassillian bean plants, (*Phaseolus vulgaris* L.), *Rev. Agric (Piracicaba Braz.)*, 53 : 209-216.

- Gutierrez, L.E.; Crocomo, O.J. and Rossi, C. (1992) : Effects of potassium deficiency and plant maturity on nitrate reductase activity in bean plant (*Phaseolus vulgaris* L.) *Cientifica (Jaboticabal)* 20(1) :51-56.
- Haeder, H.E. (1981) : Photosynthesis and assimilate accumulation under the influence of potassium nutrition. *Kali-Briefe*, 15 : 719-730.
- Halevy, J. (1977) : Potassium in crop production. In "Advances in Agronomy" Vol.33 (Ed.) N.C. Brady. Academic Press, New York, 1980. pp.59-110.
- Hall, A.E. and Loomis, R.S. (1972) : An explanation for the difference in photosynthetic capabilities of healthy and beet yellows-infected sugarbeets (*Beta vulgaris* L.). *Plant Physiol.*, 50 : 576-580.
- Hall, D.; Barr, R.; AL-Abbas, A.H. and Crane, F.L. (1972) : The ultrastructure of chloroplasts from mineral deficient maize leaves. *Plant Physiol.*, 50 : 404-409.
- Halliwell, B. (1981) : Free radicals, oxygen toxicity and aging. In : Age pigments (ed.) Sohal, R.S. Elsevier; 1-62.
- Handa, S.; Handa, A.K.; Hasegawa, P.N. and Ray, A.B. (1986) : Proline accumulation and the adaptation of cultured plant cells to water stress. *Plant Physiol.*, 80 : 938-945.
- Hann, S.K. (1977) : Sweet potato in : *Ecophysiology of*

- tropical crops (Eds. Paulo de T. Alvin and T.T. Koziowski), Acad. Press, New York. pp.237-248.
- Hanson, A.D.; Nelsen, C.E.; Pedersen, A.R. and Everson, E.H. (1979) : Capacity for proline accumulation during water stress in barley and its implication for drought resistance. *Crop. Sci.*, 19 : 489-493.
- Hanson, A.D.; May, A.M.; Grumet, R.; Bode, J.; Jamieson, G.C. and Rhodes, D. (1985) : Betaine synthesis in chenopods : localization in chloroplasts. *Proc. Natl. Acad. Sci. USA*, 82 : 3678-3682.
- Hanson, P.; Ryugo, K.; Ramos, D.E. and Fitch, L. (1982) : Influence of cropping on calcium, potassium, magnesium and carbohydrate status of 'French' Prune trees grown on potassium limited soils. *J. Am. Soc. Hort. Sci.*, 107 : 511-515.
- Hartt, C.E. (1970) : Effect of potassium deficiency upon translocation of ^{14}C in detached blades of sugarcane. *Plant Physiol.* 45 : 183-187.
- Hawk, P.B.; Oser, B.L. and Summerson, W.H. (1948) : Practical physiological chemistry. Publ. The Blockiston Co., U.S.A.
- He, T. and Cramer, G.R. (1992) : Growth and mineral nutrition of six rapid cycling *Brassica* species in response to sea water salinity. *Plant Soil*, 139 : 285-294.

- He, T. and Cramer, G.R. (1993) : Growth and ion accumulation of two rapid cycling *Brassica* species differening in salt tolerance. *Plant and Soil*, 153 : 19-31.
- Herbert, D. (1955) : Catalase from bacteria. In : "Methods in Enzymology", Vol.II (Eds.) Colowick, S.P. and Kaplan, N.O., Academic Press, Inc. Publishers, New York, pp.784-786.
- Herouart, D.; Montagu, V. and Inze, D. (1994) : Developmental and environmental regulation of the *Nicotiana plumbaginifolia* cytosolic cuzn-superoxide dismutase promoter in transgenic tobacco. *Plant Physiol.*, 104 : 873-880.
- Hewitt, E.J. (1963) : The essential nutrient elements : Requirements and increactions in plants. In : *Plant physiology, A treatise*, Vol.III (Eds.) Steward, F.C.; Academic Press, New York and London, pp.137-360.
- Hewitt, E.J. (1983) : A perspective of mineral nutrition : Essential and functional metals in plants. In : *Metals and micronutrients : Uptake and utilization by plants* (Eds.) D.A. Robb and W.S. Pierpoint; Academic Press, New York, pp.277-317.
- Hewitt, E.J. and Tatham, P. (1960) : Interactions of mineral deficiency and nitrogen supply on acid phosphatase activity in leaf extracts. *J. Exp. Bot.*, 11 : 367-376.
- Hillocks, R.J. and Chinodya, R. (1989) : The relationship between Altemaria leaf spot and potassium deficiency

causing premature defoliation of cotton. *Plant Pathol.*, 38 : 502-508.

Hind, G.; Nakatani, H.Y. and Izawa, S. (1974) : Light-dependent redistribution of ions in suspensions of chloroplast thylakoid membranes. *Proc. Natl. Acad. Sci. USA.*, 71 : 1484-1488.

Hinkle, P.C. and McCarty, R.E. (1978) : Potassium in crop production. In : "Advances in Agronomy" Vol.33 (Ed.) N.C. Brady. Academic Press. New York, 1980 : pp.59-110.

*Hoagland, D.R. (1944) : Mineral nutrition. In : "Physiology of Crop Plants" 2nd ed. Scientific publisher, Jodhpur, 1988 : pp.98-131.

*Hoagland, D.R. and Broyer, T.C. (1936) : General nature of the process of salt accumulation by roots, with description of experimental methods. *Plant Physiol.*, 11 : 471-472.

Hedges, T.K. (1973) : Potassium in crop production. In : "Advances in Agronomy", Vol.33. (Ed.) N.C. Brady. Academic Press, New York, 1980, pp. 59-110.

*Hofner, W. (1971) : Influence of potassium on water economy. In : Proc., 8th, Colloq. Int. Pot. Inst. pp.125-129.

Horiguchi, T. (1988) : Mechanism of manganese toxicity and tolerance of plants. IV. Effect of silicon on alleviation of Manganese toxicity of rice. *Plants Soil Sci. Plant Nutr.*, 34(1) : 65-73.

- Horovitz, C.T.; Brad, I.; Enescu, I.; Niculesca, S. and Joki, E. (1968) : Biochemical differences in maize as related to mineral deficiencies. I. changes in the activity of some enzymes. *Physiol. Plant.*, 21(6) : 1332-1340.
- Hosoi, S.; Lino, M. and Shimazaki, K. (1988) : Outward-rectifying K^+ channels in stomatal guard cell protoplasts. *Plant Cell Physiol.*, 29 : 907-911.
- Hsiao, T.C. (1976) : Stomatal ion transport. In : "Encyclopedia of Plant Physiology", New Series Vol.2 (Eds. U. Luttge and M.G. Pitman). Berlin; Springer Verlag : pp.195-221.
- Hsiao, T.C. and Lauchli, A. (1986) : Role of potassium in plant water relationships. In : Advances in Plant Nutrition Vol.2 (Eds.) B. Tinkler and A. Lauchli. Prager Pub., New York, pp.281-311.
- Hsiao, T. C.; Hageman, R.H. and Tyner, E.H. (1970) : Effects of potassium nutrition on Protein and total free amino acids in *Zea mays*. *Crop. Sci.*, 10 : 78-82.
- Hsu, W. and Miller, G.W. (1968) : Iron in relation to aconitate hydrotase activity in *Glycine max*. Merr. *Biochem. Biophys. Acta.*, 151 : 711-713.
- Huber, S.C. (1984) : Biochemical basis for effect of K-deficiency on assimilate export rate and accumulation of soluble sugars in soybean leaves. *Plant Physiol.*, 76 : 424-430.

- Huber, S.C. and Maury, W. (1980) : Effect of magnesium on intact chloroplast. *Plant Physiol.*, 65 : 350-354.
- *Humbert, R.P. and Martin, J.P. (1955) : Nutritional deficiency symptoms in sugarcane. *Hawaiian Planter's Record*, 55 : 95-102.
- Humble, G.D. and Hsiao, T.C. (1969) : Specific requirement of potassium for light activated opening of stomata in epidermal strips. *Plant Physiol.*, 44 : 230-234.
- Humble, G.D. and Raschke, K. (1971) : Stomatal opening quantitatively related to potassium transport. *Plant Physiol.*, 48 : 447-453.
- Iljn, W.S. (1951) : Metabolism of plants affected by lime induced chlorosis. II organic acids and carbohydrates. *Plant and Soil*, 3 : 339-351.
- Imamul Huq, S.M. and Larher, F. (1984) : Osmoregulation in higher plants : Effect of maintaining high Na:Ca ratio on the growth, ion balance and organic solute status of NaCl stressed cowpea (*Vigna sinensis* L.) Z. *Pflanzenphysiol.*, 113 : 163-176.
- Ishitani, M.; Takabe, T.; Kojima, K. and Takabe, T. (1993) : Regulation of glycine betaine accumulation in the halotolerant cyanobacterium *Aphanotheca halophytica*. *Aust. J. Plant Physiol.*, 20 : 693-703.
- Jackson, W.A. and Volk, R.J. (1968) : Role of potassium in photosynthesis and respiration. In : The role of

potassium in agriculture. pp.109-145. Madison.
Wasconsin, U.S.A.

Jacob, A. (1958) : Magnesium, The fifth major plant nutrient. Trans. from German by N. Walker. Staples Press Limited, London.

Jacobson, A. and Corcoran, M.R. (1977) : Tannins as gibberellin antagonists in the synthesis of α -amylase and acid phosphatase by barley seeds. *Plant Physiol.*, 59 : 129.

Jacoby, B., Abas, S. and Steinitz, B. (1973) : Rubidium and potassium absorption by bean leaf slices compared to sodium absorption. *Plant Physiol.*, 28 : 209-214.

Janzen, H.H. and Chang, C. (1987) : Cation nutrition of barley as influenced by soil solution composition in a saline soil. *Can. J. Soil Sci.*, 67 : 619-629.

Jarvis, P.G. (1971) : The estimation of resistance of carbondioxide transfer. In : Plant photosynthetic production. Manual of methods. (Eds.) Z. Sestak, J. Catsky and P.G. Jarvis, Dr. W.Junk Pub. The Hague : pp.566-631.

Jaworski, E.G. (1971) : Nitrate reductase assay in intact plant tissues. *Biochem. Biophys. Res. Commun.*, 43 : 1274-1279.

Jeschke, W.D. (1984) : K^+-Na^+ exchange of cellular membranes, intracellular compartmentation of cations and salt tolerance. In : Salinity Tolerance in Plants

- Strategies for Crop Improvements (Eds.) R.C. Staples and G.H. Toenniessen. John Wiley and Sons, New York.
- Jeschke, W.D. and Wolf, O. (1988) : Effect of NaCl salinity of growth, development, ion distribution and ion translocation in castor bean (*Ricinus communis* L.) *J. Plant Physiol.*, 132 : 45-53.
- Jeschke, W.D. and Pate, J.S. (1991) : Cation and chloride partitioning through xylem and phloem within the whole plant of *Ricinus communis* L. under conditions of salt stress. *J. Expt. Bot.*, 42 : 1105-1116.
- Jones, R.L.; Gilroy, S. and Hillmer, S. (1993) : The role of calcium in the hormonal regulation of enzyme synthesis and secretion in barley aleurone. *J. Exp. Bot.*, 44 (Supp.) 207.
- Joshi, G.V. (1976) : Studies in photosynthesis under saline conditions. Final report P.L.480 Project No.A-7-SWC-95, Department of Botany, Shivaji University, Kolhapur India pp. 195.
- Kafkafi, U. (1984) : Plant nutrition under saline conditions. In : I. Shainberg and J. Shalhevett (Editors), Soil Salinity under Irrigation-Processes and Management. Springer, Berlin : 319-338.
- Kansal, B.D. (1976) : Influence of amount and nature of clay on potassium availability of some alluvial soils. *Indian Soc. Soil Sci. Bull.*, No.10 : 78-95.

- Kanwar, J.S.; Das, M.N.; Sardana, M.G. and Bapat, S.R. (1972) : Balanced fertilizer use for maximizing returns from wheat on cultivators field. *Fertilizers News*, 17 : 19-30.
- Karadge, B.A. (1986) : Physiological studies in potassium nutrition of groundnut. UGC Project, Shivaji University, Kolhapur, India, pp.56.
- Kent, F.M. and Hanson, A.D. (1992) : Salt inducible betaine aldehyde dehydrogenase from sugarbeet : cDNA cloning and expression. *Plant Mol. Biol.*, 18 : 1-11.
- Kirk, J. OT and Allen, R.L. (1965) : Dependence of chloroplast pigment synthesis on protein synthesis. Effect of actidione. *Arch. Biochem. Biophys. Res. Commun.*, 21 : 523-530.
- Kluge, M. and Ting, I.P. (1978) : Crassulacean Acid Metabolism. Analysis of an 'Ecological Adaptation'. Springer-Verlag, Berlin.
- Koehler, K.H. and Dieter, B. (1970) : Influence of potassium nitrate on the biosynthesis of betacyanin in seedlings of *Amaranthus caudatus*. *Biol. Zentralbi.*, 89(2) : 201-211.
- Kondo, K. and Morita, Y. (1951) : Studies on phyto-peroxidase(I). On the isolation of phyto-peroxidase. *Bull. Res. Inst. Food Sci., Kyoto Univ.*, No.4 : 12-23.
- Krishnakumari, M. and Singh, R. (1991) : Uptake of cations by *Hordeum vulgare* (barley) under different levels of

soil moisture and potassium. *J. Pot. Res.*, 7(3) : 226-231.

Laetsch, B. (1971) : Succulence and potassium accumulation of nitrogen deficient plants. *Z. Pflanzenphysiol.*, 64 : 393-399.

Lal, K.N. and Subba Rao, M.S. (1960) : Effect of mineral deficiencies on growth and physiological characters of Graminaceous plants. *Indian J. Plant Physiol.*, 3(2) : 172-180.

Lauchli, A. (1972) : Translocation of inorganic solutes. *Ann. Rev. Plant Physiol.*, 23 : 191-236.

Lauchli, A. and Pfluger, R. (1978) : Potassium transport through plant cell membranes and metabolic role of potassium in plants. In : Potassium Research Review and Trends. International Potash Institute Bern/Switzerland, pp.111-164.

Lauchli, A. and Pfluger, R. (1980) : Potassium transport through cell membrane and metabolic role of potassium in plants. In : International Potash Institute, Bern, Switzerland, IPI Research Topics No.6, pp.5-57.

Lawason, A.O.; Otusangu, O.O. and Akomoledede, D.A. (1977) : Mechanism of potassium deficiency induced retardation of chlorophyll biosynthesis in *Zea mays*. *Experintia*, 33 : 145-149.

Lefebvre, D.D.; Duff, S.M.G.; Fife, C.; Singh, J.I. and Plaxton, W.C. (1990) : Response to phosphate

- deprivation in *Brassica nigra* suspension cells. Enhancement of intracellular, cell surface and secreted phosphatase activities compared to increase in P1 absorption rate. *Plant Physiol.*, 93 : 504-511.
- Lehman, R.H. and Rice, E.L. (1972) : Effect of deficiencies of nitrogen, potassium and sulphur on chlorogenic acids and scopolin in sunflower. *An.Midl.Nat.*, 87(1) : 71-80.
- Leigh, R.A. and Wyn Jones, R.G. (1984) : A hypothesis relating critical potassium concentrations for growth to the distribution and functions of this ion in the plant cell. *New Phytol.*, 97 : 1-13.
- Liasen-Jensen, S. and Jensen, A. (1971). Quantitative determination of carotenoids in photosynthetic tissues. In "Methods of Enzymology" (Ed.) San Pietro, A., Academic Press, Inc. Publishers, New York, pp. 586-602.
- *Loche, J. and Chouteau, J. (1963) : Calcium, magnesium or phosphorus deficiency and accumulation of polyphenolics in tobacco leaf. *Compt. Rend. Hebd. Seances Acad. Agr. France*, 49(12) : 1017-1026.
- Lockhart, J.A. (1968) : An analysis of irreversible cell elongation. *Theor Biol.*, 8 : 264-275.
- Loneragan, J.F.; Snowball, K. and Robson, R.D. (1976) : Remobilization of nutrients and its significance in plant nutrition. In : "Transfer and transport processes in plants" (Eds.) J.F. Wardlaw and J.B. Passious. Academic Press, New York, 463-469.

Loué, A. (1965) : Le diagnostic foliaire du maïs (méthodologie et état actuel des connaissances, utilisation). Proc. 4th Colloquium Intern. Potash Inst., 105-116.

Lowry, O.H.; Rosenbrough, N.J.; Furr, A.L. and Randall, R.J. (1951) : Protein measurement with the folin phenol reagent. *J. Biol. Chem.*, 193 : 262-275.

Maathuis, F.J.M. and Sanders, D. (1993) : Energization of potassium uptake in *Arabidopsis thaliana*. *Planta*, 191 : 302-307.

Maathuis, F.J.M. and Sanders, D. (1996) : Mechanism of potassium absorption by higher plant roots. *Rev. Physiologia Planta*, 96 : 158-168.

Mabry, T.J. (1966) : The Betacyanins and Betaxanthins. In: "Comparative phytochemistry, (Ed.) T. Swain. Academic Press, London and New York.

Machold, O. and Stephan, U.W. (1969) : The function of iron in porphyrin and chlorophyll biosynthesis. *Phytochem.*, 8 : 2189-2192.

Mac Robbie, E.A.C. (1977) : Functions of ion transport in plant cells and tissues. M.T.P. *International Review of Biochem.*, 12 : 211-247.

Malek, F. and Baker, D.A. (1977) : Potassium in crop production. In : Advances in agronomy (Ed.) N.C. Brady, Vol. 33. Academic Press, New York, 1980, pp.59-110.

- Mansfield, T.A. and Davis, W.J. (1985) : Mechanism of leaf control of gas exchange. *Bioscience*, 35 : 158-164.
- Mansfield, T.A.; Hetherington, A.M. and Atkinson, C.J. (1990) : Some current aspects of stomatal physiology. *Ann. Rev. Plant Physiol. Plant Mol. Biol.*, 41 : 55-75.
- Marschner, H. (1983) : General introduction to the mineral nutrition of plants. In : *Encyclopedia of plant physiology, New series*" (Eds) A. Lauchli and R.L. Bieleski, Vol.15A : 5-60. Springer-Verlag, Berlin and New York.
- Marschner, H. (1986) : Mineral nutrition of higher plants. Academic Press, London : 674-675.
- Marschner, H. and Mix, G. (1974) : Functions of mineral nutrients : Macronutrients. In : *Mineral Nutrition in higher plants*. Academic Press Inc., London, pp.195-267.
- Marschner, H. and Possingham, J.V. (1975) : Effect of K^+ and Na^+ on growth of leaf discs of sugar beet and spinach. *Z. Pflanzenphysiol.* 75 : 6-16.
- Marschner, H.; Kuiper, P.J.C. and Kylin, A. (1981) : Genotypic differences in the response of sugar beet plants to replacement of potassium by sodium. *Physiol. Plant*, 51 : 239-244.
- Martin, H.W. and Sparks, D.L. (1983) : Kinetics of non-exchangeable potassium release from two coastal plain soils. *Soil Science Society of America Proceedings*. 47 : 883-888.

- Martinez, V. and Lauchli, A. (1991) : Phosphorus translocation in salt stressed cotton. *Physiol. Plant.*, 83 : 627-632.
- Mass, E.V. and Nieman, R.H. (1978) : Physiology of plant tolerance to salinity. In : Crops tolerance to suboptimal land conditions, (Ed.) G.A. Jung. *Amer. Soc. Agron. Spec. Pub.*, 32 Capt., 13 : 277-299.
- Match, T.; Ohta, D. and Takahashi, E. (1986) : Effect of sodium application on growth of *Amaranthus tricolor*. *Plant Cell Physiol.*, 27(2) : 187-192.
- McCarthy, R.E. (1976) : Ion transport and energy conservation in chloroplasts. In : Encyclopedia of plant physiology, New series, Vol.3 (Eds.) Stocking, C.R. and Herber, U.; Springerverlag, Berlin, Heidelberg, New York, pp.347-376.
- McLachlan, K.D. (1980) : Acid phosphatase activity of intact roots and phosphorus nutrition in plants. I. Assay conditions and phosphatase activity. *Aust. J. Agric. Res.*, 21 : 429-440.
- McQuate, G.I.; Germann, P.F. and Cannon, E.F. (1986) : Soybean cell sap response to water deficits. *J. Plant Physiol.*, 125 : 105-114.
- Mengel, K. (1967) : Potassium in crop production. In : "Advances in Agronomy", Vol.33 (Ed.) N.C. Brady. Academic Press, New York, 1980. pp.59-110.

Mengel, K. (1977) : Spezifische wirkungen des Kaliums bei der Ertragsbildung der Pflanzene. *Bodenkultur.*, 28 : 366-385.

Mengel, K. (1980) : Effect of potassium on assimilate conduction to storage tissue. *Ber. Deutsch. Bot. Ges.*, 93 : 353-362.

Mengel, K. and Haeder, H.E. (1977) : Effect of potassium supply on the rates of phloem sap exudation and the composition of phloem sap of *Ricinus communis*. *Plant Physiol.*, 59 : 282-284.

Mengel, K. and Kirkby, E.A. (1978) : Potassium in crop production. In : Advances in agronomy, Vol.33, (Ed.) N.C. Brady, Academic Press, New York, 1980 : pp.59-110.

Mengel, K. and Kirkby, E.A. (1980) : Potassium in crop production. *Adv. Agron.*, 33 : 59-110.

Mengel, K. and Kirkby, E.A. (1982) : "Principles of plant nutrition", 3rd ed. Int. Potash. Inst. Bern, Switzerland.

Mengel, K. and Pfluger, R. (1969) : Der Eingluss Verschiedener Salze und Verschiedener inhibitoren auf den wurzeldruck. von *Zea mays*. *Physiol. Plant.*, 22 : 840-849.

Mengel, K. and Simic, R. (1973) : Effect of potassium supply on the acropetal transport of water, inorganic ions and amino acids in young decapitated sunflower plants (*Helianthus annus*). *Physiol. Plant.*, 28 : 232-236.

- *Mileva, D. and Kluzyak, K. (1983) : Effect of potassium deficiency on the activity of some enzymes in pepper plants. Nauchni-Tr-Vissh selahostop. Instn. "Vasil Kolarov" Polvdiv, 28 : 61-66.
- Miller, G.L. (1972) : Estimation of reducing sugar by dinitrosalicylic acid method. *Anal. Chem.*, 31 : 426.
- Mishra, R.C. (1970) : Potassium status of Uttar Pradesh soils. *J. Indian Soc. Soil Sci.*, 18 : 319-326.
- Mondal, S.S.; Das, S.K.; Pradhan, B.K. and Goswami, S.B. (1990) : Effect of potassium on the growth and yield of mustard at varying plant density. *J. Pot. Res.*, 6(3) : 119-123.
- Mooney, M.A. (1972) : The carbon balance of plants. *Ann. Rev. Ecology and Systematics*, 3 : 315-346.
- Moore, T.C. (1974) : Research experiences in plant physiology : A Laboratory Manual. Publ. Springer-Verlag, Berlin, Heidelberg, New York, pp.462.
- *Morard, P. (1973) : Contribution to the study of the potassium nutrition of *Sorghum*. Thesis University, Toulouse.
- *Morard, P. (1974) : Physiological role of potassium in plants. *Pot. Rev.*, 10, Subj. 3, 49th Suite : 1-8.
- Mueller, P. and Rudin, D.O. (1967) Potassium in crop production. In : "Advances in Agronomy", Vol.33 (Ed.) N.C. Brady. Academic Press, New York, 1980. pp.59-110.
- Mukhopadhyay, S.K.; Sen, H. and Jana, P.K. (1992) : Effect

- of potassium on growth and yield of sweet potato. *J. Root Crops*, 18(1) : 10-14.
- Mumford, F.E.; Stark, H.M. and Smith, D.H. (1962) : A naturally occurring cofactor for indole acetic acid oxidase. *Plant Physiol.*, 37 : 14.
- Murumkar, C.V. (1986) : Physiological studies in chickpea (*Cicer arietinum* L.). A Ph.D. Thesis submitted to the Shivaji University, Kolhapur (India).
- Murumkar, C.V. and Chavan, P.D. (1992) : Effect of potassium deficiency on metabolism of chickpea, *Cicer arietinum* L. *Acta Agronomica Hungarica*, 41(3-4) : 177-182.
- Murumkar, C.V. and Chavan, P.D. (1985) : Changes in inorganic status and enzyme activity in senescent leaves of chickpea (*Cicer arietinum* L.) *Acta. Soc. Bot. Pol.*, 54 : 391-401.
- Murumkar, C.V.; Karadge, B.A. and Chavan, P.D. (1982) : Growth, mineral nutrition and nitrogen metabolism of potassium deficient *Sorghum*. *Biovigyanam*, 8 : 37-42.
- Nelson, N. (1944) : A photometric adaptation of the somogyi method for the determination of glucose. *J. Biol. Chem.*, 153 : 375-380.
- Nelson, W.L. (1980) : Interactions of potassium with moisture and temperature. In:Potassium for agricultural - A situation analysis : 109-122.
- Nightingale, G.T.; Schermerhorn, L.G. and Robbins, W.E. (1930) : Some effects of potassium deficiency on the

histological structure and nitrogenous and carbohydrate constituents of plants. New Jersey. Agr. Expt. Sta. Bull., 499.

Nitsos, R.E. and Evans, H.J. (1969) : Effect of univalent cations on the activity of particulate starch synthetase. *Plant Physiol.*, 44 : 1260-1266.

Nordin, A. (1977) : Effect of low root temperature on ion uptake and ion translocation in wheat. *Physiol. Plant.*, 39 : 305-310.

Obrenovic, S. (1986) : Effects of calcium/magnesium chelators, SKF 525A and rotenone on phytochrome mediated betacyanin formation in *Amaranthus caudatus* seedlings. *Physiol. Plant.*, 67(4) : 626-629.

Ohta, D.; Match, T. and Takahashi, E. (1987) : Early response of sodium deficient *Amaranthus tricolor* L. plants to sodium application. *Plant Physiol.*, 84(1) : 112-117.

Okamoto, S. (1969) : The respiration in leaf discs from younger taro plants under a moderate potassium deficiency. *Soil Sci. Plant Nutr.*, 15 : 272-279.

Ortiz, A.; Martinez, V. and Cerdá, A. (1994) : Effect of osmotic shock and calcium on growth and solute composition of *Phaseolus vulgaris* plants. *Physiol. Plant.*, 91 : 468-476.

Ozbun, J.L.; Volk, K.J. and Jackson, W.A. (1965) : Effect of potassium deficiency on photosynthesis, respiration and

- the utilization of photosynthetic reductants by immature bean plant leaves. *Crop. Sci.*, 5(1) : 69-75.
- Palag, L.G.; Douglas, T.J.; Van Daal, A. and Keech, D.B. (1981) : Proline, Betaine and other organic solutes protect enzymes against heat inactivation. *Aust. J. Plant Physiol.*, 8 : 107-114.
- Palfi, G., Kores, E.; Bito, M. and Sebestyen, R. (1974) : The role of amino acids during water stress in species accumulating proline. *Phyton. Rev. Int. Bot. Exp.*, 32(2) : 121-128.
- Park, Y.D.; Kim, Y.S. and Park, C.S. (1971) : Effect of potassium on rice plant grown on a Akiochi soil. *Potash Rev.*, 23/36 pp.8.
- Patil, B.C.; Panchal, Y.C. and Janardhan, K.V. (1987) : Photosynthesis and associated leaf characters of Bidi tobacco (*Nicotiana tabacum* L.) as influenced by levels of potash. *J. Pot. Res.*, 3(3) : 122-128.
- Patra, A.K.; Tripathy, S.K. and Samui, R.C. (1995) : Seasonal variation in growth and yield of groundnut at different levels of N and K. *Indian J. Plant Physiol.*, 38(3) : 218-223.
- Paul, A.K. and Mukherji, S. (1972) : Changes in respiration rate of rice seedlings as affected by storage and viability and its possible relation with catalase and peroxidase activity during germination. *Biol. Plant.*, 14 : 414-419.

Pedro B. F. and Uribe, E.G. (1981) : Temperature dependence of the concentration kinetics of absorption of phosphate and potassium in corn roots. *Plant Physiol.*, 67 : 815-819.

Penny, M.G.; Moore, K.G. and Lovell, P.H.(1976) : Effects of potassium deficiency on cotyledon photosynthesis and seedling development in *Cucumis sativus* L. *Ann. Bot.*, 40 : 981-991.

Peoples, T.R. and Koch, D.W. (1979) : Role of potassium in carbon dioxide assimilation in *Medicago sativa* L. *Plant Physiol.*, 63 : 878-881.

Piattelli, M.; Giudici de Nicola, M. and Castrogiovanni, V. (1971) : Effect of kinetin on amaranthin synthesis in *Amaranthus tricolor* in darkness. *Phytochem.*, 10(2) : 289-293.

Pilet, P.E.; Laranchy, P. and Sorhonkian (1970) : Interactions between peroxidase, polyphenol oxidase and quxin oxidae. *Physiol. Plant*, 23(4) : 800-804.

Poffenroth, M.; Green, D.B. and Tallman, G. (1992) : Sugar production by guard cells of *Vicia faba* illuminated with red or blue light. *Plant Physiol.*, 98 : 1460-1471.

Polizotto, K.R. (1986) : Potassium nutrition for higher wheat yields. *Agri. View*, 6 : 3-4.

Popp, M. and Kinzel, H. (1971) : Changes in the organic content of some cultivated plants induced by mineral ion deficiency. *Plant Physiol.*, 47 : 525-531.

- Pressman, B.C. (1968) : Potassium in crop production. In : "Advances in Agronomy", vol.33. (Ed.) N.C. Brady. Academic Press, New York, 1980, pp.59-110.
- Radi, A.F.; Ahmed, A.M. and Khedary, S.A. (1973) : Influence of mineral nutrients on photosynthesis and some related metabolic processes. *Bull. Fac. Sci. Assiut. Univ.*, 2(2) : 13-23.
- Rains, D.W. (1972) : Salt transport by plants in relation to salinity. *Ann. Rev. Plant Physiol.*, 23 : 367-388.
- Rajagopal, V. and Rao, I.M. (1974) : Change in endogenous level of auxins and gibberellins like substances in the shoot apices of nitrogen deficient tomato plants (*Lycopersicum esculentum* Mill.). *Aust. J. Bot.*, 22(3) : 429-435.
- Ramamoorthy, B. (1969) : Available nitrogen, phosphorus and potassium status of Indian soils. *Fertil. News*, 14 : 1-12.
- Ramanathan, K.M. and Krishnamoorthy, K.K. (1976) : A study of relationship between certain soil characteristics and potassium fixation. *Indian Soc. Soil Sci. Bull.*, No.10 : 42-45.
- Ramanathan, K.M. and Krishnamoorthy (1978) : Potassium dynamics in red soils. In : Potassium In Soils and Crops. Pot. Res. Inst. of India, New Delhi. pp.69-79.
- Rama Rao, N. (1986) : Potassium nutrition of pearl millet subjected to moisture stress. *J. Pot. Res.*, 2 : 1-12.

- Randall, D.D.; Tolbert, N.E. and Gremel, D. (1971) : 3-phosphoglycerate phosphatase in plants, II. Distribution, physiological considerations and comparison with p-glycolate phosphatase. *Plant Physiol.*, 48 : 480-487.
- Rao, E.V.S.; Prakasa, C.G. and Puttanna, K. (1983) : Biomass accumulation and nutrient uptake pattern in coriander (*Coriandrum sativum* L.) var. CIMPOS-33. *Indian Perfum.*, 27 : 168-170.
- Rao, V.K. and Rao, M.K.V. (1984) : Influence of potassium on chlorophyll content of pigeon pea leaves. *Comp. Physiol. Ecol.*, 9 : 169-172.
- Raschke, K. (1971) : Stomatal movements in *Zea mays* : Shuttle of potassium and chloride between guard cells and subsidiary cells. *Planta*, 101 : 296-316.
- Raschke, K. (1975) : Stomatal action. *Ann. Rev. Plant Physiol.*, 26 : 309-340.
- Rathert, G. (1982) : Influence of extreme K:Na ratios and high substrate salinity on plant metabolism of crops differing in salt tolerance. *J. Plant Nutr.*, 5 : 183-193.
- Rathert, G. and Doering, H.W. (1983) : Influence of extreme K:Na ratios and high substrate salinity on plant metabolism of crops differening in salt tolerance, VIII. Ion-specific salinity effects on carbohydrates and degradative enzymes of two soybean varieties. *J. Plant Nutr.*, 6 : 583-595.

- Ratner, A. and Jacoby, B. (1976) : Potassium in crop production. In : Advances in Agronomy", Vol.33 (Ed.) N.C. Brady, Academic Press, New York, 1980 : pp.59-110.
- Reilly, M.L. (1979) : The nitrate assimilation capacity of some Irish-grown wheat varieties V. Flag leaf metabolism. *Proc. Royal Irish Acad.*, 79-B : 215-222.
- Repka, J. (1983) : Accumulation of ions in the leaves and chloroplasts. Photosynthesis and growth of maize plants under deficiency and excess of nitrogen, phosphorus and potassium in the medium. *Photosynthetica*, 17 : 371-378.
- Rhodes, D. and Klug, A. (1993) : Zinc fingers. *Sci. Am.*, 268 : 32-39.
- Rice, E.A. (1979) : Alleopathy-An upodate. *Bot. Rev.*, 45 : 15-109.
- Ridolfi, M. and Garrec, J.P. (1994) : Effect of potassium and calcium deficiencies on stomatal functioning in intact leaves of *Vicia faba*. *Can. J. Bot.*, 72 : 1835-1842.
- Rodriguez, S.J.; Cibes, H.R. and Gonsales, I. (1968) : Deficiency symptoms displayed by guava (*Psidium guajava* L.) under green house conditions. *PR. Agr. Exp. Sta. Tech. Pap.*, 54 : 5-26.
- Rogaler, W. (1958) : Role of potassium in drought tolerance. In : Potassium and plant physiology. Pot. Res. Inst. of India, Gurgaon, Haryana, India. pp.21-36.

- Roger, D.M. (1972) : On the variability of chlorogenic acid concentration. *Oecologia.*, 9(3) : 289-300.
- Rogers, C.A. (1979) : Relationship of temperature to stomatal aperture and potassium accumulation in guard cells of *Vicia faba*. *Plant Physiol.*, 63 : 388-391.
- Roy, H.K.; Ajaykumar and Sarkar, A.K. (1991) : Response of maize (*Zea mays*) to potassium in soils of umendanda series of Ranchi. *J. Potassium Research*, 7(4) : 285-292.
- Russell, G.E. (1969) : Different forms of inherited resistance to virus yellows in sugarbeet. *Inst. Int. Rech. Better*, 4 : 131-144.
- Sainy, R. and Chatterjee, C. (1994) : Barley. In : Potassium nutrition of some crop plants. (Eds.) M. Singh and M.K. Mishra. Pub. Pot. Res. Inst. of India, Gurgaon, Haryana. pp.16-19.
- Salim, M. (1989) : Effect of salinity and relative humidity on growth and ionic relations of plants. *New Phytol.*, 113 : 13-20.
- Saric, M.; Cupina, T. and Geric, L. (1965) : Uptake and distribution of ^{14}C in free amino acids in young maize plants independence of mineral nutrition. *Meded Landbouwhogeschool Opzoekingsta. Stuat Gent.*, 30 : 1045-1053.
- Savitskaya, N.N. (1976) : The physiological role in plants. *Biol. Nauki.*, 19(2) : 46-61.

Saxena, N.P. (1985) : The role of potassium in drought tolerance. *Potash Rev.*, No.5, *Int. Potash Inst., Bern.*, 16 : 1-15.

Saxena, N.P. and Krishnamurthy, L. (1979) : Pulse physiology progress report 1978-1979, Part-II. Chickpea physiology. ICRISAT, Hyderabad, India : pp.179.

Scheffer, F. and Schachtschabel, P. (1982) : Lehbuch der Bodenkunde, 11. Auflage (Textbook of soil science, 11th edition), Stuttgart.

Scherer, H.W.; Schubert, S. and Mengel, K. (1982) : Effect of potassium nutrition on growth rate, carbohydrate content and water relations in young wheat plants. *Z. Pflanzenernaehr.*, 145 : 237-245.

Schobert, B. and Tschesche, H. (1978) : Unusual solution proteins of proline and its interaction with proteins. *Biochem. Biophys. Acta.*, 541 : 270-277.

Sekine, T.; Sasakawa, T.; Morita, S.; Kimura, T. and Kuratom, K. (1965) : cf. Laboratory manual for physiological studies of rice (Eds.) Yoshida, S., Forno, D., Cook, J.B. and Gomez, K.A. Publ. International Rice Research Institute, Manila, India 1972.

Sharma, S.S.; Sharma, S. and Rai, V.K. (1988) : Possible involvement of phenolic compounds in stomatal movements. In Proc. of International Congress of Plant Physiology Feb.15-20, 1988. New Delhi, organised by

Society for Plant Physiology and Biochemistry, New Delhi.

Sharma, P.N.; Tripathi, A. and Bisht, S.S. (1995) : Zinc requirement for stomatal opening in cauliflower. *Plant Physiol.*, 107 : 751-756.

Shchukina, A.T. (1965) : Drought and attendant changes in the water regime of maize. *Fiziol. Rast.*, 12 : 1069-1074.

Shimose, N. (1973) : Physiology of salt injury in crops. (X). Effect of environmental conditions on the growth of rice plants grown in excess salt solutions. *Scientific Reports Fac Agric Okayama Univ.*, 41 : 69-78.

Shkolnik, M.Y. (1974) : General conception of physiological role of boron in plants. *Fiziol. Rast.*, 21(1) : 174-186.

Singh, H. and Thomas, T.A. (1978) : Grain *Amaranthus*, In : "Grain Amaranth, Buckwheat and chenopods", (Ed.) A.M. Wadhwani, ICAR, Publication New Delhi. pp.1-29.

Singh, P.; Parmar, U.; Grewal, M.K.; Bhatia, D.S. and Malik, C.P. (1987) : Phenolic acids a regulator of oil production and yield contributing parameters in peanut. Proc. National Seminar on Physiology and Biochemistry of Oil Seed Plants. S.V. Univ. Tirupati : 42.

Singh, S. and Singh, K.K. (1970) : Effect of soil moisture conditions and potassium application on the chemical composition of the leaf of rice plant at different

- stages of growth and development. *Proc. Nat. Acad. Sci. India A.*, 40 : 285-295.
- Singh, V. and Tomar, J.C. (1991) : Effect of K and FAM levels on yield and uptake of nutrients by wheat. *J. Pot. Res.*, 7(4) : 309-313.
- Singh, S.S. and Verma, S.K. (1991) : Influence of potassium, zinc and boron on growth and yield of Tomato (*Lycopersicon esculentum* Mill.). *Veg. Sci.*, 18(2) : 122-129.
- Sinha, S.K. and Nair, T.V.R. (1971) : Leaf area during growth and yielding capacity of casava. *Indian J. Genet.*, 31 : 16-21.
- Sinha, S.K. and Nicholas, J.D. (1981) : 'Nitrate reductase' in physiology and biochemistry of drought resistance in plants. Academic Press, Australia, pp.167.
- Sinha, N.C. and Singh, J.N. (1984) : Studies in mineral nutrition of Japanese mint II. Influence of potassium deficiency and seasonal variations on nitrogen metabolism and respiration rate and essential oil content. *Plant Soil*, 79 : 51-59.
- Sircar, S.M. and Datta, S.C. (1959) : Studies on the physiology of rice. K. Effects of potassium deficiency on growth and metabolism. *Indian J. Agric. Sci.*, 27 : 1-24.
- Skogley, E.O. (1976) : Potassium and drought tolerance : A

- national view. In :Potassium and Plant Physiology, Pot. Res. Inst. of India, Gurgaon, Haryana, India. pp.47-56.
- Slatyer, R.O. (1955) : Studies of the water relations of crop plants grown under natural rainfall in Northern Australia. *Aust. J. Agric. Res.*, 6 : 365.
- Smith, G.S.; Lauren, D.R.; Cornforth, I.S. and Agnew, M.P. (1982) : Evaluation of putrescine as a biochemical indicator of potassium requirements of lucerne. *New Phytol.*, 91 : 419-428.
- Smith, G.S.; Cornforth, I.S. and Henderson, H.V. (1984) : Iron requirements of C₃ and C₄ plants. *New Phytol.*, 97 : 543-555.
- Sorger, G.J.; Ford, R.E. and Evans, H.J. (1965) : Effects of univalent cations on the immuno-electrophoretic behaviour of pyruvic kinase. *Proc. Natl. Acad. Sci. USA*, 54 : 1614-1621.
- Spear, S.N.; Asher, C.J. and Edwards, D.G. (1978) : Responses of cassava, sunflower and maize to potassium concentrations in solution. I. Growth and plant potassium concentration. *Field Crop. Res.*, 1 : 347-361.
- Srivastava, H.S. (1980) : Regulation of nitrate reductase activity in higher plants. *Phytochem.*, 19 : 725-753.
- Stewart, G.R. and Lee, J.A. (1974) : The role of proline accumulation in halophytes. *Planta*, 120 : 279-289.
- Stewart, G.R. and Larher, F. (1980) : Accumulation of amino acids and related compounds in relation to

environmental stress. In : The Biochemistry of Plants (Eds.) R.K. Stumpf and E.E. Conn. Vol. pp. 609-635. Academic Press, New York.

Storey, R. and Wyn Jones, R.G. (1977) : Quaternary ammonium compounds in plants in relation to salt resistance. *Phytochem.*, 16 : 447-453.

Storey, R. and Wyn Jones, R.G. (1978) : Salt stress and comparative physiology in the Gramineae. I. Ion relations of two salt and water stress barley cultivars, California Mariout and Arimarr. *Aust. J. Plant Physiol.*, 5 : 801-618.

Stout, R.R. (1961) : Micronutrients in crop vigour. Proc. 9th Ann. Calif. Fertilizer conf., pp. 21-23.

Strogonov, B.P. (1964) : Physiological basis of salt tolerance of plants. Trans. Poljakoff Mayber, A. and Mayer, A.M. Israel Program Sci. Transl., Jerusalem. pp. 279.

Subbarao, G.V.; Johansen, C.; Jana, M.K. and J.V.D.K. Kumar Rao (1990) : Effects of sodium/calcium ratio in modifying salinity response of pigeonpea (*Cajanus cajan*). *J. Plant Physiol.*, 136 : 439-443.

Subrahmanyam, K. (1987) : Effect of N, K and Ca deficiency on growth pattern of blackgram. *Indian J. Plant Physiol.*, 30(2) : 205-207.

Subrahmanyam, K. and Pandey, R.K. (1986) : Effect of N, K and Ca deficiency on photosynthesis and translocation

- of ^{14}C photosynthate in Black gram (*Vigna mungo* L. Hepper). *J. Nuclear Agric Biol.*, 15(4) : 202-206.
- Suelter, C.H. (1970) : Enzymes activated by monovalent cations. *Science*, 168 : 789-795.
- Suzuki, E.; Ohnishi, J.; Kashiwagi, M. and Kanai, R. (1986) : Comparison of photosynthetic and photorespiratory enzyme activities between green leaves and colourless parts of variegated leaves of a C_4 plant. *Stenoxaphrum secundatum*. (Walt.) Kuntze. *Plant and Cell Physiol.*, 27(6) : 1117-1125.
- Swamy, P.M. (1991) : The role of calcium in plant growth and development in : Recent advances in plant biology (Eds.) Malik, C.P. and Abrol, Y.P., Narendra Publishing House, Delhi. pp.77-90
- Takahashi, M. and Asada, K. (1977) : Manganese binding to sodium cyanide-treated chloroplasts : Effects of light and redox potentials on the binding. *Plant Cell Physiol.*, 18 : 807-814.
- Takeshi, T.C. (1966) : Relationship between drought tolerance and being in higher plants. I. Mineral content. *Bot. Mag. (Tokyo)*, 79 : 414-421.
- Talbott, L.D. and Zeiger, E. (1993) : Sugar and organic acid accumulation in guard cells of *Vicia faba* in response to red or blue light. *Plant Physiol.*, 102 : 1163-1169.
- Tanaka, A. and Yoshida, S. (1970) : Nutritional disorders of rice in Asia. IRRI Publication, Manila Phillipines.

Tandon, H.L.S. and Sekhon, G.S. (1989) : Potassium research and agricultural production in India. *Potash Rev.*, 1 : 1-11.

*Tang, Z.; Wang, Y.; Wu, Y. and Wang, H. (1985) : The physiological role of proline : Protection of Sorghum seedlings from injurious effects of potassium shortage. *Zhiwu Shengli Xuebao*, 11 : 138-146.

Taylor, S.E. and Echlin, P. (1986) : Localization of potassium in Nicotiana leaves at five stages of growth. *Microbeam Anal.*, 21 : 248-250.

Thomas, M. and Beevers, M. (1949) : Physiological studies in acid metabolism in green plants. II. Evidence of CO₂ fixation in *Bryophyllum calycinum* and the study of diurnal fluctuations in genus. *New Phytol.*, 48 : 421-447.

Tiwari, K.N.; Nigam, V. and Pathak, A.N. (1982) : Effect of K and Zn applications on dry matter production and nutrient uptake by potato variety kufri chandramukhi in an alluvial soil of Uttar Pradesh. *Plant and Soil*, 65(1) : 141-147.

Toth, S.J.; Prince, A.L.; Wallace, A. and Mikkelsen, D.S. (1948) : Rapid quantitative determination of eight mineral elements in plant tissue by systematic procedure involving use of a flamephotometer. *Soil Sci.*, 66 : 459-466.

Treshow, M. (1970) : Deficiencies of mineral elements. In :

- Environment and plant response. McGraw-Hill Book Company, New York, pp.175-201.
- Triplett, E.W.; Barnett, N.M. and Blevins, D.G. (1980) : Organic acids and ionic balance in xylem exudate at wheat during nitrate or sulfate absorption. *Plant Physiol.*, 65 : 610-613.
- Trudel, M.J. and Ozbun, J.L. (1971) : Influence of potassium on the organic acids in tomatoes. *Natur. Can.*, 98(1) : 83-96.
- *Tsitsilashvili, O.K. (1985) : The influence of potassium deficiency on some aspects of metabolism in grape plants. *SOOBSHCH AKADNAVK GRUZSSR*, 115(1) : 145-148.
- Tsunoo, Y. and Fujise, K. (1968) : Studies on dry matter production of sweet potato. *Proc. Crop. Sci. Japan*, 37 : 12-16.
- Ulrich, A. and Hills, F.J. (1967) : Principles and practices of plant analysis. In : Soil testing and plant analysis. Part-II (Ed.) G.W. Hardy. Soil Society of America, Special Publication Number 2. pp.11-24.
- Ulrich, A. and Hills, F.J. (1969) : Nutrient requirement of seed crop. In : Sugarbeet nutrition. Applied Science Publishers Ltd. London. pp.214-231.
- Ulrich, A. and Kwok, H.F. (1969) : Effect of potassium nutrition on growth and cation content of potato leaves and tubers relative to plant analysis. *J. Amer. Soc. Hort. Sci.*, 94 : 356-359.

- Ulrich, A. and Ohki, K. (1966) : Potassium. In : H.D. Chapman : Diagnostic criteria for plants and soils. University of California, Riverside Dif. of Agric. Science. pp. 362-393.
- Umar, S.; Afridi, M.M.R.K. and Dwivedi, R.S. (1990) : Effect of potassium application on physiological parameters and pod yield of groundnut under water stress conditions. Richtig dungen-mehr Erutten. 14 : 1-6.
- Umar, S.; Afridi, M.M.R.K. and Dwivedi, R.S. (1991) : Influence of added potassium on the drought resistance of groundnut. *J. Pot. Res.*, 7(1) : 53-61.
- Umar, S.; Rao, N.R. and Sekhon, G.S. (1993) : Differential effects of moisture stress and potassium levels on growth and K uptake in *Sorghum*. *Indian J. Plant Physiol.*, 36(2) : 94-97.
- Uribe, E.G. (1973) : ATP synthesis driven by K^+ -valinomycin-induced charge imbalance across chloroplast grana membranes. *FEBS Letters*, 36 : 143-147.
- Usherwood, N.R. (1980) : The effects of potassium on plant diseases. In : Potash and phosphate Institute (Ed.) *Potassium for agriculture*. Atlanta, Georgia : pp.151-164.
- Vallon, U.; Grof, J.A. and Kull, U. (1989) : Influence of calcium and calmodulin antagonists on the cytokinin induced amaranthin accumulation in *Amaranthus tricolor*. *J. Plant Growth Regul.*, 8(2) : 81-92.

- Van Steveninck, R.F.M. (1965) : The significance of calcium on the apparent permeability of cell membrane and the effect of substitution with other divalent ions. *Physiol. Plant.*, 18 : 54-69.
- Vicek, L.M. and Gassman, M.L. (1979) : Reversal of a-a dipyridyl induced prophyrin synthesis in etiolated and greening red kidney bean leaves. *Plant Physiol.*, 64 : 393-397.
- Vincent, J.; Leggett, J.E. and Egli, D.B. (1979) : Potassium in crop production. In : Advances in Agronomy, Vol.33, (Ed.) N.C. Brady. Academic Press, New York, 1980 : pp.59-110.
- Vincent, J.B.; Crowder, M.W. and Averill, B.A. (1992) : Hydrolysis of phosphate monoesters, a biological with multiple chemical solution. *Trends Biochem. Sci.*, 17 : 105-110.
- Wagner, E.C. (1970) : Betacyanin accumulation, Chlorophyll content and flower initiation in *Chenopodium rubrum*. *Canadian J. Bot.*, 48(1) : 1-18.
- Waisel, Y. (1972) : Biology of halophytes. Academic Press, New York, London.
- Wallace, T. (1958) : Potassium uptake with regards to soil moisture. In "Potassium symposium, Int. Pot. Instt., Berne, Switzerland". pp.141-147.
- Wallace, A. (1971) : Regulation of the micronutrient status

- of plants by chelating agents and other factors, Arther Wallace, Los Angels, California, U.S.A. pp.309.
- Wallace, J.W. and Mansell, R.L. (1975) : Biochemical interactions between plants and insects. Plenum, New York.
- Walkar, D.J., Smith, S.J. and Miller, A.J. (1995) : Simulateneous measurement of intracellular pH and K⁺ or NO₃⁻ in barley root cells using triplebarreled, ion selective electrodes. *Plant Physiol.*, 108 : 743-751.
- Walker, R.H. and Ward, C.Y. (1974) : Influence of N and K nutrition on net photosynthesis, dark respiration and carbohydrates. In Proc. 2nd Intern. Turfgrass Res. Conf. Inc., Madison. Wisconsin, USA, pp.196-208.
- *Wang, C.S.; Wei, M.L. and Liu, D.J. (1984) : Accumulation and distribution of nutrients in soybeans. II. change of phosphorus, potassium and magnesium concentration during plant development. *Chung hua Nung Yeh Yen Chiu*, 33 : 377-386.
- Watad, A.E.A.; Reuveni, M.; Bressan, R.A. and Hasegawa, P.M. (1991) : Enhanced net K⁺ uptake capacity of NaCl-adapted cells. *Plant Physiol.*, 95 : 1265-1269.
- Weatherly, P.E. (1950) : Studies in the water relations of the cotton plants. I. The field measurements of water deficits in leaves. *New Phytol.*, 49 : 81-97.
- Weatherly, M. (1969) : Role of potassium in drought

- tolerance. In : Potassium and plant physiology. Potash Research Institute of India. pp.21-37.
- Weimberg, R.; Lerner, H.R. and Poljakoff-Mayber, A. (1982) : A relationship between potassium and proline accumulation in salt stressed *Sorghum bicolor*. *Physiol Plant*, 55 : 5-10.
- Welch, R.M. (1995) : Micronutrient nutrition of plants. *Crit. Rev. Plant Sci.*, 14 : 49-82.
- Weretilnyk, E.A.; Bednarek, S.; McCue, K.F.; Rhodes, D. and Hanson, A.D. (1989) : Comparative biochemical and immunological studies of the glycine betaine synthesis pathway in diverse families of dicotyledons. *Planta*, 78 : 342-352.
- Williams, A.H. (1957) : The application of chromatography to nutritional problems in plants. *J. Sci. Food Agri.*, 8 : Supp. : 533-537.
- Wilson, J.A.; Ogunkanmi, A.B. and Mansfield, T.A. (1978) : Effect of external potassium supply on stomatal closure induced by abscisic acid. *Plant Cell Environ.*, 1 : 199-201.
- Wolf, D.D.; Kimbrough, E.L. and Blaser, R.E. (1976) : Mineral nutrition. In : *Physiology of crop plants* (2nd ed). Scientific Publishers, Jodhpur. pp.98-131.
- Wolf, O.; Munns, R.; Tonnet, M.L. and Jeschke, W.D. (1991) : The role of the stem in the partitioning of Na^+ and K^+ in salt-treated barley. *J. Expt. Bot.*, 42 : 697-704.

WynJones, R.G.W.; Brady, C.J. and Spiorn, J. (1979) : Ionic and osmotic relations in plant cells. In : Recent Advances in Bio-chemistry of cereals. D.L.L. Laidman and R.G. Wyn Jones (Eds.) Academic Press, London. pp.63-104.

WynJones, R.G. and Storey, R. (1981) : Betaines In : Physiology and Biochemistry of Drought Resistance in plants (Eds.) L.G. Paleg and D. Aspinall. Academic Press, Sydney. pp.171-204.

Yamashita, T.; and Hikasa, S. (1988) : Changes in photosynthesis and content of ribulose bisphosphate carboxylase and other cellular constituents depending on the level of potassium supplied to mulberry (*Morus alba* L.). *Soil. Sci. Plant Nutr.*, 34 : 627-631.

Zeiger, E. (1983) : The biology of stomatal guard cells. *Ann. Rev. Plant Physiol.*, 34 : 441-475.

Zeiger, E. (1990) : Light Perception in guard cells. *Plant Cell Environ.*, 13 : 739-747.

Zende, G.K. (1978) : Potassium Dynamics in Black Soils. In : "Potassium In soils and Crops", (Ed.) G.S. Sekhon, Potash Research Institute of India, New Delhi. pp.51-79.

Zhang, G. and Wu, Z. (1989) : Relationship between light intensity and requirement of zinc in tomato plants. *J. Plant Nutr.*, 12 : 633-648.

Zimmermann, V. (1978) : Physics of turgor and osmoregulation. *Ann. Rev. Plant Physiol.*, 29 : 121-148.