

III - Bibliography

- Ahmedullah, M. and M.P. Nayar. 1986. Endemic Plants of Indian region B.S.I. pp. 241.
- Ali, A.A., EL-sayed, O.M.A. and Steglich, W. 1986. Oxocrinine and other alkaloids from Crinum americanum. Phytochem 25 : 2399-2402.
- Ali, A.A., El-moghazy, A.M., Ross, S.A. and EL. Shanawany, M.A. 1981. Phytochemical studies on some Amaryllidaceae cultivated in Egypt. Fitoterapia 52 : 209-212.
- Ali, A.A., Hambloch, H. and Frahm, A.W. 1983. Relative configuration of the alkaloid augustamine Phytochem 22 : 283-288.
- Ali, A.A., Kating, H., Frahm, A.W. 1981 b. Four 6-hydroxylated alkaloids in the crinine series from Crinum augustum. Phytochem 20 : 1731-1734.
- Ali, A.A., Kating, H., Frahm, A.W., EL-Moghazi; A.M. and Ramadan, M.A. 1981a. Two non-hydroxylated alkaloids in Crinum augustum. Phytochem 20 : 1121-1123.
- Ali, A.A., Ramadan, M.A. and Frahm, A.W. 1984. Alkaloidal constituents of Crinum bulbispermum 3 Bulbispermine, a new alkaloid of Crinum bulbispermum. Planta Med. 50 : 424-427.
- Ambasta, S.P. (Edi-in-Chief) 1986. The useful plants of India C.S.I.R. Publ. pp. 145-146.

- ✓ Almeida, S.M. 1990. The Flora of Sawantwadi. Maharashtra. India Vol. I and II. Scientific Publishers, Jodhapur India.
- ✓ Amico, A., Stefanizzi, L., and Bruno, S. 1979. Extraction and Localization of alkaloids from Crinum bulbispermum. Fitoterapia 50 : 67-72.
- ✓ *Armstrong, J.A. 1979. Pollination mechanisms in Austrelian Plants. New Zealand Journal of Botany 17 : 467-508.
- ✓ Arroyo, S.C. and Cutler, D.F. 1984. Evolutionary and taxonomic aspects of the internal morphology in Amaryllidaceae from South America and Southern Africa Kew Bull 39 : 467-498.
- ✓ Awasthi, D.K., Kumar, V., and Rawat, R. 1984. Stomatal studies in Amaryllidaceae with special reference to stomatal Abnormalities. Proc Ind. Acad. Sci. Pl. Sci. 93 : 629-634.
- ✓ * Bailey, L.H. 1949. Manual of Cultivated Plants. (Most commonly grown in the continental U.S. and Canada). The MacMillar Company, New York.
- ✓ * Bailey, L.H. 1963. The Standard Cyclopedia of Horticulture. London.
- ✓ * Baker, J.G. 1871. Revision of genera and species of herbaceous, capsular gamophyllous Liliaceae. J. Linn. Soc., 11 : 349.
- ✓ * Bentham, G. and Hooker, J.D. 1883. "Genera Plantarum" Vol. III. Reeve London.

- Blatter, E. and McCann, C. 1928. New species of plant from Western ghats J. Bom. Nat. Hist. Soc. 32 : 733-773.
- Bose, S. 1965. Polypoidy in the genus Crinum. Cytologia 30 : 333-349.
- Branties, N.B.M. and Bos, J.J. 1980. Hawkmoth behaviour and flower adaptation reducing self pollination in 2 Liliflorae. New Phytol 84(1) : 139-144.
- * Cooke, T. 1958. Flora of the Presidency of Bombay. Vol.III Botanical Survey of India, Calcutta.
- Cronquist, A. 1981. An Integrated system of classification of flowering plants. Columbia University Press.
- * Cruden, R.W., and Herman, S.M. 1983. Studying nectar ? Some observations on the art. In 'The Biology of Nectaries'. (Eds. B. Bentley and T. Elias) pp. 223- 42. (Columbia University Press : New York).
- * Dahlgren, R.M.T., and Clifford, H.T. 1982. 'The Monocotyledons - A comparative study'. (Academic Press : London).
- * Dahlgren, R.M.T. Clifford, H.T. and Yoe, P.F. 1985. The families of the Monocotyledons, Structure, Evolution and Taxonomy. Springer Verlag, Berlin Heridelberg, New York.
- * Dolcher, T. 1950. Studio curiologico di alcune specie del genere Crinum Con. Osservazeoni Sull

- agglutinazione cromosomica spontanea e fenomeni citologici concomitanti. Caryologia 2 : 127-142.
- ✓ Dutt, B.S.M. 1957a. Ovule and embryo sac in Crinum asiaticum. ^{Sci. Bull} Science and Culture 22 : 668-691.
- ✓ Dutt, B.S.M. 1957b. Morphology of the ovule of Crinum defixum. ^{Curr. Sci.} Current Science 26 : 22-24.
- ✓ Dutt, B.S.M. 1959. The ovule and embryo sac of Crinum latifolium L. A reinvestigation ^{curr} Current Science 7 : 293-294.
- ✓ Dutt, B.S.M. 1962. A contribution to the life history of Crinum defixum. In 'Plant Embryology - A Symposium'. pp. 37-48. (Council of Scientific and Industrial Research / N.Delhi)
- ✓ Dutt, B.S.M. 1970. Amaryllidaceae. Bulletin of the Indian National Science Academy 41 : 365-367.
- ✓ EL-Hafiz, Abd, M.A. 1990. Two keto alcohols from Crinum augustum. Phytochem. 29 : 3936-3938.
- ✓ EL-Hafiz, Abd, M.A. 1991. Aliphatic hydroxyketones from Crinum augustum. Phytochem. 30 : 3127-3129.
- ✓ EL-Hafiz, Abd, M.A., Ramadasan, M.A. and Anton, R. 1990. Minor phenolic constituents of Crinum augustum. J. Nat. Prod. 53 : 139-1352.
- ✓ EL-Hafiz, M.A.A. and Mesbah, M.K. 1986. Investigation of mucilages and fatty acids of Crinum augustum Rox and Crinum americanum L. Egypt. J. Pharm. Sci. 25 : 171-178.
- ✓ EL-Hafiz, Abd, M.A., Ramadasan, M.A. Jung, M.L. Beck, J.P. and Anton R. 1991. Cytotoxic activity of Amaryllidaceae alkaloids from Crinum augustum.

- and C. bulbispermum. Planta Med. 57 : 437-439.
- ✓ EL-Moghazi, A.M. and Ali, A.A. 1976. Investigation of the alkaloidal constituents of Crinum bulbispermum. Planta Med. 29 : 156-159.
- ✓ EL-Moghazi, A.M. and Ali, A.A. 1976. Microchemical identification of Amaryllidaceae alkaloids. Planta Med. 30 : 369-374.
- ✓ * Engler, A. and Prantle, K. 1930. Die Natürlichen Pflanzenfamilien, Berlin.
- ✓ Erdtman, G. 1971. Pollen Morphology and Plant Taxonomy (second print) Hafner Publishing Com. INC. 1st Print in 1951. 1982/1989
- ✓ * Faegri, K., and Vander Pijl, L. 1979. The Principles of Pollination Ecology. Pergamon Pres : Oxford.
- ✓ * Fernandes, A. and Neves, J.B. 1961. Sur la caryologie de quelques monocotyledones Africaines. Compt. Rend. de la IV Reunion de L. Aetfat. : 439-463.
- ✓ * Flory, W.S. 1976. The distribution and chromosome numbers and types of various species and taxa of Hymenocallis. Nucleus 19 : 201. 2
- ✓ * Ford, H.A., Paton, D.C. and Forde, N. 1979. Birds as Pollinators of Australian Plants. New Zealand J. Bot. 17 : 509-520.
- ✓ Frahm, A.W., Ali, A.A., and Kating, H. 1981. Relative configuration of the alkaloid 'augustine'. Phytochem. 20 : 1735-1738.

- ✓ *Fujishima, A. 1975. Karyotypes of some species in the Crinum. La kromosoma 99 : 3063-3071.
- ✓ Ghosal, S., Shanthy, A., Kumar, A. and Kumar, Y. 1985 c. Palmilycorine and lycoriside : Acyloxy and acylglucosyloxy alkaloids from Crinum asiaticum Phytochem. 24 : 2703-2706.
- ✓ Ghosal, S., Shanthy, A. and Shingh, S.K. (1988.)^a Isocraugsodine, an N-arylidenephenethylamine from Crinum asiaticum and its E-Z isomerism. Phytochem. 27 : 1849-1852.
- ✓ Ghosal, S. Unnikrishnan S. and Singh S.K. (1988.)⁹ Occurrence of two epimeric alkaloids and metabolism compared with lycorine in Crinum latifolium. Phytochem. 28 : 2538.
- ✓ * Gouws, J.B. 1949. Karyology of some South African Amaryllidaceae. Pl. Life 5 : 54-81.
- ✓ * Hannibal, L.S. 1962. Notes on Crinum breeding. Pl. Life 18 : 88-92.
- ✓ * Hannibal, L.S. 1964. Interrelationships of some garden Crinums. Pl. Life 20 : 69-72.
- ✓ * Herbert, W. 1837. (1970 reprint). Amaryllidaceae. Lehre Verlag Von. J. Cramer.
- ✓ * Hooker, J.D. 1894. Flora of British India Vol. 6 L. Reeve and Co. Ltd., London.
- ✓ * Howell G. and Prakash 1990. Embryology and reproductive

ecology of the Darling Lily, Crinum flaccidum
Hebert. Aust. J. Bot 38 433-444.

- ✓ Hutchinson, J. 1959. The Families of Flowering Plants. Vol II Monocotyledons. Macmillan and Co; Ltd., London.
- ✓ *Inariyama, S. 1937. Karyotype Studies in Amaryllidaceae. Sci Rep Tokyo Univ, Dai, 52: 95-113.
- ✓ *Isaac, W.M.E., and McGillivray, G. 1965. A note on the waterstoring seeds of two species of Crinum and some other South African Amaryllidaceae (Subfamily Amaryllidoideae). Ann. of Bot. 29 : 739-740.
- ✓ Jeffs, P. W., Abnou-Donia, A., Compav, D. and Staiger, D. 1985. Structure of 9-O-demethylhomolycorine and 5 - hydroxyhomolycorine : Alkaloids of Crinum defixum, Crinum Scabrum and Crinum Latifollum. J org. chem 50 : 1732-1737.
- ✓ *Johansen, D. A. 1950. Plant Embryology-Embryology of the Supermatophyta (Chronica Botanica : waltham, Mass.)
- ✓ Jones, K. and Smith, J. B. 1967. Chromosome evolution in genus Crinum, Caryologia 20 : 163-179.
- ✓ Khoshoo, T. N. and Raina, S. N. 1968. Cytogenetics of tropical bulbous ornamentals : I. Heterozygosity in Crinum latifolium, Cytologia 33 : 209-219.

Xanthoxylum

- ✓ Kirtikar, K. R., Basu, B. D. and an I.C.S. (Retd.) 1984. Indian Medicinal plants 2nd ed. Vol. IV (Ed. E. Blater, J. F. Caius and K. S. Mhaskar. Bhishen Shingh Mahendra pal singh, Dehra Dun.
- ✓ Kobayashi, M., Ishikawa, M., Kihara, M., Shingu, T. and Vyeo, S. 1976. Isolation of N-demethylganthamine from the bulbs of Crinum asiaticum L. Var. japonicum Baker (Amaryllidaceae). Chem Pharm. Bull. 24 : 2553-2555
- ✓ Kobayashi, S., Tokumoto, T., Kihara, M., Imakura, Y., Shingu, T. and Taira, Z. 1984. Alkaloidal constituents of Crinum latifolium and Crinum bulbispermum (Amaryllidaceae). Chem. Pharm Bull. 32: 3015-3022.
- ✓ *Koshimizu, T. 1938. Phytogeographical distribution of Crinum throughout the world. Bot. Mag., Tokyo, 52: 32-39.
- ✓ Kulkarni, B. G. 1988 Flora of Sindhudurg. Flora of India Flora of India series 3.PP.1-605 BSI Calcutta.
- ✓ Kwack, B.H 1967. Studies on cellular Site of Calcium action in Promoting pollen growth. Physiol Plant 20 (4) : 825-833.
- ✓ Kwack, B. H. and Kim, I. 1967. Effect of Calcium ion and the protective action on Survival and growth inhibition of plant. Physiol plant 20 (1): 73-82.

- ✓ Laxmi, N. 1980. Cytotaxonomical Studies in 8 genera of Amaryllidaceae. Cytologia 45 : 663-673.
- ✓ *Laurent, A. A. 1972. New concepts for specific determinations in Crinum (Amaryllodanceae) from Ivory coast. Bull. Inst. Fondam. Exfr. Noire. Ser. A. Scinat. 34. 525-528.
- ✓ Lawrence, G. H. M. 1968. Taxonomy of Vascular Plants. The Mc. Millan Co., New York.
- ✓ *Levitzky, G. A. 1931. The karyotype in Systematics. Bull. Appl. Bot. Genet. Plant. Breed. 27: 220-240.
- ✓ Manasse,, R. S. 1990. Seed Size and habit effects on the water dispersed perennial, Crinum erubescens (Amaryllidaceae), Am. J. Bot. 77^o 1336-1341.
- ✓ *Mangenot, S. and Mangenot, G. 1958. Deuxieme ~~g~~lists de nombres chromosomiques pouvesux chez deversies Dicotyledones et Monocotyledences d's Afrique occidentale. Bull. Jard. Bet (Bruxelles). 28: 315-329.
- ✓ *Masashi, T., Shimizu, N., Shirada, K., and Miesuga. 1985. Isolation and structural features of 2 glucans from the rhizomes of Crinum Latifolium Chem. Pharm. Bull 33 : 16-21.
- ✓ Mathur, J.M.S., Majid, R. and Bhaskaran, S. 1982. Phytochrome mediated biosynthesis of pigments in Lily (Crinum defixum) tissue cultured in vitro. IND J. Exp. Biol. 20:99.

- ✓ Matsuura, H. and Suto, T. 1935. Contributions to the idiogram study in phanerogamous plants. J. Jour. Fac. Sci. Hokkaido Imp. Uiv. ser. V: 33-75.
- ✓ * Mckelvey, S. D., and Sax, K. 1933. Taxonomic and cytological relationships of Yucca and Agave. Jour. Arnold Arboretum, 14: 76-81.
- ✓ * Merry, J. 1937. Formation of periderm in the endosperm of Crinum asiaticum. Papers of the Michigan Academy of Science, Arts and Letters 22: 159-164.
- ✓ * Miede, J. 1962. Quartrieme liste denombres chromosomquesde Species d'e Afrique occidentale. Rev. cytol. et. de biologie vegetales 24: 149-159.
- ✓ Mulla, R. M. 1989. Studies on Indian medicinal plants. Ph.D. thesis, Dept. of Life sciences, University of Bombay.
- ✓ * Muraveva, D. A. and Popova, O.I. 1989. study of polysaccharides in colchicum speciosum ster and Crinum amabile Doorn Khim-Farm. 24: 619-620.
- ✓ * Nagao, S. and Takusagawa, H. 1932. Uber die chromosomen einiger Amaryllidaceen. Bot. Mag. Tokyo, 46: 473-478.
- ✓ Nair, P.K.K.. 1966. Essentials of Palynology. Asia Publishing House, Bombay.

- ✓ Nayar, T.S. 1990. Pollen flora of Maharashtra state India. 'Today & Tomorrow' Print & Publi. New Delhi. Amaryllidaceae pp. 134 Plate 65 a-d.
- ✓ Nordal Inger 1979. Crinum trifidum, new species (Amaryllidaceae) from Angola. Norw. J. Bot. 26(4) : 279-282.
- ✓ *Nwankifi, D.C. 1985. Cytotaxonomic survey of some tropical ornamental species V. Karyotype of two species of the genus Crinum and a related genus Hymenocallis. Cytologia 50 : 797-803. 7
- ✓ Pandey, N.D. Singh, M., Tewari, G.C. 1977. Antifeeding repellent and insecticidal properties of some indigenous plant materials against mustard sawfly; Athalia proxima. Ind. J. Ento. 39 : 60-64.
- ✓ Pandey, N.D., Sudhakar, T.R. Tewari, G.C. and Pandey, U.K. 1979. Evaluation of some botanical antifeedants under field conditions for the control of Athalia proxima. Ind. J. Ento. 41 : 107-109.
- ✓ Pares, R.D. and Bertus, A.L. 1978. Ultrastructure of Mesophyll cells of a species of Crinum infected with a potyvirus. Phytopathol 2 : 170-176.
- ✓ Patwary, M.U. and Zaman, M.A. 1975. Cytogenetics of Amaryllidaceae III. karyomorphology of wild Crinum amoenum Roxb. - a new cytotype. J.

Asiatic Soc. Bangladesh (Sc.) I : 11-15.

- ✓ Pathwary, M.U. and Zaman, M.A. 1981. Cytogenetics of Amaryllidaceae VI. karyomorphology and meiotic behaviour of Crinum zeylanicum L. - a new cytotype. Cytologia 46 : 141-148.
- ✓ *Pax F. and Hoffman, K. 1930. Amaryllidaceae. In Engler and Prantl's Nat. Pflanzenfam~~ed~~, 2 15a : 391. Leipzig.
- ✓ Raina, S.N. and Khoshoo, T.N. 1971a. Cytogenetics of tropical bulbous ornamentals. II. Variation in mitotic complement in Crinum. The nucleus XIV : 23-39.
- ✓ Raina, S.N. 1978. Genetic mechanisms underlying evolution in Crinum. Cytologia 43 : 575-580.
- ✓ *Sato, D. 1938. Karyotype alterations and phylogeny. IV. Karyotypes in Amaryllidaceae with special reference to SAT-chromosomes. Cytologia 9 : 203-242.
- ✓ *Sato, D. 1942. Karyotype alterations and phylogeny in Liliaceae and allied families. Jap. Journ. Bot., 12 : 57-132.
- ✓ *Schmidhauser, T.F. 1954. Cytotaxonomic studies in the Amaryllidaceae, Dissertation in Univ. Virginia, USA.
- ✓ *Selochnik, N.N. 1974. Diseases found on imported flower bulbs. Mikol, Fitopatol 8 : 513-518.

- ✓ *Sharma, A.K. 1956. A new concept of means of speciation in plants. Caryologia, 9 : 93-130.
- ✓ *Sharma, A.K. and Bal, A.K. 1956. A cytological study of a few genera of Amaryllidaceae with a view to find out the basis of their phylogeny. Cytologia. 21 : 329-352.
- ✓ *Sharma, A.K. and Bhattacharya, B. 1956. An investigation on the karyotype of genus Crinum and its phylogeny. Genetica, 28 : 263-296.
- ✓ *Sharma, A.K. and Ghosh, C. 1954. Further investigation on the cytology of the family Amaryllidaceae and its bearing on the interpretation of its phylogeny. Genet. Iber. 6 : 71-100.
- ✓ Sharma, N.D. 1975. Some follicolous fungi : III.
- ✓ Shivanna, K.R. and Sastri, D.C. 1981. Stigma surface esterase activity and stigma receptivity in some taxa characterized by wet stigmas. Ann. Bot. (Lond.) 47(1) : 53-64.
- ✓ *Shiz Shuzo, T. and Yamaki, M. 1977. On the constituents of the bulbs of Crinum asiaticum var. japonicum Bak. on neutral constituents. YakuGaku Zasshi 97 : 1155-1157.
- ✓ Singh, K.K. and Maheshwari, J.K. 1983. Traditional phytotherapy among the tribals of Varanasi district, Uttar Pradesh [India]. J. Econ. Taxon. Bot. 4 : 829-838.

- ✓ Singh, V. 1972. Floral morphology of the Amaryllidaceae (I. subfamily Amaryllidoideae. Can. J. Bot. 50 : 1555-1565.
- ✓ *Snoad, B. 1952. Cited in Darlington and wylie (1955). Chromosome Atlas of flowering plants. Allen and Unwin, London.
- ✓ *Southwick, E.E., Looper, G.M. and Sadwick, S.E. 1981. Nectar production, composition, energetics and pollinator attractiveness in spring flowers of western New York. American Jour. of Botany 68 : 994-1002.
- ✓ Stace, C.A. 1980. Plant Taxonomy and biosystematics, Edward Arnold, London.
- ✓ Stebbins, G.L. 1971. Chromosomal evolution in higher plants. Edward Arnold (Publs.) Ltd., London.
- ✓ *Stenar, H. 1925. Embryologische studien 1. Zur Embryologie einiger columniferen. 2. Die Embryologie der Amaryllidaceen' (Dissertation) : Uppsala, Sweden.
- ✓ Subramanian, D. 1979. Cytopolymorphism in Crinum defixum. Science and Culture. 45 : 110-112.
- ✓ Sudhakar, T.R. Pandey, N.D. and Tewari, G.C. 1978. Antifeeding property of some indigenous plants against Mustard sawfly, Athalia roxima klug. Ind. J. Agric. Sci. 48 : 16-18.
- ✓ *Sugaira, T. 1936. Studies on the chromosome number in

higher plants with special reference to cytokinesis. Cytologia 7 : 544-595.

- ✓ * Suita, N. 1937. Studies of male gametophyte in angiosperms II. Differentiation and behaviour of the vegetative and generative elements in the pollen grains of Crinum. Cytologia Fujii Jub. Vol. Part 2 : 920-933.
- ✓ * Swamy, B.G.L. 1946. Inverted polarity of the embryo sacs of angiosperms and its relation to the archegonium theory. Ann. Bot. / New Series / 10 : 171-183.
- Takatajan, A. 1969. Flowering plants : Origin and dispersal. Transl. by Jeffrey Washington, D.C. : Smithsonian Inst.
- Tandon, S.L. and Mathur, M. 1966. Cytology of Crinum defixum. Curr. Sci. 35 : 157-158.
- ✓ Thistleton-Dyer, W.T. (Ed.) 1979. Flora of tropical Africa. Vol. VII. A.J. Reprints Agency, New Delhi.
- ✓ * Tomita, K. 1931. Uber die Entwicklung des nackten Embryos von Crinum latifolium L. Science Reports of the Tohoku Imperial University, Fourth Series, Biology 6 : 163-169.
- ✓ Toilliez-Genoud, J. 1965. The ovule and seed of Crinum giganteum and (Amaryllidaceae). Adansonia 5 : 525-530.

- ✓ Traub, H.P. 1962. Classification of the Amaryllidaceae. Pl. Life 18 : 50-54. nota
Text
- ✓ Traub, H.P. 1963. 'The Genera of Amaryllidaceae'. American Plant Life Society : La Jolla, A. 8
- ✓ Tsuda, Y., Kashiwara, N., and Vijayakumar 1984. The alkaloidal constituents of Goda-Manel (Crinum zeylanicum); a Sri Lankan folk medicine. Chem. Pharm. Bull. 32 : 3023-3027.
- ✓ Verdoorn, I.C. 1973. The genus Crinum in Southern Africa. Bothalia, 11 : 27-52.
- ✓ Vij, S.P. Sharma, M. and Chaudhary, J.D. 1982. Cytogenetical investigations into some garden ornamentals III. Chromosomes in some monocot. taxa. Cytologia, 47 : 649-663.
- ✓ Vijayavalli, B. and Mathew, P.M. 1992. Karyomorphology of three species of Crinum L. Cytologia 57 : 309-314.
- ✓ Wahlstrom, R. and Laane, M.M. 1979. Chromosome analysis in African Crinum species (Amaryllidaceae). Hereditas 91 : 183-206.
- ✓ *Walt, E.L., Vander Geerthseen, J.M.P. and Robertse, P.J. 1970. (E.) sitogenetiese studie van die genus Crinum Linn. in Suid-Afrika. Agroplantae 2 : 7-13.
- ✓ Watt, G. 1972. A Dictionary of the economic products of India. pp. 588-591.

- ✓ Wealth of India 1950. A dictionary of Indian raw material and Industrial products. Raw Materials Vol. II. C.S.I.R., Delhi.
- ✓ Whitaker, T.W. 1934a. Chromosome constitution in certain monocotyledons. Jour. Arnold Arboretum / 15 : 135-143.
- ✓ Wildman, W.C., Brown, K.H., Michel, D. 1967. New alkaloids from Rhodophiala [Hippeastrum] bifida, Crinum erubescens and Sprekelia formosissima. Pharmazie 22 : 725.
- ✓ Willis, J.C. 1985. A Dictionary of the Flowering plants and Ferns. (Rev.) H.K. Airyshaw. Cambridge University.
- ✓ Zaman, M.A., Chakraborty, B.N. and Pathwary, M.U. 1977a. Cytogenetics of Amaryllidaceae V. Karyomorphology and Meiotic behaviour of Wild Crinum asiaticum L. Dacca University Studies B 20 : 55-61.
- ✓ Zaman, M.A., Patwary, M.U. and Chakraborty, B.N. 1977b. Cytogenetics of Amaryllidaceae. IV. Karyomorphology and meiotic behaviour of wild Crinum stenophyllum. Baker. Bangladesh j. Bot. 6 : 73-78.
- ✓ Zavada, M.S. 1983. Comparative morphology of monocotyledon pollen and evolutionary trends of apertures and the wall structures. Botanical Review. 49 : 331-379.

*-Not seen.