

## **RIBLIOGRAPHY**

**BIBLIOGRAPHY**

- Abdel - Rehman A. A., El. Shourbagy, M.N. and Ahmed, A.M. (1974) Some effect of the periodically increased salinity on two castor bean varieties. Bull. Fac. Sci. Cairo Univ. 45 : 47-60
- Abdel - Rehman, A.M. (1987). Effects of salinity and GA on water content, growth and mineral composition of cowpea, calabrese and red raddish plants - Biol. Plant. 29(5).
- Ackerson, R. C. Younger, V. B. (1975). Response of bermudagrass salinity. Agron. J. 67 : 678 - 681.
- Adams, P. and Holder R. J HORTIC 67(1) : 137 - 142 (1992). Effect of humidity, calcium and salinity on the accumulation of dry matter and calcium and the leaves and fruits of tomato (Lycopersicon esculentum).
- Ahmad, A.M. Heikal, M.Md and Zindah, M.A. (1980). Effect of salinization treatments on growth and some related physiological activities of some leguminous plants Nat. Monspel. Rev. Bot. Gen Mediterr : 0 (33) 1-10
- Ahmad, R. and Abdullah, Z-UN-N. (1981). Effect of saline soils amended with calcium nitrate on the growth & Chemical constituents of potato (Solanum tuberosum) plants. Pak.J.Bot. 13 : 55-68
- Ahmad, Rafiq and Abdullah, Zaib-Un-Nisa (1979). Salinity induced changes in the growth and chemical composition of potato (Solanum tuberosum). Pak.J.Bot., 11(2):103:112.
- Ahmad.R., Khan, D. and Ismail, S. (1986). Growth of Azadirachta indica and Melia azedarach at coastal sand using highly saline water for irrigation. Pak.J.Bot. 17(2):229-234.
- Ahmad,A.M., Heikal, M.D. and Shadded, M.A. (1979). Growth, photosynthesis and fat content of some oil producing crops as influenced by some salinization treatments. Phyton (Horn), 19(3/4):259-268.
- Aiyadurai, S.G. (1966). Curing quality in turmeric. A Review of Research on Spices and Cashewnut in India. Regional Office (Spices and Cashewnut). Indian Council of Agricultural Research, Ernakulam.



**Aly, M.A., Atta, A.S, El-Beltagy and Jones R.A. (1989).** (Fac. Agric, Ain shams Univ. Egypt), Egypt J. Hortic. 15(1):107-120. (In Engl. and Arabic summ.) salt tolerance in Lycopersicum esculentum III and post harvest quality of Lycopersicum esculentum.

**Anonymous (1979).** Performance of some of the high yeilding clones of turmeric. Annual Report 1979. All India Co-ordinated Spices and Cashewnut Improvement Project, CPCRI (ICAR), Kasaragod. pp 56.

**Anonymous (1986).** Germplasm collection and evaluation of turmeric. Annual Report 1986. All India Co-ordinated Spices Improvement Project. pp 38-40.

**Anonymous (1987).** Yield evaluation trial of Curcuma longa types. Report of Research work done during 1985-86. K. Digraj, Sangli.

**Ansari, A.Q. and Bowling D.J.F. (1972).** Measurement of the trans-root electrical potential of plants grown in soil. New Phytol., 71(1):111-117.

**Aphale A. (1978).** Physiological studies in millets (Setaria italica). M.Sc thesis submitted to Shivaji University, Kolhapur (India).

**Arnold, A. (1955).** Die Bedeutung der chlorionen for die Pflanza Jena.

**Arnon, D. I. (1949).** Copper enzymes in isolated chloroplasts : Polyphenol oxidase in Beta vulgaris, Plant physiol. 24:1-15.

**Ashour, N.I., Abdel-Halim, M.A., Raafat, A. and T.A.Nour (1977).** Increasing salt tolerance of wheat at early stages of growth under chloride and sulphate types of salinity. Acta.Agron.Acad-Sci-Hung; 26(1/2):127-134.

**Aslam, M. (1975).** Potassium and sodium inter-relations in growth and alkali cation of safflower. Agron.J, 67:262-264.

Method for Curcumin estimation.

"ASTA OFFICIAL ANALYTICAL METHODS OF THE AMERICAN SPICE TRADE ASSOCIATION II Edn. Engl. Wood, Cliffs N.N.07632.U.S.A.-1968."

- Atkinson, M.R., Findlay, G.P., Hope, A.B., Pitman, M.G., Saddler, H.D.M. and West, K.R. (1967). Salt regulation in mangroves Rhizophora mucronata and Aegicalitis annula. Aust J. Biol. Sci. 20:588-599.
- Austinfeld, F.A. (1974). The effect of NaCl and other alkaline salts on the nitrate reductase activity of Salicornia europea L. Z. Pflanzphysiol. 71(4):288-296.
- Ayoub, A.T. (1975). Effect of calcium on sodium salinization of beans (Phaseolus vulgaris L.). J.Exp.Bot., 25(85):245-252.
- Ayoub, A.T. (1975). Effect of some soil amendements on sodium uptake and translocation in dry beans (P. vulgaris L.) in relation to sodium toxicity. J.Agric.Sci.Camb., 84:537-541.
- Ayoub, A.T. (1977). Some primary features of salt tolerance in senna (Cassia acutifolia). J.Exp.Bot., 28(103):484-492.
- Azizbekova, Z.S. and Babaeva Z.A. (1970). Effect of sulphate chloride salinization on appearance and movement of potassium, calcium and magnesium in plants. DOKL.Akad.Nauk.Azerb.SSR., 26(11):53-56.
- Azizbekova, Z.S. and Rasulova, D.A. (1972). Effect of nitrogen fertilization on the maintenance of the organic acid in cotton leaves by chloride salting. Dokl.Akad.Nauk.Azerb.
- Balashanmugam, P.V., Chezhiyan, N. and Shah, H.A. (1976). 'BSR.1' Turmeric. S. Indian Hort. (34):60-61.
- Balasubramanian, V. and Sinha S.K. (1976). Effect of salt stress on growth, nodulation and nitrogen fixation in cowpea and mung-beans. Physiol.plant. 36(2):197:200.
- Bates, L.S. Waldren, R.P and Teare I.D. (1973) - Rapid determination of proline for water stress studies. Plant and Soil., 39:205-209.
- Bernstein, L. (1975). Effect of salinity and sodicity on plant growth. Ann.Rev.Physiopathology, 13:295-312.
- Bhandari, L.K. (1988). Physiological studies in Capsicum annum cultivars under saline condition. Ph.D. thesis submitted to Pune

University (India).

**Bharadwaj, K.K.R. (1975).** Pl. Soil., 43:377-365.

**Bharadwaj, S.N. (1975).** Proc. Natn. Acad. Sci. India. Sec B, 29:168-171.

**Bharadwaj, S.N. (1958).** Physiological studies on salt tolerance of 5 varieties of carrots. Proc. Amer. Soc. Hort. Soc., 61:360-365.

**Bharadwaj, S.N. and Rao, I.M. (1955).** studies on the effect of chloride and sulphate of sodium on germination, growth and maturity of gram. Agra Univ. J. Res. Sci., 4:767-775.

**Bharadwaj, S.N. (1959).** Proc. Natn Acad Sci. India sec.B., 29:168-171.

**Bhatti, A.S. and Sarwar, G. (1977).** Response of corn to micronutrients (Zn and Cu) on a saline soil I, Growth and Ionic relationships. Plant and soil. 48:719-724.

**Bhivare, V.N. and J.D. Nimbalkar (1984).** Biochemical changes leading to senescence beanleaf. Bioviqyanam, 10:31-34.

**Chapman, H.D. & Pratt, P.F. (1961).** Chlorine, In "Methods of analysis of soils, plants and waters" (Eds. Chapman, H.D. & Pratt, P.E) University of California, Riverside pp. 97-100.

**Charitoulakis, K.S. (Subtopical Plants Olive Tree Inst., 73100 Chania, (Crete/Greece) J. HORTIC. Sci. 67(1):115-120 (1992)**

**Chauhan, R.P.S., C.P.S. Chauhan and D. Kumar (1980).** Free proline accumulation in cereals in relation to salt tolerance. Plant and soil, 57(2/3):167-175.

**Chavan, P.D. (1980).** Physiological studies in plants (physiological studies in Eleusine coracora Gaerth). Ph.D. thesis submitted to the Shivaji University, Kolhapur (India).

**Chavan, P.D. and Karadge B.A. (1980).** Influence of salinity on mineral nutrition of peanut (Arachis hypogea L.). Plant and soil, 54:5-13.

Chippa, B.R. and Lal P. (1985). Effect of soil salinity on yield, yield attributes and nutrients uptake by different varieties of wheat. An. Edafol. Agrobiol., 44(11/12):1681-1692.

Chu, T.M., Aspiral, D. and Paleg, L.G. (1976). Stus metabolism VII. Salinity and Proline accumulation in barley. Aust. J. Plant Physiol., 3:219-228.

Collander, R. (1941). Selective absorption of cations by higher plants. Plant physiol, 16:691-720.

Cooper, A.W. and Dumbroff, E.B. (2973). Plant adjustment to osmotic stress in balanced mineral nutrient media. Con. J. Bot., 51(4):763-773.

Dahiya, S.S. and Singh, M. (1976). Effect of salinity, alkalinity and iron applications on availability of iron, manganese, phosphorus and sodium in pea. (Pisum sativum) crop Plant and soil. 44(3):697-702.

D'Arrigo, C.M., Radaelli, L., Loppolo, A. Sambuco, G. (1983). Sodium in mineral nutrition II. Effect of sodium chloride on the uptake of some trace elements by bean (Phaseolus vulgaris L.) plants. Agrochimica, 27(2-3):165-173.

Deshpande, R.G. (1981). Physiological studies in pulses of Maharashtra. Ph.D. thesis submitted to the Shivaji University, Kolhapur (India).

Devakaran, D. and Nair, M.B. (1980). INdias's export trade in giner and turmeric. Proceedings of the National Seminar on ginger and turmeric, Calicut. pp 238-239.

Dhandar, D.G. and Varde, N.P.S. (1980). Performance of selected clones of turmeric (curcuma longa) under Goa conditions. Indian Cocoa Arecanut and Spices J., 3(4):83-84.

Divate, M.R. and Pandey, R.M. (1981). Salt tolerance in grapes 2. Effect of salinity in grapes 2. Effect of salinity on mineral composition of plants. Plant Physiol., 24(4):361-365.

Dixon, M. and Webb, E.C. (1957). Enzymes, Longmans, Green, London.

- Downton, W.J.S. & Loveys, B.R. (1981). Aust J.Plant Physiol., 8:443-452.
- Downton, W.J.S. (1978). Growth & Flowering in salt stressed avacado trees. Aust.J.Agric.Res. 29(3):523-534
- Durie et al. (1985). Technical communication of common wealth Sci. Industri. Res. Org., 47:33-37.
- El-Fouly, M.M. and Jung, J. (1972). Pl.Soil, 36:497-500.
- El-Saidi, M.T. and M. Hawash (1971). The effect of using saline water for irrigation on the growth and chemical properties of roselle plants (Hibiscus Sabdariffa L.). Z.Acker.Pflanzenbau., 134(3):252-256.
- El-Sherbierry, A.E., Rable, R.K., Mohammed, E.A., and Ahmed, W.E. (1986). Effect of sodium chloride and nitrate on dry matter. Prodn. and micronutrient content of wheat Plant Soil,Sci,Plant Nutrition, 32(2):201:210
- Elzam, O.E. and Epstein E. (1969). Salt relations of two grass species differing in salt tolerance II. Kinetics of absorption of K, Na and Cl by their excised roots. Agrochemica., 13:196-206.
- Farias, Marlucia Elias De and Felici and E.V. Flores (1989). (Curso Pos-Graduacaoem Ecol., Centrode Ecol., Univ. Federal do Rio Grande do Sol, 90.049-Porto Alegre, R.S. Brazil. REV Bras BIOL., 49(1):97-106.[in Port with Prof.and Engl.Summ.] Effects of different NaCl concentrations on growth and water economy of Bhutaparon Fortulacoides(St.Hil) Mears, 1982 (Amaranthaceae).
- Flowers, T.J., Flower, S.A. and Greenway, H. (1986). Effects of sodium chloride on tobacco (Nicotiana tobaccum) plants. Plant Cell Environ., 9(8):645-652.
- Flower, T.J., & Hall, J.L. (1978). Salt tolerance in halophyte Suaeda maritim (L) Dum : The influence of the salinity of the culture solution on the content of various organic compounds. Ann. Bot. 1047-1063.

Folin, O. and Denis, W. (1915). A colorimetric estimation of phenols (Phenol-derivative) in Urine. J. Biol. Chem., 22:305-308.

Frota J.N.E. and Tucker, T.C. (1978). Salt and water stress influences nitrogen metabolism in red kidney beans. Soil. Sci. Soc. Am. J., 42(5):743-746.

Frota, J.N.E. and Tucker, T.C. (1978). Absorption rates of ammonium and nitrate by red kidney beans under salt and water stress. Soil Sci. Soc. Am. J., 42(5):753-756.

Garg, B.K. and Garg, O.P. (1980). Salinity and plant nutrition: Effect of Sodium Carbonate and Sodium Bicarbonate on the growth and absorption of essential macro-nutrients and sodium in pea (Pisum sativa cv. Multifreezer). Proc. Indian Natl. Sci. Acad. (Part B) Biol. Sci., 46(5):694-698.

Gaikwad, S.G. (1989). M.Phil thesis submitted to Shivaji University, Kolhapur (India).

Gates, C.T., Haydock, K.P & Robins, M.F. (1970). Response to salinity in Glycine, 4, Salt concentration & the content of phosphorus, potassium, sodium & Chloride in cultivars of Glycine wightii (G. Javanica). Aust. J. Exp. Agr. Anim. Husb., 10(42):99-110.

Gauch, H.G. & C.H. Wadleigh (1943). A new type of intermittently irrigated sand culture equipment. Plant Physiol, 18:543-548.

Gauch, H.G. and Wadleigh, C.H. (1945). Effect of high concentration of sodium, calcium, chloride & Sulphate on ionic absorption by bean plants. Soil. Sci. 59:139-153.

Ghosh, S.P. and Govind, S. (1977). Varietal selection of different rhizomatous crops like ginger and turmeric. Annual report 1977-ICAR Complex for NEH Region. pp 100.

Girdhar, I.K. (1989). Response of Sunflower (Helianthus annuus) to saline water irrigation and changing root-zone salinity. Central Soil Salinity Res. Karnal. Haryana-132 001. INDIAN J. AGRIC. SCI. 59(8):500-503.

Goas, M. (1968). Contribution to the study of nitrogenous metabolism of halophytes Amino acids and free amides of Aster tripolium L. in aquaculture. C.R. Acad Sci. (Paris). D-265:1049-1052.



Govind, S. and Gupta, R.N. (1982). Varietal evaluation of turmeric. Annual Report, ICAR Research Complex for NEH Region, Shillong, pp 62-63.

Grant, D.M. and G.F. Somers (1981). Salinity, aeration and the growth of Kosteletzkya virginica. Plant Physiol., (Suppl.) 67(4):18.

Greenway, H.A. Gunn A. & Thomas, D.A. (1966). Plant response to saline substrates VIII Regulation of ion concentration in salt sensitive & halophytic species. Aust. J. Biol. Sci. 19:741-756.

Greenway & Munns, R. (1980). Mechanism of salt tolerance in non-halophytes. Ann. Rev. Plant Physiol., 31:149-170.

Guggenheim, J. and Waisel, Y. (1977). Effect of salinity, temperature and nitrogen fertilization of growth and composition of Rhodes grass (Chloris gayana Kunth). Plant and Soil, 47:431-440.

Guillen, M.G., Caro, M., Fernandes, F.G., Cerada, A., (1978). Foliar composition of citrus seedlings irrigated with saline waters. Commun. Sci. Plant Anal., 9:595-606.

Gupta, P.N. and Govind, S. (1983). Effect of different levels of phosphorus on the yield growth characters of turmeric var. Lakadong at Barapani, Meghalaya, Annual Report 1983. ICAR Research Complex for NEH Region, Meghalaya, pp 121-123.

Hamid, A. and Talibudeen, O. (1976). Effect of sodium on the growth and ion uptake by barley, sugarbeet and Broad beans. J. Agric. Sci. 86(1):49-56.

Hassan, H.M., El-Shafey, Y.H. & Refaat, M.G.M. (1981). Effect of nitrogen sources and levels on the growth, mineral composition & the yield of rice plant grown under different salinity levels. Egypt. J. Bot., 23(1):17-34.

Hassan-Forath, E. Khane, I. and Poljakoff - Mayber, A. (1972). The effect of chloride and sulphate types of salinity on growth and on osmotic adaptation of pea seedlings. Plant soil. 36(2):449-460.

Hawk, P.B., Oser, B.L. & Summerson, W.H. (1948). Practical physiological chemistry, Publ the Balckiston company, U.S.A.

Hayward, H.E. (1955). In Proc. 4th Internat, Horticultural Congr. (J.P) Nieuwstrater, ed pp. 385-399. Netherland Veemanzonen.

Hayward, H.E. & Long, E.M. (1941). Botan.Gaz 102:437-462.

Heikal, M.M.D. (1976). Physiological studies on salinity:II. Effect of sodium chloride on growth and photosynthetic pigments in Kidney bean plants raised in culture solution. Bull.Fac.Sci.Asstut.Univ., 5(1):17-30.

Heikal, M.M.D. (1977). Physiological studies on salinity:VI. Changes in water content and mineral composition of some plants over a range of salinity stress. Plant Soil, 48(1):223-232.

Heimer, Y.M. (1973). The effect of sodium chloride, potassium chloride and glycerol on the activity of nitrate reductase of a salt tolerant and two non-tolerant plants. Planta, 113(3):297-281.

Helal, A.M. and Mengel, E. (1979). Nitrogen metabolism of young barley plants as affected by NaCl salinity and potassium. Plant and Soil., 51:457-462.

Helal. M., Kotch and Mengel, K. (1975). Physiol.Pl., 35:310-313.

Hoffman, G.J., Shalhevet, J. and Meiri, A. (1980). Leaf age and salinity influence water relation of pepper leaves. Physiol.Plant., 48(3):463-469.

Huber, W. (1974). Influence of NaCl and abscissic acid treatment on protein metabolism and some further enzymes of amino acid metabolism in seedlings of Pennisetum typhoides Planta, 121:225-235.

Ibragimov, M. and R.A. Azimov (1975). Effect of natural salinization on the content of pigments during development of cotton. UZB.Biol.Z.H., 19:22-24.

Immamul Huq, S.M. and Larher, F. (1983). Osmoregulation in higher plants : Effect of sodium chloride salinity on non-nodulated Phaseolus aureus: Growth and mineral content. New Phytol., 93(2):203-208.

Immamul Huq, S.M. and Larher, F. (1983). Effect of sodium chloride salinity on the growth and the nitrogen status of nodulated cowpea (Vigna sinensis) and mung bean (Phaseolous aureus). Z.Pflanzen Physiol., 112(1):79-88.

Iyengar E.R.R. (1978). Studies with P<sup>32</sup> and Cl<sup>36</sup> on seedlings of crops grown under salinity curr.Agric., 2:39-42.

Iyengar E.R.R. Abraham, M. and Mehta, B.R. (1974). Note on cation exchange capacity and cation accumulation in roots of sugarcane and tomato grown with sea water dilution. Ind.J.Agric.Res., 8:187-189.

Jadhav, K.L., Wallinan, E.F., Sharpless, R.G. and Sharples, R.G. and Printy, W.L. (1976). Salinity effects on nitrogen use by wheat cultivar Sonara 64. Agron.J., 68(2):222-226.

Jamale, B.B. (1975). Physiological studies in saline plants". Ph.D. thesis submitted to Shivaji University, Kolhapur (India).

Joshi, G.V. (1976). Studies in photosynthesis under saline conditions. P.L. 480 Project Report submitted to Shivaji University, Kolhapur (India).

Joshi, G.V. and Karadge, B.A. (1979). Effect of sodium chloride on photosynthetic assimilation in Portulaca Oleracea Linn.

Indian J. Exp. Biol., 17:167-170.

Joshi, G.V. and Karadge, B.A. (1980). Photosynthesis in green senescent leaves of Portulaca oleracea linn.Proc.Indian Natl.Sci.Acad., B-46(3):361-368.

Joshi, G.V. and Naik, G.R. (1980). Response of sugarcane to different types of salt stress. Plant and Soil, 56:225-263.

Joolka, M.K. and Singh, J.P. (1979). Effect of soil salinity on the growth of citrus root stocks. Indian J.Agric.Sci. 49(11):856-861.

Kale, V.R.C. (1962). Physiological analysis of salt tolerance of four varieties of wheat. Thesis approved for Ph.D. degree of Post Graduate School, I.A.R.I., New Delhi.

Karadge, B.A. (1981). Physiological studies in succulents (Physiological studies in Portulaca oleracea Linn). Ph.D. thesis is submitted to Shivaji University, Kolhapur (India).

Karadge, B.A. and P.D. Chavan (1979). Mineral nutrition of groundnut (Arachis hypogea) cultivar SB-11 grown in salinized soil. Maharashtra Vidnyan Mandir Patrika, 14(2):68-75.

Karadge, B.A. and Chavan, P.D. (1981). Salt tolerance studies in groundnut (Arachis hypogea L.) Var. TMV-10. Bioviqyanum 7(2):137-144.

Karadge, B.A. and Chavan, P.D. (1983). Physiological studies in salinity tolerance of Sesbania aculeata Poir. Biol.Plant (Praha), 25(6):412-418.

Karmarkar, S.M. (1965). Physiological studies in succulent plants. Ph.D. thesis submitted to the University of Bombay (India).

Kawasaki, T., Akiba, T. and Marit Sugu, M. (1983). Effect of high concentration of sodium chloride and polyethylene glycol on the growth and ion absorption in plants. Plant Soil 75:75-86.

Kawathe, R.B. (1985). Physiological studies in safflower (Carthamus tinctorius L.) cv, Tara under saline conditions. M.Phil dissertation approved by Univ. of Poona.

Khalid, Mehmood and Malik, Kauser A, (1987). Salt tolerance studies on Atriplex rhagodioides F.Muell. Environ.Exp.Bot.27(1):119-125.

Khot, S.B. (1978). M.Sc. thesis submitted to Shivaji University, Kolhapur (India).

Kirk, J.O.T. & Allen, R.L. (1965). Dependence of chloroplast pigment synthesis on protein synthesis : Effect of actidione Arch.Biochem.Biophys.Res.Commun., 21:523-530.

Kleinkopf, G.E., Wallace, A. (1974). Physiological basis for salt tolerance in Tamarix ramesissima Plant Sci.Lett., 3(3):157-160.

Kleinkopf, G.E., Wallace, A. and Cha, J.W. (1975). Sodium relations in desert plants. Some physiological responses of Atriplex confertifolia to different levels of sodium chloride. Soil Science, 120(1):45-48.

Krishnamoorthy, H.N. and Siddique, S. (1985). Effect of salinity and B-nine on Vigna unguiculata (Cowpea Var. HFC 42-1). Abst.Proc.of Natl.Seminar on Pl.Physiol.,Banaras, pp 66 (Abs.No.110).

Kulkarni, H.D. (1984). Physiological studies in moth bean (Phaseolus moutifolius). Growth and Mineral Nutrition. M.Phil. thesis submitted to Shivaji University, Kolhapur (India).

Lahaya, P.A. and Epstein, E. (1969). Salt toleration by plants, enhancement with calcium. Science. 166:395-396.

Lal, R.K. and Bharadwaji, S.N. (1984). Effect of salinity on mineral composition and ionic balance in field pea (Pisum sativum Arvensis). Indian J.Plant Physiol.,27:351-354.

Langdale, G.W. and Thomas, J.R. (1971). Soil salinity effects on absorption of nitrogen, phosphorus and protein synthesis by coastal bermudagrass. Agron.J.,63(5):708-711.

Langdale, G.W. and Thomas, J.R. and Littleton, T.G. (1973). Agron.J., 65:468-470.

Larsen, H. (1967). Biochemical aspects of extreme halophilism. Advan.Microb.Physiol., 1:97:132.

Larshin, M.H. and Atansia, N. (1972). Studies on the effect of salt concentration on the formation of dry matter, uptake of mineral nutrients and mineral composition of cotton plants during vegetative growth period. Z. Acker Pflanzenbau. 135(3):178-186.

Laszlo, E. and Kuiper, P.J.C (1979). The effects of salinity on growth, cation contents, Na<sup>+</sup> uptake and translocation in salt sensitive and salt tolerant Plantago species. Physiol-Plant 47:95-97.

Lashon, H.H. and Atansiu, N. (1972). Studies on the effects of salt concentration on the formation of dry matter, uptake of mineral nutrients and mineral composition of cotton plants during vegetative growth period.

Lauchi, A. and Wieneke, J. (1979). Studies on growth and distribution of Na<sup>+</sup> and K<sup>+</sup> and Cl<sup>-</sup> in soybean Varieties differing in salt tolerance Z. Pflanzenerpaehr. Bodenkd. 142:3-13.

Lauter, D.J. Munns, D.N. Clarkin, K.L. (1981). Salt response of Chickpea (Cicer arietinum) as influenced by nitrogen supply. Argon.J. 73:961-968.

Lessani, H. and Marchner, H. (1978). Relation between salt tolerance and long distance transport of sodium and chloride in various crop species. Aust.J.Plant Physiol.,5:27-37.

Mashhady, A.S., Sayed H.I. and Heakal M.S. (1982). Effect of soil salinity and water stresses on growth and content of nitrogen, chloride and phosphate of wheat (Triticum aestivum) and triticales (Triticosecale wittmack) Plant soil, 68(2):207-215.

Maas, E.V. Ogata, G. and Garber, M.J. (1972). Influence of salinity on the uptake of Fe, Mn and Zn by plants. Argon.J., 64:693-795.

Paliwal, G.L. and Paliwal, K.V. (1984). Salt tolerance of some paddy maize, sorghum, cotton, and tobacco varieties at germination and early growth stage. Agric.Sci.Dig., 4(3):147-149.

Malik, Y.S., Mehrotra, N., Pandita, M.L. and Jaiswal, R.C. (1983). Indian J.Agric.Sci.,53(9):861-862.

Matar, Y., Doering, H.W. and Marschner, H. (1975). Effect of NaCl and Na<sub>2</sub>SO<sub>4</sub> on dry matter production mineral content and organic compounds of spinach and lettuce. Z.Pflanzenrna Chr.Bodenkd., 3:292-307.

**Nelson, N.A. (1944).** Photometric adaption of Somogy's method for the determination of glucose. J. Biol. Chem., 153:375-380.

**Nieman, R.H. (1962).** Some effects of sodium chloride on growth photosynthesis and respiration of twelve crop plants. Bot. Gaz., 123:279-285,

**Nieman R.H. (1965).** Pl. Physiol., 40:156-161.

**Nieman, R.H. and Poulsen, L.L. (1967).** Interactive effects of salinity and atmospheric humidity on the growth of bean and cotton plants Bot. Gaz., 128:69-73.

**Nigwekar A.S. and Chavan, P.D. (1987).** The influence of sodium chloride salinity on the growth and mineral nutrition of horsegram Dolichos biflorous L. Acta. Sec. Bot. Pol., 56(1):73-100.

**Nimbalkar, J.D. and Joshi, G.V. (1974).** Photosynthesis and mineral metabolism in senescent leaves of sugarcane var. Co-740 Indian agri. 18(3):257-264.

**Nimbalkar, J.D. and G.V. Joshi (1975).** Physiological studies in senescent leaves of sugarcane var. Co. 740. Ind. J. Exp. Biol., 13:384-386.

**Nukaya, A., Masui, M. and Ishida, A. (1982).** Salt tolerance of green soybeans as affected by various salinities in sand culture J. Japan Soc. Hort. Sci., 50:487-496.

**Nukaya, A.M. and Ishida, A (1980).** Salt tolerance of miskmelons in sand and nutrient solutions cultures. J. Japan. Soc. Hortic. Sci., 40:93-107.

**Okusanya, Olubukanla T. and Ebong Umoh E. (1984).** The effects of calcium nitrate and sodium dihydrogen Phosphate on the growth and mineral composition of Luffa aegyptica in saline medium. Biol. Afr., 1 (1):53-63.

**Osmond, C.B. (1967).** Augst. J. Bio. Sci., 20:575-587.

**Osmond, C.B. and Greenway, R. (1972).** Pl. Physiol., 49:260-263.

**Overstreet, R. and Jacobson, L. (1952).** Mechanism of ion absorption by roots. Ann.Rev.Plant Physiol.3:189-206.

**Palfi, G. and J. Juhasz (1970).** Increase of the free proline level in water deficit leaves as a reaction of saline or cold root media. Acta Agion.Acad.Sc.Hung., ig :79-88.

**Paliwal, K.V. and Maliwal, G.N. (1972).** Effect of salts on the growth and chemical composition of okara (Abdelm oschus esculents) and sponge gourd (Luffa cylindrica). J.Hortic.Sc., 47(4):517-524.

**Paliwal, K.V. and Maliwal, G.L. (1975).** Effect of salts on the growth and mineral nutrition of cobbage (Brassica oleracea) in soil and sand culture. Proc.Indian Natl.Sci.Acad.Part B Biol.Sci., 4(2):155-160.

**Pandey, D.P. and Kannan, S. (1979).** Effects of sodium chloride pretreatment on cation absorption by bean plants. Z.Pflanzenphysiol., 92:91-94.

**Pandey, D.P. and Srivastava (1990).** (Dept. Crop Physiol., Chandrashekar Azad, Univ. Agric. Technol, Kanpur 208 002) Indian J. Palnt Physiol., 32(2):175-177.

**Parry, J.W. (1969).** 'Spices' vol. I. chemical Publishing company Inc., New York.

**Passera, C. and Albuzio, A. (1978).** Effect of salinity on photosynthesis and photorespiration of two wheat species (Triticum durum cv. PEPE 2/22 and Triticum aestivum cv. Marzoffa) Can.J.Bot.,65(1):121-126.

**Patil, P.K. and Patil, V.K. (1983).** Effect of soil salinity levels on the growth and chemical composition of Syziqium cumini L.J.Hort.Sci.58.:141-148.

**Patil, V.K. and Bhamkota, J. (1980).** Salinity studies in citrus I. Effect of various levels of salinity on the macronutrient status of seedling root stocks. J.Indian Soc.Soil.Sci. 28(1):72-79.



**Petolino, J.F. and Leone, I.A. (1980).** Saline aerosol some effects on the physiology of Phaseolus vulgaris (cv. topcrop). Phytopathology, 70:229-232.

**Philip, J. Nair, P.C.S. Nybe, E.V. and Mohan Kumarson, N. (1980).** Variation of yield and quality of turmeric cultivars. proceedings of the National Seminar on ginger and turmeric. pp 42-43.

**Philip, J. and Nair, P.C.S. (1983).** Morphological and yield characters of turmeric types. Indian species. 20(2):13-20.

**Philip, J. (1985).** Effects of plant density on yield components of turmeric. Indian Cocoa, Arecanut and spices. J. 8(4).93.

**Pillai, T.P.K. (1977).** Germplasm collection and evaluation of ginger and turmeric. Annual Report 1977. CPCRI, K. saragod. pp 112-114.

**Ponomareva, S.A., Protsenko, D.F. and M.V. Svitsev (1971).** Effect of sodium chloride on plastid pigments of tomato leaves. Fiziol.Rast., 18(2):404-408.

**Prasad, K. (1983).** Yield and morphological characteristics of different varieties of turmeric at Nagaland. Annual Report 1983. ICAR Res.Complex for NEH Region, Nagaland pp 121-123.

**Pruthi, J.S. (1976).** Spices and condiments. National Book Trust of India, New Delhi, pp 223-227.

**Pujari, P.D., Patil, R.B. and Sapkal, R.T. (1986).** "Krishna" a high yielding variety of Turmeric. Indian Cocoa. Arecanut and Spices J., 9(3):65-66.

**Purseglove, J.W., Brown, E.G., Green, C.L. and Robbins, S.R.J. (1981).** 'Spices' vol. 2. Longman, London and New York. pp 532-560.

**Ridley, H.N. (1983).** 'Spiced'. International Book Distributors, Dehra Dun (India). pp 422-437.

**Ragab, M.A.A.A. El, Gizaway and A.A. Abdullah (1988).** Effect of soil salinity on growth, yield and yield components of pea plants. (Pisum sativum L) (Agri.Dep.Soil water Res.Atomic Energy

Authority) EGYPT J.AGRON. 10(1/2):139-151.

**Rahman, A.El., Shourbagy, M.N. and El Monayeri, M.O. (1972).** Salinity effects on carbohydrates and ion contents in some desert fodder plants. Bull.Fac.Sci.Cairo Univ., 45:79-96.

**Rains, D.W. and Epstein, E. (1967).** Preferential absorption of potassium by leaf tissue of the mangrove Avicenia marina: Aust.J.Biol.Sci., 20:847-857.

**Rajmane, N.A. (1984).** Physiological studies in tropical legumes (Physiological studies in Psopocarpus tetragonolobus L.). Ph.D. thesis submitted to Shivaji University, Kolhapur (India).

**Randhawa, G.S., Mahey, R.K. and Gill, S.R.S. (1982).** Leaf area measurements in Turmeric. Indian Spices 19(1):7-9.

**Rao, D.V.R., AND Swamy, G.S. (1984).** Studies on the effects of N.P. and K on growth yield and quality of turmeric. S. Indian Hort. 32(5):288-291.

**Rathert, G. (1983).** Effects of high salinity stress on mineral and carbohydrate metabolism of two cotton; (Gossypium barbadense) varieties. Plant and soil. 73(2):247-256.

**Rathert, G. and Doering, H.W., (1983).** Influence of extreme K : N ratio and high substrate salinity on plant metabolism of crops differing in salt tolerance, VIII. ION specific salinity effect on carbohydrates and degradative enzymes of two soybean varieties. J.Plant Nutr., 6:563-595.

**Reddy, S.M. and Das, V.S.R. (1978).** Effect of salinity and alkalinity on chloroplast metabolism and mineral constituents. Indian J Plant Physiol., 21(3):265-273.

**Riely, J.J. (1986).** Physiological responses of plants to salinity. Ph.D. thesis, University of Arizona.

**Roland, A. (1975).** Salt regulation of halophytes. Oecologia 21(1):57-71.

**Roth, Hannelore. (1989).** The influence of sodium chloride or sodium sulphate substrate salinity on the growth and dry matter production of Triticum aestivum L. horcleum vulgare L & Oryza

sativa L. under laboratory conditions. (Institute Tropische Landwirtschaft, Karl-Marx-Universität Fichtestr. 28 DDR-7030 (Leipzig). BEITR TROP LANDWIRTSCH VETERINAERMED 270(3):305-312.

Rosema, J. (1976). an ecophysiological study on the response to salt of four halophytic and glycophytic Juncus Species. Flora (Jena), 165(2):197-209.

Sadale, D.W. and Epstein, E. (1976). Difference between salt sensitive and salt tolerant genotypes of the tomato. Plant Physiol., 57:162-166.

Sarin, M.N. and Narayanan A. (1968). Physiol. Pl., 21:1201-1209.

Seemann, J.R. and Chritchely C. (1985). Effects of salt on the growth ion content stomatal behaviour and photosynthetic capacity of a salt sensitive species. Phaseolus vulgaris L. Planta, 164:151-162.

Sekin, T. Sasakahia, T. Mortio, S. Kimara, T. & Kuratomi, K. (1985). of Laboratory manual for physiological studies of Rice. Ed. Yashida, S. Forno, D. Cook, J.H. and Gomez, K.A., Publ. by the International Rice Research.

Setia, R.C. and Narang, Shelly (1985). Effect of salinity stress and plant growth regulation on seed germination and seedling growth in a pea (Pisum sativum). Flora (Jena), 177(5/6):369-375.

Shah, H.A., Ramdas S., Arumugam, R., Muthuswami, S. and Abdul Khader, J.B.N.Md. (1982). Co. 1 turmeric - A high yielding mutant turmeric. S.Indian Hort.J. 30(4) : 276-277.

Shannon, M.C. (1985). Plant Soil. 89:227-242.

Sharma, S.K. 1983. Indian j. EXPTL. Biol., 21:690-692.

Sharma, S.K. 1986. Pl. Soil., 93:141-145.

Sharma, S.K. and Garg, O.P. (1983). Curr. Agric., 7: 36-40.

Sharma, S.K. and Gupta, (1986). Saline environment.

Sharma, S.K., Joshi, Y.C. and Bal, .R. (1984). Indian J. Pl. Physiol., 27(2):153-158.

Sharma, et al., (1977). Effect of different frequencies of irrigation with saline water on the yield of water and salt accumulation in saline soil. Ind.J.Agric.Bot., 47:485-488.

Shankaracharya, N.B. and Natarajan, C.P. (1973). 'Turmeric' Chemistry, Technology and uses. Indian spices 10(3):7-11; 10(4): 8-10.

Sheoran, I.S. and Garg, O.P. (1978). Effect of Chloride and sulphate salinity and germination and early seedling growth of mung (Phaseolus aureus.) Acta. Bot. India. (6 suppl.). 84-89.

Shevyakova, N.I. and Koniozerko, E.I. (2969). Amino acid metabolism in a culture of callus tissue from cabbage leaves under salinization conditions. Dokl.Akad.Mauk-USSR., 186:548-553.

Shimose, N. (1972). Physiology of salt injury in crops IX salt tolerance of barley, wheat and asparagus. The scientific reports of the faculty of Agriculture Okayama Univ., 40:57-68.

Shimose, N. (1973). Salt tolerance of Crops. Japan Agric.Res.Quarterly., 7(3):176-184.

Singh, O.S., and Vijayakumar, K.R. (1974). Carry over of salinity on yield and quality of wheat seeds seed res. (New Delhi) 2:13-18.

Singh, Rangil, Sindhu, P.S. Vadhera, Shyama, Sital, J.S. and Bhatia, I.S. (1980). Extracellular invertase of Rhizobium japonicum and its role in free sugar metabolism in the developing root, nodules of sesbania grandiflora. Physiol. Plant., 48(4):504-508.

Singleton Paul W. and Bohool, B. Een. (1984). Effect of salinity on nodule formation by soybean (Glycine max. cv. Davis). Plant Physiol (Bethesda) & 4 (1): 72-76.

Smith, D. Dobrenze, A.K. & Schoniorst, M.H. (1981). Response of Alfa alfa seedling plants to high levels of chloride salts J.Plant Nutr., 4(2):163-174.

**Somers, G.F. (1979).** Production of food plants in Areas supplied with highly saline water. In : Problems and prospects of stress physiology in crop plants. (eds.) John Wiley and Sons. pp. 108-125.

**Soufi, S.M. and Wallace, A. (1982).** Sodium relation in desert plants: 8. Different effects of NaCl and Na<sub>2</sub>SO<sub>4</sub> on the growth and composition of Atriplex bymenelytra. Soil Sci., 134:69-70.

**Starck, Z. and Kozinska, Maring (1980).** Acta. Soc. Bot. Pol., 49:111-126.

**Stewart, G.R. and Lee, J.A. (1974).** The role of proline accumulation in halophytes. Planta., 120:277-289.

**St. Omer, L. and William, S. (1980).** Field and greenhouse investigations of the effect of increasing salt stress on the anatomy of Jaumea carnosa (Asteraceae) a salt marsh species Am J. Bot., 67:145-165.

**Storey, R. and Wyn-Jones, R.G. (1978).** Salt stress and comparative Physiology in Gramineae : III. Effect of salinity upon comparative and Glycine - betaine and proline levels in Spartina x townsendric. Aust. J. Plan Physiol., 5(6):831-838.

**Strogonov, B.P. (1964).** Physiological basis of salt tolerance of plants. Academy of Sciences of the USSR. Trans A. Poljakoff - Mayber, A.H. Mayer. Israel Progr. Sci. Transl. Jerusalem.

**Strogonov, B.P. and Tarverdyan, V.I. and Kabonov, V.V. (1972).** Effects of absorbed ions of sodium and chloride on pea plant. Fisiol. Rast., 19(4):787-791.

**Sudyina, O.H. and R.M. Fomishyna (1974).** Effects of chlorides on chlorophyllase activity Ukr. Bot. Zh., 31(3):327-332.

**Sutcliffs, J.F. (1962).** Mineral salt absorption in plants Publ. Pergamon press., pp-194.

**Svitsev, M.V., S.A. Ponomareva and E.A. Kuzentsova (1973).** Effect of salinization and herbicide on chlorophyllase activity in tomato leaves. Fisiol. Rast., 20(1):62-65.

- Syed, M.M. and El-Swaify, S.A. (1973). Effect of saline water irrigation on No. Co. 310 and H.50 7009 cultivars of sugarcane II. Chemical composition of plants. Trop. Agric., 50(1):45-51.
- Taya, M.W. El-Azad, E. and Fadiyah, Z. (1974). Ionic leaf accumulation in grapes, guava and olive plants as affected by the salinity of irrigation water. Alexander J. Agric. Res., 20(2):299-309.
- Taylor, R.W.M., Young, E.F. and Jr. Rivera, R.L. (1975). Salt tolerance in cultivars of grain Sorghum - Crop Science, 15:734-735.
- Thorne, D.W. and Peterson, H.B. (1954). Irrigated soils, their fertility and management. The Blakrishton Co.Inc., New York, 392.
- Tiku, B.L. (1976). Effect of salinity on the photosynthesis of the halophytes Salicornia rubra, and Distichlis stricta. Physiol Plant., 37(1):23-28.
- Tindal, P.C., Singh, J.P. and Gupta, O.P. (1979). Indian J. Agric. Sci., 49(2):105-109.
- Totawat, K.L. & S.W. Saxena (1971). Effect of variation in salinity and alkalinity of applied irrigation waters on amino acids make up of Phaseolus aureus. Plant and soil. 34:43-48.
- Townsend, A.M. (1980). Responses of selected free species to sodium chloride. I AM socitlortic. 105(6):878-883.
- Triechel, S. (1975). Crassulacean acid metabolism in a salt tolerant member of Aizacacea, Aptenia cordifolia plant Sci., 4(3):141-144.
- Udovenko, G.V., Semushina, L.A. and Petrochenko, N.C. (1971). Character and possible explanation of the changed photosynthetic activity of plant during salinization. Fisiol.Rast., 18(4):709-715.
- Uperty, D.C. and Sarin, M.N. (1976). Physiological studies on salt tolerance in Pisum sativum L. : IV. Ionic composition and nitrogen metabolism Acta Horton.acad.Sci.Hung. 25(3/4):455-460.

**Meiri A., Kamburoff, J., and Poljakoff-Mayber, A. (1971).** Response of bean plants to sodium chloride and sodium sulphate salinization Ann.Bot., 35:837-847.

**Meiri A. and Poljakoff-Mayber (1967).** The effect of chloride salinity on Growth of bean leaves in thickness and inarca. Isrel J.Bot., 16:115-123.

**Mirfza, R.A. and Khalid, Mehmood (1986).** Comparative effect of sodium chloride and sodium bicarbonate on germination, growth and ion accumulation in *Phaseolus aureus*, Roxb. cv. 6601. Biologia (Lahore), 32(1):257-272.

**Munns, R., Greenway, H., Delane, R., and Gibbs, J. (1982).** Ion concentration and carbohydrate status of the elongating leaf tissue of *Hordeum vulgare* growing at high external NaCl. II. Cause of the growth reduction. J.Exp.Bot., 33:574-583.

**Murlidharan, A. and Balakrishnana, S. (1972).** Studies on the performance of some varieties of turmeric (*C.spp.*) and its fertilizer. Agric.Res.J.Kerala, 10(2):112-115.

**Murlidharan, A. and Ramankutty, H.N. (1977).** Performance of some selected clones of turmeric (*curcuma spp.*) in Wvand, Kerala. Agric.Res.J.Kerala., 14(2):191-193.

**Murumkar, C.V. (1965).** Physiological studies in Chickpea (*cicer arietinum* L). Ph.D. thesis submitted to Shivaji University, Kolhapur (India).

**Muthuswamy, S. and Shah, H.A. (1982).** Comparative quality evaluation of Salem and Erode Turmeric types. Indian cocoa.Arecanut and spices J., 5(40):77.

**Narayan, A. (1975).** Proc. symp. :89-96 Cf. Karadge, B.A. and Chavan, P.D. (1983). In Physiological studies on salt tolerance in *sesbania* final report of the Shivaji University, Kolhapur, Project.

**Nambiar, M.C. (1979).** Morphological and cytological investigations in the genus *Curcuma* linn. Ph.D. thesis, University of Bombay. pp 95.

Varshney, K.A. and Baijal, B.D. (1977). Effects of salt stress on chlorophyll contents of some grasses. Indian J. Plant Physiol., 20(2):161-163.

Wadker, P.R. (1989). Botany Dept. Ph.D. thesis submitted to Shivaji University, Kolhapur (India).

Wallace, A. Cha, J.W. and Muller, R.T. (1980). Effect of NaCl on some trace metals in bush beans. J. Plant Nutr. 2(142):115-117.

Wallace, et al., (1982). Sodium relations in desert plants : 7 Effect of sodium chloride on Atriplex polycarpa and A. canescens sp. Soil Sci., 134(1):65-68.

Walter, H. (1961). The adaptations of plant to saline soils. Arid Zones Research Vol. XIV. Salinity problems in the arid zones.

Walvekar, A.R. (1992). M.Phil. thesis submitted to Shivaji University, Kolhapur (India).

West, D.W. and J.A. Taylor (1980). The response of Phaseolus vulgaris L. to root zone Anaerobic-biosis water logging and high sodium chloride. Ann. Bot. 46:51-60.

Wilson, et al., (1970). The development in time of stress effects in two species of Glycine, differing in sensitivity to salt. Aust. J. Biol. Sci., 23:537-551.

Winter, K., Troughton, J.H., Evenari, M., Laeuchli, A. and Luetge, V. (1976). Mineral ion composition and occurrence of CAM like diurnal malate fluctuations in plant of coastal and desert habitats of Israel and Sinai. Oecologia., 25(2):125-143.

Yadav, J.S.P. and Sharma, B.M. (1980). An appraisal of alkali tolerance of gram (Cicer arietinum) in the field Agrokemias talajtan., 29(3/4):456-462.

Yadav, D.S. (1983). Performance of turmeric varieties at Manipur. Annual Report 1983. ICAR Res. Complex for NEH Region, Manipur, pp 121-123.

Zhukovskaya, N.V. (1973). Uptake and accumulation of Phosphorus by plants in salinized soil. Fisiol. Rast. 20(1):71-78.