

BIBLIOGRAPHY

- Alden, S.C. and W.R. Wilfred (1973) : A text book and Manual 'Weed Control'. TATA McGraw. Hill Pb. Co. Delhi. pp. 364.
- Arnon, D. I. (1949) : Copper enzymes in isolated chloroplasts. Polyphenol oxidase in Beta vulgaris. Plant Physiol., 24 : 1-15.
- Arya, H.C. (1982) : Abnormal growths and proliferations during pathogenesis. Indian J. Mycol. and Pl. Pathol., 12(1) : IX - XIX
- Arya, H.C., N.S. Shekhawat and S.D. Purohit (1981) : Accumulation of aromatic compounds as related to abnormal growth in plants. J. Indian bot. Soc., 60 : 247-251.
- Behl, Manju and H. M. Behl. (1984) : Chemistry and allergenicity of Parthenium hysterophorus. Bull. 17th All India Botanical Conference Dec. 1984 pp. 28-30
- Bidhas Ray (1975) : Wage weed war. Hindustan Times, Delhi Sept. 8, 1975.
- Block, R.J.E., C. Durrum and G. Zweig (1955) : A manual of paper Chromatography Academic Press Publ.
- Bonissol, C. and B. Stoilkovic. (1986) : Adenosine phosphorylase activity as a means to detect cell culture contamination by mycoplasmas Abstract 6th Int. Cong. IOM P : 208.
- Carling, D.E. and D.F. Milliken (1977) : Some physiological changes in vinca rosea L. associated with mycoplasma like disorders.
- Plant and Cell Physiol., 18 : 1379-1381.



Carroll, T.W. and T. Kosuge (1969) : Changes in structure of chloroplast accompanying necrosis of tobacco leaves systematically infected with tobacco mosaic virus. Phytopathology, 59 : 953 - 962.

Chandras, G.S. (1970) : Problems caused by Parthenium hysterophorus in Maharashtra region, India, PANS, 16, 212-214.

Char, M.B.S., C.R. Nagendran and D. Ganesh (1975) : Mealybugs on the roots of Parthenium weed. Curr. Sci., 44 (6) : 207

Chavan, P.B. and U.V. Kulkarni (1974) : Additions to the fungi from Maharashtra, India M.V. M. Patrika, 9 (1 and 2) : 132-139.

Chen, C.T. and M. J. Chen (1974) : Pathological effects of the sugarcane white leaf agent on chlorophyll content and chloroplast ultrastructure Proc. ISSCT., 15 : 343-347.

Chen C.T. and L. Kong (1976) : Effects of sugarcane white leaf disease on photosynthesis and respiration. Rept. Taiwan Sugar Res. Inst., 73 : 43-48.

Choopanya, D. (1971) : Association of mycoplasma with Sesame phyllody in Thailand. Second Intern. Symp. Plant Path., IARI (Abstract) PP. 116-117.

Cousin, M.T., K.K. Kartha and R. Delattri (1970) : Sur la présence d'organismes de type mycoplasma dans les tubes cribles de Sesamum orientale L. atteint. de phyllodie (Engl. Summary) Cotton Fibr. Crop. 25 : 525-526.

Dagar, J.C. and J. P. Singh (1979) : Parthenium hysterophorus. A new host for Brevipalpus phoenicis Curr. Sci. 48(2):71-72.

Dagar, J.C., A.N. Rao and V. P. Singh (1977) : Effect of some growth regulators and chemicals on seed germination of Parthenium hysterophorus Linn. GEOBIOS : 4(3) : 87-88.

Dale J.L. (1988) : Rapid compression technique for detecting MLOs in leaf midrib sieve tubes by Fluorescence microscopy. Phytopathology, 78 : 118-120.

Daniels, M. J. (1979) : Mechanism of spiroplasma pathogenicity. In Mycoplasmas III. Plant and insect mycoplasmas, Eds. R.F. Whitcomb and J. G. Tully, Academic press, New York, PP.229-264.

Das. T. M. and M. K. Sadhu (1985) : Allelopathic substances. In: Perspectives in Environmental Botany . (Eds. D.N. Rao, Mohd. Yunus, K. J. Ahmod, S. N. Singh) Pb. Print House (India) Lucknow, pp 119-130.

Davey, J.E., J. Van Staden and G.T.N. De leeuw (1981) :

Endogenous cytokinin levels and development of flower virescence in catharanthus roseus infected with mycoplasmas. Physiol. Plant. Pathol. 19 : 119-154.

Davis M. J., J. H. Tsai, R.L. Cox, L.L. McDaniel, N.A. Harrison (1987) : DNA probes for detecting the Maize Bushy stunt MLO (MBS-MLO) Phytopathology, 77 : 1769.

Deeley, J., W.A. Stevens and, R.T.V. Fox (1979) : Use of Diene's stain to detect plant diseases induced by Mycoplasma like organisms. Phytopathology, 69 : 1169.

Dhumal, K. N. (1983) : Physiological studies in Sugarcane. Ph.D. Thesis, Shivaji Univ., Kolhapur.

Dimock, A.W., C.M. Geissinger and R. K. Horst (1971) : A New adaptation of tissue implantation for the study of virus and mycoplasma diseases. Phytopathology, 61 (4) : 429-430

Douglas, S.M. (1986) : Detection of MLOs in Peach and Chokecherry with x-disease by fluorescence microscopy. Phytopathology 76 (8) : 784-787.

Dube V.P., V.P. Singhal, and S. Tyagi, (1979) :

Parthenium hysterophorus : Allelopathic effects on vegetable crops. Bot. Prog. 2 : 62-69.

Edison, S., K. Ramakrishnan and P. Narayanaswamy (1976)

: Comparison of grassy shoot disease (India) with a white leaf disease (Taiwan) of Sugarcane.

Sugarcane pathol. NewsL, 17 : 30-35.

Edward, D. G. ff. and E.A. Freundt (1956). : The

Classification and nomenclature of organisms of the pleuropneumonia group. J. Gen. Microbiol., 14 : 197-207.

Ellis, J. L. and M.S. swamianathan (1969) : Notes on some

interesting plants from South India. I, J.

Bombay nat. Hist. Soc., 66 : 233-234.

* Fernald, M.L. (1970) : Gray's manual of Botany, 8th ed. New York. Van Nostrand Reinhold Co.

* Fernandez, E.F. (1942) : 'La cicutilla', fitoterapia autoctona. Exc. Med. Secretaria de comunicaciones Y obras publicas, Mexico 1 (Dec.7), 245-247.

*Fisher, N.H., E.J. Olivier and H.D. Fisher (1978) :

Fortschr. Chem. org. Naturst. 38 : 48.

Fletcher, A.R. and D. McCullagh (1971) : Cytokinin induced chlorophyll formation in cucumber cotyledons.
Planta, 101 : 88-90.

Folin, O. and W. Denis (1915) : A calorimetric method for determination of phenols and phenol derivatives in urine, J.Biol. Chem., 22 : 305-308.

Francis, K. and R. Radhakrishnan (1980) : Polypeptides of Parthenium chloroplasts of SDS gels. : Curr. Sci. 49(10): 404-406.

* French, S. W. (1930) : A case of skin sensitivity of Parthenium hysterophorus Mil. Surgeon 66 : 673

Ghosh, S. K. and S. P. Raychaudhuri (1972) : Mycoplasmas : The new chapter in plant pathology. Curr. Sci., 41 : 235-241.

* Gidwani, I. (1975) : Weed out congress grass or else face disaster. Current Sci. 25 12-17.

Glass, A. D. M. and B. A. Bohm. (1969) : The accumulation of cinnamic and benzoic acid derivatives in Ptezidium aquilinum and Athyrium felix - feming, Phytochem. 8 : 371 - 377.

Gleason, H.A. and A. Cronquist (1963) : Manual of vascular plants of North-Eastern United States and adjacent Canada, New York PP. 691.

Goswami, B.K., S.P. Raychaudhari and T.L. Nariani (1971) : Free amino-acids content of the greening affected and healthy plants of sweet-orange (Citrus sinensis Osbeck.) Curr. Sci., 40 : 469-470.

Gupta Usha (1989) : Techniques in the diagnosis of Mycoplasma infections. Plant diseases caused by Fastidious Prokaryotes IIIrd Regional Workshop on Plant Mycoplasma : (Eds. S.P. Raychaudhari and Anupam Varma) Pb. Today and Tomorrows' Printers and Publishers PP. 83-88.

Gupta, S., K. Bhattacharya, P. Ganguly, S. Chanda (1986) : Amino acid composition of the allergic pollen of Parthenium hysterophorus. Science Culture, 52 (4) : 124-125.

Hakoo, M.L. (1963) : A diploid Parthenium in Jammu. Curr. Sci., 32 : 273.

Hegde, B.A. and T.M. Patil (1976) : Biological Control of noxious weed Parthenium hysterophorus Linn. J. Shivaji Univ. (Science), 16 : 105-107.

Hegde, B.A. and T.M. Patil (1979) : A mealybug attacking
Parthenium hysterophorus Linn. Curr. Sci. :
48(4) : 179-180.

Hegde, B.A. and T.M. Patil (1980) : Physiological studies
on Parthenium hysterophorus Linn. under
different ecological conditions. BIOVIGYANAM. 6
: 15-19.

Hegde, B.A. and T.M. Patil (1981) : Parthenium
hysterophorus (L), a C₃ plant with "Kranz"
Syndrome. Photosynthetica, 15(1) : 1-4.

Hegde B.A. and T.M. Patil (1982) : Effect of salt stress
on the structure and carbon flow mechanism in a
noxious weed Parthenium hysterophorus L. Weed
Res. 22 : 51-56.

Hosmani, M.M. and T.K.P. Setty (1973) : Parthenium
hysterophorus Linn. a new weed in Karnataka.
Curr. Sci. 2 : 93-95

Isman, M. B. and Eloy Rodriguez (1983) : Larval growth
inhibitors from species of Parthenium
(Asteraceae) Phytochemistry, 22(12) : 2709-2713.

*Jaiswal S.P. and I.S. Bhatia (1971) : Metabolic changes
induced by grassy shoot disease of sugarcane. 1.
Amino acid and amide content. J. Res. PAV. 8 :
75-78.

Jha, A., H.C. Prasad and B. Mishra (1973) : Dodder (Cuscuta campestris), a new vector for transmitting spike and grassy shoot virus diseases of sugarcane Indian sugar, 23 : 515-516.

Johri, J.K. and B. Padhi (1981) : Biochemical changes induced by Cercospora arachidicola in groundnut leaves. Third International Symp. on Plant pathology, New Delhi (Abstr) pp. 189.

Joshi, N.C. (1974) : Manual of weed control, Pb. Researcho Pub. Delhi.

Joshi, S. (1990) : Parthenium - Its biological control Karnataka State of Environment Report IV pp-62-73.

Jaychandra, A. (1971) : Parthenium weed in Mysore State and its control. Curr. Sci., 40 : 568-569.

Kanchan, S.D. (1975) : Growth inhibitors from Parthenium hysterophorus Linn. Curr. Sci. 44(10) : 358-359.

Kanchan, S.D. and A. Jaychandra (1979) : Allelopathic effects of Parthenium hysterophorus L.I. Exudation of inhibitors through roots Plant and Soil, 53 : 27-35.

Kanchan, S.D. and A. Jayachandra (1979 a) : Allelopathic effects of Parthenium hysterophorus L. II. Inhibitory effects of the weed residue. Plant and Soil, 53 : 39-47.

Kanchan, S.D. and A. Jayachandra (1980) : Pollen allelopathy : A new phenomenon. New Phytol, 84 (4) : 739-746.

Kanchan, S.D. and A. Jayachandra (1981) : Effect of Parthenium hysterophorus on nitrogen fixing and nitrifying bacteria. Can J. Bot., 59(2) : 199-202.

Kartha K.K., M.T. Cousin and E.F. Ruegg (1975) : A light microscopic detection of plant mycoplasma infection by Feulgen staining procedure. Indian Phytopathology, 28 : 51-56.

Kasain, L. (1971) : Weed control in the Tropics, Pb. Leonard Hill Books, An Inter text, Pb. 82.

* Khan, I.S. and E.M. Grothaus (1936) : Parthenium hysterophorus Antigenic properties, respiratory and cutaneous. Texax St. J. Med., 32 : 284

Kondaiah, E. and M.V. Nayudu (1981) : Is the etiologic agent of striate mosaic of sugarcane a mycoyasma? Sugarcane pathol News1., 26 : 18-20.

Kosuge, T. (1969) : The role of phenolics in host response to infection. Ann. Rev. Phytopath. 7 : 195-222.

Kranz, J., H. Schmutter and W. Koch (1977) : Diseases, pests and weeds in tropical crops Pb. verlag Paul Parey, Berlin and Hamburg pp. 562-563.

Krishnamurthy, K., T.V. Ramchandra Prasad and T.V. Muniyappa (1975) : Agricultural and health hazzards of Parthenium. Curr. Res. 4 : 169-171.

Krishnamurthy, K., T.V. Ramachandra Prasad, T.V. Muniyappa and B.V. Venkata Rao (1977) : Parthenium a new pernicious weed. U.A.S. Technical series No. 17. Pb. Univ. of Agri. sciences Hebbal Bangalore pp. 1-46.

Ladwa, H.R. and R. M. Patil (1961) : Composite of Dharwar and its vicinity. J. Bombay Nat. Hist. Soc. 58 : 68-70.

Lee, T., T.A.L. Starratt and J. J. Jevrikar (1982) : Regulation of enzymic oxidation of IAA by Phenols : Structure - activity relationships. Phytochemistry, 21(3) : 517-524.

Lonkar, A. and M. K. Jog (1972) : Epidemic contact dermatitis from Parthenium hysterophorus.

Contact Dermatitis News letter (London), 11 :
291.

Lonkar, A., J.C. Mitchell and C.D. Calnan (1974) :
Contact dermatitis from Parthenium hysterophorus, Trans. St. John's Hospital Dermatological Soc. 60 (1) : 43-53.

* Mackoff, S. and A.O. Dahl (1951) : A botanical consideration of the weed oleoresin problem
Minn. Med., 34 : 1169.

Mahadevan, A. and Sridhar, R. (1982) : Methods in Physiological plant pathology (IIInd Ed.) Pb. Sivakami, Indira-nagar, Madras.

Maharaj - Patil, S. (1992) : Study of some plants infected with Mycoplasma - like organisms. Ph.D, Thesis, Shivaji University, Kolhapur, Maharashtra.

Maharaj - Patil, S. and M. S. Patil (1989) : The effect of MLO infection on Physiology of Vinca rosea L.In : Plant diseases caused by Fastidious Prokaryotes, IIIrd Regional Workshop on plant Mycoplasma (Eds. S.P. Raychaudhuri and Anupam Varma) Pb. Today and Tomorrow's Printers and Publishers New Delhi pp 109-116.

Maheshwari, J. K. (1966) : Parthenium hysterophorus, Curr. Sci. : 35 : 181-183.

Maheshwari, J. K. (1968) : Parthenium weed in Madhya Pradesh. Curr. Sci., 37 : 326-327.

Mall, L.P. and J.C. Dagar (1979) : Effect of Parthenium hysterophorus extract on the germination and early seedling growth of 3 crops. J. Indian Bot. Soc., 58 (1); 40-43.

Marchand, B., H. M. Behl and Eloy Rodriguez (1983) : Application of high performance liquid chromatography for analysis and isolation of sesquiterpene lactones. J. Chromatography, 265 : 97-104.

McCoy, R.E. (1981) : Wallfree procaryotes of plants and Invertebrates. In : The procaryotes, A Handbook on habitates, isolation and identification of bacteria. Springer - Verlag, Berlin, Heidelberg.

Mears, James A.. (1980) : The flavonoids of Parthenium. J. NAT. PROD. (LLOYDIA), 43(6) : 708-716.

Mehrotra, R.S. (1980) : Plant Pathology, Tata McGraw-Hill Publishing Co. Ltd., New Delhi.

Misra, R. (1968) : 'Ecology Workbook' Oxford IBH Pb.
Co. New Delhi pp. 37-41.

Mitchell J.C. (1975) : Contact allergy from plants.
In : "Recent Advances in
Phytochemistry", (Ed. V.C. Runeckles), Plenum
Press, New York, pp. 119-138.

* Mitchell, J.C., G. Dupuis and G. H. Towers : Brit. J.
Derm. 87 : 235

Mitra. D.K., M. Majumdar and G.L. Farkas (1976) :
Effects of little leaf disease on respiration and
enzymatic activities of Solanum melongena.
Phytopath. Z., 86 : 310-313.

Mitra, D.K. and M. Mujumdar (1977) : Changes in total
phenolic content and polyphenol oxidase activity
in brinjal (Solanum melongena) as a result of
little leaf infection. Proc. Indian Natn. Sci.
Acad. : 45(6) : 228-231.

Mitra, D.K. and U.K. Sengupta (1980) : Influence of
little leaf disease on photosynthesis and
chlorophyll content in brinjal (Solanum melongena
Linn.) leaf tissues. Ann. agric. Res., 1(1) :
108-111.

* Moreu, J.P. and C. Boulay (1967) : Mode de pique de trois cicadelles vectrices de virus. Euscelis plebejus FALL, Macrosheles Sexnotatus FALL et Aphrodes bicinctus Schrk. Etude histologique. Ann. Eipphytes, 18 (NHS) : 133-141.

Morgan, P.W., H.E. Johan and J.V. Amin (1966) : Effect of manganese toxicity on the indolacetic acid oxidase system of cotton. Plant Physiol. 41 : 718-724.

Namba, S.S. Yamashita, Y. Doi and K. Yora (1981) : Direct fluorescence detection method for diagnosing yellows type virus diseases and mycoplasma diseases of plants. Ann. Phytopath Soc. Jon., 47(2) : 258-263.

Narsimhan, T.R., M. Ananth, M. Narayanananasmamy, M. Rajendra Babu, A Mangala and P.V. Subha Rao (1977) : Toxicity of Parthenium hysterophorus L. to cattle and buffaloes. Experientia 33 : 1358-1359.

* Ogden, H.D. (1957) : Diagnosis and treatment of Parthenium dermatitis J. Louisiana M. Soc. 109 : 378.

Parthasarathi, K., D.R.C.Babu and P.S. Rao (1970) :

Studies on sandal spike - VIII, Polyphenolase activity and metabolism of sandal (Santalum album L.) in health and disease. Proc. Indian Acad., Sci., 72B : 277-284.

Parthasarathi, K. C.R. Rangaswamy, D.R.C. Babu and P.S. Rao (1975) : Hydroxycinnamic acids and their effect on some cellular enzymes in sandal infected by spike disease. Indian Phytopath. 28 : 352-366.

Parthasarathi, K., S.K. Gupta and C.R. Rangaswamy (1976) : Distribution of chlorophyllase activity and levels of chlorophylls a and b in sandal (Santalum album Linn.) affected by spike disease. Experientia, 32 : 1262-1263.

Parthasarathi, K., C.R. Rangaswamy and D.R.C. Babu (1977) : On a relation of low phosphoglucomutase activity to starch accumulation in spiked sandal. Experientia 33 : 999-1000.

Patil, T.M. (1980) : Physiological studies in Parthenium hysterophorus Ph. D. Thesis, Shivaji University Kolhapur, Maharashtra.

Patil, T.M. and B.A. Hegde. (1982) : Changing photorespiratory ratio and enzyme activity during stages of stem and leaf development in Parthenium hysterophorus. GEOBISOS, 9 : 107-111.

Patil, T.M. and B.A. Hegde (1983) : Pattern of Starch distribution, carbondioxide compensation concentration and photochemical reduction of tetrannitro tetra zolium blue in Parthenium hysterophorus L. Photosynthetica 17(1) : 64-68.

Patil, T.M. and B. A. Hegde, (1983 a) : ^{13}C - Fractionation and photosynthetic enzymes in relation to plastochron index of Parthenium hysterophorus L. Photosynthetica, 17 (4) : 566-571.

Patil, T.M. and Hegde B.A. (1988) : Isolation and purification of a sesquiterpene lactone from the leaves of Parthenium hysterophorus L. - Its allelopathic and cytotoxic effects. Curr. Sci., 57 : 1178-1181.

Patil, T.M. B.A. Kore and B.A. Hegde (1991) : Influence of foilar application of bipyridylium herbicides on stomatal regulation, carbon assismilation and carboxylating enzymes in the leaves of a noxious weed Parthenium hysterophorus L. Biologia Indica, 2(1 and 2) : 45-50.

Phatak. H.C., T. Lundsgard, R. Padma, S. Singh and V.S. Verma (1975) Mycoplasma like bodies associated with Phyllody of Parthenium hysterophorus L. Phytopath Z. 83 : 10-13.

Picman Anna K., Eloy Rodriguez and G.H.N. Towers. (1979) : Formation of adducts of parthenin and related sesquiterpene lactones with cysteine and glutathione Chem. Biol Interact. 28(1) : 83.90.

Picman Anna K., R.H. Elliott and G.H.N. Towers, (1981) : Cardiac inhibiting properties of the sesquiterpene lactone, Parthenin, in the migratory grass hopper. Melanoplus sanguinipes. Can. J. Zool., 59(2) : 285-292.

Picman. Anna K. and G.H.N. Towers (1982) : Sesquiterpene lactones in various populations of Parthenium hysterophorus. Biochem. Syst. Ecol. 10(2) : 145-154.

Prasad, S.M. and Sahambi, H.S. (1980) : Biochemical changes brought about by sesamum phyllody. Indian Phytopath., 33(4) : 617-618.

Pridham, J. B. (1965) : Low molecular weight phenols in higher plants, Ann. Rev. Plant Physiol. 16 : 13-36.

Purohit, S.D., K. G. Ramawat, N.S. Shekhawat and H.C. Arya (1978) : Note on effect of witche's broom infection on chlorophyll content of Tephrosia purpurea (Pers.) leaves. Legume Research, 2(1) : 49-50.

Purohit S.D., N.S. Shekhawat, K.G. Ramawat and H.C. Arya (1979) : Role of some oxidative enzymes and metabolites in sesamum phyllody. Indian J. Exp. Biol. 17 : 714-716.

Raja Kumar, E.D.M. and N. V. Nandakumar (1984) : Effect of Parthenium hysterophorus leaf extract and paraxon on cockroach head and gizzard cholinesterase inhibition. GEOBIOS 11(1) : 11-16.

Ramaiah, P.K., D.R.C. Babu and P.S. Rao (1964) : Studies on sandal spike : A study of sandal (Santalum album Linn.) In health and disease. Proc. Indian Acad. Sci., 60 B : 281-286.

Ramawat, K.G., S.D. Purohit and H.C. Arya (1980) : Phenolics and oxidative enzymes in normal and gall tissues of Gisekia, Science and Culture, 46 : 111-112.

Ranade, S. (1975) : Results of newly synthesized vaccine in cases of congress grass eczema in India. Paper read at 'Aswini' Naval base hospital Bombay.

Rao, R.S. (1956) : Parthenium - a new record for India.
J. Bombay Nat. Hist. Soc., 54 : 218-220.

Ray, P. M. (1958) : The destruction of indoleacetic acid III. Relationship between peroxidase action and indoleacetic acid oxidation. Arch. Biochem., 87 : 175-192.

Razin, S. (1978) : The mycoplasmas. Microbial. Rev., 42(2) : 414 - 470.

Reed, C.F. (1964) : Phytologia 10 : 338. Cited by Krishnamurthy et. al., (1980) In : Parthenium a new pernicious weed U.A.S. Technical series No. 17, Pb. Univ. of Agric. Sciences. Hebbal, Bangalore pp. 1-40.

Rishi, N. S. Okuda, K. Arai, Y. Doi, K. Yora and K.S. Bhargava (1973) : Mycoplasma - like bodies, possibly the cause of grassy shoot disease of sugarcane in India. Ann. Phytopath. Soc. Jpn., 39 : 429-431.

Roberts, J. (1967) : The carrot weed problem : Poona area. Report to Dr. K. Subramanyam, Director, Botanical Survey of India, Calcutta (quoted by Lonkar et al. in Tras. st. John's Hospital Dermatological Soc. 60(1) : 43-53, 1974)

Rodriguez, E., H. Yoshioka and T. J. Mabry (1971) : The Sesquiterpene lactone chemistry of the genus Parthenium (composite). Phytochemistry 10 : 1145.

Rodriguez, E., W.L. Epstein and J.C. Mitchell (1977) : The role of sesquiterpene lactones in contact hypersensitivity to some North and South American species of feverfew (Parthenium - Compositae) Contact dermatitis, 3 : 155-162.

Rodriguez, E. (1978) : Allergic contact Plant dermatitis caused by relatives of Guayule. GUAYULE Reencuentro en el desierto PP. 163-172.

Sabin, A. B. (1941) : The filterable microorganisms of the pleuraneumonia group. Bact. Rev., 5 : 1-65.

Sabin, A.B. (1941 a) : The filterable microorganisms of the pleurophenumonia group (Appendix on classification and nomenclature) Bact. Rev., 5 : 331-335.

Sahambi, H.S. (1970) : Studies on sesamum phyllody virus- vector relationship and host range plant disease problems. Proc. Ist Interm. Symp. Plant Path. IARI pp. 340-351.

*Salem, M.A., and S.H. Mitchail, (1981) : The role of polypheols, oxidative and macerating enzymes in onion bulb cultivars infected with Botrytis allii, Acta. Phytopathological Academiae Scientiarum Hungaricae.

Santapu, H. (1967) : The flora of Khandala on the Western Ghats of India. Rec. Bot. Survey India, 16 : 1-372 3rd rev. Edn.

Sasikumaran, S., T. K. Kandaswamy, and P. Vidhyasekaran, (1979) : Physiology of tomato plants affected by leaf curl virus, Indian phytopath. 32(3) : 352-359.

Savangikar, V. A. and R. N. Joshi (1978) : Edible protein from Parthenium hysterophorus Expt. Agric., 14 : 93-94.

Sharma, R. N. and V. N. Joshi (1977) : Allomonic principles in Parthenium hysterophorus : Potential as insect control agents and role in the weed's resistance to serious insect depredation. Part II. The biological activity of Parthenin on insects. BIOVIGYANAM 3 : 225-231.

Sharma, R.N., B.A. Nagasampagi, D.S. Hebbalkar, K. Rangachar and V. N. Joshi (1977) : Allomonic principles in Parthenium hysterophorus : Potential as insect control agents and role in the weeds resistance to serious insect depredation. Part I. Allomonic principles in the whole plant and its parts. BIOVIGYANAM 3 : 69-76.

Sharma, S.C., P.C. Johary and G.S.C. Rao (1979) : Further observations on the total phenolic content of sugarcane and their quantitative behaviour during clarification. Proc. 43rd Ann. Conv. Sugar Technol. Assoc. (India) : M₁₁ - M₂₁

* Shelmire, B. (1939) : Contact dermatitis from weeds : Patch testing with their oleoresins JAMA 113 : 1085.

* Shelmire, B. (1940) : Contact dermatitis from vegetation South Med. J. 33 : 338.

Shen. M.C., E. Rodriguez, K. Ken and T. J. Mabry (1976) : Flavonoids of four species of Parthenium (compositae). Phytochemistry 15 : 1045.

Shetty, G.P. (1971) : Physiology of growth and salt tolerance of Plants. Ph. D. Thesis, Shivaji University, Kolhapur, India.

166

Siegel, S.M. and A. W. Galston (1953) : Experimental coupling of indoleacetic acid to pea root protein in vivo and in vitro. Proc. Nat. Acad. Sci., (U.S.) 1111-1118.

Singh, K. and V. S. Shukla (1965) : Transmission of grassy shoot disease in nature. Ann. Report IITR, (1964-65) : 140-141.

Singh, K. P., M. Kaleem and J.C. Edward (1976) : Changes in the free amino acids in citrus leaves in relation to virus greening and citrus canker. Curr. Sci., 45 : 502-503.

Srinivasan N. (1982) : Simple diagnostic technique for plant diseases of mycoplasmal etiology Curr. Sci., 51 (18) : 883-885.

Srinivasan N. (1983) : Accumulation of phenolics in leaves of areca palm affected with yellow leaf disease. Indian Phytopath., 36(1) : 153-154.

Srinivasan, K. and S. Chelliah (1978) : Preference of the leaf hopper vector Hischimonus phycitis (Distant) for brinjal plants infected with little leaf disease with particular reference to its amino acid composition. Haroxana Journal of Horticultural Sciences, 7 (3/4) : 203-207.

Sundra Rajulu, G. N. Gowri and Soundararaja Perumal, S. (1976) : Biological control for the pernicious weed Parthenium hysterophorus Linn. Curr. Sci. 45 (7) : 624-625.

Thirumalachar, M. J. (1975) : Antibiotics in the control of mycoplasma diseases of animals and plants. Proc. Indian Natn. Sci. Acad., 41B (4) : 304-314.

Towers, G. H. N., J.C. Mitchell, E. Rodriguez, F.D. Bennell and P.V. Subha Rao (1977) : Biology and chemistry of Parthenium hysterophorus L., a problem weed in India. J. Scient. Ind. Res. 36 : 672-684.

Tully, J.C. and S. Raizn (1977) : The mollicutes (mycoplasmas) In : Hand book of microbiology (eds A. I. Laskin and H. A. Lechevalier) PB.CRC press, Cleveland pp. 405-459.

Vaidya, V. G. and V. D. Vartak (1977) : Larvae of Diacrisia obliqua Wlk. (Arctiidae; Lepidoptera) feeding on the weed Parthenium hysterophorus L. Science and culture, 43, (9) : 394-395.

Varma, A., A. Sang, S. K. Ghosh, S. P. Raychaudhuri, V. V. Chenulu and N. Prakash (1974) : Probable mycoplasmal etiology of broom-brush witche's broom. Curr. Sci., 43(11) : 349-350.

Vartak, V. D. (1968) : Weed that threatens crop and lands in Maharashtra Indian Fmg., 18(1) : 23-24.

Vartak, V. D. (1976) : Study of malformation in Parthenium hysterophorus Linn. BIOVIGYANAM, 2(1) : 113-115.

Venkataramaiah, C. and K. N. Rao (1984) : Levels of phenolic compounds in leaves of Parthenium. The Journal of Indian Bot. Soc. 63 151-152.

Verma, A. K. and B. P. Singh (1977) : Metabolic changes induced by greening tristeza and complex form in Kagzi lime Citrus aurantifolia. Indian J. Exp. Biol., 15 : 811-814.

Vidhyasekaran, P. and P. Durairaj (1973) : Role of auxin-phenol complex in shot-hole syndrome development in mango incited by Colletotrichum gloeosporioides. Indian Phytopath. 26 : 49-55.

Waldrum, J. D. and Eric Davies (1981) : Subcellular localization of IAA oxidase in peas (Pisum sativum cultivar) Bethesda Plant Physiol. 68(6) : 1303-1307.

Waseem, Ismail, J. K. Johri, A. A. Zaidi, B. P. Singh (1979) : Influence of root knot nematode, tobacco mosaic virus and their combination on the growth and carbohydrate of Solanum khasianum, Clarke, Indian J. Exp. Biol. 17(11) : 1266-1267.

Zenk, M. H. and G. Muller (1963) : In vivo destruction of exogenously applied inolyl - 3-acetic acid as influenced by naturally occurring phenolic acids. Nature, 200 : 761-763.

* Original not seen.