

List of Tables

Table No.	Title	Page
1	Frequency, abundance and density of MLO infected and healthy plants of <u>P. hysterophorus</u> L. from densely populated areas	.. 57
2.	Chlorophyll content analysed from the leaves of healthy and MLO infected plant of <u>P.hysterophorus</u> L.	.. 68
3.	Photo-oxidative degradation of chlorophyll content upon exposing acetone extract of chlorophyll to diffused light ($5 \mu\text{E m}^{-2}\text{s}^{-1}$) at room temperature ($30^\circ\text{C} \pm 2$)	.. 71
4.	Effect of photo-oxidative degradation on chl a/b ratio upon exposing acetone extract of chlorophyll to diffused light ($5 \mu\text{E m}^{-2}\text{s}^{-1}$) at room temperature ($30^\circ\text{C} \pm 2$)	.. 72
5.	Per cent decrease in chlorophyll content upon exposing the acetone extract to diffused light ($5 \mu\text{E m}^{-2}\text{s}^{-1}$) at room temperature ($30^\circ\text{C} \pm 2$)	.. 73
6.	Polyphenol content analysed from healthy and MLO infected plant of <u>P. hysterophorus</u> L.	.. 78

Table No.	Title	Page
7.	Polyphenol oxidase activity in healthy and MLO infected plant of <u>P. hysterophorus</u> L.	81
8.	IAA oxidase activity in healthy and MLO infected plant of <u>P. hysterophorus</u> L.	84
9.	Detection of polyphenol content from healthy and MLO infected plant of <u>P. hysterophorus</u> L.	87
10.	Quantification of phenolic compounds separated on chromatogram from healthy and MLO infected plant extract of <u>P. hysterophorus</u> L.	88
11.	Detection of amino acids from healthy and MLO infected plant of <u>Parthenium hysterophorus</u> L.	96
12.	Quantification of sesquiterpene lactone (SL) isolated from healthy and MLO infected plant of <u>P. hysterophorus</u> L.	107
13.	Solubility of SL in various organic solvents	109
14.	Effect of SL isolated from healthy and MLO infected plant of <u>P. hysterophorus</u> L. on germination and growth of wheat after 72 h germination	112

Table No.	Title	Page
15.	HPLC analysis of SL isolated from healthy plant of <u>P. hysterophorus</u> L. showing peak numbers, retention time and the peak area	.. 129
16.	HPLC analysis of SL isolated from infected plant of <u>P.hysterophorus</u> L. showing peak numbers, retention time and the peack area	.. 130