LIST OF FIGURES

SR.	NO.	TITLES	AFTER PAGE NO.
1		The different kinds of chilling injury and their	22
		physiological changes that appear to produce	
		injury.	
2		Possible mechanism of chilling injury proposed	42
		changes leading of three kinds of chilling injury	
		on exposure of chilling sensistive plants to a	
		chilling stress.	
3		Schematic pathway of the events leading to chilling	45
		injury in sensistive plant tissues.	
4		Possible mechanism of resistance to chilling	53
		temperatures.	
5	i .	Effect of chilling temperature during storage of	90
		Amaranthus for 48 hours on moisture content of	
		roots, stem and leaves.	
6	; .	Effect of chilling temperature during storage of	ão
		Amaranthus for 96 hours on moisture content of	
		roots, stem and leaves.	
7	7.	Effect of chilling temperature during storage of	92
		Trigonella for 48 hours on moisture content of	
		roots stem and leaves.	

stem and leaves.

SR. NO	. TITLE	AFTER PAGE NO.
29.	Effect of chilling temperature during storage of	140
·	Trigonella for 96 hours on soluble protein content	
	of roots, stem and leaves.	
30.	Effect of chilling temperature during storage of	144
÷	Amaranthus for 48 hours on proline content of	
	roots, stem and leaves.	
31.	Effect of chilling temperature during storage of	145
	Amaranthus for 96 hours on proline content of	
	roots, stem and leaves.	
32.	Effect of chilling temperature during storage of	145
	Trigonella for 48 hours on proline content of	
	roots, stem and leaves.	
33.	Effect of chilling temperature during storage of	147
	Trigonella for 96 hours on proline content of	
	roots, stem and leaves.	
34.	Effect of chilling temperature during storage of	152
	Amaranthus for 48 hours on nitrate content of	
	roots and leaves.	
35.	Effect of chilling temperature during storage of	154
	Amaranthus for 96 hours on nitrate content of	
	roots and leaves.	

. .

SR. NO	TITLE		AFTER PAGE NO.
36.	Effect of chilling temperature during storage	of	155
	Trigonella for 48 hours on nitrate content	of	
	roots and leaves.		
37.	Effect of chilling temperature during storage	of	156
	Trigonella for 96 hours on nitrate content	of	
	roots and leaves.		
38.	Effect of chilling temperature during storage	of	160
	Amaranthus and Trigonella for 48 and 96 hours	on	
	ascorbic acid content of the leaves.		
39.	Effect of chilling temperature during storage	of	168
	Amaranthus for 48 hours on the activity	of	
	peroxidase in roots and leaves.		
40.	Effect of chilling temperature during storage	of	168
	Amaranthus for 96 hours on the activity	of	
	peroxidase in roots and leaves.		
41.	Effect of chilling temperature during storage	of	_170
	Trigonella for 48 hours on the activity	of	
	peroxidase in roots and leaves.		
42.	Effect of chilling temperature during storage	of	170
	Trigonella for 96 hours on the activity	of	
	peroxidase in roots and leaves.		
	•		

Amaranthus for 48 hours on the activity of nitrate

Amaranthus for 96 hours on the activity of nitrate

Trigonella for 48 hours on the activity of nitrate

181

184

48. Effect of chilling temperature during storage of

49. Effect of chilling temperature during storage of

reductase of roots and leaves.

reductase of roots and leaves.

reductase of roots and leaves.

50. Effect of chilling temperature during storage of 185

Trigonella for 96 hours on the activity of nitrate reductase of roots and leaves.