

**CHAPTER - IX**  
**BIBLIOGRAPHY**

- Allorge, C.R. 1925. Acad. Sci. Paris, 181 pp. 1154-6. cf. Richards P.W. 1932, Ecology, In : *Manual of Bryology*, Fr. Verdoorn (ed.) Martinus Nijhoff, The Hague 1932, p. 368.
- Amann, J. 1928. Bryogeographie de la Suisse. Matériaux pour la Flore cryptogamique suisse, 6, fasc. 2 : cf. Richards P.W. 1932, Ecology, In : *Manual of Bryology*, Fr. Verdoorn 1932, Martinus Nijhoff, The Hague 1932 : pp.368.
- Apte, V.V. and Sane, P.V. 1942. Two new species of *Aspiromitus* St. from Bor Ghat. *Curr. Sci.* 11 : 59-60.
- Ashton, D.N. 1986. Ecology of bryophytic communities in mature *Eucalyptus regnans* forest at Wallaby Creek, Victoria. *Aus. J. Bot.*, 34 : 107-129.
- Awasti, U.S. and Srivastava, S.C. 1987. *Ptychanthus* Nees and *Tuzibeanthus* Hatt. in India. *Geophytology*, 17 : 12-20.
- Bapana K.R. 1958. A note on the hepatic flora of Mount Abu. *Curr. Sci.* 27 : 259-260.
- Barkman, J.J. 1958. *Phytosociology and Ecology of Cryptogamic Epiphytes*. Van Gorcum and Co., Assen, Netherlands.
- Bates, J.W. 1982. Quantitative approaches in bryophyte ecology. In : A.J.E. Smith (ed.) *Bryophyte ecology*, pp. 1-44. Chapman and Hall, London, New York.
- Bir, S.S. 1970. Thallose liverworts from Nainital, Western Himalayas. *Bryologist.*, 73 : 395-396.

- Bir, S.S. and Chopra R.N. 1972. Thallose liverworts from Dalhousie, North-Western Himalayas. *Bryologist* **75** : 371-372.
- Black, C.A. 1913. The morphology of *Riccia frostii* Aust. *Ann. Bot.* **27** : 511-532.
- Brasell, H.M. and Mattay, J.P. 1984. Colonization by bryophytes of burned *Eucalyptus* forest in Tasmania, Australia, Changes in biomass and element content. *Bryologist*, **87** : 302-307.
- Brinkman, A.H. 1929. *Bryol.* 32 : 29-31. cf. Richards, P.W. 1932, *Ecology*, In : *Manual of Bryology* Fr. Verdoorn (ed.) Martinus Nijhoff, The Hague 1932 : p.369.
- Brooks, R.R. 1971. Bryophytes as a guide to mineralization. *N.Z. J. Bot.*, **9** : 674-677. In : *Bryophytes of Kumaun Himalaya*, Tewari S.D. and Pant G. (eds.) Bishan Singh Mahendra Pal Singh Dehra Dun 1994, p.7.
- Brooks, R.R. 1983. *Biological Methods of Prospecting Minerals*. John Wiley.
- Brown, D.H. and Buck, G.W. 1978 : Distribution of potassium, calcium and magnesium in the gametophyte and sporophyte generation of *Funaria hygrometrica* Hedw. *Ann. Bot.* **42** : 923-929
- Brown, D. H. and Buck, G.W. 1982. Mineral nutrition. In : A.J.E. Smith (ed.), *Bryophyte Ecology*. Chapman and Hall, London.

- Campbell E.O. 1961. Problems in the origin and classification of bryophytes with particular reference to liverworts. *New Zealand J. Bot.*, 9 (4) : 678-688. In : *Bryophyta*, B.R. Vashista (ed.) S. Chand and Co. New Delhi (1963), p.304.
- Cannon, W.A. (1914). *Plant world*, 17, pp.261-5. cf. Richards, P.W. (1932). *Ecology*; In : *Manual of Bryology*, Fr. Verdoorn (ed.), Martinus Nijhoff, The Hague 1932 : p.368.
- Cannon, W.A. 1914. *Plant world*, 17 pp.261-5. cf. Richards, P.W. 1932; *Ecology* In : *Manual of Bryology*, Fr. Verdoorn (ed.), Matinus Nijhoff, The Hague 1932 : p.380.
- Cavers, F. 1964. The inter-relationships of the Bryophyta, In : *Ecological adaptations of some bryophytes of the Western Ghats* by Daniels A.E.D. 1998. *J. Ecobiol.* **10(3)** : 261-270.
- Chavan A.R. 1937. A new species of *Cyathodium* from India. *Bryologist* **40** : 57-60.
- Chopra R.S. 1935. Shiva Ram Kashyap 1882-1934. *Annl. bryol.* **8** : 57-62.
- Chopra, R.S. 1938. Notes on Indian Hepaticae I. South India. *Proc. Indian Acad. Sci.* **7B** : 239: 251
- Chopra R.S. 1943. A census of Indian Hepaticae, *J. Indian Bot. Soc.* **22** : 237-259.
- Chopra, R.N. and Sood, S. 1970. *In vitro* studies on the reproductive biology of *Riccia crystallina*. *Bryologist* **73** : 592-596.

- Coker, P.D. 1971. *Mielichhoferia elongata* (Hornsch.) Hornsch. and *Saelania glaucescences* (Hedw.) Broth. in Scotland *Trans. Brit. Bryol. Soc.*, **6** : 317-322.
- Crum, H.A. 1972. The geographic origins of the mosses of North America's eastern deciduous forest. *J. Hattori Bot. Lab.*, **35**: 269-298. In : *Bryophytes of Kumaun Himalaya*, Tewari, S.D. and Pant, G. (eds.) Bishan Singh Mahendra Pal Singh 1994 : p.125.
- Crundwell, A.C. 1976. *Ditrichum plumbicola*, a new species from lead mine waste. *J. Bryol.*, **9** : 167-168.
- Dabhade, G.T. 1974. *The mosses of Mahabaleshwar and Khandala*. Ph.D. thesis submitted to Poona University.
- Dabhade, G.T. 1998. *Mosses of Khandala and Mahabaleshwar in the Western Ghats (India)*. Publ. by A.S. Dalvi and Print M/s Classic Graphics, Thane (India) p.144.
- Daniels, A.E.D. 1998. Ecological adaptations of some bryophytes of the Western Ghats. *J. Ecobiol.* **10(3)** : 261-270.
- Deshmukh, S.B. 1987. *Tourism potential in Kolhapur District*. M.Phil. dissertation submitted to the Shivaji University, Kolhapur.
- Dudgeon, W. 1923. Succession of epiphytes in the *Quercus incana* forest at Landour, Western Himalayas. *J. Indian Bot. Soc.*, **3** : 270-272.
- Duncan, D. and Dalton, P.J. 1982. Recolonization by bryophytes following fire. *J. Bryol.*, **12** : 53-63.

- \*During, H.J. 1979. Life strategies of bryophytes : a preliminary review. *Lindbergia*, **5** : 2-18.
- Dyer A.F. and Duckett, J.G. 1984. *The experimental Biology of Bryophytes* p. **281**. Academic Press.
- Erdman, J.A. and Modreski, P.J. 1984. Copper and Cobalt in aquatic mosses and stream sediments from the Idaho cobalt belt. *J. Geochem. Expl.*, **20** : 75-84.
- Evans, A.W. 1915. Bull. Torr. Bot. Club 42 : P.301. In : Liverworts of the Western Himalayas and the Punjab Plain. I., S.R. Kashyap (ed.) *Researcho Pub.* Trinagar, Delhi 1972, p.80.
- Ewusie, J.Y. 1980. *Elements of Tropical Ecology*, Heinemann, London.
- Frahm J.P. 1986. Computer techniques. The use of a purchasable software for bryology. *The Bryol. Times*, **37** : 3-4.
- Frahm, J.P. 1988. Computer techniques supplement. *The Bryol. Times*, **45** : 1-14.
- \*Frahm, J.P. 1990. The ecology of epiphytic bryophytes on Mt. Kinabalu, Sabah (Malaysia). *Nova Hedwigia* **51**, (1-2): 121-132.
- Frahm, J.P. and O'shea, B.J. 1990. Proceedings of the IAB Computer Workshop Mont Rigi, Belgium, Feb. 24-27-1989, *Bryol. Times*, **54** : 1-12.

- \*Fuchsig, H. 1924. Internat. Rev. d. ges. Hydrobiol. u. Hydrogr., 12, pp.175-208. cf. Richards P.W. 1932, *Ecology* In : *Manual of Bryology*, Fr. Verdoorn (ed.), Martinus Nijhoff, The Hague 1932: p.368.
- Fulford, M. 1964. Contemporary thought in plant morphology : Hepaticae and Anthocerotae. *Phytomorphology*, 14 : 103-199.
- Gautam S.P. and Thakur, M.K. 1981. A note on the distribution of Hepaticae in Jabalpur (M.P.) *J. Econ. Taxon. Bot.* 2 : 195-196.
- Gimingham. C.H. and Birse, E.M. 1957. *J. Ecol.*, 45, 533-45. Cf. A.J.E. Smith 1982, *Epiphytes and epiliths*, A.J.E. Smith (ed.), Chapman and Hall, London, New York, p.219.
- \*Gimingham. C.H. and Smith, R.T.L. 1971. Growth forms and water relations of mosses in the maritime Antarctic. *British Antarctic Survey Bulletin*, 25 : 1-12.
- Glime, J.M. and Keen, R.E. 1984. The importance of bryophytes in a man-centered world. *J. Hattori. Bot. Lab.*, 55 : 133-146.
- \*Grebe, C. 1918. Studien Zur Biologic and Geographie der Laubmoose. *Hedwigia*, 59 : 1-208. cf. P.W. Richards 1932, *Ecology*, In : *Manual of Bryology*, Fr. Verdoorn (ed.) Martinus Nijhoff, The Hague 1932 : p.381.
- \*Griffith, W. 1849. *Natulae and Plantae Asiaticae*, Calcutta.
- \*Griffith, W. 1849a. *Icones Plantarum Asiaticarum*. II Calcutta.

- Gulavani, M.G. 1995,. *Panhala*. Shri Shiv Sanskriti Mandal, Panhala.
- Gupta, A. and Udar, R. 1986. Palynotaxonomy of selected Indian liverworts, *Bryophytorum bibliotheca*, **29** : 1-202.
- Gupte, K. 1945. Taxonomic observations on a species of *Notothylas* Sull. from Pune. *J. Univ. Bombay*. **14**: 52.
- Hale, M. E. 1955. Phytosociology of corticolous cryptogams in the upland forests in Southern Wisconsin. *Ecol.*, **36** : 45-63.
- Hale, M.E. 1965. Vertical distribution of cryptogams in a red maple swamp in connecticut. *Bryologist*, **68** : 193-197.
- Hebant, C. 1973. Diversity of structure of the water conducting elements in liverworts and mosses. *J. Hattor. Bot. Lab.*, **37** : 229-234.
- Hebant, C. 1977. *The conducting tissues of Bryophytes*, **157** pp. Cramer, J. Vanduz.
- Herrmann, R. 1990. Biomonitoring of organic acid and inorganic trace-pollutants by means of mosses. In : H.D. Zinsmeister and R. Mues (eds.) *Bryophytes. Their Chemistry and Chemical Taxonomy*, pp.**319-335**. Oxford Science Publications, New York.
- Ishiyama, M. and Iwatsuki, Z. 1991. Flora and ecology of epiphytic bryophytes in Peace Memorial Park, Hiroshima City, *Hikobia*, **1** : 65-72.
- Iwatsuki, Z. 1960. The epiphytic bryophyte communities in Japan. *Hattori Bot. Lab.*, **22** : 159-352.



- Jarman, S.J. and Fuhrer, B.A. 1995. *Mosses and liverworts of rainforest in Tasmania and South-Eastern Australia*. Intercept Ltd. Andover Hants, U.K.
- \*Jones, K.C. 1985. Gold, silver and other elements in aquatic bryophytes from a mineralized area of North Wales, U.K. *J. Geochem. Explo.*, **24** : 237-240.
- Joshi, D.Y. 1983. *Studies on the bryophytic flora of Western Ghats*. A Ph.D. thesis submitted to the University of Poona, Pune.
- Kachroo, P. 1951. Studies in Assam Hepaticae. I. On some epiphyllous liverworts of Assam. *J. Univ. Gauhati*, **2** : 31-39
- Kachroo, P. 1954. Spore germination and regeneration in *Physcomitrium pyriformae* (L.) Brid *J. Indian Bot. Soc.*, **33** : 263-267
- Kachroo, P. 1955. A note on the morphology of some species of *Riccia*. *Bryologist* **58** : 314-136.
- Kachroo, . 1955c. Morphology of *Riccia cruciata* Kash. *J. Univ. Gauhati* **6** : 117-125.
- Kachroo, P. 1969. Hepaticae of India. A taxonomic survey and Census-I. Floristic and taxonomic considerations. *Kashmir J. Sci.* **6** : 39-55.
- Kachroo, P. 1970. *Ibid.* II. Takakiaceae through Marsupellaceae *Ibid.*, **7** : 75-90.
- Kadam, S.D. 1987. *Studies on pollution in the esturine ecosystems*. Ph.D. thesis submitted to the Shivaji University, Kolhapur.

- Kalgaonkar, B.P. 1990 : *Monographic and histochemical studies on some hepatic members of Maharashtra*. A Ph.D. thesis submitted to the University of Poona, Pune.
- Kanwal, H.S. 1977. Marchantiales of district Nainital (Kumaun Hills) U.P., India. *Rev. Bryol. Lichenol.*, **31(3)** : 327-338.
- Kanwal, H.S. 1979. A new species of *Riccia* L., *R. Udarii* sp. nov., from Kumaun (Western Himalayas) India, *J. Indian Bot. Soc.*, **58**: 281-285.
- Kashyap, S.R. (1915a). The genus *Riccia* and the origin of the pteridophytes. *Lahore Phil. Soc.* (Proc. for 1915-1916).
- Kashyap, S.R. 1914. Morphological and biological notes on new and little known West Himalayan Liverworts, I. *New Phytol* **13** : 206-236.
- Kashyap, S.R. 1914a. : Morphological and biological notes on new and little known West Himalayan Liverworts. II. *Ibid.* **13** : 308-323.
- Kashyap, S.R. 1915. Morphological and biological notes on new and little known West Himalayan Liverworts, III. *Ibid.* **14** : 1-18.
- Kashyap, S.R. (1915a). The genus *Riccia* and the origin of the pteridophytes. *Lahore Phil. Soc.* (Proc. for 1915-1916).
- Kashyap, S.R. 1916. Liverworts of the Western Himalayas and the Punjab with notes on known species and descriptions of new species. *J. Bom. Nat. Hist. Soc.* **24** : 343-352.
- Kashyap, S.R. 1917a. Note on *Targionia hypophylla*, *New Phytol.* **14** : 228-229.

- Kashyap, S.R. 1917b. Variability in some Himalayan liverworts, *Lahore Phil. Soc.* (Proc. for 1917-1920).
- Kashyap, S.R. 1919. The relationships of liverworts in the light of some recently discovered Himalayan forms. *proc. Asiatic. Soc. Bengal.* N.Ser. 15 Clliii-Clxvi.
- Kashyap, S.R. 1919a. The androecium in *Plagiochasma appendiculatum* L. et. L. and *P. articulatum* Kash., *New Phytol.*, **18** : 235-238.
- Kashyap, S.R. 1920. Distribution of liverworts in Western Himalayas. *J. Indian Bot.* **1** : 149-157.
- Kashyap, S.R. 1921. Notes on the distribution of liverworts in Western Himalayas, Ladakh and Kashmir. *Ibid.*, **2** : 80-83.
- Kashyap, S.R. 1923. Notes on a long lost Liverwort. *J. Indian Bot. Soc.*
- Kashyap, S.R. 1928. A new species of *Petallophyllum*, *P. indicum* Kash. *Ibid.*, **7**: 14.
- Kashyap, S.R. 1929-1932. Liverworts of the Western Himalayas and the Punjab Plain, Part I and II (Reprint 1972). Researchco Publications, Trinagar, Delhi.
- Koponen, T. 1982. On the taxonomic value of habitat ecology in mosses. In : P. Geissler and S.W. Greene (eds.) *Bryophyte Taxonomy* pp. **101-109**, Beihefte 71, Nova Hedwigia, J. Cramer.
- Kulkarni, A.R. and Thite, A.N. 1977. Contribution to the flora of Panhala hills, Kolhapur District. *J. of Shivaji University (Science)* **17** : 165-171.

- Kumar, A. and Udar, R. 1985. The genus *Jamesoniella* (Spruce) Schiffn. in India. *Geophytology*, **15** (1): 1-6.
- Kumar, D. 1987. A new *Cephalozia* Dum. from the valley of Flowers. *J. Indian Bot. Soc.* **66** : 170-172.
- Layton, R.E. 1988. Life history. Strategies among bryophytes of arid regions. *J. Hattori Bot. Lab.*, **64** : 15-28.
- Lindenberg J.B.W. and Lehman, J.G.C. 1832. Novarum et minus cognitarum stirpium. *Pugillus IV*.
- Lindenberg and Nees 1844, 1847. cf. Udar R. 1976 Introduction, In : *Bryology in India*. Udar R. (ed.) The chronica Botanica Co. New Delhi 1976, p.1.
- Longton, R.E. 1988. Adaptations and strategies of polar bryophytes. *Bot. J. Linn. Soc.*, **98** : 253-68.
- Magdefrau, K. 1982. Life forms of bryophytes. In : A.J.E. Smith (ed.) *Bryophyte Ecology*, pp. **45-58**. Chapman and Hall, London.
- Magill, R.E. 1991. Bryologia Africana, a bryophyte flora of tropical Africa. *Bryol. Times*, **60**: 1-4.
- Mahabale T.S. 1941. On a long lost liverwort from South India. *Aspiromitus* st. a rare member of the Authocerotae. *Curr. Sci.* **10**: 53-533.
- Mahabale, T.S. 1958. Taxonomy of liverworts and mosses. *Mem. Indian Bot. Soc.* **1** : 37-42.

- Mahabale, T.S. 1971. An epiphyllous liverwort from Khandala  
*Leptocolea lanciloba* st. *J. Univ. Poona*, **40** : 75-78.
- Mahabale T.S. and Bhate, P.D. 1945. The structure and life history of  
*Fibriaria angusta* st. *J. Univ. Bom.* **13** : 5-15.
- Mahabale T.S. and Deshpande S.R. 1947. Life history of *Plagiochasma*  
*articulatum* Kash. *J. Univ. Bom.* **15** : 23-36.
- Mahabale T.S. and Gorje P.D. 1941. Chromosome of *Riccia himalayensis*  
st. *Curr. Sci.* **10**:28.
- Mahabale, T.S. and Mahajan, M.K. 1955. A reinvestigation of structure  
and life history of *Targionia hypophylla* L. *J. Univ. Bomb.*, **23**:  
34-43.
- Maheswari, P.S., Gupta, J.C. and Venkatesh, C.S. 1965 Flora : In : *The*  
*Gazetteer of India.* **1** : 163-229.
- Maheshwari, P. and Kapil, R.N. 1963. Fifty years of science in India :  
Progress of Botany. *Indian Sci. Cong. Asso.*, Calcutta.
- \*Mckendrick, J.D. 1987. Plant succession on disturbed sites north slope  
Alaska, USA. *Arct. Alp. Res.*, **19**: 554-65.
- McLean R.C. 1919. *J. Ecol.* **7**, 1919, P.156-157. cf. Richards P.W. 1932  
*Ecology*, In : *Manual of Bryology*, Fr. Verdoorn (ed.) Martinus  
Nijhoff, The Hague 1932, p.374.
- Mehra, P. N. 1957. A new suggestion on the origin of thallus in the  
Marchantiales, I. *Amer. J. Bot.* **44** : 505-513.

- Mehra, P.N. and Handoo, O.N. 1953. Morphology of *Anthoceros erectus* and *Anthoceros himalayensis* and the phylogeny of Anthocerotales. *Bot. Gaz.* **114** : 371-382.
- Mehra, P.N. and Khanna A.L. 1950. Embryology of *Sewardiella tubrifera* Kash. *Bot. Gaz.* **112** : 31-42.
- Mehra, P.N. and Vashista B.R. 1950. Embryology of *Petalophyllum indicum* Kash. A new suggestion of evolution of thalloid habit from foliose forms. *Bryologist* **53**: 89-114.
- Mitten, W. 1860. Hepaticae Indiae Orientalie, an enumeration of the Hepaticae of the East Indies. *J. Proc. Linn. Soc. Bot.*, **5** : 89-108.
- Mitten, W. 1861. Hepaticae Indiae Orientalie, on enumeration of the Hepaticae of the East Indies. *Ibid.*, **5** : 109-128.
- Mondal, A.; Mondal, S. and Mandal, S. 1999. Biochemical analysis of twelve Eastern Himalayan species of *Riccia* (Mich.) L. *Phytomorphology*, **49(3)** : 267-276.
- Morajkar, A.V. 1982. *Studies on liverworts of Nashik*. A Ph.D. thesis submitted to the University of Poona, Pune.
- \*Noguchi, A. 1956. On some mosses of Merceya, with special reference to the variation and ecology. Kumamoto *J. Sci. Ser. 8, Sec. 2 (2)* : 239-257.
- Noguchi, A. and Furata, H. 1956. Germination of spores and regeneration of leaves of *Merceya ligulata* and *M. gedeana*. *J. Hattori Bot. Lab.*, **17** : 32-44.

- Odum, E.P. 1971. *Fundamentals of Ecology* (3rd ed.) Philadelphia W.B. Saunders Co.
- Oleson, C. 1917. Studies on the succession and ecology of epiphytic bryophytes on the bark of common trees in Denmark. *Bot. Tidskr.*, 34, pp.313-342. cf. Richards, P.W. 1932, *Ecology*, In : *Manual of Bryology*, fr. Verdoorn (ed.) Martinus Nijhoff, The Hague 1932 : p.368.
- Palmer, M.W. 1986. Pattern in corticolous bryophyte communities of the North Carolina Piedmont. Do mosses see the forest or the trees? *The Bryologist*, **89(1)** : 59-65.
- Pande, S.K. 1932. On the morphology of *Notothylas indica* Kash. *J. Indian Bot. Soc.*, **15** : 221-233.
- Pande, S.K. 1934. On the morphology of *Notothylas levieri* Schiff. MS. *Proc. Indian Acad. Sci.*, **1** : 205-207.
- Pande, S.K. 1958. Some aspects of Indian Hepaticology (Presidential address) Nourn. *Indian Bot. Soc.* **37** : 1-26.
- Pande, S.K. and Bharadwaj, D.C. 1952. The present position of Indian Hepaticology with a note on the Hepatic vegetation of the country. *Palaeobotanist*, **1** : 368-381.
- Pande, S.K. and Mishra, R.N. 1943. Studies on Indian Hepaticae, I. On a new species of *Leptocolea* Evans. from the Western Himalayas. *proc. Ind. Nat. Acad.* **13**: 25-35.

- Pande, S.K. and Mishra, R.N. 1943a. Studies on Indian Hepaticae II. On the epiphyllous liverworts of Indian and Ceylone. *J. Indian Bot. Soc.* **22** : 169.
- Pande, S.K. and Mishra, R.N. 1955. Studies in Indian Metzgerinae. II. *Sewardiella tubifera* Kash. *Phytomorphology*, **5** : 57-67.
- Pande, S.K. and Shrivastava, K.P. 1952. The hepatic vegetation of Pachmarhi (Madhya Pradesh) A preliminary survey. *J. Indian Bot. Soc.*, **31** : 342-351.
- Pande, S.K. and Srivastava, K.P. 1957. Bryology : Progress of Science in India, Section 6. *Botany National Instit. of Sci.* **26-31**.
- Pande, S.K. and Udar, R. 1957. A species of *Riccia*, *R. aravalliensis* Pande et. Udar sp. nov., from Mt. Abu, Rajasthan, India *J. Indian Bot. Soc.*, **36** : 248-253.
- Pande, S.K. and Udar, R. 1957a. Genus *Riccia* in India I. A reinvestigation of the taxonomic status of Indian species of *Riccia*. *J. Indian Bot. Soc.*, **36** : 564-579.
- Pande, S.K., Mahabale, T.S., Raje, Y.B. and Shrivastava, K.P. 1954. Studies in the Indian Metzgerinae. I. *Fossombronia himalayensis* Kash. *Phytomor.*, **4** : 365-378.
- Pant, G. 1974. *Studies in bryophytes* D. Phil. Thesis. University of Allahabad, Allahabad. In : *Bryophytes of Kumaun Himalayas*, Tewari S.D. and Pant G. (eds.) Bishan Singh Mahendra Pal Singh, Dehra Dun 1994, pp.6.



- Pant, G. 1987. Bryophytes as rock-builders II. Bryophytic communities associated with travertine or tufa formation in Western Himalaya, pp. 393-417. In : M.R. Sharma and B.K. Gupta (eds.), *Recent Advances in Plant Sciences*, Dehra Dun
- Pant, G. and Tewari, S.D. 1983. An assessment of bryophytic vegetation of Nainital and it's environs-I. *J. Indian Bot. Soc.* **62**: 268-275.
- Pant, G. and Tewari, S.D. 1984. Bryophytes associated with mineral enrichment in Kumaun Himalayas (Districts Almora and Nainital). In : D.D. Nautiyal (ed). *Proceedings of the seminar on Development and Comparative Aspects of Plant Structure and Function*, pp. 129-143. Dept. of Botany, University of Allahabad, Allahabad.
- Pant, G. and Tewari, S.D. 1984. On some aquatic bryophyte communities of Nainital and it's environs (Western Himalayas). *Geophytology*, **14(2)** 137-142.
- \*Pant, G. and Tewari, S.D. 1986 *Hamaliodendron scalpellifolium* (Mitt.) Fleisch., a new record for Western Himalayan moss flora. *Yushania*, **3 (2)** : 35-37.
- Pant, G. and Tewari, S.D. 1988. An assessment of bryophytic vegetation of Nainital and environs-II. *J. Indian Bot. Soc.*, **67**: 285-296.
- Pant, G. and Tewari, S.D. 1988. Association of some bryophytes with minerals in Kumaun Himalaya. *The Botanica.*, **38** : 79-84. Dept. of Botany, Univ. of Delhi, Delhi.

- Pant, G. and Tewari, S.D. 1989. Various human uses of bryophytes in the Kumaun region of North-West Himalaya. *Bryologist* **92(1)** : 102-122.
- Parihar, N.S. and Pant, G. 1975. Bryophytes as rock builders - some calcicole mosses and liverworts associated with travertine formation of Sahasradhara, Dehra Dun. *Curr. Sci.*, **44(2)** : 61.
- Parihar, N.S. and Pant, G. 1982. Bryophytes as rock builders - Bryophytic communities associated with travertine formation at Sahasradhara, Dehra Dun. In : D.D. Nautiyal (ed.) Professor D.D. Pant Comm. Vol. Phyta, *Studies on Living and fossil plants*. 277-295. The Society of Plant Taxonomists, Allahabad.
- \*Patidar, K.C. 1988. Field Survey and effect of Sulphur dioxide (SO<sub>2</sub>) pollution on bryophytes, *Yushania*, **5** : 1-13.
- Pentecost, A. 1981. The tufa deposits of the Malham district, North Yorkshire. *Field Studies*, **5** : 365-387.
- Pentecost, A. 1987. Some observations on the growth rates of mosses associated with tufa and the interpretation of some postglacial bryoliths *J. Bryol.*, **14** : 543-550.
- Persson, H. 1948. On the discovery of *Merceya ligulata* in the Azores with a discussion of the soil called "Copper mosses". *Rev. Bryol. Lichenol.*, **17(1-4)** : 75-78.
- Persson, H. 1956. Studies in "Copper mosses". *J. Hattori Bot. Lab.*, **17** : 1-18.

- Pippo, S. 1984. The use of epiphytic bryophytes as climatic indicators. Proc. of the 3<sup>rd</sup> Meeting of the Bryologists from Central and East Europe. pp. 335-341.
- Pocs, T. 1982. Tropical forest bryophytes. In A.J.E. Smith (ed.) *Bryophyte ecology*, pp. 59-104. Chapman and Hall, London.
- Prasad, E.A.V.; Raju, A.N.; Sankaranna, G. and Raghu, V. 1989. Significance of aquatic mosses in biochemistry, *Curr. Sci.*, **58(5)** : 225-227.
- Proctor, M.C.F. 1979. Structure and eco-physiological adaptation in bryophytes. In : G.C.S. Clarke and J.G. Duckett (eds.) *Bryophyte Systematics*, pp. 479-509. Academic Press, London.
- Proctor, M.C.F. 1982. Physiological ecology : Water relations, light and temperature responses, carbon balance. In : A.J.E. Smith (ed.), *Bryophyte Ecology*, pp.333-381.
- Proctor, M.C.F. 1984. Structure and Ecological adaptation, In : A.F. Dyer and J.G. Duckett (eds.), *The experimental Biology of Bryophytes*, pp. 9-37. Academic Press, London.
- Puri, P. 1981. *Bryophytes : Morphology, growth and differentiation*. Atma Ram and Sons, Delhi, Lucknow.
- \*Rasmussen, L. and Hertig, J. 1977. Statistical investigation of interspecific photosociological relations in epiphyte bryophyte communities. *Revue Bryologique of Lichenologique*, **43** : 207-217.

- Richards, P.W. 1932 *Ecology*, In : *Manual of Bryology*, Fr. Verdoorn (ed.) Martinus Nijhoff, The Hague 1932 : pp.367-395.
- Richards, P.W. 1954. *Vegetatio*, 5-6, 319-27. cf. Pocs, T. Tropical Forest Bryophytes, In : *Bryophyte Ecology*, A.J.E. Smith (ed.), Chapman and Hall, Lond, New York 1982 : p.62.
- Royle, J.F. 1839. Illustrations of the botany and other branches of natural history of the Himalayan mountains I. London.
- Russell, S. 1988. Measurement of bryophyte growth I. biomass (harvest) techniques, pp.249-257. In : J.M. Glime (ed.) *Methods in Bryology*. Hattori Botanical Laboratory, Nichinan.
- Russell, S. and Botha, C.E.J. 1988. Measurement of bryophyte growth II. Gas exchange techniques, pp. 259-273. In : J.M. Glime (ed.), *Methods in Bryology*. Hattori Botanical Laboratory, Nichinan.
- Satake, K. 1985. Accumulation of mercury in the aquatic liverwort *Jungermannia volcanicola*. *Bryol. Times*, 34 :3-4.
- Satake, K. and Shibata, K. 1990. A copper rich protonemal colony of the moss *Scopelophila Cataractae*. *J. Bryol.*, 16 : 109-116.
- \*Schade, F.A. 1912. "Pflanzenökologische Studien an den Felswänden der Sächsischen Schweiz". Engler's Bot. Jahrb., 48, pp.119-210. cf Richards P.W. 1932, *Ecology*, In : *Manual of Bryology*, Fr. Verdoorn (ed.) Martinus Nijhoff, The Hague 1932 : p.368.
- Schatz, A. 1955. Speculations on the ecology and photosynthesis of the 'Copper mosses'. *Bryologist*, 58: 113-120.

- Schuster, R.M. 1992. The hepaticae and Anthocerotae of North America, Vols. V. Field Museum of Natural History, Chicago, U.S.A.
- Schuster, R.M. 1992a. The hepaticae and Anthocerotae of North America, Vols. VI. Ibid.
- \*Schiffener, V. 1899. Beitrage zur Lebermoussflora von Bhootan. Wein.
- Schmitt, C.K. and Slack, N.G. 1990. Host specificity of epiphytic lichens and bryophytes, a comparison of the Adirondack Mountains (New York) and the Southern Blue Ridge Mountains (North Carolina). *Bryologist*, **93** : 88-89.
- Schofield, W.B. 1959. *Mielichhoferia mielichhoferi* in Southern Appalachians *Bryologist*, **62** : 248-250.
- Schuster, R.M. 1966, 1969, 1974, 1980. The hepaticae and Anthocerotae of North America, Vols. I-IV. Field Museum of Natural History, Chicago, U.S.A.
- Scott, GAM 1982. Desert bryophytes. In : A.J.E. Smith (ed.), *Bryophyte Ecology*, pp.105-165. Chapman and Hall, London.
- \*Shacklett, H.T. 1965. Element content of bryophytes. *U.S. Geol. Surv. Bull.* 1198-D : 1-21.
- \*Shacklette, H.T. 1967. Copper mosses as indicators of metal concentrations. *U.S. Geol. Surv. Bull.*, 1198: 1-17.
- Shacklette, H.T. 1984. The use of aquatic bryophytes in prospecting. *J. Geochem. Expl.*, **21**: 89-93.

- Shacklette H.T. and Erdman, J.A. 1982. Uranium in spring water and bryophytes at Basin Creek in Central Idaho. *J. Geochem. Expl.*, **17**: 221-236.
- Shaw, A.J. 1986. Heavy metal "tolerance" in *Scopelophila cactaractae* (Mitt.) Broth. *Amer. J. Bot.*, **78** : 611.
- Shaw, A.J. 1987. Effect of environmental retreatment on tolerance to copper and zinc in the moss., *Funaria hygrometrica* *Amer. J. Bot.*, **74** : 1466-1475.
- Shaw, A.J. 1988. Genetic variation for tolerance to copper and zinc within and among populations of the moss, *Funaria hygrometrica* Hedw. *New Phytologist*, **109** : 211-222.
- Shaw, A.J. 1990. Metal tolerances and co-tolerances in the moss *Funaria hygrometrica*. *Canad. J. of Bot.*, **68** : 2275-2282.
- Shukla, R.M. 1977. *Ecological Studies of two liverworts* Ph.D. thesis, Vikram University, Ujjain.
- Shukla, R.M. Das, R.R. and Kaul, A. 1981. Influence of mineral salts on spore germination in *Plagiochasma appendiculatum* L.et.L. *Geobios.*, **8** : 116-118.
- Shukla, R.M., Patidar, K.C., Jain, D. and Kaul, A. 1983. Influence of light on spore germination of *Plagiochasma appendiculatum* L. et. L. *Misc. Bryol. et. Lichenol.*, **4** : 153-156.
- Slack, N.G. 1976. Host specificity of bryophytic epiphytes in Eastern North America. *J. Hattori Bot. Lab.*, **41** : 107-132.

- Slack, N.G. and Glime, J.M. 1985. Niche relationships of mountain stream bryophytes. *Bryologist*, **88** : 7-18.
- Smith, A.J.E. 1982. Epiphytes and epiliths, In : A.J.E. Smith (ed.) *Bryophyte Ecology*, pp. 191-228. Chapman and Hall, London.
- Smith, S.C. 1986. Base metals and mercury in bryophytes and stream sediments from a geochemical reconnaissance survey of Chandalar Quadrangle, Alaska. *J. Geochem. Explo.*, **25**: 345, 365.
- Soderstrom, L. 1989. Regional recolonization of burnt ground with peculiar reference to *Funaria hygrometrica* II. The nutrient requirements of *F.F. hygrometrica*. *J. Bryol.*, **9** : 361-373.
- Southern, A.D.L. 1976. bryophyte recolonization of burnt ground with particular reference to *Funaria hygrometrica* II. The nutrient requirements of *F. hygrometrica*. *J. Bryol.*, **9** : 361-373.
- Srinivasan, K.S. 1968. An ecological and distributional resume of the liverworts and mosses of India. *Bull. Bot. Surv. India*. **10** : 377-380.
- \*Srivastava S.C. 1984. Observations on spore morphology in Indian species of *Fossombronia*, *Yushania*, **1(3)**: 1-4.
- Srivastava, S.C. and Sharma D. 1987. Morphotaxonomic study of Indian *Dumortiera*. *Yushania.*, **4(2)** : 1-9.

- Srivastava S.C. and Sharma, D. 1990. A new species of *Jubula Dumort.* from Milam in Kumaun (Western Himalaya) *Proc. Indian Acad. Sci (Plant Sci.)* **100(2)** : 85-89.
- Steere, W.C. 1976. Ecology, phytogeography and floristics of Arctic Alaskan bryophytes, *J. Hattori Bot. Lab.*, **41** : 47-72.
- Stephani, F. 1900. *Species Hepaticarum 1* : Geneve.
- Stephani, F. 1906-1924. *Species Hepaticarum 2-6* : Geneve.
- Stone, D.F. 1989. Epiphytic succession on *Quercus garyana* branches in the Willamette Valley of Western Oregon. *Bryologist*, **92** : 81-94.
- Stringer, P.W. and Stringer, M.H.L. 1974. A quantitative study of Corticolous bryophytes in the vicinity of Winnipeg, Manitoba, *Bryologist*, **66** : 551-560.
- Studler, S.M. 1982a. Host specificity of epiphytic bryophytes near Mountain Lake, Virginia. *Bryologist*, **85** : 37-50.
- Studler, S.M. 1982b. Succession of epiphytic bryophytes near Mountain Lake, Virginia *Bryologist*, **85**:51-63.
- Tewari S.D. and Airi, S.K. 1988. *Chandonanthus birmensis* Steph and *C. hirtellus* (Web.) Mitt., additions to the liverwort flora of the North-Western Himalaya, *Lindenbergia*, **15**:123-125.
- Tewari, S.D. and Pant, G. 1983. Occurrence of bryophytes on wood-rotting fungi in Nainital. *Indian J. of Forestry*, **6(4)** : 323-324.



- Tewari, S.D. and Pant, G. 1984. Present distribution of two rare, monotypic endemic liverworts, *Stephensiella brevipedunculata* Kash and *Sewardiella tuberifera* Kash. in Nainital and environs. *J. Himalayan Research and Development*, **3(1)** : 48-50.
- Tewari, S.D. and Pant, G. 1989. *Splachnobryum procerrimum* Div. and P. Vard. - a little known species from Western Himalaya.
- Tewari, S.D. and Pant G. 1994. *Bryophytes of Kumaun Himalaya*. M/s Bishan Singh Mahendra Pal Singh, Dehradun.
- Tewari, M.; Upreti, N.; Pandey, P. and Singh, S.P. 1985. Epiphytic succession on tree trunks in a mixed Oak-Cedar forest, Kumaun Himalaya, *Vegetatio*, **63**: 105-112.
- Toda, V.Y. 1918. Physiological studies on *Schistostega osmundacea* (Dicks). Mohr. J. Coll. Sci. Imp. Univ. Tokyo, 5. Cf. Richard P.W. Ecology; In : *Manual of Bryology*, Fr. Verdoorn (ed.), Martinus Nijhoff, The Hague (1932) : p.368.
- \*Tooren, B.F. Van and During, H.J. 1988. Early succession of bryophyte communities on Dutch forest earth banks. *Lindbergia*, **14** : 40-46.
- Trivedi, R.K., Goel, P.K. and Trishal, C.L. 1987. *Practical methods in Ecology and Environmental Science*. Enviro Media Publications, Karad (India).
- Udar, R. 1950. Studies on Indian Ricciaceae, I. *Proc. 37th Ind. Sci. Congress*, 40.

- Udar, R. 1956. On two speices of *Riccia* new to Indian flora. *Curr. Sci.* **25** : 232-33.
- Udar, R. 1957. On the synonymy of some Indian species of *Riccia* *Curr. Sci.*, **26**: 20-22.
- Udar, R. 1957a. Cultural studies in the genus *Riccia*, I. Sporeling germination in *R. billardieri* *J. Indian Bot. Soc.*, **36** : 46-50.
- Udar, R. 1957b. Cultural studies in the genus *Riccia*, II. Sporeling germination and regeneration in *R. crystallina*. *Ibid.* **36**:580-586.
- Udar, R. 1958. Cultural studies in the genus *Riccia*, III. Sporeling germination in *R. trichocarpa* - A reinvestigation *Ibid.*, **37** : 70-74.
- Udar, R. 1959. Genus *Riccia* in India-IV., A new *Riccia*, *R. Pandei*. Udar Sp. nov. from Garhwal. *Ibid.*, **38**: 146-159.
- Udar, R. 1961. Genus *Riccia* in India-V. A new *Riccia*, *R. reticulata*. Udar from Pillani with a note on the species of *Riccia* from the Central Indian Zone, Gangetic plains Punjab and Rajasthan. *Bull. Bot. Soc. Univ. of Saugor*, **13** : 46-55.
- Udar, R. 1965. Morphology and life history of *Plagichasma intermedium* L. etc. *J. Hatt. Bot. Lab.*, **28** : 75-93.
- Udar, R. 1970a. Bryophytes in the Indian Botanical Society and Botany in India 1920-1970. *Indian Bot. Soc. Golden Jub. Sess* : 25-27.
- Udar, R. 1973. Recent advances in Hepaticae (liverworts) in India - A review. Mehra Commen. Vol. Srinagar.

- Udar, R. 1976. *Bryology in India*. Chronica Botanica, New Delhi.
- Udar, R. 1976. Recent advances in Hepaticae (liverworts) in India. In : *Recent Advances in Botany*, Prof. P.N.Mehra Commemorative volume (ed. P. Kachroo), Dehradun, pp. 24-54.
- Udar, R. 1980. Taxonomy of Indian Hepaticae. In : P.K.K. Nair (ed.) *Glimpses of Plant Researches*, V.: 70-84, Vikas Pub. House Pvt. Ltd., New Delhi.
- Udar, R. and Awasti, U.S. 1981. *Acrolejeunea Sikkimensis* (Mizut.) Gradst. in the Western Himalayas, *Lindenbergia* 7(2) : 109-112.
- Udar, R. and Awasti, U.S. 1983. Scanning electron microscopy of spores of some Ptychanthoideae (Lejeunaceae). *J. Bryol.*, 12: 595-578.
- Udar, R. and Chandra, V. 1965a. Morphology and life-history of *Plagiochasma intermedium* L. et. G., *J. Hattori bot. Lab.* 28 : 75-23.
- Udar, R. and Gupta, A. 1981. Differentiation of the genus *Targionia*, L. complex. *Geophytology* 11(1) : 6-12.
- Udar, R. and Kumar, A. 1981. *Jungermannia (plectocolea) rubripuncata* (Hatt) Amakawa, new to India. *Misc. Bryol. et. Lichenol* 9(3) : 54-55.
- Udar, R. and Kumar, D. 1982. The genus *Radula* Dumort, in India. *J. Indian Bot. Soc.*, 61:177-182.
- Udar, R. and Kumar D. 1984. The genus *Radula* in Western Himalayas *Biol. Mem.*, 9:73-86.

- Udar, R. and Nath, V. 1976. A new species of *Cephaloziella* Spruce, *C. magna* Udar et. Nath, sp., Nov. from Sheetalakhet, Almora (Western Himalayas), India *Geophytology*, **6**: 105-107.
- Udar, R. and Shaheen, F. 1983. Oil bodies in liverworts of Nainital, Western Himalayas, *J. Indian. Bot. Soc.*, **62**: 151-158.
- Udar, R. and Singh D.K. 1978. *Cyathodium indicum* Udar. et. Singh. sp. nov. from Western Himalayas, India. *J. Bryol.* **10** : 37-40.
- Udar, R. and Singh, D.K. 1981. A new species of the genus *Notothylas* Sull, *N. Himalayensis*. Udar et. Singh. *J. Bryol.*, **11**:53-59.
- Udar, R. and Srivastava, S.C. 1971. A new sps. of *Cyathodium* Kunz., *C. denticulatum* Udar et. Srivastava Sp. nov. from Darjeeling (E. Himalaya) India. *Geophytology*, **2**: 165-169.
- Udar, R. and Srivastava, S.C.1978. Sporelings of *Cyathodium aureonitens*. *Bryologist*, **81** : 423-429.
- Udar, R. and Srivastava S.C. 1983. Reproductive biology of some Indian liverworts. *Phytomorphology*, **33**: 1-12.
- Udar, R. and Srivastava S.C. 1984. Scanning electron microscopy of spores of some Indian liverworts. *J. Hattori. Bot. Lab.*, **56** : 97-103.
- Udar, R. and Srivastava S.C. and Singh, D.K. 1978. Oil bodies in some Indian Metzerials. *Geophytology*, **8(1)** : 32-38.

- Udar, R. and Srivastava, S. and Srivastava, G. 1983. Observations on endemic liverwort taxa from India. I. Reproductive biology and SEM details of spores in *Stephensoniella brevipedunculata* Kash. *J. Hattori. Bot. Lab.*, **54** : 321-330.
- Vashista, B.R. 1996 Botany -III. Bryotphyta; S. Chand & Co. Ltd. New Delhi.
- Verdoorn, F. 1932. *Manual of Bryology*. Martinus Nijhoff, The Hague.
- Vishwakarma, K.S. and Kaul, A. 1988. Influence of moisture levels on growth of *Plagiochasma appendiculatum* L. et. L. and *Reboulia hemispherica* (L). Raddi on a comparative basis. *Cryptog. Bryol. Lichenol.*, **5** : 337-341.
- Ward, N.I., Brocks, R.R., Reeves, R.D. and Roberts E. 1977. Heavy metals in some New Zealand bryophytes. *Bryologist*. **80**: 304-312.
- \*Ward, N.I.; Brocks, R.R. and Reeves, R.D. 1976. Copper, cadmium, lead and zinc in soils, streams, sediments, waters and natural vegetation around the Tul Mine, Te Aroha, New Zealand. *N.Z. J. Sci.*, **19** : 81-89.
- Watson, M.a. 1981. *British mosses and Liverworts*, 3rd ed. Camb. Univ. Press, Cambridge.
- Weaver, J.E. and Clements, F.E. 1938). *Plant Ecology*, McGraw Hill Book Co. Inc., New York and London.

Whitehead, N.W. and Brooks, R.R. 1969. Aquatic bryophytes as indicators of uranium mineralization. *Bryologist*, **72** (4) : 501-507.

Wilkins, P. 1977. Observations on ecology of *Mielichhoferia elongata* and other copper mosses' in the British Isles. *Bryologist*, **80** : 175-181.

Yeaple, D.S. 1972. Mercury in bryophytes (Moss). *Nature*, **235** : 229-230.

\* Originals not seen.