

## **REFERENCES**

Ahmedullah, M., and Nayar, M.P. (1987). *Endemic Plants of the Indian region. I* Peninsular India (BSI: Culcutta).

Amarasinghe, V. and Watson, L. (1990). Taxonomic significance of micro hair in the genus *Eragrostis* Beauv. (Poaceae). *Taxon* **39**(1):59-65.

Avdulov, N.P. (1931). Karyo-systematische undersuchung der Familie Gramineen. *Bull. Appl.*

Basappa, G.P. and Muniyamma, M. (1983). New taxa in *Brachiaria* Griseb. (Poaceae). *Proc. Indian Nat. Sci. Acad.* B49 No. 5, 377-389.

Blatter, E. and McCann, C. (1935). *The Bombay Grasses.* Sci. Monogr. No. 5. Imp. Counc. Agric. Res. India. pp. xxi + 324.

Bor, N. L. (1940). *The Flora of Assam: Vol. 5* (Gramineae). Assam Govt. Press. Calcutta.

Bor, N. L. (1941). *Some common U. P. grasses.* Indian Flo. Res. N. s. Bot. **2** (1) 1 – 220.

Bor, N. L. (1960). *The Grasses of Burma, Ceylon, India and Pakistan.* Pergamon Press. London.

Bor, N.L. (1940). Three new genera of Indian Grasses. *Indian For.* **66**, 267-72.  
(*Narenga*; *Eragrostiella*; *Pseudodichanthium*.)

Bor, N.L. (1951). *Hubbardia* Bor. A new genus of Indian grasses. *Kew Bull.* 1950, 385-388.

Bor, N.L. (1954). Note on Asiatic grasses: XV. *Triplopogon* Bor, a new genus of Indian grasses. *Kew Bull.* 1954, 51-56.

Bor, N.L. (1958). Note on Asiatic grasses: XXXII. *Indopoa* Bor, a new genus of Indian grasses. *Kew Bull.* 1958.225-226.

Brown, W.V. (1958). Leaf anatomy in grass systematic. *Bot. Gaz.* **119**, 170–178.

Caius, J. F. (1936). *The medicinal and poisonous grasses of India.* J. Bombay nat. Hist. Soc. **38**: 540-584.

Carnahan, H.L. and Hill, H.D. (1961). Cytology and genetics of forage grasses. *Bot. Rev.* **27**:1-162.

Chaudhary, A. B. (1959). *Grasses and grassland types of central forest division, West Bengal.* Indian For. **85**: 603-606.

- Chaudhary, A. B. (1960). *Common grasses and sedges of Kurseong and Darjeeling forest division West Bengal*. Indian For. **86**: 336-353.
- Clifford, H.T. (1967). A contribution to the leaf-anatomy of *Hubbardia heptaneuron* Bor (Gramineae). *Kew Bull.* **21**(1), 169–174.
- Coldstream (1889). *Illustrations of the grasses of the South Punjab*. Edinburgh. Duthie, J. F. 1883. *A list of the grasses of N. W. India, indigenous and cultivated*. Roorkee.
- Cooke, T. (1901-1908). *The Flora of the Presidency of Bombay*. London (B. S. I. Reprint, Calcutta, Vols. I-III, 1958).
- Desai, M. C. and Murty, S. N. (1950). *Some grasses of Dharwar Agriculture college Estate, Dharwar*. Agri. coll. Maq. **4**. 27.
- Deshpande, U. R. (1984). Poaceae: Tribe Andropogoneae. *Fasc. Fl. India* **15**: 1-30. BSI. Calcutta.
- Deshpande, U. R. (1988) 1990. The genus *Heteropogon* Pers. (Poaceae) in India. *Bull. Bot. Surv. India* **30**: 120-125.
- DeWet, J.M.J. (1954). The genus *Danthonia* in grass phylogeny. *Amer.Jour.Bot.* **41**:204-211.
- Duthie, J. F. (1883). *A list of the grasses of N. W. India, indigenous and cultivated*. Roorkee.
- Duthie, J. F. (1886). *Illustrations of the indigenous fodder grasses of the plains of N. W. India*. Roorkee.
- Duthie, J. F. (1888). The fodder grasses of the Northern India (Reprint, Scientific Publ. Jodhpur).
- Fischer, C. E. C. (1934). *Gramineae in J. S. Gamble's Flora of Madras*. Pt. X, pp. 1689-1864.
- Gamble, J. S. (1896). *The Bambuseae of British India*. Ann. Roy. Bot. Gard. Calcutta **7**: xvii + 133.
- Gawade, N. D. and Gavade, B. G. (2004). *Brachiaria marelini* sp.nov. A new species of Poaceae from Maharashtra. *J. Bombay Nat. Hist. Soc.* **101**(2), 291-293.
- Griffith, W. (1834). Grasses of Jheels of Sylhet. *J. Asiatic Soc. Beng.* **5**. 570.

- Hooker, J. D. and Stapf, O. (1896). *Flora of British India*. Vol. 7, Gramineae. Indian Subcontinent Vol- II BSI.
- Hubbard, C.E. (1936). *Danthonidium gammiei* C.E.Hubb.Hook.Icon.Plant.t.3331.
- Jain, S. K. (1967) 1968a. The genus *Cynodon* Rich. ex Pres. in India. *Bull. Bot. Surv. India* **9**: 134-151.
- Jain, S. K. (1967) 1968b. Notes on Grasses-VII, The genus *Oropetium* Trin. *Bull. Bot. Bull. Surv. India* **9**: 284 -285.
- Jain, S. K. (1970) 1972a. The genus *Manisuris* L. (Poaceae) in India. *Bull. Bot. Surv. India* **12**: 6-17.
- Jain, S. K. (1986). The grass flora of India – A synoptic account of uses and phytogeography. *Bull. Bot. Surv. India* **28**: 229-240.
- Jain, S. K. 1972. The genus *Arthraxon* P. Beauv. (Poaceae) in India. *J. Indian Bot. Soc.* **51(1)**: 165-183.
- Jain, S. K. and Pal, D. C. (1975). New species and notes on the genus *Anthoxanthum* L. *J. Bombay nat. Hist. Soc.* **72**: 90-95.
- Janarthanam, M. K., Vaishali, C. and Rajkumar, S. (2000). *Glypochloa henryi*, a new species of Poaceae from Goa, India. *Rheedia* **10(2)**: 99-102.
- Janarthanam, M.K. and Harshala gad.(2007).A new species of *Ischaemum* (Poaceae) from Goa, India. *Kew bulletin* **62**: 499-501.
- Joshi, A.B., Patil B.D.and Manchanda, P.L. (1959).Chromosome number in some grasses. *Curr.Sci.* **28**: 454-455.
- Kapadia, G. A. (1945). Notes on some grasses from Junagadh. *J. Bombay nat. Hist. Soc.* **45(2)**, 259-262.
- Karthikeyan, S., (1983).Endemic grasses of India with emphasis on rare, indeterminate and extinct species. In: Jain, S.K.and Rao, R.R. (ed.) An Assessment of threatened plants of India B.S.I.Howarh.
- Karthikeyan, S., Jain, S. K., Nayar, M. P. and Sanjappa, M. (1989). *Florae Indicae Enumeratio: Monocotyledonae*. B.S.I. Calcutta.
- Khidir.W.Hilu and John L.Randall (1984). Convenient Method for Studying Grass Leaf Epidermis. *Taxon* **33(3)**:413-415.

- Kishore Kumar and Muktesh Kumar. (1997). *Sinarundinaria microphylla* (Munro) Chao and Renv. (Poaceae), a new record of bamboo for Peninsular India. *Rheedia* 7(1): 11-14.
- Krishnan, S., Sampson N.P., Narashimhan and Dayanandan P, (2002). Phytoliths of Indian grasses and their potential use in identification. *Bot.Jour.of the Linnean society* 132:241-252.
- Lisboa, J. C. (1896). *List of Bombay Grasses and their uses*. Govt. Central Press, Bombay.
- Majumdar, R. (1956). Studies on the grasses of 24-Parganas (W. B.). *Bull. Bot. Surv. Bengal* 10, 1-114.
- Majumdar, R. B. 1973. The genus *Panicum* Linn. in India. *Bull. Bot. Soc. Bengal* 27: 39-54.
- Metcalfe, C.R. (1960). 'Anatomy of the Monocotyledons. I.Gramineae.' (Clarendon Press: Oxford.).
- Mishra, D. K. and Singh, N. P. (2001). *Endemic and Threatened Flowering plants of Maharashtra*. Fl. India ser. 4. Botanical Survey of India, Calcutta.
- Moulik, S. (1997). *The grasses and bamboos of India*. Vols. 1 and 2. Scientific Publishers, Jodhpur.
- Muktesh Kumar, Ramesh, M. and Sequiera, S. (2001). Another new species of *Ochlandra* Thw. from Kerala, India. *J. Econ. Tax. Bot.* 25(1): 49-51.
- Muktesh Kumar, Stephen Sequiera and Remesh, M. 2000. The position of Indian bamboos in bamboo systematics. *Rheedia* 10(1): 33-48.
- Muktesh Kumar. 1995. A re-investigation on the taxonomy of the genus *Ochlandra* Thw. (Poaceae-Bambusoideae). *Rheedia* 5 (1): 63-69.
- Naik, V. N. (1976). *Arundinella ciliata* (Roxb.) Nees ex Miq. - A new record for erstwhile Bombay State. *Bull. Bot. Surv. India* 15: 131-132.
- Nair N. C. and Nair, V. J. (1981). *Zenkeria jainii* – A new species of Poaceae from Kerala. *J. Bombay Nat. Hist. Soc.* 78: 350-354.
- Nair N. C., Nair, V. J. and Sreekumar, P. V. (1984). *Dimeria keralae* (Poaceae) A novelty from Kerala, India. *J. Bombay Nat. Hist. Soc.* 80 (3): 626-628.

- Nair V. J., Ramchandran, V. S. and Sreekumar, P. V. (1982).a. *Chandrasekharania* – a new genus of Poaceae from Kerala, India. *Proc. Indian Acad. Sci.* **91** (2): 79-82.
- Nair V. J., Sreekumar, P. V. and Nair, N. C. (1983). *Dimeria raizadae* – a new species of Poaceae from Kerala, India. *Indian J. For.* **6** (2): 163-165.
- Nair, V. J., Sreekumar, P. V., Vajravelu, E. and Bhargavan, P. (1982).b. *Silentvalleya*– A new genus of Poaceae from Kerala, India. *J. Bombay Nat. Hist. Soc.* **79**(3): 654-657.
- Nayar, M.P. (1996) “Hot Spots” of endemic plants of India, Nepal and Bhutan. Tropical Botanical Garden and Research Institute, Palade.
- Patunkar, B. W. (1980). *Grasses of Marathwada*. Jodhpur.
- Pee-Laby, E. (1898).Etude anatomique de la feuille des Graminees de la france. Ann. Sci.
- Peterson, P.M, Annable, C.R.and Franceschi, V.R. (1989).Comparative leaf anatomy of the annual Muhlenbergia (Poacea).*Nord .J.Bot.* **8**, 575-583.
- Piperno, Dolores. R. and Hans-Dieter Sues. 2005. Dinosaurs dined on Grass. *Science*. **310**: 1126-1128.
- Potdar, G. G., (2006). *Taxonomic studies on Grasses of Maharashtra*.Thesis submitted to Shivaji University, Kolhapur for Ph.D. (ined.).
- Potdar, G. G., Salunkhe, C. B. and Yadav, S. R. (2002). Rediscovery of the grass genus *Hubbardia*. *Species*. Vol. **38**. pp. 12.
- Potdar, G. G., Salunkhe, C. B. and Yadav, S. R. (2003)a. Rediscovery of a long lost monotypic, endemic grass genus *Hubbardia* Bor of Western Ghats. In M. K. Janarthananm and D. Narasimhan (eds.) *Plant Diversity, Human welfare and conservation*. 317-320.
- Potdar, G. G., Salunkhe, C. B. and Yadav, S. R. (2003)b. A new species of *Themeda* Forssk. (Poaceae) from India. *Kew Bulletin*. **58**: 243-246.
- Potdar, G. G., Salunkhe, C. B. and Yadav, S. R. (2004). A new species of *Mnesithea* Kunth (Poaceae) from India. *Kew Bulletin*. **59**: 629-631.
- Pradeep, A. K. and Sunil, C. N. (1999). Two new species of *Tripogon* (Poaceae) from India. *Sida* **18**: 809-814.

- Prasad Vandana, Caroline, A. E. Stromberg, Habib Alimohammadian, Ashok Sahni. 2005. Dinosaur Coprolites and the early evolution of grasses and grazers. *Science*. 310: 1177-1180.
- Prat, H. (1932). L'epidermedes Graminees, etude anatomique et systematique. *Ann. Sci. Nat. Bot.* X.13:117.
- Raizada, M. B. and Jain, S. K. (1964). *Grasses of Upper Gangentic Plain*. Panicoideae. II. *Indian For. Rec.* 5: 151-226.
- Raizada, M. B. and Jain, S. K. (1966). Grasses of Upper Gangentic Plain. Pooideae. *Indian Forester* 92: 637-642.
- Raizada, M. B., Bharadwaja, R. C. and Jain, S. K. (1957). Grasses of Upper Gangentic Plain. Panicoideae. I. (Maydeae and Andropogoneae). *Indian For. Rec.* (n.s.) 4: 171-277.
- Raizada, M. B., Jain, S. K. and Bahadur Naresh. (1983). *Grasses of Upper Gangetic Plains*. Part III (Pooideae). Dehradun.
- Ravi, N and Mohanan, N. (1997). *Dimeria namboodiriana* - another new species of Poaceae from Kerala, India. *Rheedia* 7(1):1-4.
- Ravi, N. (1995). Two new species of *Dimeria* R. Br. (Poaceae) from Kerala, India. *Rheedia* 5(1): 37-42.
- Ravi, N. and Anil Kumar, N. (1992). New and interesting species of *Dimeria* R. Br. (Poaceae) from Kerala, India. *Rheedia* 2(2): 101-107
- Ravi, N., Mohanan, N. and Kiran Raj, M. S. (2001).a. Three new species of Poaceae from South India. *Rheedia* 11(2): 87-96.
- Ravi, N., Mohanan, N., Kiran Raj, M.S., Shaju, T. and Rajesh, R. 2000a. Another new species of *Ischaemum* L. (Poaceae) from Kerala, India. *Rheedia* 10(1): 49-53.
- Ravi, N., Mohanan, N., Kiran Raj, M.S., Shaju, T. and Rajesh, R. 2000b. Two new species of Poaceae from Kerala, India. *Rheedia* 10(2): 91-98.
- Ravi, N., Mohanan, N., Shaju T., Kiran Raj, M.S. and Rajesh, R. 1998. Three new species of *Ischaemum* L. (Poaceae) from Kerala, India. *Rheedia* 8(2): 149-158.
- Ravi, N., Mohanan, N., Shaju, T., Kiran Raj, M.S. and R. Rajesh, 2001b.Three more new species of *Ischaemum* L. (Poaceae) from Kerala. *India. Bot. Bull. Acad. Sin.* 42: 223-230.

- Renvoize, S.A. (1982). A Survey of leaf-blade anatomy in grasses.I. Andropogoneae. *Kew Bull.* **37(2)**, 315-321.
- Renvoize, S.A. (1983). A survey of leaf-blade anatomy in grasses. IV. *Eragrostideae*. *Kew Bull.* **37(4)**, 469-478.
- Renvoize, S.A. (1986). A survey of leaf-blade anatomy in grasses: IX. Centothecoideae *Kew Bulletin*, **41. (2.)**: 339-342.
- Renvoize, S.A. (1987). A survey of leaf-blade anatomy in grasses: XI. Paniceae *Kew Bull.* **42(3)**, 739-768.
- Roy, G. B., (1984). *Grasses of Madhya Pradesh*. Flora of India. Series-4, BSI, Calcutta.
- Sabu, M. and Jayasree, S. (2001). *Apocoris cochinchinensis* – a new record for Kerala. *J. Econ. Tax. Bot.* **25(3)**: 611-613.
- Sajeev, K. K., Sasidharan, N. and Jomy Augustine. (1999). New records of grasses from Kerala. *J. Econ. Tax. Bot.* **25(3)**: 611-613.
- Salunkhe C. B. and Yadav, S. R. (2000). Endemic Grass Genera of Maharashtra State, Peninsular India. *Grasses: Systematics and Evolution*. Eds. Jacobs S.W.L. and Everett, J. CSIRO: Melbourne.
- Salunkhe, C. B. (1995). *Studies in Grasses of South-Western Maharashtra*. Thesis submitted to Shivaji University, Kolhapur for Ph.D. (ined.).
- Salunkhe, C. B. and Potdar, G. G. (2004). *Eulalia shrirangii*, a new species of Poaceae from India. *Kew Bulletin*. **59**: 625-627.
- Sapre, A.B. (1977). Karyotype of *Trilobachne cookie* (Stapf) Schnarck ex Henard. *Curr. Sci.* **46**:357.
- Sharma, B. D., Karthikeyn, S. and Singh, N. P. (eds.) (1996). Flora of Maharashtra State. Monocotyledones BSI, Calcutta.
- Sharma, M. (1983). Grasses of Punjab. *Indian Forester* **109 (6)**, 407-416 and **109 (7)**, 495-508.
- Singh, N. P., Deshpande, U. R. and Raghavan, R. S. (1976). Poaceae of Karnataka State. *Bull. Bot. Surv. India* **18 (1-4)**: 109-153.

- Smith, D. (1968). Classification of several native North American grasses as starch or fructosan accumulators in relation to taxonomy. *J. Br. Grassland Soc.* **23**, 306–309.
- Sreekumar, P. V. and Shetty, B. A. (1987). *Bhidea fischeri*, a new species of Gramineae from India. *Kew Bull.* **42** (3): 683-685.
- Sreekumar, P. V., Nair, V. J. and Nair, N. C. (1981). *Dimeria copeana* Sreekumar, V. J. Nair et. N. C. Nair – a new grass from Kerala India. *J. Bombay Nat. Hist. Soc.* **78**: 577-579.
- Sreekumar, P. V., Nair, V. J. and Nair, N. C. (1982). *Dimeria borii* (Poaceae): A new species from Kerala, India. *J. Econ. Tax. Bot.* **3**:657-658.
- Sreekumar, P. V., Nair, V. J. and Nair, N. C. (1983) d. *Chrysopogon tadulingamii* – A new species of Poaceae from Kerala, India. *Ibid.* **80** (1): 198-200.
- Sreekumar, P. V., Nair, V. J. and Nair, N. C. (1983)a. *Dimeria jainii* (Poaceae)- A novelty from Kerala, India. *Curr. Sci.* **52** (6): 259-260.
- Sreekumar, P. V., Nair, V. J. and Nair, N. C. (1983)b. *Tripogon anantaswamianus*– A new grass from Kerala, India. *Bull. Bot. Surv. India* **25** (1-4): 185-187.
- Sreekumar, P. V., Nair, V. J. and Nair, N. C. (1983)c. *Tripogon narayanii* – A new species of Poaceae from Kerala, India. *J. Bombay Nat. Hist. Soc.* **80** (1): 196-198.
- Sreekumar, P. V., Nair, V. J. and Nair, N. C. (1983)e. Novelties in *Ischaemum* Linn. (Poaceae) from Kerala, India. *J. Econ. Tax. Bot.* **4** (3): 1007-1012.
- Sreekumar, P. V., Nair, V. J. and Nair, N. C. (1984). *Ischaemum malbaricum* – A new species of Gramineae from India. *Kew Bull.* **39** (4):734-746.
- Sreekumar, P. V., Nair, V. J. and Nair, N. C. (1985) a. A new *Ischaemum* Linn. (Poaceae) from Kerala, India. *J. Bombay Nat. Hist. Soc.* **82** (2):390-392.
- Sreekumar, P. V., Nair, V. J. and Nair, N. C. (1985)b. *Ischaemum keralensis* – A new species of Poaceae from Kerala, India. *Bull. Mus. Natn. Hist. Nat. Paris* 4E Ser. 7, Sect. B. *Adansonia*, no. 2:135-137.

- Sreekumar, P.V and V.J.Nair (1991).Flora of Kerala –Grasses.BSI.
- Stapf, O. (1896). *Tripogon pauperculus* Stapf. Hook.Icon.Plant.t 2442.
- Stebbins, G.L. (1956).Cytogenetics and evolution of the grass family.Amer.J.Bot.**43**:890-905.
- Stewart, R. R. (1945). The Grasses of North – West India. *Brittonia* **5**: 404 – 468.
- Sunil, C. N. and Pradeep, A. K. (2001). Another new species of *Tripogon* (Poaceae) from India. *Sida*. **19**(4): 803-806.
- Sunil, C. N. and Sivadasan, M. (2000). *Cenchrus echinatus*: A new record for Peninsular India. *Rheedia* **10**(2): 153-155.
- Sur, P. R. 1985 a. Taxonomic revision of the genus *Eulalia* Kunth (Poaceae) in India. *J. Econ. Tax. Bot.* **6**: 177-191.
- Sur, P. R. 1985 b. A review of the genus *Polygonatherum* P. Beauv (Poaceae) in India. *J. Econ. Tax. Bot.* **6**: 663-670.
- Sur, P. R. 1988. A taxonomic review of the genus *Sehima* Forssk (Poaceae) in India. *J. Econ. Tax. Bot.* **12**: 71-79.
- Symonds, T. J. (1886). *Indian Grasses* (ed. 2.). Madras.
- Tateoka, T. (1959). Notes on some Grasses. IX. Systematic significance of Bicellular Microhairs of Leaf Epidermis. *Bot. Gaz.* **121**, 80–91.
- Tiwari, S. D. N. 1954. Grasses of Madhya Pradesh. *Indian Forester* **80**: 601-611; 681-689.
- Tuguo Tateoka. (1961). Notes on Some Grasses. XI. Leaf Structure of Eriachne. *Bulletin of the Torrey Botanical Club* .**88**(1): 11-20.
- Ved Prakash and Jain, S. K. 1984. Poaceae: Tribe-Isachneae. *Fasc. Fl. Ind.* 14. B. S. I. Calcutta.
- Ved Prakash and S. K. Jain, 1979. Poaceae: Tribe Garnotiae. *Fasc. Fl. India*. 3. Bot. Surv. India, Calcutta.
- Veldkamp, J. F. and Salunkhe, C. B. (2000). *Chrysopogon castaneus* (Poaceae-Andropogoneae), a new species from Maharashtra, India. *Rheedia*. **10**(1): 59-61.

Vieira, R.C., Gomes, D.M.S., Sarahyba, L.S.and Arruda, R.C.O. (2002) Leaf anatomy of three herbaceous Bamboo species, Braz., J.Biol. 62(4 B):907-922.

Virendra Kumar and B.Subramaniam. (2000)*Chromosome Atlas of Flowering Plants of the Indian Subcontinent*. Vol II, BSI. (New Delhi).566-654.

Watson, L. and Dallwitz, M. J. (1994).*The Grass Genera of the World*. (Revised ed.). CAB International, U. K.

Welzen, P. C. Van. (1981). A taxonomic revision of the genus *Arthraxon* Beauv. (Gramineae). *Blumea* 27: 2 55 –300.

Welzen, P. C. Van. (1993). The Phylogeny of the genus *Arthraxon* P. Beauv. (Gramineae). *Rheedia* 4 (2): 101-106.