

Chapter VIII

REFERENCES

References:

- Almeida M. R. (2001)**, Flora of Maharashtra, Vol. IIIB. Published by Blatter Herbarium, Mumbai.
- Ashby Eric (1948)**, Studies in the morphogenesis of leaves II. The area, cell size and cell number of leaves of *Ipomoea* in relation to their position on the shoot. *New Phytologist*, Vol. 47, No. 2; 177-195.
- Austin D. F. (1973)**, The American Erycibae (Convolvulaceae): *Maripa*, *Dicranostyles*, and *Lysiostyles* I. systematics, *Annals of the Missouri Botanical Garden*. Vol. 60, No. 2; 306-412.
- Austin D. F. (1973)**, The American Erycibae (Convolvulaceae). *Maripa*, *Dicranostyles*, and *Lysiostyle* II. Palynology. *Pollen et Spores*, XV; 203-226.
- Austin D. F. (1977)**, *Ipomoea carnea* Jacq. vs. *Ipomoea fistulosa* Mart. ex Choisy. *Taxon*, Vol. 26, No. 2/3. ; 235-238.
- Austin D. F. (1997)**, Dissolution of *Ipomoea* series Anisomerae (Convolvulaceae). *Journal of the Torrey Botanical Society*, Vol. 124, No. 2; 140-159.
- Austin D. F. (1998)**, The Genus *Aniseia* (Convolvulaceae). *Systematic Botany*, Vol. 23, No. 4; 411-420.
- Austin D. F. and Huaman Zosimo 1996)**, A Synopsis of *Ipomoea* (Convolvulaceae) in the Americas. *Taxon*, Vol. 45, No. 1; 3-38.
- Austin D. F. and Powell Dulcie A., Nicolson Dan H. (1978)**, *Stictocardia tiliifolia* (Convolvulaceae) re-evaluated. *Brittonia*, Vol. 30, No. 2; 195-198.
- Austin D. F. and Staples G. W. (1980)**, *Xenostegia*, a new genus of Convolvulaceae. *Brittonia*, Vol. 32, No. 4; 533-536.
- Austin D. F. and Staples George W. (1991)**, A revision of the Neotropical species of *Turbinia* Raf. (Convolvulaceae). *Bulletin of the Torrey Botanical Club*, Vol. 118, No. 3; 265-280.
- Bhattacharya B. and Johri B. M., (1998)**, Taxonomy and phylogeny. Published by Narosa publishing house, London.
- Bhattacharyya P. K. (1976)**, A note on two species of *Ipomoea*, namely *I. carnea* Jacq. and *I. fistulosa* Mart. Ex Choisy in eastern Asia. *Journal of Bombay natural history society*, Vol. 73, No. 2; 317-320.

- Erdtman G. (1971)**, Pollen morphology and plant taxonomy; Angiosperms (I). Published by Hafner publishing company, New York.
- Forde Margot B. (1978)**, The cultivated *Dichondra*. *New Zealand Journal of Botany*, Vol. 16; 283-285.
- Galetto L. and Bernardello G. (2004)**, Floral Nectaries, Nectar Production Dynamics and Chemical Composition in Six *Ipomoea* Species (Convolvulaceae) in Relation to Pollinators. *Annals of Botany*, Vol. 94, No. 2; 269-280.
- *Gamble J. S. (1923)**, Flora of presidency of Madras, Published by V. Adlard and West Newman, London.
- Govil C. M. (1971)**, Morphological studies in the family Convolvulaceae I development and structure of the seed coat. *The Journal of the Indian Botanical Society*, Vol. 50; 32-39.
- Govil C. M. (1971)**, Morphological studies in the family Convolvulaceae II morphology and anatomy of the tuber of *Ipomoea batatas* Lamk.. *The Journal of the Indian Botanical Society*, Vol. 50; 114-122.
- Govil C. M. (1971)**, Morphological studies in the family Convolvulaceae III zonation in the shoot apex and leaf initiation. *The Journal of the Indian Botanical Society*, Vol. 50; 217-225.
- Govil C. M. (1971)**, Morphological studies in the family Convolvulaceae V organogenesis of the flower. *The Journal of the Indian Botanical Society*, Vol. 37; B. No. 4; 199-204.
- Gunn Charles R. (1972)**, Moonflowers, *Ipomoea* Section *Calonyction*. in Temperate North America, *Brittonia*, Vol. 24, No. 2; 150-168.
- *Hallier H. (1893)**, Convolvulaceae africanae. *Bot. Jahrb. Syst.*, Vol.18; 81-160.
- *Hallier H. (1893)**, Versuch einer natürlichen Gliederung der Convolvulaceae auf morphologischer und anatomischer Grundlauge. Statentatic, Pflanzengeschichte. Edited by A. Engler, *Bot. Jahrb.*, Vol. 16; 453-591.
- Hickey Michael and King Clive (2000)**, The Cambridge illustrated glossary of botanical terms. Published by The press syndicate of the University of Cambridge, United Kingdom.
- Hooker J. D. (1885)**, Flora of British India, Vol. IV, Published by Reeve and Co. Ltd. Kent.
- *Hsu C.-C. (1967)**, Preliminary chromosome studies on the vascular plants of Taiwan (I). *Taiwania*, Vol. 13; 117-130.

Kumar Virendra and Subramaniam B. (1987), Chromosome Atlas of Flowering plant of the Indian Subcontinent, Vol I and II, Published by Botanical Survey of India, Ministry of Environments & Forests, Government of India, New Delhi.

Lawrence George H.M. (1951), Taxonomy of Vascular Plants. Published by Oxford & IBH Publishing Co. PVT. LTD., New Delhi.

***Layne E. (1957)**, Spectrophotometric and turbidometric method for measuring proteins. In: Methods in Enzymology. Eds. S. P. Cowlick and N. G. Kaplan, Academic Press, New York, Vol. 3:2252.

Leite Kelly Regina Batista and Rosangela Simao-Bianchini e Francisco de Assis Ribeiro dos Santos (2005), Morfologia polinica de especies do genero *Merremia* Dennst. (Convolvulaceae) ocorrentes no Estado da Bahia, Brasil. *Acta bot. Bras.* Vol. 19, No. 2; 313-321.

Lewis Walter H. and Memory P. F. Elvin-Lewis (1977), Medical botany (Plants affecting mans health). Published by A Wiley-Interscience publication, London.

Lewis Walter H. and Oliver Royce L. (1965), Realignment of *Calystegia* and *Convolvulus* (Convolvulaceae). *Annals of the Missouri Botanical Garden*, Vol. 52, No. 2; 217-222.

***Love (1974)**, IOBP Chromosome number reports XLV, *Taxon*, Vol.23, No.4; 619-624.

Lowell Cadance and Lucansky T. W. (1986), Vegetative Anatomy and Morphology of *Ipomoea hederifolia* (Convolvulaceae). *Bulletin of Torrey Botanical Club*, Vol. 113, No. 4; 382-397.

Lowell Cadance and Lucansky T. W. (1990), Vegetative Anatomy and Morphology of *Ipomoea quamoclit* (Convolvulaceae). *Bulletin of the Torrey Botanical Club*, Vol. 117, No. 3; 232-246.

Manos Paul S., Miller Richard E. and Wilkin Paul (2001), Phylogenetic analysis of *Ipomoea*, *Argyreia*, *Stictocardia*, and *Turbina* suggests a generalized model of morphological evolution in morning glories. *Systematic Botany*, Vol. 26, No. 3; 585-602.

Mayer A. M. and Poljakoff-Mayber A. (1978), The Germination of Seed, Published by Pergamon Press, London.

McDonald Andrew (1982), A new species of *Ipomoea* (Convolvulaceae) from Southwestern Mexico. *Brittonia*, Vol. 34, No. 3; 336-338.

- Nair Geetha G., Dantel M. and Sabnis S. D. (1987)**, Ergolines in the seeds of some Indian Convolvulaceae. *Indian Journal of Pharmaceutical Science*, Vol. 49, No.3; 100-102.
- Nair P.K.K. (1965)**, Pollen grains of western Himalayan plants. Published by Asia Publishing House, New York.
- Nair P.K.K. (1965)**, Trends in the Morphological evolution of pollen and spores. *The journal of the Indian Botanical society*, Vol. 44, No. 4; 468-478.
- Nair P.K.K., (1966)**, Essentials of Palynology. Published by Asia publishing house, New York.
- Nair P.K.K. (1970)**, Pollen morphology of Angiosperms (a historical and phylogenetic study). Published by Barnes and noble, Inc., New York.
- Nair P.K.K. and K. Rehman (1961)**, Pollen grains of Indian Plants. Published by Today and Tomorrows printers and publishers, New Delhi.
- *Nakajima G. (1963)**, Karyotype of genus *Ipomoea*. *Cytologia*, Vol. 28;352-359.
- Neyland Ray (2001)**, A Phylogeny inferred from large ribosomal subunit (26S) rDNA sequences suggests that *Cuscuta* is a derived member of Convolvulaceae. *Brittonia*, Vol. 53, No. 1; 108-115.
- Ogden John (1978)**, Variation in *Calystegia* R. Br. (Convolvulaceae) in New Zealand. *New Zealand Journal of Botany*, Vol. 16; 123-40.
- *Ooststroom S. J. (1939)**, The Convolvulaceae of Malaysia, II. *Blumea*, Vol.3; 267-371.
- Rao Satyanarayana N. (1947)**, Chromosomes studies in the genus *Ipomoea*. *Current Science*, Vol. XVI, No. 5; 156.
- Rendle Alfred Barton (1967)**, The classification of flowering plants, Vol. II. Published by The syndics of the Cambridge University Press, United Kingdom.
- Robertson Kenneth R. (1982)**, *Odonellia*, a new genus of Convolvulaceae from Tropical America. *Brittonia*, Vol. 34, No. 4; 417-423.
- *Salisbury E. J. (1942)**, Reproductive capacity of plants. (London, U.K.: Bell)
- Salunkhe V. S. (1997)**, Senescence in *Ipomoea carnea*, M. Phil. thesis submitted to Shivaji University, Kolhapur. (MS), India.
- *Sampathkumar R. (1969)**, Further studies on the cytology of South Indian Convolvulaceae. *Proc. 56th Indian Sci. Congr.*, Part 3; 382.
- *Sampathkumar R. (1979)**, Karyomorphological studies in some South Indian Convolvulaceae. *Cytologia*, Vol. 44; 275-286.

- Stefanovic Sasa, Austin D. F. and Olmstead Richard G. (2003)**, Classification of Convolvulaceae: A phylogenetic approach. *Systematic Botany*, Vol. 28, No. 4; 791-806.
- Stefanovic Sasa and Olmstead Richard G. (2005)**, Down the slippery slope: Plastid genome evolution in Convolvulaceae. *Journal of Molecular Evolution*, Vol. 61; 292–305.
- Talbot W. A. (1911)**, Forest Flora of Bombay and Sind., Vol. II. Published by Bishen Singh Mahendra Pal Singh (Publ.), Dehra Dun.
- Telleria M.C. and Daners G. (2003)**, Pollen types in Southern New World Convolvulaceae and their taxonomic significance. *Plant Syst. Evol.* Vol. 243; 99–118.
- Trease George Edward and Evans William Charles (1973)**, Pharmacognosy. Published by Williams and Wilkins Company, Baltimore, United States.
- Vij S.P. and Sachadeva V. P. (1974)**, Pollen grains studies in some North Indian Convolvulaceae. *Journal of palynology*, Vol. X, No.2; 132-144.
- *Vij S. P., Singh S. and Sachadeva V. P. (1977)**, Cytomorphological studies in Convolvulaceae: II Ipomoea and allied genera. *Cytologia*, Vol.42; 451-454.
- Wagner H. (1973)**, The chemistry of resin glycosides of the Convolvulaceae family. *Nobel*, Vol. 25; 235-240.
- Wolcott G. B. (1937)**, Chromosome Numbers in the Convolvulaceae. *The American Naturalist*, Vol. 71, No. 733; 190-192.
- Yadav S. R. and Sardesai M. M. (2002)**, Flora of Kolhapur District. Published by Shivaji University, Kolhapur, (MS), India.

* Original papers are not seen.