

BIBLIOGRAPHY

- Achar, P.N. (1994). Amylase and invertase activity in Raphanus sativus L. Infected by Peronospora parasitica, phyton (Buenos Aires); 55(1) : 43-46.
- Agarwal, M.L.; S. Kumar, A.K. Goel and M.S.Tayal (1982). Biochemical analysis in leaf spot disease of turmeric. Some hydrolysing and oxidative enzymes and related chemical metabolites. Indian phytopath, 35(3): 438-441.
- Ahmad, I., S.A.P. Owera, J.F. Farrar and R. Whitbrand (1982). The distribution of five major nutrient in barley plants infected with brown rust. Physiol plant pathol. 21(3) : 335-346.
- Allen P.J. (1942). Changes in metabolism of wheat leaves induced by infection with powdery mildew. Am.J.Bot., 29 : 426-435.
- Anandakumar, P. (1982). Correlation between photosynthetic rate and other physiological characters in seven tobacco cultivars. Photosynthetica 16(4) : 564-567.
- Anonymous (1979). Performance of some of the high yielding clones of turmeric. Annual Report (1979) All India co-ordinated spices and cashewnut Improvement project (PCRI, ICAR), Kasargad : 56.
- Aoi K, Koichi, K., Toral Chiro, S. Tomoka, T. Motoyoshi S. and Masonori K. (1986). Studies on the cultivation of turmeric. Bull.Nat.Inst. Hygsct (Tokyo) (104): 124-128.

- Arya, H.C., N.S. Shekhawat and S.D. Purohit (1981). Accumulation of aromatic compounds as related to abnormal growth in plants J. Indian bot.Soc. 60 : 247-251.
- Arnon, D.I. (1949). Copper enzymes is isolated chloroplast polyphenol oxidase in Beta vulgaris. plant physiology 24 : 1-15.
- "ASTA" Official analytical methods of the American Spice Trade Association II Endp. Engl. Wood. Cliffs N.N. 07632 U.S.A. 1968.
- Atkinson, T.C. and M. Shaw (1955). Occurance of Acid phosphatase in association with the haustoria of powdery mildew on barley Nature Lond; 175 : 993-995.
- Balasubramanian, K.A. (1973). Influence of nitrogen and phosphorus fertilizers on the expression of downy mildew of Sorghum. Plant and soil, 38 : 477-479.
- Balasubramanian, K.A. (1975). Pattern of distribution of certain cations in downy mildew affected sorghum and soil. Plant and soil 43(3) : 621-626.
- Balasubramanian, K.A. (1981). Chlorophyll content and mineral composition of downy mildew affected chlorotic leaves of sorghum. Indian phytopath., 34(4) : 500-501.
- Balashanmugam, P.V. Chenzhiyan, N. and Shah, H.A. (1976) BSR-I, Turmeric S. Indian Hort (34) : 60-61.
- Balashanmugam P.V., Chenzhiyan, N. and Shah, H.A.(1986) BSR-1 Turmeric, S. Indian Hort (34) 60-61.

- Bailiss, K.W. (1970). Infection of cucumber cotyledons by cucumber mosaic virus and the participation of chlorophyllase in the development of chlorotic lesions. Ann. Bot.; 34 : 647-655.
- Betz, H.E., Schlosser, Meded, Fac. Landbouwwet (1980). Plant disease product quality 1. Effect of club root (Plasmodiophora brassicae, woronin) on the quality of three kinds of cabbage. Rijksuniv. Gent, 45(2) : 141-145.
- Bhaskarari, R. and T. Ramanathan (1983). Effect of fertilizers and organic manures on Thanjavur wilt of coconut. Proc. of National Seminar on Management of disease of oilseed crops Madurai (Tamil Nadu Agri. Univ.) pp. 95-98.
- Bhavanishankar, J.N. Sreenjvasa Murthy V. (1986). Curcumin induced alteration in the glucose metabolism of *E. Coli* J. Gen. Appl. Microbial 32(4) : 269-270.
- Bhivare, Y.N. (1984). Physiological studies in pulses Ph.D. Thesis submitted to the Shivaji University, Kolhapur (India).
- Billett, E.E., M.A. Billett and J.H. Burnett (1977). Stimulation of maize invertase activity following infection by Ustilago maydis. Phytochemistry 16 : 1163-1176.
- Bole, P.V. and Bharucha F.R. (1954). Osmotic relations of the leaves of Avicennia alba B.I.J. Univ. Bombay 622 : 50-54.

- Brownell, P.F. and Crossland C.J. (1972). The requirement for sodium as a micro nutrient by species having C4 dicarboxylic photosynthetic pathway. Plant Physiol. 49 : 794-797.
- Brown, J.C. (1976). Iron deficiency and boron toxicity in alkaline soils. Proc. plant adaptation to mineral stress in problem soils, pb. Cornell University Ithaca, New York, pp. 83-94.
- Burstrom, H.G. (1968). Calcium and plant growth Biol.Rev. 43 : 287-316.
- Chattopadhyay, S.B. and A.K. Bera (1981). Phosphorus uptake in rice plant infected with Helminthosporium oryzae Indian J. Mycol. and Pl. Pathol., 11: 151-152.
- Chen and Chen (1974). Pathological effects of the sugarcane white leaf agent on chlorophyll content and chloroplast ultrastructure. Proc. ISSCT. 15 : 343-347.
- Chen, J.H. and H.H. Hou (1981). Starch, protein and invertase in corn leaves infected with Sclerospora sacchari myake Plant Protection Bulletin, Taiway 23(4): 201-206.
- Chinnadurai C. and Chandrasekharan Nair (1971). Effect of dolichos yellow mosaic on chlorophyll and leaf proteins. Curr.Sci 40 (1) : 18-19.
- Chod J. (1969). Changes in metabolism of sugarbeet roots infected by mosaic virus. Liatly cukrow 85 : 186-188.

- Chou, H.M., Rolfe, S.A. and Scholes, J.D. (1995). The effect of Albugo candida on the photosynthetic and carbohydrate metabolism of Arabidopsis thaliana Aspects of Applied Biology, 42: 149-153.
- Cruickshank, I.A.M. and Perrin, D.R. (1964). Pathological function of phenolic compounds in plants In : Biochemistry of phenolic compounds (ed. J.B. Harborne) pp. 511-544. Academic Press, London and New York.
- De Leo, P. and J. Sacher (1970). Association of Synthesis of acid phosphatase with banana ripening Plant physiol, 46; 208-211.
- Deshpande, R.G. (1981). Physiological studies in pulses. Thesis submitted to Shivaji University, Kolhapur (India).
- Deshmukh, S.S. and C.D. Mayee (1978). Pear: Millet mildew development as influenced by some nutrients J.of MAU, 3(1) : 79-80.
- Dhandar, D.G. and Varde, N.P.S. (1985). Performance of selected clones of turmeric (Curcuma longa L.) under Goa conditions. Indian cocoa Arecanut and spices J., 3(4) : 83-84.

- Dhumal, K.N. and J.D. Nimbalkar (1983 a). Studies in grassy shoot disease affected sugarcane cultivars C0419 and C0 740 Indian phytopath, 36(3): 448-452.
- Dhumal, K.N. and J.D. Nimbalkar (1982). Mineral nutrients in the G.S.D. infected sugarcane leaves of clones C0419 and C0 740. Sugarcane pathologists. Nees letter 28 : 24-32.
- Dhumal K.N. and J.D. Nimbalkar (1982). Mineral nutrients in the G.S.D. infected sugarcane leaves of clones C0419 and C0 740. Sugarcane photologists News letter 28 : 24-32.
- Dorozhkin, N.A., S.I. Bal Kays and T.P. Alaksoeva (1981). Amylase activity of the pathogen of tuber rot of potato Doklady Akedemi Nauk BSSR 25(2) : 178-181.
- Duggal, Sucheta, R.A. Singh and T.N. Lakhanpal (1981). Physiological studies on potato virus - x infected capsicum pendulum plants-I. Indian J. Mycol and plant pathol. 11(1) : 84-88.
- Dwivedi, Kusum and P. Shukla (1981). Effect of nitrogen, phosphorus and potash on Drechslera leaf spot of mung. Indian phytopath; 34(2) : 200-202.
- Epstein C. (1972). Mineral nutrition of plants. Principles and parapactives. John Willey and sons. Inc. New York.
- Farkas, G.L. and Z. Kiraly (1962). Role of phenolic compounds in the physiology of plant-diseases and disease resistance Phytopath, z. 44: 105-150.

- Folin, D. and Dennis, W. (1915). A calorimetric method for the determination of phenol's (and phenolderivatives) in vrin. J. Biol. Chem. 22: 305.
- Ghorpade, L.N. and G.V. Joshi (1980). Studies in photosynthesis in sugarcane var. CO 740 infected by mosaic virus. Indian phytopath, 33(1) : 33-37.
- Ghorpade, L.N. and G.V. Joshi (1981). Studies in sugarcane mosaic virus in sugarcane. Indian J. Plant Physiol. 24 (1) : 1-7.
- Ghosh, S.P. and Govind S. (1977). Varietal selection of different rhizomatous crop like ginger and turmeric Annual Report-1977. JCAR Complex for NEH Region pp.100.
- Goodman, R.N. z. Kiraly and M. Zaitlin (1967). Growth regulator metabolism. In the Plant Biochemistry and Physiology of infections plant disease. Van Nostrand CO. Inc. Princeton, New Jersey, Toronto, London, Melbourne pp. 232-280.
- Goel, A.K., S. Kumar and M.S. Tayal (1983). Biochemical alteration induced in Coriandrum sativum L. by Protomyces unger Indian bot. Rept., 2(1) : 62-64.
- Gornall, A.C., Bardawill, C.J. and David, M.M. (1949). J.Biol. chem. 177: 751. cited by chaykin, S. In : Biochemistry laboratory Techniques wiley Eastern Private Ltd., New Delhi.

- Govind S., Gupta R.N. (1982). Varietal evaluation of turmeric
Annual Report JCAR Research Complex for NEH Region
Shillong pp. 62-63.
- Govindandan, K. Ganesh, G. (1992). Turmeric improved production
Technologies Indian spices 29(2) : 7.
- Grunberg, F.H. (1958). Potash manuring, an essential factor in
agricultural production World crops, 320-324.
- Hare, R.C. (1966). Physiology of resistance to fungal diseases
in plants Bot Rev., 32 : 95-137.
- Hall, S.M. and Baker, D.A. (1972). The O' chemical composition
of Ricinus Phloem exudate Planta, 106 : 131-140.
- Hardikar, K.S. (1978). Fundamental studies of some fungi Shivaji
University, Kolhapur Ph.D. Thesis.
- Hawk, P.B., Oser B.L. and Summerson, W.H.(1948). Practical
physiological chemistry Publ. the Blackkiston Company
U.S.A.
- Hegde, B.A. and S.M. Karande. (1978). Effect of presowing
treatment of sodium chloride on the incidence of green
ear disease of Pennisetum typhoides, (Burm) Stapf.
and Hubb Var HB₃. Plant and soil 49(3): 551-559.
- Hegde, R.K. and R.L. Munjal (1971). Physiological changes in
bean pods due to infection of Colletobichum
lindemuthianum. Indian phytopath, 24 : 186-187.
- Hwang, B.K., W.D. Iberithal and R. Heitefuss. (1983). Age, rate
of growth, carbohydrate and amino acid contents of
spring barley plants in relation to their resistance
to powdery mildew (Erysiphe Graminis and sp.hardei).
Physiol.Plant Pathol. 22(1) : 1-14.

- Jagtap, D.P., D.K. Kulkarni and U.K. Kulkarni (1981). Physiological studies in leaves of Mimysops elengi infected by Capnodium karnatii. Third Int. Symposium on plant pathology, New Delhi (Abstr) pp. 191.
- Jamale, B.B. (1975). Physiological studies in saline plants. Thesis submitted to Shivaji University Kolhapur (India) pp. 417
- Jaworski, E.G. (1971) Nitrate reductase assay in intact plant tissue. Biochem Biophys. Res Commun 43 : 1274-1279.
- Jennings, D.H. (1968). Halophytes succulence and sodium a unified theory. New phytol 67 : 899-911.
- Jindal, Satish, Y.K. Arora and K.L. Bajaj (1979). Effect of infection by sphaerotheca fulioinea (powdary mildew) on amino acids and sugars in leaves of muskmelon (cucumis melo L.) plant Biochem J., 612 : 115-123.
- Johri J.K. (1975). Post infection changes in carbohydrate metabolism in mosaic virus infected carica papaya L. Ind. J. Expt. Biol. 13: 594
- Johri, J.K. and B. Padhi (1981). Biochemical changes induced by cercospora arachidicola in groundnut leaves. Third international symposium on plant pathology, New Delhi (Abstr.) pp. 189.
- Joshi, G.V. and Mishra S.D. (1970). Photosynthesis and mineral metabolism in senescent leaves of clerodendron inerme Gaertn. Indian J. Expt. Biol. 87 : 41-43.

- Joshi R.D. and L.M. Dubey (1977). Some studies on histopathology of chilli (Capsicum annum L.) II changes in number of chloroplast in palisade and spongy cells. Presented at 29th meeting of the Indian phytopathological society, Bangalore 1977.
- Kabi T., H.P. Nanda and A.M. Haldar (1979). Chlorophyll degradation and starch metabolism in bean (Dolichos labian L.) leaves infected with yellow bean mosaic virus (YSMU). J. Indian Bot.Sci., 58(1): 25-30.
- Kaley, D.M., B.B. Nagaich and R.B.S. Somgar (1977). Carbohydrate content of purple to roll and marginal Aavescence affected potatos (Abstr.) Proc.Symp. Physiology of host-pathogen Interaction, Madras, Nov. pp. 25-26.
- Kaley, D.M. and B.B. Nagaich (1975) Biochemical changes in potato tubers showing hairy sprouts and in purple top roll infected plants. Proc.Intern.Symp. Current topics in pl-path., Budapest pp. 399-404.
- Karande (1984). Physiological studies in crop plants. Ph.D. Thesis, Shivaji University, Kolhapur M.S.
- Katsumi, M. and M. Fukuharu (1969). The activity of amylase in the shoot and its relation to gibberellin induced elongation Physiol. plant 22: 68-75.
- Kapur, P., S. Kapur and S.Y. Padmanabhan (1982). Relationship of phosphorus concentration in the host and brown spot disease of rice. Indian phytopath., 35(3): 393-398.

- Kaur, M. and K.B. Deshpande (1980). Photosynthetic activities of cowpea plants infected with Erysiphe polygoni. Indian phytopath. 33(2) : 344-345.
- Kapur, Sashi, S.P. Kapur and A.S. Rehalia (1978). Studies on some of the biochemical changes occurring in date palm leaves infected by smut Indian phytopath 31(3): 394-395.
- Kiraly, Z. and A. Gilly (1976). Effects of micronutrients in fertilizers on plant diseases resistance Rept. of the 1st National Symposium of Plant Immunity Nov. 29th to Dec. 2nd (1976).
- Kirk, J.O.T. and Allen, R.L. (1965). Dependence of chloroplast pigment synthesis on protein synthesis effect of actidione Arch. Biochem. Biophys. Res. Common 21: 523-530.
- Koshtee, I.R. (1994). Physiological studies in Turmeric crop (Curcuma longa L.) A Thesis submitted to the Shivaji University, Kolhapur.
- Kosuge, T. (1969). The role of phenolics in host response to infection. Ann. Rev. Phytopath. 7: 195-222.
- Krishnamani, M.R.S. and M. Lakshamanan (1976) photosynthetic changes in Fusarium infected cotton. Can. J. Bot. 54: 1257-1267.
- Kulkarni, D.K. and U.K. Kulkarni (1976). Physiology of mango leaves infected by Capnodium ramosum cooke. J. Shivaji Univ. (Science) 16: 113-115.

- Kulkarni, D.K. and Kulkarni U.K. (1978). Physiology of mango leaves infected by Capnodium ramosum cooks II mineral content Biovigyanam, 4 : 173-174.
- Kumar, N.N.V., Nagaraja T.G. (1991). Some enzymatic changes in the leaves of Ricinus communis infected by Corospora ricinella Advances in pl. sciences, 4(1): 174-176.
- Lal, S.B., K. Radha and P. Sharma (1970). Etiology of the root (Wilt) disease of coconut palm proc. 1st Inten. Sym. plant pathol., pp. 662-669.
- Liancre (1954). E.T. determination of the heat transfer coefficient of leaf Plant physiology, 39(4): 687-690.
- Lianen - Jensen, S. and Jensen A. (1971). Quantitative determination of carotenoids in photosynthetic tissues. In methods in Enzymology" (A.sen Pietro Ed.) : Academic Press, Inc. Publishers, New York, PP.586-602.
- Llieve I. (1976). Change in water regime of peach leaves attacked by leaf-curl-ovoshcharstvo (55): 41-43.
- Loneragan J.F. (1975). The availability and absorption of trace elements in soil plant systems and their relation to the movement and concentrations of trace elements in plants - In. trace elements in soil-plant-Animal system eds. Nicholas. D.J.D. and A.R. Egan Academic Press, New York, pp. 109-134.
- Magyarosy, A.C. and R. Malkin (1978). Effect of powdary mildew infection of sugarbeet on the content of electron carriers in chloroplast. Physiol.plantpathol., 13: 183-188.

- Manjunath, M.N., Sattigeri V.D., Nagaraja K.V. (1991) Curcumin in turmeric Indian spices 26(1) : 9.
- Massaux, F.C., Misse, C. Tchiendji and M. Iacox (1977). Study of the host parasite relation between grey rust. (Hemileia coffeicola) and the coffee tree (Coffea canephora) in cameroon. Collog. sci.Int. Cafe.(CR) 8 : 533-535.
- Mathai. (1978) cited in physiological studies in Turmeric crop (Curcuma longa L.) M.Phil. Thesis Shivaji University, Kolhapur 1994.
- Mathur and Vidhyasekaran (1978). Physiology of resistance to rust in sunflower. Indian phytopath 31(3) : 289-293.
- Mathuswamy, S., Shaha, H.A. (1982). Comparative quality evaluation of Salem and Erode Turmeric types Indian cocoa Arecanut and Spices J.S.(40) : 77.
- Mayer, S.S, D.D. Anderson and R.H. Bohning (1960). Introduction to plant physiologies van Nostrand Company Inc., New York, pp. 185.
- Mc. Lachlan, K.D. (1980). Acid phosphatase activity of intact roots & acid phosphorus nutrition in plants assay condition and phosphate activity. Aust.J. Agri. Res. 21: 429-440.
- Meiri, A. and Poljakoff - Mayber A. (1967). The effect of chlorine salinity on growth of bean leaves in thickness and area I. Sr.J. Bot 16 : 115-123.
- Misra, A. and B. Padhi (1981). Physiological alterations due to white rust infection in Ipomoea reoptans IIIrd Inter. sym. on plant pathol. (Abstr) pp. 57.

- 100
- Mitchell, D.T. (1982). Invertase activity in leaf tissues susceptible and resistant to wheat stem rust. Transactions of the British Mycological Society, 78 (1) : 173-176.
- Mitra, D.K. and M. Majumdar (1977). Changes in total phenolic content and polyphenol oxidase activity in brinjal (Solanum melongena) as a result of little leaf infection Proc. Indian Natr. Sci 43(6) : 228-231.
- Mitra, D.K., U.K. Sengupta and M. Majumdar (1978). Effect of some viral and mycoplasmal disease on nitrate reductase activity in some solanaceous hosts Geobios 5 : 74-75.
- Mitra, D.K. and V.K. Sengupta (1980). Influence of little leaf disease on photosynthesis and chlorophyll content in brinjal (Solanum melongena Linn.) leaf tissues. Ann. Agric. Res. 1(1) : 108-111.
- Mogale, T.R. and C.D. Mayee (1981). Alterations in the nutrient level in susceptible, moderately resistant and resistant pearl millet lines following downy-mildew infection. Indian J. Mycol. Plant pathol. 11(2) : 189-194.
- Mohapatra, N.K. (1982). Post infection changes in sugar content of groundnut leaves infected with Cercospora personata Geobiol. 9(5/6) : 246-248.
- Nagargia, T.G. (1990). Physiological changes in phyllanthus emblica due to infection of Ravenellia emblicae Advances in pl. sciences 3(1) : 141-143.

- Nagaraja, T.G. and Thite, A.N. (1988). Some physiological changes in leaves of Rubia cardifolia z. under pathogenesis Biovigyanam, 14(2) : 107-108.
- Nagaraja, T.G. (1990). Some enzymatic studies under pathogenesis Adv. in pl. sci. 3(1) : 162-164.
- Nagaraja, T.G., Killedar, M.B. (1996). Mineral analysis of Murraya koenigii spreng leaves infected with Colletrichum gloeosporioides. Ann.pl. physiology, 10(1) : 7-13.
- Nagaich, B.B. (1978). Investigations on purple top roll and witches broom diseases of the potato Final technical report of the I.C.A.R. Scheme Simla.
- Naik, M.K., Hiremath, P.G., Hiremath, S.V. (1988). Post-infectional changes in the betel vine leaves infected C. gloeosporioides. Indian phytopath 41(3) : 370-372.
- Nambiar, K.K.N. and K. Ramakrishnan (1969). Studies on pigeon pea sterility mosaic disease VII. Effect on mineral metabolism Proc. Indian Acad.Sci. 70B : 37-41.
- Nambiar, M.C. (1979). Morphological and cytological investigation in the genus curcuma linn Ph.D. thesis, University of Bombay pp. 95.
- Natarajan, C.P. (1973). Turmeric chemistry Technology and uses Indian spices 10(4) : 8-10.
- Nelson, N.A. (1944). Photometric adaptation of somogys method for the determination of glucose J. Biol. Chem. 153: 375-380.

- Nicholas, D.J.D. (1901). Minor mineral nutrients Ann.Rev.plant physiol; 12 : 63-90.
- Okasha, K.A., K. Ryugo and R.S. Bringhurst (1968). Relationship of tannins, polyphenols and reducing sugar to verticillium wilt resistance of strawberry cultivars phytopathology 58 : 1118-1122.
- Paridham, J.B. (1965). Low molecular weight phenols in higher plants. Ann.Rev.Plant physiol. 16: 13-36.
- Parthasarathi, K. (1977). Physiology of spiked sandal. All India symposium on physiology of host pathogen interaction Madras Nov. 25-26, (1977). pp. 327-337.
- Parthasarathi, K., D.R.C. Babu and P.S. Rao (1970). Studies on sandal spike VIII. Polyphenolase activity and metabolism of sandal (Santalum album L.) in healthy and disease Proc. Indian Acad. Sci 726: 277-284.
- Patel, V.A., Vaishnav, M.V. (1986). Biochemical changes in rust infected leaves of groundnut. Indian J. of mycology and plant pathology, 16(3) : 305-306.
- Patil, B.D. (1980). Pathophysiological studies of sunflower and intramural aeromycological studies of hospital. Ph.D. Thesis, Shivaji University, Kolhapur, India.
- Patil, B.D. and U.K. Kulkarni (1977). Physiological changes in the leaves of sunflower due to infection of puccinia helianth. Schw. Indian phytopath, 30(4) : 560-561.

- Prasad, K. (1983). Yield and morphological characteristics of different varieties of turmeric at Nagaland. Annual Report 1983. ICAR Res. Complex for NEH Region, Nagaland pp. : 121-123.
- Prasad, S.M. and H.S. Sahambi (1980). Biochemical changes brought about by sesamum phyllody. Indian phytopath; 33(4) : 617-618.
- Prasad, Yogendra (1979). Zinc in the control of flax wilt. Indian phytopath, 32: 61-63.
- Prasad, K.(1983). Yield and morphological characteristics of different varieties of turmeric at Nagaland Annual Report 1983. ICAR Res. Complex for NEH Region, Nagaland pp. 121-123.
- Parry J.W. (1969). 'Spices' vol.J. Chemical Publishing Company Inc, New York.
- Parthasarathi, K., S.K. Gupta and C.R. Rangaswamy (1976). Distribution of chlorophyllase activity and levels of chlorophylls a and b in sandle (Santhalum album linn) affected by Spike disease. Experientia, 32 : 1262-1264.
- Perkin-Elmer (1973). Analytical methods for atomic absorption spectrophotometry Peolem Elmer, Nor walk.
- Philip, J. and Nair P.C.S.(1983). Morphological and yield characters of turmeric types. Indian spices 20(2) : 13-20.
- Philip, R. and R. Devadath (1981). Studies on the physiology of bacterial blight infected tolerant and susceptible rice cultivars Phytopathol, 2 : 101(1) : 65-71.

- Pillai, T.P.K.(1977). Germplasm collection and evaluation of Ginger and turmeric. Annual Report 1977 CPCRI Kasaragod. pp. 112-114.
- Pitt, D. and C. Combas (1969). Release of hydrolytic enzymes of Solanum tuberosum L. tissue during infection by tuber rotting fungi J.Gen.Microbiol. 56 : 321-329.
- Rai, J.N., S.K. Srivasatava and S. Dhawan (1979). Phosphatase activity in susceptible and resistant cultivar of Brassica junca. inoculated with isolates of Macrophomia phasertina and Sclootinia sclerotinum microbios, 25(100) : 107-110.
- Ramakrishnarao, S. and K. Ramalingaswamy (1981). A note on micronutrient composition of plant and ratoon crops of sugarcane. 29th Annu. Conv. Deccan sugar Technol. Assoc., India part I : 11-14.
- Randhawa, G.S., Mahey, R.K. and Gill, S.R.S. (1982). Leaf area measurements in Turmeric Indian spices 19(1): 7-9.
- Rangaswamy, G. (1979). Disease of crop plants in India. Prentice-Hall of India Pvt.Ltd., New Delhi pp. 520.
- Rao, S.C, B. Sreenivasa Rao and V. Damodaran Naidue (1978). Effect of nitrogen on the biochemistry of rice leaves in relation to bacterial leaf streak disease Indian phytopath, 31 : 547-548.
- Rao, D.V.R., Swamy G.S. (1984). Studies on the effects of N.P. and K. on growth yield and quality of turmeric S. Indian Hort. 32(5) : 288-291.

- Ratnambal, M.J.(1988). Evaluation of turmeric accessions for quality. Qual. plant, plant foods, Hum. Nutr. 36(3) : 243-252.
- Reddy, M.K., N. Saraswathy and S.N. Sampathkumar (1981). Phenols and oxidase in the roots of healthy and 'Anabe' affected areca nut plants Indian phytopath 34(4) : 527-528.
- Reddy, V. Ramkrishna and Ramarao (1978). (Horticulture Agriculture Coll. Tirupati Andhra Pradesh India) JRES APAV., 3(4) : 87-90.
- Roberts, and Jensen (1970). The influence of dutchelm disease and plant water stress on the foliar nutrient content of American and Siberian elm. Phytopathology, 60: 1831-1833.
- Rohringer, R. and D.J. Samboraki (1967). 'Aromatic compounds in the host parasite interrelation : Ann. Rev. phytopath, 5 : 77-86.
- Sadasivan, T.S. (1967). Symposium in physiology of Fungi. (Organised by Indian Net. Sci. Acad.) 35 : 1-16.
- Sankpal, S.D. and J.D. Nimbalkar (1980). Physiological studies in smut infected sugarcane var. CO 740. Indian J. Expt. Biol., 18(1): 95-96.
- Sankpal, S.D. and J.D. Nimbalkar (1979). Post infection physiology of whip smut infected sugarcane var. CO740 Proc. 29th Ann. Conv. DSTA Part-II : 31-38.

- Sankpal and Nimbalkar (1979 a). Effect of smut infection on metabolism of sucrose in sugarcane Indian phytopath 32, : 306-307.
- Santra, S.C. (1983). Biochemical localization of starch bodies around infected region in wart infected potato plants. Indian phytopath, 36(2) : 335-336.
- Sanwal, B.D. (1956). Polyphenol oxidase and ascorbic acid oxidase activity in tomato plants infected with Fusarium lycopersici, Proc. Indian Acad.Sci., 44 : 259-270.
- Sasikumaran, S., T.K. Kandaswamy and P. Vidhya Sekaran (1979). Physiology of tomato plants affected by leaf curl virus Indian phytopath, 32(3) : 352-359.
- Scott, K.J. and R.M. Smillie (1963). Possible relationship between photosynthesis and rice in respiration in disease leaves Nature 197: 1319-1320.
- Seaker, E.M., E.L. Bergman and C.P. Romaine (1982). Effects of magnesium on tobacco mosaic virus - Infected eggplants (Solanum melongena cultivar long purple) J.Am.Soc.Hortic. Sci. 107(1) : 162-166.
- Sekin, T., Sasakatia, T. Mortio S., Kimaria T. and Kuratomi, K. (1965) of laboratory manual for physiological studies of Rice Ed. Yashida, S. Forno, D. Cook, J.H. and Gomez, K.A. Publ. by the International Rice Research
- Shah, H.A., Ramdas, S. Animugam, R. Mathuswamy S. Abdual Khader (1982). Co.1 Turmeric - A high yielding mutant turmeric S. Indian Hort. J. 30(4): 276-277.

- Shankaracharya, N.B. Natarajan, C.P. (1973). Turmeric chemistry, Technology and uses Indian spices 10(3): 7-11.
- Sharma, R.C., Sharma, Y.P. (1990). Physio-chemical alteration in Taphrina deformance infected peach-leaf Indian phytopath, 43 : 382-384.
- Shaw, M. and A.R. Hawkins (1955). Physiology of host parasite relationship Can. J. Bot., 36: 1-16.
- Shaw, M. (1963). The physiology and host-parasite relations of the rust Ann.Rev.Phytopath, 1: 259-294.
- Shevchenko, I.P., E.I.M. Golovchak, O. Serede (1980). In. seed treatment with trace elements. Eds. Vlasyuk, P.A. Izd Naukova Dumke. Kiev. USSR pp. 189-193.
- Sindaler, L. and O. Makovaova (1980). Starch metabolism in the leaves of cucumber infected with cucumber mosaic virus in relation to yield Sbornik UVT 12.
- Singh, A.K. and R.B. Singh (1980). Alteration in protein yield and protein quality in bean infected by soys bean mosaic virus. Annals de phytopathologie 12(2): 131-138.
- Singh, B.P. and A.K. Verma (1973). Influence of hollyhock yellow mosaic virus on flouiring and chemical composition of hollyhock leaves Indian phytopath. 27: 72-77.
- Singh, R.B., Thakore, B.B., Sneh Mathur (1986). Chlorophyll, carotenoids content and mineral composition of downy mildew infected leaves of opium Indian phytopath., 39(3) : 464-465.

- Singh, S.J. (1983). Changes in enzymatic activity of pumpkin plant infected with watermelon mosaic virus. Journal of Turkish phytopathology, 12 : 33-58.
- Singh, K., U.S. Shukla and S.R. Misra (1970). Grassy shoot disease of sugarcane III. Response of varieties to infection. Indian phytopath 23(1) : 83-83.
- Sinha, A.K. (1976). Amylase and invertase activity in healthy and green ear infected bajara tissue. Geophytopathology 6(1) : 150-151.
- Sivaprakasam, K., Jagadeesan, M. and Kannapiran, C. (1976). Effect of little leaf disease on the mineral metabolism of brinjal (Solanum melongena L.). Annamalai Univ. Agric. Res. Annual, 6 : 146-150.
- Sivaprakasam, K., M. Jagadeesan, C. Kannapiran, K. Pillayarsamy (1976). Changes in the mineral content of black gram leaves due to leaf crinkle virus Madras agric. J. 63 (2) : 123-125.
- Sivaprakasam, K., D. Vidhyasekaran and C.K. Soumini Rajagopalan (1974). Physiology of brinjal plants infected with Verticillium dahliae. Indian phytopath 27 : 197-202.
- Srinivasan, N. (1983). Accumulation of phenolics in leaves of areca palm affected with yellow leaf disease. Indian phytopath., 36(1): 154-155.,
- Srinivasan, N. (1982). Significance of deranged chlorophyllase chlorophyll system associated with yellow leaf disease of arecanut. Indian phytopath. 35: 530-531.

- Srinivasan, K. and S. Chelliah (1979). Preference of the leaf hopper vector Hishimonus phycitis(Distant) for egg plants infected with little leaf mycoplasma with reference to certain biochemical and histochemical changes Workshop held at Univ. Agric. Sci, Bangalore (India) pp. 14-22.
- Stapales, R.C. and M.A. Stahman (1964). Changes in proteins and cereal enzyme in susceptible bean leaves after infection by the bean rust fungus phytopathology 54 : 760-764.
- Suzuki, K.(1975). Quantitative changes in sugar levels in poplar leaves at periodic intervals following inoculation with Melampsora laricipopulina Kleb. Ann. phytopathol.soc. Japan 41: 378-382.
- Tayal, M.S., S.M. Sharma and M.L. Agarwal (1981). Studies on the polyphenols, proteins, chlorophylls. IAA oxidase and Amylase of normal and false smut infected leaves of Phoenix sylvestria. Indian phytopath., 34 (3) : 337-339.
- Thite, A.N., P.D. Chavan, and B.A. Karadage (1980). Some biochemical changes in teak leaves infected with powdary mildew fungus. Indian J. mycol., plant pathol. 10(2) : 131-135.
- Thomas and Beevers (1949). Physiological studies on acid metabolism in green plants New physiological 48(3): 421-427.

- Tomiyama, K.(1963). Physiology and biochemistry of disease resistance of plants Ann. Rev. phytopath. 1: 295-324.
- Tomlinson, J.A. and M.J.W. Webb (1978). Ultrastructural changes in chloroplast of lettuce infected with beet western yellow virus. Physiol. plant pathol. 12: 13-18.
- Toth, J.A. Prince, A.L. Wallace and Mikkelsen, D.S. (1949). Rapid qualitative determination of eight mineral elements in plant tissues by systematic procedure involving use of flame photometer Soil and sci 66, 459-466.
- Tulenor, Z.T.(1981). Effect of chlorotic leaf spot virus on apple metabolism Vestnik sel skokbozyai stvennai Nauki Kazakhatana, 5: 42-47.
- Tungawet, R.K. (1977). Chlorophyll a/b ratio as influenced by plant pathogens. Science and culture 43: 436.
- Upadhyay, P.K. and R.S. Dwivedi (1979). Biochemical changes in leaf of Eucalyptus globulus infected with Pataloipisis funarea. Indian phytopath. 32(3): 434-437.
- Vidhyasekaran, P.and P. Durairaj (1973). Role of auxin-phenol complex in shot-hole syndrome development in mango infected by Colletotrichum Gloeosporioides. Indian phytopath, 26: 49-55.
- Vidhyasekaran, P. and D. Kandaswamy (1971). Effect of soil fertility on the physiology of corn plants in relation to helminthosporiose disease incidence phytopath z. 72 : 11-20.

- Vidhyasekaran, P., V. Krishnaswamy and C. Parambaramani (1971). Possible role of sugars in rust resistance in Setaria italica Indian phytopath. 27: 291-293.
- Vijayakumar, C.S.K. and A.S. Rao (1980). Physiological changes in Alternaria infected wheat leaves. phytopath. 98 : 76-83.
- Vijaya Rao, V., P. Nandi and S.P. Raychaudhuri (1967). Effect of zinc and iron nutrition on potato virus x in tomato Proc. Ist Intern. Symp. on plant pathology pp.779-785.
- Walter J.M. (1967). Hereditary resistance to disease in tomato Annu. Rev. phytopathol. 5: 131-162.
- Waseem, Ismail, J.K. Johari, A.A. Zaidi, B.P. Singh (1979). Influence of root knot nematode, tobacco mosaic virus and their combination on the growth and carbohydrate of Solanum khasianum, O clarke. Indian J. Exp. Biol. 17(11): 1266-1267.
- Wood, R.K.S.(1967). Physiological plant pathology oxford Endinburg. Blackwell Scientific Publ.
- Wutscher, H.K., C. Hardesty (1979). Zinc and phenolics in the wood and incidence of citrus blight in a grove containing eight selections of 'Hamlin orange' Proc. Fla. State Hortic. Soc. 92: 70-72.
- Yadav D.S.(1983). Performance of turmeric varieties at Manipur. Annual Report (1983). ICAR Res. Complex for NEH Region, Manipur pp. 121-123.

- Yarkins, D.M.(1941). Activity of Amylase and catalase in wheat leaves infected with rust puccinia tritici under Irrigated condition. DOCKL, VESES, ACAD.S. Kt., Nauk V.I. Leuina : 29-32.
- Yarwood, C.E. and L. Jacobson (1955). Accumulation of chemicals in diseased areas of leaves Phytopathol. 55: 43-48.