

BIBLIOGRAPHY

Ables, F. B.; Dunn, L. J.; Morgans, P.; Callahan, A.; Dinterman, R. E. and Schmit, J.; (1988): Induction of 33-KD and 60 KD peroxidase during ethylene enhanced senescence of cucumber cotyledons. *Plant Physiol.* **87**: 609-615.

Ables, F. B.; Moran, P. W. and Salueir, Jr. M. E. (1992): Ethelene in plant biology. Second edition, Acadamic press. San Diego.

*Addicott, F.T. (1983) Abscisic acid, Praeger, New York.

Akazawa, T. and Hara Nishimura, I. (1985): Topographic aspects of biosynthesis, extra cellular secretion, and intracellular storage of proteins in Plant Cells. *Annu. Rev. Plant Physiol.* **36**: 441-472.

Anandhi, S. and M. P. Ramanujam (1997): Effect of salicylic acid on black gram (*Vigna mungo*) cultivars. *Indian J. Plant Physiol.,* **2**(2):138-141.

*Antoniw, J. F.; C. E. Ritter and W. S. Pierpoint (1980): *J. Gen. Virol.* **47:** 79-87.

Apte, P. V. and Laloraya, M. M. (1982): Inhibitory action of phenolic compounds on abscisic acid induced abscission.; *Indian J. Exp. Bot.,* **35**(135): 826-830.

Asthana, J. S. and Srivastava, H. S. (1978): Effect of presowing treatment of maize seeds with ascorbic acid and salicylic acid on seed germination, seedling growth and nitrate assimilation in the seedling; *Indian J. Plant Physiol.;* **21**(2): 150-155.

Attitalla , I. H.; Quintanilla, P. and Brishammar, S. (1998):Induced resistance in tomato plants against *Fusarium* wilt invoced by *Fusarium* sp,salicylic acid and *Phytopthora cryptogea. Acta - Phytopathlogica - et - Entamologica - Hungerica.* **33**(1-2) 89-95

Austin, R. B.; Ford, M. A. and Blackwell, R. D. (1978): Relationships between nitrate reductase activity. Plant weight and nitrogen content in seedlings of Triticum, Aegilops and Triticale. *Ann. Bot.* **42**: 429-438.

Barbara, M.; Schulz, M. and Schnabl, H. (1992): Effect of salicylic acid on growth and stomatal movements of *Vicia faba* L.evidence for salicylic acid metabolisation. *J. Chem. Ecol.* **18**(9): 1525-1539.

Bardseth, P. and Russwurm. H. Jr. (1978): Content of some organic acids in cloudbeery (Rubus chamaemorus L.) *Food Chem.* **3**:43-46

Barker, G. R.; Bray, C. M. and Water, T. J. (1974): Development of Ribonuclease and acid phosphatase during germination of Pisum ariense. *Biochem. J.* **142**: 211-219.

Barkosky, R. R. and Einhelling, F. A. (1993): Effect of salicylic acid on plant water relationship. *J. Chemical Ecol.;* **19**(2): 237-247.

Beevers V. and Hegeman, R. (1969): Glyoxysomes of castor bean endosperm and their relation to gluconeogenesis. *Ann. N.X. Acad. Sci.* **168**: 313-324.

Ben-Tal Y. and Cleland C. F. (1982): Uptake and metabolism of carbon-14 labeled salicylic acid in *Lemna gibba* strain G3. *Plant Physiol.; (Bethesda)* **70(1):** 291-296.

Betty. M. H. and Leslie, C. A. (1983): Salicylic acid inhibition of ethylene production by apple discs and other Plant tissue.; *J. Plant Growth Regul.*; **8** (1): 63-70.

Bewley, J. D. and Black, M. (1978): "Physiology and Biochemistry of Seeds in relation to germination Vol. I, Development, grmination and growth". *Springer, Verlag, Berlin.*

Bewley, J. D. and Black, M. (1982): "Physiology and Biochemistry of Seeds in relation to germination Vol.2, Viability, Dormancy, and Enviornmental control". *Springer, Verlag, Berlin.*

Bewley, J. D. and Black, M. (1985): Seeds: Physiology of Development and Germination: Plenum Press, New York, pp1-167.

Bhadre, S. K. (1983): Physiological studies in cotton plant. Ph. D. thesis submitted to the Shivaji University, Kolhapur (India)

Bharadwaj, N. and Warrier, A. (1986): Effect of abscisic acid on greening of excised cucumber (*Cucumis sativus* L.) cotyledons. *Indian J. Plant Physiol.* **29**(4): 409-411.

Bhargava, R. and Sacher, R. C. (1987): Induction of acid phosphatase in cotton seedlings. Enzyme purification, subunit structure and kinetic properties. *Phytochemistry*, **26**: 1293-1297.

Bhatia, D. S.; Jindal, V. and Malik, C. P. (1986): Effect of salicylic acid and tannic acid on stomatal aperture and some enzyme changes in isolated epidermal peeling of *Euphorbia hirta.*; *Biochem, Physiol. Pflanz (BPP),* **181**(4): 261-264.

Bolarczuk, T. and Jankiewicz, L. S. (1975): Influence of phenolic substances on rooting of softwood cuttings of *Populus alba* L. and *Populus canescens* Sm. *Acta. Agro. Bot.* **128**(1): 121-129.

Bray, C. M.; Water, T. J. and Barker, C.R. (1979): Development of ribonuclear and acid phosphatase during germination Pisum orverner. *Biochem. J.;* **142**(2): 211-219.

Breda , C. ; Buffard, D. ; Van Huystee, R.B. and Esnault, R.(1993) : Differencial expression of two peanut peroxidase cDNA clones in peanut plants and cells in suspension culture in response to stress. *Plant Cell Rep.,* **12b:** 268-272.

Briand, C. H and Kapoor, B. M. (1989): The cytogenetic effects of sodium salicylate on the root meristem cells of *Allium Sativum* L.; *Cytologia (Tokyo)*, **54**(2): 203-219.

Briggs, D. E. (1973): Hormones and carbohydrate metabolism in germinating cereal grains in Biosynthesis and its control in plants, ed. B.V. millborrow **pp**. 219-279. *London: Academic.*

Chadha, K. C. and Brown, S. A. (1974): Biosynthesis of phenolic acids in tomato plants infected with Agrobacterium tumefaciens. *Can. J. Bot.*. **52**:2041-46

Chakravarti, M. and Burma, D. P. (1959): Enzymes of the pentose phosphatase pathway in the mungbean seedlings. *Biochem. J.;* **73**:48-53.

Chander, P. D.; Bhatia, D. S. and Malik, C. P. (1988): Effect of some phenolic compounds on chlorophyll content and yield compoents in mashbean (*Vigna mungo* (L.) Hepper). *Indian J. Plant Physiol.;*, **31**(2):217-221.

Chary, N. V. S. and Rao, S. R. (1997): Effect of some phenolic acids on the senesence of intact primary leaf of bean (*Phaseolus vulgaris* L.) with particular refrence to the activities of certain hydrolytic and oxidative enzymes. *Plant Physiol.; And Biochem.* **24** (1): 26-30.

Chary, N.V. S. and Rao, S. R. (1998): Effect of quinones on the senesence of radish (*Raphanus sativus* L.) leaf discs. *Plant Physiol. and biochem.* **25** (2): 137-139.

Chen, Z. and Klessig, D. F.. (1991): Identification of a soluble salicylic acid binding protein that may function is signal transduction in the plant disease resistance response. *Proc. Natl. Acad. Sci. USA* **88**:8179-83.

Chen, Z.; Silva, H. and Klessing, D. F. (1993): Active oxygen species in the induction of plant sytemic acquired resistance by salicylic acid. *Sci. Washington D. C.;* **262**(5141):1883-1886.

Chen, H. and Chen, F. (1999): Effect of methyl jasmonate and salicylic acid on cell growth and cryptotanshinone formation in Ti transformed *Salvia miltiorrhiza* cell suspention culture. *Biotechnology Letters.* **21**(9):803-807.

Chen, J. and Kuo, J. (1999): Ca^{++} dependent excretion of salicylic acid in tobacco cell suspension culture. *Botanical Bull.Academia Sinica Taipei.* **40(4)**: 267-273.

Chen, Z.; Iyer, S.; Caplan, A.; Klessig, D. F. and Fan, B. (1997): Differential accumulation of salicylic acid and salicylic acid-sensitive catalase in different rice tissues. *Plant-Physiology-Rockville.* **114** (1) 193-201.

Chen, Z.; Malmy, J.; Henning, J.; Conrath, U.; Sanchez, C.; Silva, H.; Ricigliano, J. and Klessig, D. F. (1995): Induction, modification and transduction of the salicylic acid signal in plant defense responses. *Proc. Natl. Acad. Sci. USA* **92**(10):4134-4137.

Chidrawar, C. D. (1996) Germination studies in soybean (*Glycine max* L.) A thesis submited to Shivaji University, Kolhapur.

*Chikasne, M. (1953) Bull. Fac. Agric. Mic. Univ.; 7, 188, 1953.

Chinoy, J. J. (1967): Role of ascorbic acid in crop production. *Poona Agric. Coll. Mag.,* **57**:1-6.

Chivasa, S.; Murphy, A. M.; Naylor, M. and Carr, J. P. (1997): Salicylic acid interferes with tobacco mosaic virus replication via a novel salicylhydroxamic acid-sensitive mechanism. *Plant Cell.;.* **9** (4) 547-557.

Chopra, R. N. and Kumar, S. (1986): Effect of some chelating agents on vegetative growth and gametangial formation in the liverwort *Riccia gangetica.Beitr Biol.Pflanz.*,**60(3)** :367-382.

Chrispeels, M. J. and Varner, J. E. (1967): Hormonal control of enzyme synthesis on the mode of gibberellic acid and abscission in aleurone Layers of barley. *Plant Physiol.;* **42**:1008-1016.

Cleland, C. F. (1974): Isolation of flower induction and flower-inhibiting factors from aphid honeydew. *Plant Physiol.;* **54**:899-903.

Cleland, C. F. and Tanaka, O. (1979): Effect of day length on the ability of salicylic acid to induce flowering in the long-day plant *Lemna gibba* G_3 and the short day plant *L. paucicostata* 6746. *Plant Physiol.; (Bethesda)* **64**(3): 421-424.

Cleland, C. F. and Ben-Tal Y. (1982): Influence of giving salicylic acid for different time periods on flowering and growth in the long-day plant *Lemna gibba* strain G3. *Plant Physiol.; (Bethesda.)* **70**(1): 287-290.

Colson A. (1979): Ultra structural localization of acid phosphatase activity and phosphatase activity and phosphatase in radical of *Allium cepa* in ungerminated seeds and at the beginning of germination effects of short treatments at low temperature (196 C) *Ann. Sci. Nat. Biol. Veg.*; **1**(1):21-38.

Conti, G. G.; Pianezzolea, A.; Arnoldi, A.; Violini, G. and Maffi, D. (1996): Possible involvement of salicylic acid in systamatic acquired resistance of *Cucumis sativus* against *Sphaerotheca fuliginea. European J. Plant Pathol.* **102**(6):537-544.

Coquoz J. L.; Buchala A. and Metraux J. P. (1998): The biosynthesis of salicylic acid in potato plants.*Plant-Physiology-Rockville.* **117** (3) 1095-1101.

Coquoz, J. L.; Buchala, A. J.; Meuwly, P. and Metraux, J. P. (1995): Arachidonic acid induces local but not systemic synthesis of salicylic acid and confers systematic resistance in potato plants to *Phytophthora infestans* and *Alternaria solani. Phytopathology.;* **85**(10)1219-1224.

Cornelissen, B. J. C.; Horourtz J.; Van Kan, J. A. and Goldberg, L. (1987): *Nucl. Acid Res.* **15:**6792-6811.

Dann, E. K.; Meuwly, P.; Metraux, J. P. and Deverall, B. J (1997): The effect of pathogen inoculation or chemical treatment on activities of chitinase and beta-1,3-glucanase and accumulation of salicylic acid in leaves of green bean, *Phaseolus vulgaris* L.. *Physiological and Molecular Plant Pathology.*, **49** (5) 307-319.

Datta, K. S.; and Nanda K. K. (1985): Effects of some phenolic compounds and gibberellic acid on growth and development of china millet (*Panicum milaceum*) *Indian J. Plant Physiol.;*, **27**(3): 259-263.

Datta, K. S.; Kumar S. and Nanda K. K. (1978): Effects of some phenolic compounds and gibberellic acid on flowering and yield characters of cheena millet (*Panicum miliaccum* L.) *J. Agric. Sci.* **91**(3): 731-736.

Datta, K. S.; Sagar P.; Hasija, R. C. and Kapoor, R. L. (1986): Effect of atonik, miraculan and phenols on growth and yield of pearl millet.; *Ann. Biol.(Ludhiana)* **2**(1):9-14.

De, Bell and Dean, S. (1971): Phytotoxic effect of cherrybark Oak.; *Forest Sci.*; **17**(2): 180-85.

De-Meyer, G. and Hofte, M. (1997): Salicylic acid produced by the rhizobacterium *Pseudomonas aereuginosa*7NSK2 induces resistance to leaf infection by *Botrytis cinerea* on bean. *Phytopathol.* **87**(6):588-593.

De Oliveira, J. C.; Desilva, D. M. and De Amorim, H. V. (1976) Enzymic activity of polyphenol oxidase and catalase in *Coffea Arabica* L. seeds and seedlings. *Scientifica.;* **4**(1) :68-70.

Deleo, P. and Sacher, J. A. C. (1970): Senescence: Association of synthesis of Acid phosphatase with Banana ripening. *Plant Physiol.;*, **46**(2):208-211.

Demmig-Adams B, Adams WW III (1996): Xanthophyll cycle and light stress in nature: uniform response to exces direct sunlight among higher plant species. *Planta*, **198:** 460-470.

Dhavan, R. S. and Nanada, K. K. (1985): Effect of some phenols on rooting hypocotyl cuttings of *Impatiens balsamina* in relation to auxin and nutrition.; *Indian J. Plant Physiol.;* **27**(3):259-263.

Diqiu, Yu; Liu, Y.; Fan, B; Klessing, F. and Chen, Z. (1997): Is the high basal level of salicylic acid important for disease resistance inpotato? *Plant Physiol. Rockville* **115**(2):343-349.

Doonera, K; Daniel, F and Shaha J. (2000): Resistance to Turnip Crinckle Viruse in *Aradiopsis* is Regulated by two host genes and is Salicylic acid dependent but NPRI, Ethylene and Jasmonate Independent. *Plant cell*, **Vol. 12**: 677-690.

Dong, H.; Delaney, T. P.; Bauer, D. W. and Beer, Steven V. (1999): Harpin induces disease resistance in Arabidopsis through the systemic acquired resistance pathway mediated by salicylic acid and the NIM1 gene. *Plant-Journal.*, **20**(2):207-215.

Du, H. and Klessing, D. F. (1997): Role for salicylic acid in the activation of defense responses in catalase deficient transgenic tobacco. *Mol. Plant Microbe Interactions.*, **10**(7):922-925.

Dudreva, N.; Robert, A.; Wang,J.; Ross, J.R. and Pichersky, E. (1998): Floral scent production in *Clarkia breweril* III. Enzymatic synthesis and Emission of benzenoid esters. *Plant physiol.*; **116** :599-604.

Durner, J. and Klessing, D. F. (1995): Inhibition of ascorbate peroxidase by salicylic acid and 2,6-dichloroisonicotinic acid , two inducers of plant defence responces. *Proc. Natl. Acad. Sci. USA.* **92**(24)11312-11316.

Enyedi, A. J.; Yalpani, N.; Silverman,P. and Raskin, I. (1992): Localization conjucation and function of Salicylic acid in tobacco during the hypersensitive reaction to tobacco mosaic virus. *Proc. Natl. Acad. Sci. USA.*, **89**(6)2480 - 2484.

Enyedi, A. J. and Raskin, I. (1993): Induction of UDP-glucose:Salicylic acid glucosyltransferase activity in tobacco mosaic virus inoculated tobacco (*Nicotiana tabacum*) leaves. *Plant physiol.* **101**(4)1375-1380.

Esahi, Y.; Wakbyashi, S.; and Satoh, S. (1979):Possible involement of the alternative respirstion system in the ethylene stimulated germination of cocklebour seeds. *Plant Physiol.* **63**:1039-43.

Esahi, Y.; Matsuyama, S.; Hoshina, M.; Ashino, H. and Ishizawa, H. (1990): Mechanism of action of ethylene in promoting the germination of cocklebour seeds I. Osmoregulation- *Aust. J. Plant Physiol.* **17**:537-550.

Farkas, G. L.; Kiraly, Z. and Solymosy, F. (1960): Role of oxidative metabolism in the localization of plant viruses. *Virol.*, **12**:408-421.

Ferrarese, L.; Moretto, P. trainotti, L.; Rsacio, N. and Casadoro, G. (1996): Celluase involment in the abscission of peach and pepper leaves as affected by salicylic acid. *J. Exp. Bot.* **47**(295)291-257.

Fischer E. H. and Stein, E. A. (1960): l-amylases, in Boyer P. D. Lardy H. Myrback K, eds. The enzymes, H. New York: Academic Press, 313-43.

Fujiok, S.; Yamaguchi, I.; Murofushi N.; Takahashi, N.; Kaihara, S. and Takimoto, A. (1983): The role of plant hormones and benzoic acid in flowering of *Lemna paucicostata* 151 and 381, *Plant Cell.; Physiol.* **24**:241-46.

Fujiok, S.; Yamaguchi, I.; Murofushi N.; Takahashi, N. and Kaihara, S. (1985): The role of benzoic acid in flowering of *Lemna gibba. Plant Cell Physiol.* **26**:655-659.

Garg, N.; Garg, O. P. and Dua, I. S. (1989): Symbiotic nitrogen fixation in relation to mono di or polyphenols in *Cjanus cajan.; Indian J. Plant Physiol.;*, **32**:86-99.

Gaur, A. C. and Pareek. R. P. (1976): A study on the effect of certain phenolic acids and fumaric acid in soil on the development of poddy seedlings and nitrogen fixing. bacteria. *Naturwis Abt. Ally. Landwir tsch. Tech mikrobiol.*; **131**(2): 148-156.

Gehlot, H. S.; S. Mali and S. Agarawal (1999): Stress proteins in plants. *Agros. Ann. Rev. Pl. Physiol.(B & A)* IV. S. S. Purohit (Ed.).; 249-289.

Gibson, M.M. and Ullah, A. H. (1988) Purification and characterization of phytase from catyledons of germinating soybean seeds. *Arch. Biochem. Biophys.*; **260**:503-513.

Gilmore A.M., and Yamamoto H.Y. (1993) Linear models relating xanthophyll and lumen acidity to non-photochemical fluorescence quenching. Evidence that

antheraxanthin explains zeaxanthin-independent quenching. *Photosynthesis Research* **35**:67-78.

Glass, A. D. M.(1973): Influence of phenolic acids on ion uptake: I inhibition of phosphate uptake. *Plant Physiol* **51**:1037-41.

Golbec, J. H. (1992): Structure and function of the photosystem. *I. Ann. Rev. Plant Physiol. Mol. Biol.,* **43**: 293-324.

Goswami, B. K.; Bana, R. and Srivastava, G. C. (1986): Effect of BA and ABA on enzymes and chlorophylls in dark incubated detached leaves of sunflowers (*Helianthus anus* L.) *Indian J, Plant Physiol.,* **29**(4):302-307.

Goyal, A. and Tolbert, N. E. (1989): Variations in the alternative oxidase in Chlamydomonas grown in air or high CO_2, *Plant Physiol.;* **89**:958-62.

Greet, De M.; Audenaret, K and Hofte, M. (1999): *Pseudomonas aeruginosa* 7NSK2 induced systemic resistance in tobacco depends on plant salicylic acid accumulation but is not associated with PR1a expression. *European J. Plant Pathol.* **105**(5):513-517.

Grinberg, A. A. (1971): Physicochemical basis of the protective function of catalase. *Latv. PSR ZI Akad. Veslis.*; **2**:60-62.

Groenewald, E. G. and Visser, J. H. (1978): The effect of arachidonic acid, rpstaglandin and inhibnitors of prostaglandin synthetase, on the flowering of excised pharbitis nil shoot apices under different photoperiods, *Z.; pfanzenphysiol.* **88**:423-29.

Guan, L. and Scandalios, J. G. (1995): Developmentally related responces of maize catalase gene to salicylic acid. . *Proc. Natl. Acad. Sci.* USA. **92**(13)5930-5934.

Guereo, M. G.; Vega, J. M. and Losada, M. (1981): The assimilation of nitrate reducing system and its regulation. *Ann. Rev. Plant. Physiol.*; **32**:169-204.

Gutierrez, C. A. Trejo, L. and Larque, S. (1998): Effects of salicylic acid on the growth of roots and shoots in soybean. *Plant-Physiology-and-Biochemistry-Paris.* **36** (8) 563-565.

Haberlandt G. (1890): Die kleberschicht des gras endosperms a/s diastase ausschidendes drusengewebe. berichte deutsche botanische gesellschaft **8**:40-80.

Hadas A. (1976) water uptake and germination of leguminous seed under changing external water potential in osmotic solutions. *J. Exp. Bot.*. **27**: 480-489.

Halmer P. (1985): The mobilization of storage earbohydrates in germinated seeds, *Physiol Veg.* **23**:107-125.

Halvey, A. N. (1964): Effect of gibberellic and growth retarding chemicals on respiration and catalase activity in various organs of cucumber seedlings. *J. Expt. Bot.;* **15**: 546-555.

Hammond. K.; Silverman, P.; Raskin, I. and Jones, J. (1996): Race specific elicitors of *Cladosporium fulvum* induced changes in cell morphology and the synthesis of ethylene and salicylic acid in tomato plants carrying the corresponding Cf. Disease resistance gene. *Plant Physiol. Rockville.*, **110**(104):1381-1394.

Harborne, J. B. 1980. Plant phenolies In Secondary Plant Products, ed. E. A. Bell, B. V. Charlwood, pp. 329-402. Berline: Springer-Verlag. **674** pp.

Harper, J. R. and Balke, N. E. (1981): Characterization of the inhibition of potassium absorption in oat (*Avena sativa* cultivar Goodfield) roots by salicylic acid.; *Plant Physiol.; (Bethesda)*, **68**(6): 1349-1353.

Hemberg T. (1961): Biogenous inhabiotrs . *Encycl. Plant Physiol* **14**: 1162-1184.

Hendricks, J. D. and Taylorson, R. B. (1974) Promotion of seed germination by nitrate, nitrite, hydroxylamine and ammonium salts. *Plant Physiol.;* **54**:304-309.

Hew, C. S. (1987): The effects of hydroxylquinoline sulphate, acetylsalicylic acid and sucroce on bud opening of *Oncidium* flowers. *J. Hort. Sci.* **62**:75-78.

Hodth, Varner, J. E. (1976) Response of barley aleurone layers to abscisic acid. *Plant Physiol.;* **57**:175-178.

Holst U. (1971): Some properties of inhabitor β from *Solanum tuborusm* comparied to ABA. *Physiol. Plantarum.* **24**: 392-396.

Horton, P.; Ruban, A. V. and Walters, R. G. (1996): Regulation of light harvesting in green plants. *Ann. Rev. Plant Physiol. Plant Mol. Biol.* **47**:655-684.

Houesly S. and Taylor W. (1958) Studies on plant growth hormones VI. The nature of inhabitor β in potato. *J. Exp. Botany* **9**: 458-471

Huang, Y. F.; Chen, C. T. and Kao, C. H. (1993): Salicylic acid inhibits biosynthesis of ethylene in detached rice leaves. *Plant Growth Regulation.;* **12**(1-2):78-82.

Hyeok, L.; Jin, E. S. and Kim, W. (1999): Inhibition of auxin induced ethylene production by salicylic acid in mung bean hypocotyls. *J. Plant Biol.* **42**(1):1-7.

Jain, A and Srivastava, H. S. (1981a): Effect of salicylic acid on nitrogen content and peroxidase activity in maize seedlings. *Proc. Natl. Acad. Sci.* (India) **81**(B): 311-317.

Jain, A and Srivastava, H. S. (1981b): Effect of salicylic acid on nitrate reductase activity in maize (*Zea mays* cultivar Ganga Safed-2) Seedlings.; *Physiol Plant.* **51**(4): 339-342.

Jain, A. and Srivastava, H. S. (1981c): Effect of salicylic acid on nitrate reductase and glutamate dehydrogenase activities in maize (*Zea mays* cultivar GS-2) roots.; *Physiol. Plant.;* **53**(3).; 285-288.

Jaleel, V.; Kumarvelu, G.; Ramanujam, P. (1998): Response and *Vigna mungo*(L.) Hepper plants to presoaking treatment of seed with salicylic acid on nodulation, Nitrogen fractions and related enzyme activities. *Nat. Seminar on Role of Plant Physiol. And Biotech. In Agricultural and Industry.*

James, W. O.; Beevers, H. (1950): The respiration of Arum spadix. A rapid respiration, resistant to cyanide. *New Phytol.* **49**:353-74.

Janowski, R. and Iguacio J. (1977): Relation between and phosphatase content and germinating capacity in seeds of different speices. *Circ. Farm.*; **35**(254): 33-44.

Jaworski, E. G. (1971): Nitrate reductase assay in intact plant tissues. *Biochem. Biophys. Res. Commun.;* **43**:1274-1279.

Jiangliang, L.; Huang, X.; Fu, Z. and He, S. (1998): Induced resistance effect of salicylic acid on anthracose of mango fruits. (*Colletotrichum gloesporioda*) *J. Tropical and Subtropical Bot.* **6**(3):245-248.

Johnson, C. B.; Holloway, C. B.; Smith, H. and Grierson, D. (1973): Isozymes of acid phosphatase in germinating peas. *Planta*, **115**(1):1-10.

Jones, R. L. and Carbonell, J. (1984): Regulation of synthesis on Barley Aleurore a-amylase by gibberellic acid and calcium ions. *Plant Physiol.;* **76**:213-218.

Jozesf, F.; Gullner, G.; Adam, A.; Barna, B.; Komives, and T. Kiraly, T. (1997): Local and systemic responces of antioxidants to tobacco mosaic virus infection and to salicylic acid in tobacco. *Plant Physiol. Rockville* **144**(4):1443-1451.

Kadioglu, A. and Durmus, N.(1997): Effect of Benzyladenin on peroxidase activity during senescence of sguash(*Cucrbita pepo* L.) cotyledons.*Plant Peroxidase Newsletter* **10**: 51-56.

Kakkar, R. K. and Rai, V. K. (1986): Interaction between IAA and phenolic compounds on rhizogenesis in *Phaseolus vulgaris* hypocotyl cutting. *Curr. Sci. (Bangalore)* **55** (20): 1013-1015.

Kapulnik, Y.; Yalpani, N. and Raskin I. (1992): Salicylic acid induces cynaide resistant respiration in tobacco cell suspension cultures. *Plant Physiol Rockville.* **100**(4):1921-1926.

Karadage, B. A. (1981): Physiological studies in pottasium nutrition of groundnut. *UGC. Project,* Shivaji University, Kolhapur, India, **pp**.56.

Kauffmann, S.; Legrand, M.; Geoffroy, P.; Fritig, B. (1987): Biological function of "pathogenesis- related proteins". Four PR- Proteins of tobacco have 1, 3-β glucanase activity. *EMBO J*, **6**:3209-12.

Kaul, K. and Farooq, S. (1992) Kinetin induced changes in growth and activity of some enzymes in morning glory hexpocotyl segments. *Indian J. of Plant Physiol.;* **37** (4): 214-216.

Kaur, M. (1987) Effects of some phenols on nitrogen metobolism in two penut (Arachis hypogaea L.) varieties Ph. D. Thesis, PAU, Ludhiana.

Kermer, M. L. (1970): Peroxidatic activity of catalase. *Biochem. Biophys. Acta.*, **198:**199-209.

Ketering, D. L. (1977): Ethylene and seed germination. pages 157-178 in A. A. Khan (ed), The physiology and biochemistry of seed dormancy and germination. North Holland Amsterdam.

Khare, M. and Gauriprasad, K. L. (1991): Chlorophyll/ anthocynin levels in radish cotyledons after treatment with GA_3 and CCC. *Indian J. of Plant Physiol.;* **34** (3): 235-241.

Khurana, J. P. and Maheshwari, S. H. (1978): The inductionof flowring in *Lemna paucicostata* by salicylic acid.; *Plant Sci. Lett.*; **12**:127.

Khurana J. P. and Maheshwari, S. C. (1980): Some effects of salicylic acid on growth and flowering in *Spirodela polyrrihiza* strain SP20. *Plant Cell.; Physiol.* **21**(5): 923-927.

Khurana, J. P. and Maheshwari S. C. (1986): A comparison of the effects of chelates, salicylic acid and benzoic acid on growth and flowering of *Spirodela polyrhiza Plant Cell.; Physiol.* **27**(5): 919-924.

Khurana, J. P. and Maheshwari S. C. (1987): Floral induction in *Wolffia microscopica* by salicylic acid and related compounds under non inductive long days.; *Plant Cell.; Physiol.* **24**:907-912.

*Kirsop, B. H. and Pollock, J. R. A. (1957): *European Brewery convertion.*, **pp** 84.

Kittoch, D. L.and Law, A. G. (1957): Relationshiops of seedling vigour to respiration and tetrazolium reduction by germinating wheat seedling. *Agron. J.* **60**: 286-288.

Kling, G. J. and Meyer M. M. (1983): Effects of phenolic compounds and IAA on adventitious root initiation in cuttings of *Phaseolus aureus, Acer saccharinum and Acer griseum. Hort.; Science.;* **18**(3): 352-354.

Knypl, J. S. and Knypl, M. A. (1974): Increase chilling stress tolerance in soybean seeds treated with polyacrylic acid ethyl acrylate vinyl acetate, a superabsorbent. *Acta Physiologia Plantarum,* **5**(1), 3-9.

Krishnamurthy, K. and Gnanamanaickam. S. (1998): Short comunication:Induction of systematic resistance and salicylic acid accumulation in *Oryza sativa,* L. in the biological supression of rice blast caused by treatments with *Pseudomonas* spp. *World j Microbiol. And Biotech.* **14**(6):935-937.

Kumar, S. and Nands, K. K. (1981a): Changes in activities and electrophoretic patterns of peroxidase and polyphenol oxidase in *Impatiens balsamina* treated with gibberlic acid and salicylic acid under varying photoperiods.; *Indian J. Exp. Biol.* **19**(3): 261-266.

Kumar, S. and Nanda, K. K. (1981b): Effect of gibberllic acid and salicylic acid on the activity and electrophoretic pattern of amylase in relation to extension growth and flowering of *Impatiens balsamina* cultivar Rose.; *Indian J. Exp. Biol.*; **19**(1): 65-69.

Kumar S. and Nanda K. K. (1981c): Effect of gibberellic acid and salicylic acid on the activities and electrophoretic patterns of alkaline and acid phosphatase during floral induction in *Impatiens balsamina* cultivar Rose. *Z Pflanzenphysiol.* **101**(2): 159-169.

Kumar S. and Nanda, K. K. (1981d): Effect of Gibberellic acid and salicylic acid on the activity and electrophoretic pattern of IAA-oxidase during floral induction in *Impatiens balsamina* cultivar Rose. *Biol Plant (Prague)* **23**(5): 328-334.

Kumar, S. and Nanda, K. K. (1981e) GA_3 and salicylic acid caused changes in RNAsa associated with floral induction in impatiens balsamina exposed to inductive and non-inductive photoperiods. *J. Exp. Bot.;* 19:961-65.

Kumar S. and Nanda K. K. (1981f): Gibberelic acid and salicylic acid caused formation of new proteins associated with extension growth and flowering of *Impatiens balsamina* Cultivar Rose. *Bil Plant (Prague)* **23**(5): 321-327

Kumar, S. and Tayal, M. S. (1982): Effect of phenols and gibrellic acid on germination and seedling growth of some legumes. *J. Indian Bot. Soc.,* **61**:125-128.

Kumar, A; Goel, A. K. and Tayal, M. S. (1982): Phenolic acids as potential inhibitors of plants amylase, Current Sci. 51(15) 739-740.

Kumar, P.; Dube, S. D. and Chavhan V. S. (1988): Response of soybean (*Glycine max* L. Merrill.) to foliar application of salicylic acid. *National Seminar On Role of Plant Physi. and Bio-Tech. in Agriculture and Industry*. **14**-16/21 1998.

Kutwal, D. N. (1989): Influence of chloro choline choride (CCC) pretreatment on physiology of groundnut (*Arachis hypogaea* L.) M. Phil. Thesis submitted Shivaji University, Kolhapur, India.

Kvaratskhelia, M.; George, S. J. and Thorneley, R. N. F. (1999): Salicylic acid is a reducing substrate and not an effective inhibitor of ascorbate peroxidase. *Journal of Biological Chemistry.*, **272**(34)20998-21001.

Lakamma, P. and Subbarao, Z. V. (1996): Response of black gram (*Vigna mungo* L.) to shade and napthalene acetic acid. *Indian J . Plant Physiol.*, **1**(1):63-64.

Lamarck, J. B. (1978) In flore Francaise 3 pp. 537-39, Paris: LEmprimerie Royale.

Larque, S. A. (1978): The antitranspirant effect of acetylsalicylic acid on *Phaseolus vulgaris.*; *Physiol. Plant.;* **43**(2): 126-128.

Larque, S. A. (1979): Stomatal closure in response to acctylsalicylic acid treaatmens. *Z. Pflanzenphysiol.;* **93**:371-75.

Lee, Joon Sang (1998): The mechanism of stomatal closing by salicylic acid in *Commelina communis* L. *Journal of Plant Biology.* **41** (2) 97-102.

Lee, T. T. and Skoog, F. (1965): Effect of substituted phenols on bus formation and growth of tobacco tissue culture. *Physiol. Plant.;* **18**-386-402.

Legrand, M.; Kauffmann, S.; Geofffroy, P.; Fritig, B. (1987): Biological functionof pathogenesis related proteins: four tobacco pathogenesis related proteins are chitinase. *Proc. Natl. Acad. Sci. USA.* **84**:6750-54.

Lesile,C. A. and Romani,R. J. (1988): Inhibition of ethylene biosynthesis by salicylic acid.*Plant Physiol.(Bethesda)*., **88 (3)**:833-837.

Leslie, C. A. and Romani, R. J. (1986): Salicylic acid: a new inhibitor of ethylene biosynthesis, *Plant Cell.; Rep.*; **5**: 144-46.

Letham, D. S. (1978): Naturally occuring plant growth regulators other than the principle hormones of higher plants. In: Phytohormones and related

compounds- A comprehensive treaties. (eds.) D. S. Letham, P. B. Goddwin and T. J. V. higgins, Vol. 1, Elsvire/ North Holland Biomedical Press, Amsterdam, pp. **349-417.**

Li, N.; Parsons, B. L.; Liu, D. and Mattoo, A. K. (1992): Accumulation of wound-inducible ACC synthase transcript in tomato fruit is inhibited by salicylic acid and polyamines. *Plant Mol. Biol.* **18**(3):477-487.

Liang, Wu S.; Wen, J. Qi, and Lian, H. G (1997): Stimulation of ethylene production in aged potato tuber slices by salicylic acid. *Phytochemistry Oxford.* **44** (2) 221-223.

Lichtenthaer, H. K. and Buker, K. (1970): Inhibition of light induced vitamin K_1 and pigment synthesis by abscisic acid. *Phytochemistry* **9**:2109-2113.

*Linthrost, H. J. M; Melchers L. S.; Meyes, A., J. S. C.; Van Roekel, J. A. L. Cornelissen, B. J. C. and Bol J. F. (1990).; *Proc. Natl. Acd. Sci. USA* **87**:8756-8760.

*Linthrost, H. J. M.; Danhash, N. F. T.; Brederode, J. A. L. Van Kan, P. J. G De Wit, J. F. Bol (1991): *Mol. Plant-Microb Be Intract.* **4**:586-592.

*Lips, H. and Roth-Bejerano, N. (1969) *Science*, 166: 109.

Lowry, O. H.; Rosenbrough, N. J.; Furr, A. L. and Randall, R. J. (1951): Protein measurement with the folin phenol reagent. *J. Biol. Chem.*; **193**.;262-275.

Luck, H. (1974): In: Methods in enzymatic Analysis 2 (Ed. Bergmeyer) Acad. Press New York, **pp. 885.**

Magdon, E. (1967): Physiol OK 101, Biochem. Keimung, Matev. Inst. Symp. (Publ. 1967), **1963:191.**

Mahely, A. G. (1954): Methods in biochemical analysis.; *Ed. Glick, D.T. Interscience Publishers. Inc. New York.* PP. **385-386.**

Mahely, A. G. (1968): Studies on catalase activities in almond seeds. *Ann. Uni. Sci. Budapest Rolando Eotvos Nominate Sect. Biol.*,**911**:305-308.Malca, I. and Zscheile, F. T. Jr. (1964): Dehydrogenase activity in relation to the development of the *Helminthosporium* leaf spot disease of maize. *Phytopathol.* **54**:1281-1282.

Malik, C. P.; Singh, P.; Setia, R. C.; Setia, N. and Bhatia, D. S. (1986) Controlling plant biology and enhanciang food production with phenolic compounds In: Hormonal Regulation of Plant Growth and Development Vol. III pp. 371-415 (Ed.), S. S. Purohit, Bikaner, Agro Botanical Publishers.

Manandhar, H. K.; Jorgensen, H. J. L.; Mathur, S. B. and Smedegaard, P. V. (1998): Resistance to rice blast induced by ferric chloride, di-potassium hydrogen phosphate and salicylic acid. *Crop Protection.*, **17** (4) 323-329.

Manthe, B.; Schulz, M. and Schnabl, H. (1992): Effect of salicylic acid on growth and stomatal movements of *Vicia faba* L.: Evidance for salicylic acid metabolization. *J. Chemical Eco.;* **18**(9):1525-1539.

Marinos, N. G. and Hemberg, T.(1960) : Obeservation on possible mechanism of action of the inhibitor- beta-complex. *Physiol. Plantarum.* **13 :** 571.

Masatoshi, N. and Asahi, TR. (1973): Increase in activities of membrane bound hydrolase on pea cotyledons during germination. *Plant Cell. Physiol.*, 14(6):1205-1208.

*Matsuoka, M. and Ohashi , Y. (1984): *J. Gen. Virol.* **65:** 2209-2215.

Matsuoka, Makoto and Yuko Ohashi (1986): Induction of pathogensis-related proteins in tobacco (*Nicotiana tabacum* cultivar samson wn) leaves. *Plant Physiol (Bethesda)* **80**(2): 505-510.

Mayer, A.M. and Poljakoff-Mayber, A. (1978): "Ther Germination of Seeds" Second Edition Pergamon Press Ltd.; New york, pp. **117-123.**

McDonald, M. B.; Jr. Vertucci, C. W. and Roos, E. E. (1988) Soybean seed imbibition water absorption byseed parts. *Crop Sci.*; **28**: 993-997.

McDonald, M. B.; Jr. Vertucci, C. W. and Ross, E. E. (1988b) Soybean seed imbibition water absorption by seed parts. *Crop Sci.*; **28**:987-992.

McLachlan, K. D. (1980): Acid phosphatase activity of intact roots and phosphorus nutrition in plants I. Assay conditions and phosphatase activity. *Aust. J. Agric. Res.*; **21**: 429-440.

Mclean, R. C. and Ivimey-cook, W. R. (1968): Text book of Practical Botany. Longmans, Green and Co. Ltd., Edinburgh, Britain pp. 347-348.

Meeuse, B. J. D. and Raskin, I. (1988): Sexual reproduction in the arum lily family with emphasis on thermogenicity. *Sex. Plant. Reprod.*, **1** : 3-15.

Mehta, P. M.; Patel R. J. and Rao, B. V. N. (1974): Effect of gibberellic acid, ascorbic acid, morphactin and other combinations on seedling growth and enzymes of *Cicer arientum*. L. *Geobios.* **1**:130-133.

Mendez, J. and Brown, S. A. (1971): Phenols and coumarins of tomato plants Can. J. Bot **49**:2097-2100.

Mercer, E. I. and Pughe, J. E. (1969): Effect of abscisic acid on biosynthesis of isoprenoid compounds in maize. *Phytochem.* **8**:115-122.

Mihaly Lyfi, J. P. (1968): Studies on catalase activity in almond seeds. *Ann. Uni. Sci. Budapest Rolando Eotvos Nominate Sect. Biol.;* **9/10**: 305-308.

Mills P. R. and Wood R. K. S. (1985): The effect of polyacrylic acid, acetylsalicylic acid and salicylic acid on resistance of cucumber to *Colletotrichum lagenarium.*; *Phytopathol Z.;* **111**(314): 209-219

Mishara, S. N.; Mishra M. and Sharama, I. (1995): Response of mustard leaf nitrate reductase activity, total nitrogen and protein contentto polyaminesunder saline conditions. *Physiol. And Mol. Biol. Of Plants.;* **1**(1):195-197.

Mishra, A. and Choudhuri, M. A. (1997): Ameliorating effects of salicylic acid on lead and mercury-induced inhibition of germination and early seedling growth of two rice cultivars. *Seed-Science-and-Technology..*; **25** (2) 263-270.

Mishra, A. and Choudhuri, M. A. (1999): Effects of salicylic acid on heavy metal-induced membrane deterioration mediated by lipoxygenaseinrice. *Biologia-Plantarum-Prague.*, **42**(3):409-415.

Mishra, A. and M. A. Chaudhari (2001):Effect of salicylic acid on heavy metal-induced membrane deterioration mediated by lipoxygenase in rice. *Biologia Plantarum* **42**(3):409-415.

Morgot, S.; Schnabl, H.; Barbara, M.; Schweiho, B. and Casser, I. (1993): Uptake and detoxification of salicylic acid by *Vicia faba and Fagopyrum esculantum., Phytochem. Oxford.* **33**(2)291-294.

Morohashi, Y. and Bewley, J. D. (1980) Pl. physiol.* **66**: 70-3.

Morohashi. Y. (1986): Patternof mitochondrial development in reserve tisues in germinated seeds: *A survey. Physiol Plan.* **66**:653-658.

Morohashi, Y.; J. D. Bewley and E. C.Yeung, (1981) Biogenesis of mitochondria in umbibed peanut cotylendons : influences of the axis. *J. Exp. Bot.;* **32**:605-613.

Morsink, W. A. G. and Smith, V. G. (1975): The effect of some monohydrobenzoic and dihydrobenzoic acids as auxin synergists on rooting softwood cuttings of basswood (*Tilia americana* L.) under mist. *Can. J. for Res.;* **5**(3): 500-502.

Mukherjee, J. J. and Paul, A.K. (1971) Respiration in germinating rice seeds. Proc. 58th Ind. Sci. Cong. Part-III, **23-9**

Mukherji, R.K.; Singh, R.A. and Khan, R.A. (1971): Tetrazolium staining as anindex of germination and vigour in soybean seeds. *Bull. Grain Technol.*; **9**: 211-213.

*Nanda, K. K. (1950): *Curr. Sci.*; **19**:22.

Nanda K. K.; Kumar S. and Sood Vini (1976): Effect of gibberellic acid and some phenols on flowering of *Impatiens balsamina* a qualitative short-day plant. *Physiol Plant.* **38**(1): 53-56.

Nanda, K. K.; Kumar, S. and Datta, K. S. (1977): Interaction effect of gibberlic acid and some monophenols on growth and development of Italian millet.; *Indian J. Agric. Sci.;* **47**(9): 441-445.

Naylor, M. ; Murphy, A. M.; Berry J. O. and Carr, J. P. (1998): Salicylic acid can induce resistance to plant virus movement. *Molecular Plant Microbe Interactions.* **11** (9): 860-868.

Ohashi, Y. and Matsuoka, M. (1987): Induction and secretion of pathogenesis- related protein by salicylate or plant hormones in tobaco suspension cultures. *Plant cell physiol.*; **28(4)** : 573-580.

Oota, Y. (1975): The response of *Lemna gibba* G3 to a single long day in the presence of EDTA. *Plant cell physiol.*; **13:** 575-580.

Oota Y. (1975): Short-day flowering of *Lemna gibba* G3 induced by salicylic acid. *Plant Cell. Physiol.*, **16**(6): 131-135.

Ovcharov, K. E. and A. Akhmedov (1972): Alcohol Lactate malate and pyruvate dehydrogenase activity in maize seeds germinating under anaerobic conditions. Soviet *Plant Physiol.;* **19**:296-301.

Palmino, E. P. and Juliano, P. B. (1972): Biochemical changes in the rice grain during germination. *Plant Physiol.;* **49**: 751-756.

Palva,T.K.;Hurtig,M.;Saindrenan, P. and Palva, E. T.(1994):salicylic acid induced resistance to *Erwinia carotovora* subsp. *Carotovora* in tobacco. *Mole. Plant microbe inter.,* **7** (3)356-363.

Pancheva, T. V.; Popova, L. P. and Uzunova, A. N. (1996): Effects of salicylic acid on growth and photosynthesis in barley plants. *Journal of Plant Physiology.*, **149** (1-2) 57-63.

Pancheva, T. V. and Popova, L. P (1998): Effect of salicylic acid on the synthesis of ribulose-1,5-bisphosphate carboxylase/oxygenase in barley leaves. *Journal of Plant Physiology.* **152**(4-5):381-386.

Patel, I and Saxena, O. P. (1994): Screening of PGRs for seed treatment in green gram and black gram. *Indian J. Plant Physiol.;* 37(3):206-208.

Pathmanbhan, G. and Thangaraj, M.(1998) :Studies on yield maximization in soyabean with chemicals PGRs.*National symposium on Plant physiology.Annaimali.*

Paul, D. J.; Legendre, L.; Audran, J.; Haye, B.; Lambert, B. (1995): Chitinase of the grape vine (*Vitis vinefera* L.) five isoforms induced in leaves by salicylic acid are constitutively expressed. *Plant Sci. Shannon.,* **119**(1-2):31-37.

Pawar, M. S. and Laloraya M. M. (1988): Effect of some phenolic compounds on IAA induced abscission.; *Biochem. Physiol Pflani.(BPP)* **183**(1):75-82.

Payen, A.; Persoz J.; (1833): Memoire sur loans and advances diastase, less principaux produits de ses reactions et. lears applications aux arts industriels. *Annales de chemie* **53:**73-92.

Pennazio, S. and Roggero, P. (1985): Effect of salicylate on stomatal resistance in detached tobacco leaves. *Biol. Plant. (Parague).;* **26**(6): 455-460.

Pennazio, S.; Roggero, P. (1991): Effects of exogenous salicylate on basal and stress-induced ethylene formationin soybean, Biologia plant, **33**:58-65.

Pennnazio, S.; Dora, C.; Roggero P.; Lenzi R. (1987): Effect of salicylate stress on the hypersensitive reaction of asparagus bean to tobacco necrosts virus.; *Physiol. Mol. Plant Pathol.* **30**(3): 347-358

Perl, M. (1978) A Possible role in malate dehydrogenase activity in seedling development of cotton (*Gossypium hirsutum* isr.) *J. Bot.*. 27:54-61.

Perl, M. and Globerson D. (1981) ATP synthesis in seeds during germination. *Phytochemistry.;* **20:**2289-2290.

*Pfitzner,U. M.; H. m. Goodman (1987):): *Nucl. Acid Res.* **15:**4449-4464.

Phlippe, M.; Molders, W.; Buchala, A. and Metraux, J. P. (1995): local and systamatic biosynthesis of salicylic acid in infected cucumber leaves. *Plant Physiol.* Rockville. **109**(3):1107-1114.

Pietersr A. H. (1978): Experimental control of flowering in *Pistia stratiotes* L. *Plant Cell.; Physiol* 19(6): 1091-1094.

Pieters, A. H. and Muller, L. J. (1977):Induction of flowering in *Lemna gibba* G_3 under short day conditions.*Plant Cell Physiol.* **18(1):**45-53.

Pleg L. (1985): Physiological effects of gibberellic acid II On starch hydrolyzing enzymes of barley endosperm. .*Plant Physiol*ogy.; **35:**902-906.

Price, C. A. and Thimann, K. V. (1954): Dehydrogenase activity and respiration: a quantitative comparison. *Plant Physiol.;* **29**:495.

Price, C. A. and Ey ,P.L. (1970): The distribution of some hydrolyting enzymes in the wheat seeds.,*J.Expt. Bot.,***21 (66)** : 228-235.

Procter, W. (1843): Observations on the volatile oil of Betula lenta, and on gaulatherin, a substance which, by its decomposition, yeilds that oil, *Am. J. Pharm.*; **15**:241.

*Radin, J. W. and Trealese. R. N. (1976): *Plant Physiol.;* 57: 902.

Raghava, R. P. and Raghava, N. (1989): Carotenoid content of husk tomato under the influence of growth regulators and gamma rays. *Indian J. Plant Physiol.,* **33**(1):87-89.

Rai, V. K.; Sharma, S. S.; and Sharma, S. (1986): Reversal of abscisic acid induced stomatal closure by phenolic compounds.; *J. Exp. Bot.;* **37**(174): 129-134.

Ram, M.; Singh, R. Naqvi, A. A.; Lohia, R. S.; Bansal, R. P. and Kumar, S.(1997): Effect of salicylic acid on the yield and quality of essential oil in aromatic crops. *Journal of Medicinal and Aromatic Plant Sciences.,* **19**(1)24-27.

Ramanujan, M .P.;Jaleel, V. A. and Kumaravelu, G. (1998): Effect of Salicylic acid on nodulation,nitrogenous compounds and related enzymes of *Vigna mungo.Biol.Plant.* **41**(2)307-311.

Randall, D. D. and N. E. Tolbert (1971): 3-phospho glycerate phosphatase in plants. II. Distribution physiological considerations and comparism on with phospho glycolate phosphatases. *Plant Physiol.;* **48**:480-487.

Rao, .V.; Paliyath, G.; Ormrod, D. P.; Murr D. P. and Watkins C. B. (1997): Influence of salicylic acid on H_2O_2 production, oxidative stress, and H_2O_2 metabolizing enzymes: Salicylic acid-mediated oxidative damage requires H_2O_2. *Plant-Physiology-Rockville.* **115**(1)137-149.

Rao, G. H.; Narayanan, A. and Subbarao, G. (1998): Effect of folliar spray of salicylic acid on growth and development of black gram *Vigna mungo* (L.) Hepper and green gram *Vigna radiata (*L.) Wizzek. *Natl. Seminar on Role of Plant Physiol. And Biotech. In Agricultural and Industry.*

Raskin, I. (1992a): Salicylate a new plant hormone. *Plant Physiol.;* **99**:799-803.

Raskin, I. (1992b) Role of salicylic acid in plants. *Annu. Rev. Plant Physiol.;Plant Mol. Biol.* **43:**439-463.

Raskin, I.; Axel, E.; Wayne R. M. and Bastian, J. D. (1987): Salicylic acid: A natural inducer of heat production in Arum lilies.; *Science (Wash. DC.),* **237**(4822): 1601-1602.

Raskin, I.; Skubatz, Tang, H. W.; Mceuse, B. J. D. (1990): Salicylic acidlevels in thermogenic and non-thermogenic plants. *Arm. Bot..* **66**:367-73

Ray, S. D. (1985): Gibberellic acid, abscisic acid, phenol interaction in the control of growth: Phenolic compounds as effective modulaturs of gibberellic acid,

abscisic acid interaction in radish (*Raphanus sativus* seedling.; *Biol. Planta (Prague)* **28**(5): 361-369.

Reddy, S. N. and S. Seeta Ram Rao (1999): Effect of cinnamic acids on growth, nucleic acid, carbohydrate and nicotine content of tobacco (*Nicotiana tabacum* L.). *Indian J. Plant Physiol.;* **4(3):** 167-170.

Rhoads, D. M. and McIntosh, L. (1992): Salicylic acid regulation of respiration in higher plants: Alternative oxidase expression. *Plant Cell.;* **4**(9):1131-1139.

Ribnicky, D.; Shulaev, V. and Raskin, I. (1998): Intemediates of salicylic acid biosynthesis in tobacco. *Plant Physiology Rockville.* **118**(2):565-572.

Richter, A.; Szkuthicka,K. and Zewak , S.C.(1972) : Acid phosphatase and low tempetature requirement of apple seed stratification. *Physio. Veg.*, **10** : 671-676.

Roberts, E.H. (1972): Dormancy a factor affecting seed survival in the soil. In "Viability of seeds" Ed. Roberts, E.H. Chaponan and Hall London, pp. **321-359.**

Romani, R. J.; Hess, B. M.; Lesslie, C. A. (1989): Salicylic acid inhibition of ethylene production by apple discs and other plant tissues. *J. Plant Growth Regul.* **8**:63-69.

Ryugo K. (1969): ABA a component of the β inhabitor complex in the Prunus endocarp. *J. Am. Soc. Hortic. Sci.* **94**:5-8.

Sadashivam, S. and Manikam, A. (1991): Biochemical Methods For Agricultural Sciences. (Ed. Thomas) Wiley Eastern Limited New Delhi **pp.** 105.

Sanchez, C. P. and Klessing, D. F. (1994): A salicylic acid binding activity and a salicylic inhibitable catalase activity are present in a varity of plant species. *Plant Physiol.; Rockville* **106**(4):1675-1679.

Sangeeta and Varshney, K. A. (1991) Effect of gibberellic acid, Maleichydrazide and cycocel on early growth and activities of some oxidoreductase in Avena sativa *L. J. Exp. Biol.*; **29**(1): 80-82.

*Sankhala, N. and Huber, W. (1975): *Z. Pflanze physiol.* **75**:392.

Satiyabama, M. and Balsubramanian, R.(1999): Treatment of groundnut leaves with Salicylic acid controls the rust disease caused by *Puccinia arachidis* speg. *Zeit.fuer pflanz.und pflanz* **106** (2):166-173.

Saxena, O. P. and Maheshwari, D. C. (1979) Influence of growth regulators on the seedling growth of ageing soybean seeds. *Bot.anical Progress.;* **2**:80-83.

Schaller, A; Roy, P; Amrhein, N. (2000): Salicylic acid -independent induction of pathogenesis-related gene expression by fusicoccin.*Planta-Berlin* 210 (4): 599-606.

Schopfer, P.; Bajracharya, D. and Plachy, C. (1979): Control of seed germination by abscisic acid. I. Time Course Action in *Sinopis alba. Plant Physiol.;* **64**(5):822-827.

Schrfter, E.; Rottendburg T. and Kandeler R. (1978): The effect of EDDHA and salicylic acid on flowering and vegetative development in *Spirodela punctata. Z Pflanzenphysiol.;* **87**(5): 450-454.

Sengupta, T.; Ghosh, B and Sirgar, S. M. (1977): Effect of growth substances on the IAA Oxidase-peroxidase activity during seed germination of rice (*Oryza sativa* L.) The Plant Bichem. J. **4**(I) : 28-33.

Sengupta, U. K. and Sharma, A. (1986): Effect of ABA and kinetin on glutamate dehydrogenase and glutamate oxaloacetate tranaminase activity in germinating ground nut seeds. *Indian J. of Plant Physiol.;* **29** (3): 243-249.

Sestak, Z. and Ulman, J. (1960): Effect of gibberelic acid on the dynamics of chlorophyll synthesis in etiolated seedlings.*Biol.Plantarum.;***2**:43-47.

Set, P. N.; Venkatarman, R.; Mahesh and WAri, S. C. (1970) Studies on the growth and flowering of a short-day plant, *Wolffia microscopica*, II. Role of metal ions and chelates, *Planta* **90**:349-59.

Sharma, S. M. and Tayal, M. S (1984) Effects of some phenols and GA_3 on, germination early seedling growth and α-amylase and protease activity of *Cicer arientinum L. J. Indian Bot.. Scoc.*; **63**:261-265.

Sharma, R.; Sharma, B. and Singh, G. (1984): Phenols as regulators of nitrate reductase activityin *Cicer arietinum.*; *Phyton Rev. Int. Bot.. Exp.*; **44**(2): 185-188.

Sharma, Y.; Leon, J.; Raskin, I. and Davis, K. R. (1996): Ozone induced response in *Arabidopsis thaliana*: The role of salicylic acid in the accumulation of defense related transcripts and induced resistance. *Proc. Natl. Aca. Of Sci.of the USA* **93**10):5099-5104.

Sharma,S.; Sharma, S.S. and Rai, U.K. (1988):Reversal by gibbrellic acid of phenolic-induced suppression of 2,3,5-triphenyl tetrazolium chloride reduction in exised embryo axes of *Vigna radiata* Wilezek., *Seed Sci. Technol.* **16(2):**521-526.

Shaykewich, C. F. (1973): Proposed method of swelling pressure of seeds prior to germination. *J. Exp. Bot,* **24:**1056-1061.

Sheng, L.; Wen, J. and Lian, H. G. (1997): Stimulation of ethylene production in aged potato tuber slices by salicylic acid . *Phytochem. Oxford.,* **44**(2):221-223.

Shetty, K.; Shetty, G. A.; Nakazaki, Y.; (1992): Yoshioka, K.; Asano, Y. and Oosawa, K. Stimulation of benzyladenine-induced in vitro shoot organogenesis in *Cucumis melo* L. by proline, salicylic acid and aspirin. *Plant Science (Limericky)* **84**(2): 193-199.

Siedow, J.N. and Umbach, A.L. (1995): Plant mitochondrial electron transfer and molecular biology. *The plant cell.;* **7** :821-831.

Siegrist, J.; Orober, M. and Buhenauer, H. (2000): β–aminobutyric acid mediated enhancement of resistance in tobacco to tobacco mosaic virus depends on the accumulation of salicylic acid. *Physiological and Mol. Plant Pathol.* **56**(3)95-106.

Silverman, P.; M. Seskar, D. Kanter, P. Schweizer, J. P. Metraux, I. Raskin, (1995): Salicylic acid in rice. Biosynthesis, conjugation, and possible role. *Plant Physiol.;* **108:**633-639.

Singh, R. P. and Srivastava , H. S. (1987): Effect of salicylic acid on NADH glutamate synthase activity in root and leaf tissue of maize seedling. *Indian J. Plant Physiol.;* **30**(1):60-65.

Singh, S.; Nirmal, S. and Manjit, K. (1980): Effect of phenolic compounds on the yield potential of gram (*Cicer aritinum* L.). *Indian J. Plant Physiol.* **23**(1-3):311-318.

Singh, P.; Paramar, U.; Malik, C. P.; Grewal M. K. and Bhatia, D. S. (1991). Effect of four phenolic compounds on yield, yield characteristics and oil production of two peanut (*Arachis hypogea*) cultivars. *Peanut Sci.;* **18:** 3-5.

Sinha, S. K. and Nicholas, J. D. (1981) 'Nitrate Reductase' in physiology and biochemistry of drought resistace in plants. *Academic Press, Australia*, pp. **167**.

Sitramaiah, K. and Pathak K. N. (1981): Effect of growth regulators, phenolics and aromatic acid on root-knot (*Metoidogyne incogonita* and *M. Javanica*) severity on tomato.

Solomos, T. and Laties, G. G. (1975) The mechanism of theylene and cyanided action in triggering the rise in respiration in potato tubers. *Plant Physiol.;* **55**:499-504.

Srivastava, H. S. (1980): Regulation of nitrate reductase activity in higher plant. *Phytochemistry.,* **19**:725-733.

*Standford, A.; M. Bevan, D. Northcote (1989): *Mole. Gen. Genet.* **215:**200-208.

Sudheer, B. K.; and S. R. Rao (1998) Effect of phenolic compounds on growth and total alkaloid content of *Catharanthus roseusi* L. G. Don. *Indian J. Plant Physiol.;* **3:** 300-302.

Sunderland, N. (1966): Pigmented plant tissues in culture. I Auxin and pigmentation in chlorophyllous tissue. *Ann. Bot. N. S.* **30**: 253-268.

Takashi, Y.; Hirofumi, V. and Miroshi, S. (1981): Gibberellic acid induced increase in activity of a particular isozyme of acid phosphatase in wheat half seeds. *Plant Cell.; Physiol.*; **22**(6): 1023-1028.

Takahashi, N.; Phinney, B. D. and McMillan, J. (1992): Gibberellins, Springer-Verlag, Berlin.

Tamot, B. K.; Khurana J. P. and Maheshwari S. C. (1987): Obligate requirement of salicylic acid for short day induction of flowering in a new duck weed *Wolffiella hyalina*73778. *Plant Cell.; Physiol.* **28**(2): 349-354.

Tamura, Jakeyoshi, Minamikawa, Takao, Koshiba, Tomokazu (1982): Acid phosphatase in cotyledons in germinating vigna mungo. *Plant Cell.;* Physiol.; **23**(1) : 155-159.

Tanaka, O.; Cleland C. F. and William S. (1979): Inhibition of flowering in the long day plant *Lemna gibba* by Hulness medium and its reversal by salicylic acid. *Plant Cell.; Physiol.* **20**(4): 839-846

Tanaka, O.; Takaji, Y. and Yukio K. (1986) Measurement of endogenous phosphorus level in relation to Flowering in the long day plant *Lemna gibba* G3 Flowering. *Plant Cell.; Physiol* . **27**(7): 1277-1284

Tanga, X.; Daniel, F. and et al. (1999): Overexpression of P to Activates Defence Response and Confers Broad Resistance. Plant cell, Vol. 11, 15-30.

Tayal, M. S. and Sharma, S. M. (1981): Interaction studies of phenols and gibberellic acid on early seedling growth of *Cajanus cajan* L. *Sci. and Environment.;***3:**135-140.

Taylerson, R. B. (1979): Response of weed seeds to ethylene and related hydrocarbons. *Weed Sci.***27:**7-10.

Thakur, M. L. (1977): Phenolic growth inhibitors isolated from dormant buds of sugar mapple (*Acer saccharum* Marsh), *Plant Physiol.* **28**(105):795-805.

Tillberg, J. E. (1970): Effect of abscisic acid, salicylic acid and trans-cinnamic acid on Phosphate uptake, ATP-level and oxygen evolution in *Scendesmus.*; *Physiol. Plant.;*, **23**(3): 647-653.

Tolbert, N. E. (1971): Microbodies peroxisomes and glyoxysomes. *Ann. Rev. Plant Physiol.* **22**:45-74.

Van-Herk, A.W.H. (1937) Die chemischen Vorgage in Sauromatum-Koblem, III, *Mittelung Proc. K. Ned. Akad, Wet.* **40**:709-19.

Van Huystte, R. B. (1987) : Some molecular aspects of plant peroxidase : biosynthetic studies. *Annu.Rev.Plant Physiol.,***38 :** 205-219.

Van Huystte, R. B. and Esnault, R. (1992): Stucture and biosynthesis of peroxidase from peanut cells. In : C Penel,Th Gaspar, H Greppin, eds.,Plant peroxidases 1980-1990. Topics and Detailed Literature on molecular biochemical and physiogical aspects. *Univ Geneva,* pp 25-35.

Vertucci, C. W. and Leopold, A.C. (1983): Dynamics of imbibition of soybean embroys. *Plant Physiol.;* 72: 190-193.

Vicent, J.B.; Crowder, M.W. and Averill, B.A. (1992): Hydrolysis of phosphate monoesters, a biological with multiple chemical solution. *Trends Biochem. Sci.*; **17**:105-110.

Vidal, S.; Ponce,L. I.; Denecke, J.; Palva, E. T. (1997) :Salicylic acid and the plant pathogen *Erwinia carotovora* induce defence genes via antagonistic pathway.*Plant J.***11**(1)115-123.

Vora, A. B.; Dehal, K. S. and Vyas, A. V. (1976) Effect of GA on catalase and peroxidase activity of Pearlmillet (Bajra) seedling grown under restricted moisture level. *Sci. and Cult.*; **42**(9): 479-481.

Waggoner, P. I. and J. Y. Parlange (1976): Water uptake and water diffusivity of seeds. *Plant Physiol.;* **57**: 153-156.

Warm, E. (1980): Effect of phytohormones and salicylic acid on flowering and stem elongation in the long day plant *Hyoscyamus niger.*; *Z. Phanzenphysiol.*; **99**(4): 325-330.

Watanabe, K. and Takimatom A. (1979): Flower inducing effect of benzoic acid and some related compounds in *Lemna paucicostata* 151. *Plant Cell.; Physiol.*; **20**(4) 847-850.

Watanabe, Kazuo and Atsushi, Takomato (1983): Flower inducing activity of benzoic acid derivatives for *Lemna minor* L.; *Plant Cell.; Physiol.* **24**(5): 889-898.

Weimberg, R. (1970) Enzyme levels in pea seedlings grown on highly salinize media. *Plant Physiol.;* **46**: 466-470.

Welinder, K.G. (1992): Superfamily of plant, fungal and bacterial peroxidases.*Curr. Opin. Struct. Biol.,* **2 :** 388-392.

Wen, J. Qi, and Liang, H. G. (1994) Comparison of the effect of salicylic acid on alternative pathway in slices of dormant potato tubers (*Solanum tuberosum*). *Plant Sci. Limerick.;***102**(2):127-131.

Willekens, H.; C. Sangpon, M. Davey, M. Schrundner, C. Longerbartles, M. Van Montagu, D. Inze, W. Van Conp (1997): Catalase is sink for H_2O_2 and is indispensable for stress defense in C_3 plants. *The EMBO Jouenal.;* **16**(16):4806-4816.

Wilson, A. M. (1971) Amylase synthesis and stability in crested wheat grass seeds at low water potentials. *Plant Physiol.;* **48**(5): 541-546.

Wolf, F. T. and Haber A. H. (1960): Chlorophyll content of gibberelin treated wheat sedlings.*Nature* **186:**164-165.

Xie, Z. and Chen, Z. (1999): Salicylic acid induced rapid inhibition of mitochondrial electron transport and oxidative phosphorylation in tobacco cells. *Plant Physiol. Rockville.,* **120**(1):217-225.

Yalpani, N.; Silverman, P.; Wilson, T. M. A.; Kleler, D. A.; Raskin, I, (1991) Salicylic acid is a systemic signal and an inducer of pathogenesis-related proteins in virus0infected tobacco. *Plant Cell.;* **3**:809-18.

Yalpani, N.; Leon, J. Lawthon, M. A. and Raskin, I. (1993): Pathway of salicylic acid biosynthesis in healthy and virus-inoculated tobacco. *Plant Physiol.;* **103:**315-321.

Yalpani, N.; Envedi, A. J.; Leon, J. and Rsakin, I. (1994): Ultraviolet light and ozone stimulate accumulation of salicylic acid, pathogenesis related proteins and virus resistance in tobacco.

Yomo, H. and Varner, J. E. (1973): Content of the formation of a-amylase and protease in the cotyledons of germinating peas. *Plant Physiol.;* 51: 708-713.

Young, A. J. (1993): Factors thst affect the carotenoid composition of higher plants and algae. In Carotenoids in photosynthesis. A. J. Young and G. Britton eds. (London: Chapman and Hall). **pp.** 161-205.

(* Original not seen)