
BIBLIOGRAPHY

B I B L I O G R A P H Y

- * Adametz, L. 1886. Untersuchgen uber die niederen Pilze der Ackerkrume. Inaug Diss. Leipzig, 78 p., 2 pl. (In Soil Sci., 2 : 103-155).
- Agarwal, G.P. and Kamal Ghosh 1979. Post infection changes in ascorbic acid content in lemon, mosumbi and orange fruits induced by Colleototrichum gloeosporiodes. Indian Phytopath, 32: 108.
- Agnihotrudu, V. 1955. Incidence of fungistatic organisms in the rhizosphere of pigeon pea (Cajanus cajan L.) in relation to resistance and susceptibility to wilt caused by Fusarium udum Butler. Naturwissenschaften, 42:373.
- Ajarekar, S.L. and M. N. Kamat. 1923. The relationship of the species of Fusarium causing wilt and dry rot of potatoes in West India. Agri.J.India, 18 : 515-520.
- Arya, A. and D.S. Mathew. 1993. Studies on rhizosphere microflora of Pigeon pea : qualitative and quantitative incidence of microorganisms after solarization. Indian Phytopath, 46(2) : 151-154.
- Bagyaraj, J. and G. Rangaswami. 1967. Studies on the effect of foliar nutrient sprays on the rhizosphere microflora of Eleusine corcana. Mys.J.Agric.Sci., 1 : 176-186.
- Baker, R.E.D. 1938. "Studies in the pathogenicity of tropical fungi II : The occurrence of latest infections in tropical fruits" Ann.Bot. London, 2 : 919-931.

- Barnett, H.L. and B.B. Hunter. 1972. Illustrated genera of Imperfect Fungi. Burgess Publishing Company, Minnesota pp. 241.
- Barron, G.L. 1968. The genera of Hyphomycetes from soil. The Williams and Wilkins Company, Baltimore, pp. 300.
- Bhuvaneshwari, K. and N.S. Sabra Rao. 1957. Root exudates in relation to the rhizosphere effect Proc.Indian Acad. Sci., 45 : 299-301.
- Brian, P.W. 1957. The effects of some microbial metabolic products on plant growth. Symposia Soc. Exp. Biol., 166-82.
- Burges, A. 1958. Microorganisms in the soil. Hutchinson University Library, London, pp. 188.
- Buxton, E.W. 1957. Some effects of pea root exudates on physiologic races of Fusarium oxysporum Fr. and F. pisi (Linf.) Snyder and Hansen Trans. Brit. Mycol. Soc., 40 : 145-154.
- Chesters, C.G.C. 1940. A method of isolating soil fungi. Brit. Mycol. Soc. Trans., 24 : 352-355.
- _____. 1948. A contribution to the study of fungi in the soil. Ibid., 30 : 100-117.
- Chester, C.G.C. and R. H. Thornton. 1956. A comparison of techniques for isolating soil fungi. Brit. Mycol. Soc. Trans., 39 : 301-313.
- _____ and D. Parkinson. 1960. A comparison of fungi in the rhizosphere of oat. Plant and Soil, 11 : 145-156.

- * Cholodny, N. 1930. Uber eine neue Methods zur. Untersuchung de Bodenmikroflora. Arch. Microb., 1 : 620-652.
- Chona, B.L. 1933. Preliminary investigations on the diseases of bananas occurring in Punjab and their methods of control. Ind. J. Agr. Sci., 3 : 673-687.
- Choudhary, M., M. Kaur and K.B. Deshpande. 1980. Biochemical changes during fruit rot of apple. Indian Phytopath., 33 : 331-333.
- Choudhury, S. 1945. Ceratostomella disease of pineapple, Ind. J. Agr. Sci., 15 : 135-139.
- _____. 1950. Trans. Brit. Mycol. Soc. 33 : 141-148. In studies on market and storage diseases of fruits and vegetables in Maharashtra. V.C. Bhide J. Univ. Poona, Sci. and Tech. Sect. 34 : 21-50.
- Christensen, G.M. and H.H. Kaufman. 1965. Deterioration of stored grains by fungi. Ann. Rev. Phytopath 31 : 69-84.
- Clarke, J.H. and D. Parkinson. 1960. A comparison of three methods for assessment of fungal colonization of seedling of leek and broad bean. Nature, 188 : 166-167.
- Dastur, J. F. 1916. Spraying for ripe rot of bananas. Agri. J. India, 11 : 142.
- Eckert, J.W. 1967. Application and use of post-harvest fungicides. In "Fungicides" D.C. Torgeson (Ed.) Vol. I pp. 287-378. Academic Press, New York.

- Ellis, M.B. 1971. Dematiaceous Hyphomycetes C.M.I., Kew, Surrey, England, pp. 608.
- _____. 1976. More Dematiaceous Hyphomycetes. C.M.I. Kew, Surrey,, England, pp. 507.
- Friedmman, B.A. 1960. Market diseases of fresh fruits and vegetables. Eco. Bot., 14 : 145-156.
- Frossard, P. 1970. Disinfection of pineapples against Thielaviopsis paradoxa. Fruits, 25 (2) : 785.
- Gadgil, P.D. 1965. Distribution of fungi living ^{on} roots of certain Graminae and effect of root decomposition on soil structure. Plant and soil, 22 : 239-259.
- Garrett, S.D. 1938. Soil conditions and the root infecting fungi. Biol. Rev., 13 : 159-185.
- Gerretsen, F.C. 1948. The influence of microorganisms on the phosphate intake by plants. Plant and Soil, 1: 51-81.
- Ghatak, P.N. 1938. Investigations on orange rots in storage. I : Orange rots due to two strains of Fusarium moniliformae Schl. J. Indian Bot.Soc., 17: 141-148.
- * Graf, G. 1930. Uber der Einflusedes pflanzenwachstums auf die Bakterien im woxelbe reich zentr. Blact. Parasitenk II, 82 : 44-69.
- Green, G.L. and R.D. Goos. 1963. Fungi associated with crown rot of boxed bananas. Phytopath, 53 : 271-275. .
- Grewal, J.S. 1954. Cultural and pathological studies of some fungi causing diseases of fruits. D. Phil. Thesis. Uni. of Allahabad, Allahabad.

- Grover, R.K. 1965. A pathogenic Cunninghamella on pumpkin and its control. Indian Phytopath., 18 : 257-266.
- * Gujarathi, S. 1965. Investigation into rhizosphere microflora of cultivated legumes. Ph.D. Thesis, Banaras Hindu University, Varanasi.
- Gupta, O. and K.G. Nema. 1979. Effect of different temperature and relative humidity on the development of fruit rots of papaya caused by Botryodiplodia theobromae and Colletotrichum papayae. Indian Phytopath., 32 : 106-107.
- Gupta, P.C. and R.L. Madan. 1977. Fruit rot diseases of ber (Zizipus mauritiana L.) from Haryana Ibid., 30: 554.
- Gupta, V.K. 1974. Effect of foliar application of subamycin on rhizosphere and rhizoplane mycoflora, Ibid., 27(2) : 267-268.
- Halleck, F.E. and V.W. Cochrane. 1950. The effect of fungistatic agent on bacterial flora of the rhizosphere. Phytopath., 40 : 715-718.
- Harley, J.L. 1948. Mycorrhiza and soil ecology. Biol.Rev., 23 : 127-158.
- _____ and J.S. Waid. 1955. A method of studying active mycelia on living roots and other surfaces. Trans. Brit. Mycol. Soc., 38 : 104-118.
- Harvey, J.M. and W.T. Pentser. 1960. Market diseases of grapes and other fruits. Agr. Handbook, US Dept. Agr., 189 : 1-37.

- Hervey, R.J. 1958. Microorganisms, organic matter and Phymatotrichum root rot in Texas blackland. Bacteriol. Proc., 1958. p. 8.
- Hildebrand, A.A. and P. M. West. 1941. Strawberry root rot in relation to microbiological changes induced in root rot soil by the incorporation of certain cover crops. Can. J. Research, 19 : 183-198.
- * Hiltner, L. 1904. Über neue Erfahrungen and probleme auf dein Gebiet der Bodenbakteriologia und unter be sonderer Berücksichtigung der Grundung und Brache. Arb. dtsh Landwirtsch Ges., 98 : 59-78.
- Hunter, J.E. and T.W. Buddenhagen. 1972. Incidence, epidemiology and control of fruit diseases of papaya in Hawaii. Trop. Agr. Trinidad, 49 : 61.
- Iverson, K.G. and H. Katznelson. 1960. Studies on the rhizosphere microflora of yellow birch seedling. Plant and Soil, 12 : 30-39.
- Jamaluddin, M.P. Tandon and R. N. Tandon. 1972. A storage rot of fruits of apple. Indian Phytopath., 25 : 593-595.
- _____ and M.P. Tandon. 1975. Some new market diseases of vegetables and fruits. Proc. Nat. Acad. Sci., (India) 47 B : 197-198.
- _____ and _____. 1976. Some new market diseases of vegetables and fruits. Indian Phytopath., 29: 74-75.
- Jarvis, W.R. 1962. The infection of strawberry and raspberry fruits by Botrytis cinerea. Ann. appl. Biol., 50 : 569.

- Jones, P.T.C.T. and J.E. Mollison. 1948. A technique for the quantitative estimation of soil microorganisms. J. Gen. Microbiol., 2 : 54-69.
- Joshi, R.D., L.N. Dubey and A. K. Gupta. 1975. Post-harvest fungal damage to Cyclanthera pedata in Kumaun Hills. Indian Phytopath., 28 : 545.
- Katznelson, H. and L.T. Richardson. 1943. The microflora of the rhizosphere of tomato plants in relation to soil sterilization. Can.J.Res., 21 : 249-255.
- _____, A.G. Lochhead and M.T. Timonin. 1948. Soil microorganisms and rhizosphere. Bot.Rev., 14: 543-587.
- _____, J.W. Roullet and T.M.B. Payne. 1955. The liberation of amino acids and reducing compounds by plant roots. Plant and Soil, 7 : 35-48.
- _____, E.A. Peterson and J.W. Roullet. 1962. Phosphate dissolving microorganisms on seed and in the root zone of plants. Can.J.Bot., 40 : 1181-1186.
- _____. 1965. Nature and importance of rhizosphere. In "Ecology of soil borne plant pathogens" Ed. by K.F. Baker and W.C. Snyder. John Murray, London. Publ. Univ. of California, pp. 192-210.
- Kaul, J.L. and B.S. Lall. 1975. Post-harvest diseases of Citrus fruits in Himachal Pradesh. Indian Phytopath., 28 : 119-121.
- Kendrick, W.D. ed. 1971. "Taxonomy of Fungi Imperfecti" Uni. of Toronto Press, Toronto,

- Keshwalla, K.F. 1936. A Phoma disease of Asparagus. Ind.J. Agr. Sci., 6 : 800-802.
- Lal, B. and A. Arya. 1980. Three Fusarial rots of papaya. National Aca. Sci. Letters 3 (3) : 73-74.
- Laxminarayana, P. and S.M. Reddy. 1976. Post-harvest diseases of some cucurbitaceous vegetables from Andhra Pradesh. Indian Phytopath., 29 : 57-59.
- Linford, M.B. 1942. Method of observing soil flora and fauna associated with roots. Soil Sci., 53 : 93-103.
- Lochhead, A.G. 1940. Qualitative studies of soil microorganisms. III : Influence of plant growth on the character of bacterial flora. Can. J. Res. C, 18 : 42-53.
- _____ and R.H. Thexton. 1947. Qualitative studies of soil microorganisms VII : The rhizosphere effect in relation to the amino acid nutrition of bacteria. Ibid., C, 25 : 20-26.
- _____ and G.B. Landerkin. 1949. Aspects of antagonisms between microorganisms in soil. Plant and Soil, 1: 271-276.
- Low, H.A. and D.M. Webley. 1959. The bacteriology of root region of the oat plant grown under controlled pot culture conditions. J.Appl.Bacteriol., 22: 216-226.
- Lugauska, K. 1961. Antagonistic activity of soil fungi in rhizosphere soil. Microbiologia, 30 : 265-278.
- * Lukesic, F.L., W.J. Kaiser and M.N. Martinez. 1967. The incidence of crown rot of boxed bananas in relation to microbial populations of the crown tissue. Can. J. Bot., 45 : 413-421.

- Madhukar, J. and S. M. Reddy. 1989. Hitherto unrecorded post-harvest diseases of guava. Indian Phytopath., 42(3) : 479.
- Majumdar, V.L. and V. N. Pathak. 1989. Incidence of major post-harvest diseases of guava fruits in Jaipur markets. Ibid., 42(3) : 441-443.
- Mall, S. 1979. Rhizosphere and rhizosphere microflora of three varieties. Ibid., 32 (1) : 51-54.
- * Mann, H.H. and S.D. Nagpurkar. 1920. Investigation of potato cultivation in Western India, Bombay. Dept. Agri. Bull., No. 102.
- McColloch, L.P. and J.T. Worthington. 1952. Low temperature as a factor in the susceptibility of mature green tomatoes to Alternaria rot. Phytopath., 42: 425-427.
- _____, H.T. Cook and R. Wright. 1968. Market diseases of tomato, peppers and egg plant. Agr. Handbook. U.S. Dept. Agr., 28 : 74.
- Mehrotra, R.S. 1980. 'Plant Pathology' Tata McGraw Hill Publishing Company Ltd., Delhi, pp. 771.
- Mehta, P.R. 1939. A fruit rot of apple caused by a species of Rhizopus. Indian J. Agri. Sci., 9 : 711-718.
- _____. 1975. Fungicidal umbrella. In : 'Advances in Mycology and Plant Pathology' S.P. Raychoudhuri et al., (Eds.) Paranassus Publishers and Printers, New Delhi. pp. 330-341.
- Mills, J.T. and A.J. Vitas. 1967. Studies on the rhizosphere of sugarcane in Trinidad. Tropical Agriculture, 44:151.

- Mishra, B., O. Prakash, A.P. Mishra. 1974. Pestalotia menezesiana on grape berries from India. Indian Phytopath., 27(2) : 257-258.
- Mishra, K.B. 1978. Rhizosphere mycoflora of fibre yielding plants. Ibid., 23(1) : 27-31.
- Mishra, R.R. and V. B. Srivastava. 1969. Rhizosphere fungi of certain legumes. Annales del' pasteur, 117 : 717.
- _____ and Kamal. 1970. Rhizosphere mycoflora of virus infected plants. Indian Phytopath., 23(1) : 27-31.
- _____ and V.B. Srivastava. 1971. Variation in the rhizosphere microflora of certain crops Proc.Nat.Acad.Sci., B, 61 : 112-120.
- Mujumdar, S.B. 1968. Studies on fungi in rhizosphere of sugarcane with special reference to their biochemical activities and the influence of root exudate. Ph.D. Thesis Uni. of Poona, Pune.
- Muller, K.E. and L.W. Durell. 1957. Sampling tubes for soil fungi. Phytopath., 47 : 243.
- Narania, K. and S.M. Reddy. 1978. Studies of Fusarial rot of lemon. Indian Phytopath., 31 : 310-313.
- Ordin, A.P. 1961. Microflora of the rhizosphere and roots of cultivated plants. Microbiologia (Transl.): 568-571. Illus. translated from Mikrobiologiya, 30: 369-683.
- Panwar, K.S. and N.L. Vyas. 1973. Post-harvest fruit rot of Citrus reticulata Blanco. Curr.Sci., 42 : 217-218.

- Pathak, V.N. and D.N. Srivastava. 1967. Mango losses due to Diplodia stem-end rot. Tropical Agr., 125: 99.
- Parkinson, D. and J.H. Clarke. 1961. Fungi associated with seedling roots of Allium porrum L. Plant and Soil, 13 : 384-390.
- _____ and S.T. Williams. 1961. A method for isolating fungi from soil microhabitats. Ibid., 13: 347-355.
- _____ and J.H. Clarke. 1964. Studies on fungi in the root region III : Root surface fungi of three species of Allium. Ibid., 20 : 166-173.
- Perotti, R. 1926. On the limit of biological inquiry in soil science. Proc. 5th Inter.Soc. Soil, 2 : 146.
- Peterson, E.A. 1958. Observations of fungi associated with plant roots. Can. J. Microbiol., 4 : 257-265.
- _____ 1959. Seed borne fungi in relation to colonization of roots. Ibid., 5 : 579-582.
- _____. 1961. Observation on the influence of plant illumination on the fungal flora of roots. Ibid., 7 : 2-6.
- * Poschenreider, H. 1930. Uber die verbreitung des Azotobakter im Wurzelbereicher de Centbl. Bact. II, 80: 369-378.
- Prakash, D., M. Mashkoor, S. Ashraf and A.M. Khan. 1979. Rhizosphere mycoflora of cauliflower as influenced by different levels of carbon to nitrogen. Indian Phytopath. 32(3) : 460-461.
- Pryer, D.E. 1950. Reduction of post-harvest spoilage in fresh fruits and vegetables destined for long distance shipment. Food Technol., 4: 57-62.

- * Pushkarnath. 1935. Studies in the diseases of apples in northern India II : A short note on apple scab due to Fusicladium dendriticum. Fuckl.J.Indian Bot.Soc., 14 : 121-124.
- Rajak, R.C. and S.P. Gautum. 1980. Two new diseases from Jabalpur. National Aca. Sci. letters, 3(2): 42.
- Ramsey, G.B. and M.A. Smith. 1961. Market diseases of cabbage, cauliflower, cucumber, melons and related crops. Agr. Handbook US Dept.Agr., 184 : 49.
- Ranga Rao, V. 1972. Studies on fungi in the root zone for cultivated plants. Trans. Mycol. Soc. Japan. 13: 34-47.
- Rangaswami, G. and S. Venkateshan. 1964. The rhizosphere microflora of rice plant as influenced by soil depth and root maturity. Curr. Sci., 181 : 83.
- Rao, V.C. 1968. Studies on market and storage diseases of fruits and vegetables in Maharashtra. J. Uni. Poona, Sci. and Tech.Sect., 34 : 21-50.
- _____ and V.P. Bhide. 1984. Post-harvest diseases of fruits and vegetables in India : Some ecopathological aspects In : 'Progress in Microbial Ecology' Prof. J.N. Rai Festschrift. (Eds. K.G. Mukherji, V.P. Agnihotri and R.P. Singh) pp. 589-607.
- Rose, D.H. et al., 1951. Market diseases of fruits and vegetables, apples, pears, quinces. U.S. Dept. Agri.Misc. Publi., 168 : 7-9.

- Rossi, G. and S. Riccardo. 1927. L'esame microscopico e bacteriologico diretto del terreno agrario. Nuovi. Ann. Minist. Agric., 7 : 457-470.
- Roy, A.K., C.P. Singh and D.K. Singh. 1989. Some new unrecorded fruit rot diseases of banana. Indian Phytopath., 42 (1) : 202.
- Sadasivan, T.S. 1955. Symposium on soil microorganisms and plant well being. Proc. Ind. Acad. Sci., B, 41 : 99-101.
- _____. 1960. Some problems of rhizosphere microflora. Ibid, B, 62 : 71-79.
- Sawant, Manjiri D. 1984. Fundamental and cultural studies of some Indian Fungi. Ph.D. Thesis. Shivaji Uni., Kolhapur.
- Segall, R.H. 1967. Bacterial soft-rot, bacterial necrosis and Alternaria rot of tomatoes as influenced by field washing and post-harvest chilling. Pl. Dis. Repr., 51 : 151-152.
- Sharma, M. and V.L. Majumdar. 1993. Some new post-harvest diseases of ber fruits in India. Indian Phytopath., 46 (4) : 415.
- Simmonds, J.H. 1963. Studies in the latent phase of Colleototrichum species causing ripe rot of tropical fruits. Queensl. J. Agr. Sci., 20 : 373-424.
- Singh, A.P. and S.N. Bhargava. 1977. Storage and transit studies in apple and guavas. Indian J. of Hort., 34(4) : 362-363.

- Singh, K.B., G. Prasad, K.S. Bhargava and R.S. Mehrotra 1978. Studies on the occurrence of fruit rot of guava due to Phytophthora nicotianae var. Parasitica. Indian Phytopath., 31 : 263.
- Singh, R.S. and J.S. Chohan. 1972. A new fruit rot disease of pomegranate. Curr. Sci., 41 : 651.
- Singh, U.B. 1941. Soft rot of apple fruits in Kumaun Hills. Indian J. Agri. Sci., 11 : 902-905.
- Smith, M.A. et.al. 1966. Market diseases of Asparagus, onions, beans, peas, carrots, celery and related vegetables. Agr. Handbook, US Dep. Agr., 303 : 65.
- Sohi, H.S. 1977. Storage rots of onion bulbs and its control. Indian Phytopath., 30 : 149.
- Sreekantiah, K.R., K.S. Nagaraja Rao and T. N. Ramchandra Rao. 1974. Post-harvest infection of apples by Trichothecium roseum. Ibid., 27(1): 114-115.
- Starkey, R.L. 1929a. Some influences of the development of higher plants upon the microorganisms in the soil. I : Historical and Introductory. Soil Sci., 27: 319-334.
- _____ .1929b. Some influences of the development of higher plants upon the microorganisms in the soil. II : Influence of the stage of plant growth upon abundance of organisms. Ibid., 27 : 355-378.
- _____ 1929c. Some influences of the development of higher plants upon the microorganisms in the soil. III: Influence of the stage of plant growth upon some activities of organisms. Ibid, 27: 433-444.

- _____ . 1931a. Some influences of the development of higher plants upon the microorganisms in the soil. IV : Influence of proximity to roots on abundance and activity of microorganisms. Ibid., 32 : 367-393.
- _____ . 1931b. Some influences of the development of higher plants upon the microorganisms in soil. V : Effects of plants upon distribution of nitrates. Ibid., 32 : 395-404.
- _____ . 1958. Interaction between microorganisms and plant. Bacterial Rev., 22 : 154-172.
- Stenton, H. 1958. Clonization of roots of Pisum sativum by fungi. Trans. Brit. Mycol. Soci., 41 : 74-80.
- Stover, R.H. 1972. 'Banana, plantain and Abaca Diseases'. Commonwealth Mycol. Inst. Kew, Surrey, England.
- Subramanian, C.V. 1971. 'Hyphomycetes' Indian Council of Agri. Research, New Delhi, pp. 930.
- Tandon, R.N. 1967b. Observations of storage diseases of certain fruits. Pres. Add. IPS. Indian Phytopath., 21 : 12.
- Tandon, M.P., Jamaluddin and V. Bhargava. 1975. Some new fruit rots. Indian phytopath., 28 : 571.
- Thind, T.S., S.B. Saxena and S.C. Agarwal. 1976. Postharvest decay of apple incited by Aspergillus candidus in Madhya Pradesh. Ibid., 29 : 318.
- Thom, C. and H. Humfield. 1932. Notes on the association of microorganisms and roots. Soil Sci., 34 : 29-36.
- Thornton, M.C. 1957. Soil microbiology department Rpt. for 1956 of Rothamsted expt. sta. : 71-75.

- Thornton, R.H. 1952. The screened immersion plate. A method of isolating soil microorganisms. Research, 5 : 150-151.
- Timonin, M.J. 1940. The interaction of higher plant and soil microorganisms. I : Microbial population of rhizosphere of seedlings of certain cultivated plants. Can. J. Research, 18 : 307-317.
- _____ . 1941. The interaction of higher plant and soil microorganisms. III : Effect of by-products of plant growth on activity of fungi and actinomycetes. Soil Sci., 52 : 395-413.
- Timonin, M.J. and O.H. Thexton. 1951. The rhizosphere effect of onion and garlic on the soil microflora. Soil Sci. Am. Soc. 15 : 186-189.
- Tyner, L.E. 1948. Effect of crop debris, plant roots and crop sequence on the microbial flora of soil in relation to root rot in cereal crops. Can. J. Res., 26 : 86-93.
- Ursekar, M.S. 1975. Studies in soil and Rhizosphere fungi. Ph.D. Thesis. Uni. of Poona, Pune.
- Vagherova, K., J. Macura and V. Cataka. 1960 Rhizosphere microflora of wheat. II : Composition and properties of bacterial flora during the vegetative period of wheat. Folia Microbiol. (Prague), 5 : 311-319.
- Vancura, V. 1964. Root exudates of plants. I : Analysis of root exudates of barley and wheat in their initial phase of growth. Plant and Soil, 21 : 231-248.

- Venkatarayan, S.V. and M.H. Dalvi. 1951. Black mould of onions in storage caused by Aspergillus niger. Curr. Sci., 20 : 243-244.
- Venkateshan, R. 1964. The rhizosphere microflora of rice plants as influenced by soil depth and root maturity. Ibid., 181-183.
- Vyas, N.L. and K.S. Panwar. 1976. Some new post-harvest diseases of fruits. Indian Phytopath., 29 : 94-95.
- Vyas. S.C., D. Singh and N.D. Sharma. 1976. Some new fungi causing post-harvest diseases of apple (Malus sylvestris). Pl. Dis. Repr., 66(11) : 986-990.
- Wajidkhan, M., A.M. Khan and S.K. Saxena. 1974. Rhizosphere fungi and nematodes of egg plant as influenced by oil cake amendments. Indian Phytopath., 27(4) : 480-481.
- Warcup, J.H. 1950. The soil-plate method for isolation of fungi from soil. Nature, 166 : 117.
- _____. 1955. On the origin of colonies of fungi developing on soil-dilution plates. British Mycol. Soc. Trans., 38 : 298-301.
- _____. 1957. Studies on the occurrence and activity of fungi in a wheat-field soil. Ibid., 40 : 237-262.
- _____. 1960. Method of isolation and estimation of activity of fungi in soil. In : "Ecology of soil fungi". D. Parkinson and J.S. Waid (Ed.) pp. 3-21. Liverpool Univ. Press.
- Wardlaw, C.W. 1961. Banana Diseases including plantains and abaca. Longmans Green and Co. Ltd., London, pp. 648.

- West, P.M. and A.G. Lochhead. 1940. Qualitative studies of soil microorganisms. IV : The rhizosphere in relation to the nutritive requirements of soil bacteria. Can. J. Research., 18 : 129-135.
- Wiant, J.S. and C.O. Bratley. 1948. Spoilage of fresh fruits and vegetables in rail shipments unloaded at New York City, 1935-42. U.S. Dept. Agr. Circ., 773 : 1-62.
- Williams, S.T., D. Parkinson and N.A. Burges. 1965. An examination of the soil washing technique by its application to several soils. Plant and Soil, 22 : 167-186.
- * Winter, A.G. 1951. Untersuchungen uber die Forderung der Jugendentwicklung der Hauptgetreidearten durch bodenbewohnende Pilze. Phytopathol., Z.18 : 221-230.
- * Zikovskaya, M. 1941. Microbial population in rhizosphere of some agricultural plants. Microbiol., Zh.Akad. Nauk. U.S.S.R. 10 : 3-12.
- * Zvyagitsev, D.G. 1962. Study of the rhizosphere microflora by means of fluorescence microscopy in reflected light. Microbiology, (U.S.S.R.) (Engl. Transl.), 31 : 111-115.