

BIBLIOGRAPHY

Bibliography

Anonymous 1999. "Maharashtra State Gazetteer: Satara District":40

Asthana, A.K., Nath, V. and Kumar, A. 1994. Studies on rare Indian Liverworts:
Schiffeneria hyaline Stph. *Geophytology*.**23**(2):279-284

Awasti, V., Nath, V. Asthana, A. K. 2010. *In vitro* propagation of the endemic and threatened Indian Liverwort: *Cryptometrium Himalayense* Kash. *Current Sci.* **98**(2):1440-1441

Awasti, U. S., Shrivastava, S.C .and Sharma, D. 1999. Lopholejeunea (Spruce) schiffn. In India *Geophytology*.**29** (1 and 2) :35-60

Bapna, K.R. 1962. Some fungi on *Riccia* species. *The Bryologist*. **65**:47-51

Barve, J. P.1992 "Monographic and Histochemical studies of certain thalliod Liverworts from Maharashtra" Ph. D. thesis, Pune University.

Bird, C. D. and Oglvie, R.T. 1964. New bryophytes for Alberta *The Bryologist*.**67**:360

Bowers, M. C.. 1964. A water- Soluble, Rapid, Permanent mounting medium for Bryophytes. *The Bryologist*.**67**:358-359

Buck, W.R. and Goffinet, B. ,2000 Morphology and classification of mosses. *Bryophyte Biology* (eds.) J. shaw and B. Goffinet. Cambridge university press, university of Cambridge,UK

Chavan S.J. 2010 Studies on the family Lejeuneaceae from Andaman Island, India.

Bioinfolet 7(1):4-8

Clarke G. C. S. 1979 “Bryophytic systematics”, Edited by Clarke G. C. S and J.G. Duckett, Academic press, London and New York.

Daniels, A.E.D. and Kariyappa K. C. 2007 Bryophyte diversity along a gradient of human disturbance in the Southern Western Ghats *Curr. Sci.* **93**(7):976-840

Dash, P. K. and Saxena D. K. 2009 Bryoflora of Khandadhar hill ranges, Orissa India
Giobios **36**:113-116

Joshi D.Y. 1995. On the collection of Bryophytes from South West India *Geophytology*.
24 (2):155-157

Dash, S. and Singh D.K. 2005 Bazzania bidentula (Steph.) Steph.-An addition to
Bryoflora. *Geophytology*. **35**(1and 2):15-17

Dey, M., Singh, D. K. 2008. *Lejeunea alata* Gottsche (Lejeuneaceae)-A new record for
Indian Bryoflora from Arunachal Pradesh *Geophytology*. **37**:43-45

Ehrle E. B. and Coleman, B. B. 1968. The Bryoflora of the Genesee Country,
New York 4) The Bryophytes of Livingston county The Bryologist. **71**:276-281

Frego, K. A. 2007. Bryophyte as potential indicators of forest integrity. *Forest Ecology
and manegment*, **242**:65-75

Fulford,M..1963. Modern species concepts: Liverworts *The Bryologist*.**66**:101-106

Gandhe R.V. 2008. A new Ascomycete on *Riccia*. *Geophytology*. **37**:31-33

Gardiner J. C.1981.A bryophyte flora of surrey *J. Bryol* **11**:747-841

Jones, E. W. 1990. African Hepatics XL. An artificial key to the genera of African Hepatics. *J. Bryol* **16**: 9-40

Joshi D.Y.1995. On the collection of Bryophytes from South West India *Geophytology*. **24** (2):155-157

Kashyap, S. R. 1972 “*Liverworts of Western Himalaya and Punjab Plain*” Part I and II Researchco Publication, Delhi-35

Kumar, A. Kazmi, S. 2004 Bryophytes from Unchahar, Raebareli, U.P. *Geophytology*. **34**(1and 2):121-124

Kumar, A. Kazmi, S. 2004 Bryophytes from Unchahar, Raebareli, U.P. *Geophytology*. **34**(1and 2):121-124

Kumar, D., Shrivastava and Monocha N.1994. Studies on the regeneration in *Riccia billardieri* Mont. et Nees *Cythodium aureonitens* (Griff.) Mitt *Geophytology*. **24** (2):188-197

Kumar, D., Monocha, M. -and Tiwari, P.2000. On the regeneration on calobryales *Geophytology* **29**(1and 2):81-87

Langer, A., Gupta, S. and Tanwir, M.2003. Preliminary survey of Jammu District (North West Himalaya for Liverworts and Hornworts flora *Geophytology*.**31**(1and 2):87-89

Manju, C. N., Rajesh, K. P. and Madhusoodanan P.V.2008. Bryophytes of Kakkayam forest in Western Ghats and conservation. *Geophytology*. **37**:59-63

Manju, C. N., Rajesh, K. P. and Madhusoodanan P.V.2008.Ecological observation on the bryophytes of Eravikulan National Park, South India. *Geophytology*. **37**:51-53

Manju, C. N., Rajesh, K. P. and Madhusoodanan P.V.2009. Contribution of the Bryophyte flora of India. The alarm wildlife sanctuary in Western Ghats. *Bryology* 42

Nair, M. C., Rajesh, K.P.and Madhusoodanan P.V.2006 Bryophytes of Chinnar wild life sanctuary (South India)- A preliminary account *Geophytology*. **36**(1and 2):7-15

Nath, V. and Asthana, A. K. 2005. Studies on Indian bryophyte.50 years of national Botanical Research institute (eds)P. Pushpagadan, S. Kumar and V.K. Kochhar, pp277-288

Nath, V., Asthana, A.K. and Singh, A.P. 2000. Role of bryophyte in soil management and rock binding. *Geophytology*.**28**(1and 2):95-100

Pande, N. and Joshi, P.2002.Phytosociology, biomass and net primary production of

bryophyte community growing on decaying logs in silver fir forest of Central Himalaya *Geophytology*.**32**(1and 2):19-23

Pant, G. 1987. Bryophytes as rock builders II. Bryophytic community associated with travertine or tufa formation in Western Himalaya, pp.393-417

Sawant, U. J., Karadge, B. A. 2010. Mineral contents of some Bryophytes from Panhala, Kolhapur District. *Bioinfolet* **7** (2)

Schuster R. M..1958. Key to the Orders, Families and Genera of Hepaticae of America North of Mexico. *The Bryologist*. **61**(1):2-58

Sharma, D. and Shrivastava, S.C.1997. Distribution of Indian Lepidozzineae (Hepatiaceae) *Geophytology*.**27** (1 and 2):77-83

Shaw, J. and Renzagila, K.2004. Phylogeny and diversification of Bryophytes. *American Journal of Botany* **91**(10):1557-1581

Shirke, D.R.2002. Checklist of bryophyte in: Biodiversity on Western Ghats of Maharashtra current Knowledge (Eds):- Ajt P. Jagtap and singh N. P.,Bishan singh and Mahendra pal singh publication, Dehradhun

Shrivastava, S.C. Verma, P. K. 2002: Exploration of Liverwortes Diversity on *Chincona plantation Dodabetta, Nilgiri Hills, India* *Geophytology*. **32**(1and 2):1-18

Singh, S. K. and Singh, D.K.2006. Contribution to the Bryoflora of great Himalayan National Park, Kullu, Himachal Pradesh IV: Genus *Porella* (porellaceae) *Geophytology*. **36**(1and 2):93-107

Smith A.J. E.1979 “Bryophytic systematics”, Edited by Clarke G. C. S and J.G. Duckett, Academic press, London and New York.

Smith A. J. E.1982. Epiphytes and eilithus,in A.J.E. smith (ed) Bryophyte ecology. pp 191-228 Chapman and hall London.

Sofiya.2008 New Bryophyte record in the Balkans:4 *Phytologia Balcanica* **14**(1)125-130

Solter, R.E., Dhale, H. 1972. Addition to the hepatic flora of the Pickle spring area of Southeastern Missouri. *The Bryologist*.**75**:176-178

Srivastava, S. N. and Srivastava P.2008 . *Trocholejeunra infuscata* (Mitt.) Verd. : an addition to the hepatic flora of Western Himalayas. *Geophytology* **37** :55-57

Stringer P. W. and Stringer ,M. H. L. 1974. Studies on Bryophytes of Southern Manitoba. VI. An ecological study of bryophytes of coniferous forests in Bri'ds hill provincial park *The Bryologist*.**77** :1-16

Surie, C. 1979 “Bryophytic systematics”, Edited by Clarke G. C. S and J.G. Duckett, Academic press, London and New York.

Tanvir, M., Langer, A. and Bhandari 2008. Liverworts and Hornworts flora of Patnitop

and it's adjoining areas (J and K), Western Himalaya, India *Geophytology*. 37:35-41

Tpocs, Nair, M. C., Rajesh, K.P. and Madhusoodanan P.V. 2007 Liverworts
(Marchantiopsida) record from Western Ghates (Kerala State, Peninsular
India) *Acta Botanica Hungarica* 49(1and 2):121-129

Udar, R. and Singh, D. K. 1981. A new species of the genus *Notothylas* sull.,
N. himalayensis Udar et Singh, from India. *J. Bryol* 11:451-457

Vashista, B. R. 1996 Botany- III. *Bryophyta*, S. Chand and Co. Ltd. New Delhi.

Wetson, E.V. 1968 "British Mosses and Liverworts" Cambridge university press.
London.



580
BAG



T16198