

## BIBLIOGRAPHY

BIBLIOGRAPHY :

- Ainsworth,G.C., Frederick,K.Sparrow and Alfred S. Sussman 1973.  
 The fungi An Advanced Treatise. Vol.VI A. Academic  
 Press, New York, San Francisco, London, PP 249-319.
- Alexopoulos,C.J.1962. Introductory Mycology John Wiley & Sons,  
 New York.PP.613.
- Arunachalam,S.B.1967.Maharashtra (A study in physical and regional  
 setting and resource development). Seth and Co.Educational  
 publisher. Bombay-Ahmedabad,PP-308.
- Batra,L.R.1959. New species of Discomycetes from India-I.  
Mycologia,52 : 524-527.
- Batra,L.R.1960.New species of Discomycetes from India-II  
Mycologia,52: 665-667.
- Batra,L.R. and S.W.T. Batra. 1963. Indian Discomycetes,  
Univ.Kansas Sci.Bull.44: 109-256.
- Bessay E.A. 1968 Morphology and Taxonomy of fungi,Hafner  
 Pub.Co.New York and London PP.791.
- Berthet P.1961. variation de nombre des noyaux dans les articles  
 myceliens des Discomycetes, rapport avec la systematique  
 et la phylogenia C.R.Acad. Paris 252:3855-3857.
- Bilgrami K.S.,Jamaluddin and Rizvi,M.A.1979,fungi of India.  
 part I. List and References. Today and Tomorrow's Printers  
 and Publisher New Delhi,Pp.467.
- Bilgrami,K.S.Jamaluddin and Rizei,M.A. 1981 fungi of India.  
 part II Host Index and Addenda. Today and Tomorrow's  
 Printers and Publisher, New Delhi,PP.128.
- Boudier,E.1885.Nouvelle classification naturelle des Discomycetes

- charnus cannus généralement sous le nom de pezizes.
- Bull.Soc.Mycol.Fr.1: 90-120
- Boudier,E.1907.Histoire et classification de Discomycetes d'Europe-I-VII : 1-223.P.Klincksich,Paris.
- Brummelen,J.Van.1967.A world monograph of the genera Ascobolus and Saccobolus(Ascomycetes,Pezizales.)Persoonia (Suppl) 1: 1-260.
- Brummelen,J.Van.1978. The operculate ascus and allied forms. Persoonia 10: 113-128.
- Brummelen,J.Van.1980. Two species of Ascobolus new to Britan. Persoonia 2 (1): 87-92.
- Brummelen,J.Van 1981. The operculate ascus and allied forms. In Ascomycetes Systematics. The Luttrellian concept (ed. Reynolds,D.R.).PP.27-48.
- Butler,E.J.and Bisby,G.R. 1931. The fungi of India .Imp.Coun. Agri.Res.India, Sci.Monogr.I (18) : 273.
- Butler,E.J. and Bisby,G.R.1960, The fungi of India .(Revised by Vasudeva.) I.C.A.R. Publ.New Delhi,PP.552.
- Chadefaud,M,1940a.Etudes d'asques I.Les asques et les ascospores de Bulgaria ingqinans.Rev. Mycol.5:87-101
- Chadefaud,M.1940-b Le reseau ornemental de spores et L'appareil apical des asques chez Peziza auranta,C.R. Aead., Paris 21: 656-660.
- Chadefaud,M,1949. Observations sur les asques de quelques Marchella ceae.Le Botaniste 34: 75-85.
- Chona,B.L.,Munjal,R.L. and Kapoor, J.N. 1956. Notes on Miscellan-

- eous Indian fungi-IV. Indian phytopath 9: 125-132.
- Clements, F.E. and Shear, C.L. 1931. "The genera of fungi" Wilson Co., New York and London, PP.496.
- Cooke M.C. 1875-1879, Mycographia. I Cones Fungorum 1: Discomycetes, London.
- \* Cooke, M.C. 1892, Handbook of Australian fungi, London, PP  
 -do- 1878. Some Indian fungi. Grev. 6 : 117-118.  
 -do- 1880. Fungi of India. Grev. 8:93-96.
- Corner, E.J.H. 1930-a. Studies in the morphology of discomycetes.  
III. The Clavuleae. Trans Brit Mycol. Soc. 15: 107-120
- Currah, R. 1986. A new species of Ascodemis from Alberta. Mycologia  
78 (2): 198-201.
- De Motaris, G. 1864. Proposte di alcune rettificazione al profilo  
 dei Discomyceti Comm Soc. Criff. ital. 1: 357-368.
- Denison, W.C. 1959. Some species of the genus Scutellinia. Mycologia  
53: 605-635.
- Dennis R.W.G. 1949. A revision of the British Hyaloscyphaceae with  
 notes on related European species, C.M.I. Publ., Mycol.  
 pap. 32:1-97.
- Denison, W.C. 1964. The genus Cheilymenia in North America. Mycologia  
56: 718-737.
- Dennis, R.W.G. 1954-b Some Inoperculate Discomycetes of tropical  
 America. Kew Bull 9 : 289-348.
- Dennis, R.W.G. 1960. British cup fungi and allies. Ray Society,  
 London, PP.280
- Dennis, R.W.G. 1961. Some Inoperculate Discomycetes from New -  
 Zealand . Kew Bull 15: 293-320.

Dennis,R.W.G.1962. A reassessment of Belonidium Mont. and Dur.

Persoonia 2 : 171-191.

Dennis,R.W.G. 1962-a New of interesting British Helotiales.Kew  
Bull. 16: 317-327.

Dennis,R.W.G. 1968."British Ascomycetes"Revised and enlarged  
edition of British Cup Fungi.Publ. J.Cramer, Germany,  
PP.455.

Dennis,R.W.G. 1981 "British Ascomycetes" Revised edition Publ.J.  
Cramer,Germany,PP.1-885.

Deshpande,C.D. 1971. Geography of Maharashtra, National Book  
Trust of India, New Delhi,PP.218.

Dissing,H.1981. Four new species of Discomycetes (Pezizales from  
west Greenland. Mycologia 83 (no.2): 263-273.

Dillenius, J.J. 1719,Catalogus planarum sponte Circ~~a~~ Gissam nascen-  
tium Cum appenice.France fortis ad Moenum.

Dring,D.M. 1971. Techniques for the microsocpic preperations.  
Methods in microbiology,4: 95-111.

\* Durand,E.J. 1900. The classification of the fleshy pezizineae  
with reference to the structural characters illustrating  
the bases of their division into families. Bull Torrey  
Bot. Club.27: 463-495..

Durand,E.J. 1908. The Geoglossaceae of North America. AnnlsMycol  
6: 387-447.

Durand,E.J. 1921. New or noteworthy Geoglossaceae. Mycologia  
13: 184-187.

Ecklad,F.E.1968.The genera of the opercualte Discomycetes.A revolu-

tion of their taxonomy, phylogeny and nomenclature. Nytt.  
Mag. Bot. 15: 1-195.

Fries, E.M. 1821. *Systema Mycologicum* 1: Lundae.

Fries, E.M. 1822. *Systema Mycologicum* 2 : Lundae.

\* Fries, E.M. 1849. *Summa vegetabilium Scandinavie* 259-572.

\* Fuckel, L 1869. *Symbolae mycologicae, Beitrage. Zur Keuntniss der rheinischen pize. Jubrb. Nassauischeb ver. Naturk* 24: 1-459.

\* Gaumundi, I.J. 1964. "Discomycetes" operculados del parque nacional Nahuel Huapi Argentina. *Darwiniana* 13: 568-606.

Gaumundi, I.J. 1956. El genero Scutellinia en Argentinal Contr. cientFac. Co.exact. Fis. nat.Univ. B. Aires (Bot) I 69-88.

Gaumann, E.A. 1926. *Vergleichende Morphologie der pilze* Jena. PP.626.

Ginai, M.A. 1936. Further contribution to the Knowledge of Indian Coprophilous fungi. Indian Bot, Soc. 15: 269-284.

Graniti, A. 1952. Contributo alla Conoscerza delle specie graminicole italiane del generae Lophodermium Nuova Giorn. Bot. Ital. N.S. 59: 27-42.

Grelet, L.J. 1942. Les Discomycetes de france d' a pres la classifi- de Boudier. Rev. Mycol. 7 : 3-22.

Ghadge, D.N. 1987. *Studies in Discomycetous Fungi*, Ph.D.Thesis, Shivaji University Kolhapur.

Ghadge D.N. and Dr.M.S.Patil (1987) *Studies in Discomycetes-III Ascocemis*, Indian phytopath 40(i): 30-35, 1987.

Ghadge, D.N. and Dr.M.S.Patil (1988) *Studies in Discomycetes-III*

- Ascobolus, Indian phytopath, 41(2): 177-182, (1988).
- Haines, J.H., Sharma, M.P. & Rawla .G.S. 1980. Some Dasycyphus species new to India Nove Hedwigia 32:695-707.
- Jagdale, S.V. 1984 Studies in Ascomycetous Fungi. Ph.D.Thesis ,  
Shivaji University Kolhapur (India)
- Johnstan, P.R. (1989) Lophodermium species from Nre Zeland ,  
New Zeland Journal of Botany.:248-273(1989).
- Kamat, M.N. 1962. Sixty years of Mycology and plant Pathology  
in Bombay-Maharashtra. Bull. Bot. Soc. Coll. Sci. Nagpur,  
3:68-93.
- Kamat, M.N. Patwardhan, P.G., Rao V.G. and Sathe , A.V. 1971 Fungi  
of Maharashtra. Bull No.1 Mahama Phule Krishividyapeeth  
Rahuri, M.S. PP.124.
- Kanouse, Bessie, 1958. Some species of the Genus Trichophaea. Mycolo-  
gia 50:121-140
- Kapoor J.N. and Munjal R.L. 1968, Addition to Indian Fungi. Indian  
Phytopath 21 : 107-112.
- Kar, A.K. and Pal, K.P. 1970. The Helotiales of India-II Mycologia  
62 : 683-689.
- Kar, A.K. & Pal K.P. 1970. Some operculate Discomycetes from  
West Bengal. Mycologia 62 690-698.
- Karsten, P.A. 1871. Mycologia fennica-I Discomycetes, Helsing  
fors PP.263.
- Kaushal, S.C. 1981. Nomenclature and Taxonomy of Himalayan species  
of Pulvinula and Lamprospora (Pezizales) Kavaka 9 :  
21-29.
- Kent, P. Dumond 1981. Leotiaceae II. A preliminary survey of Neo-

- tropical species referred to Helotium and Hymenoscyphus Mycotaxons XII 2 : 313-371.
- Khare,K.B. 1975. The genus Octospora and typification.Mycologia 67. 972-979.
- Khare,K.B. 1976.Two new species of the genus Octospora.Can J. Bot. 54: 960-965.
- Khare,K.B. & Tewari,V.P.1978. Taxonomy and relationship within the genus Octopora. Can.J.Bot. 56: 2114-2118.
- Kimbrough,J.N. 1966-b Studies in the Pseudo-ascoboleae. Can J.Bot. 44: 685-704.
- Kimbrough,J.W.1969-a North American species of Thecotheus (pezizales, Pezizaceae)Mycologia 61 : 99-114.
- Kimbrough,J.W. 1970.Current trends in the classification of Discomycetes.Bot.Rev.36: 91-161.
- Korf,R.P.1954.A revision of the classification of operculate Discomycetes (Pezizales) VIII.Congr.Int.Bot.Rapp and Comm 18:20-80.
- Korf, R.P. 1973. Discomycetes and Tuberates in the Fungi Vol. IV-A  
Edited by G.C. Ainsworth,F.K.Sparrow & A.S.Sussman.  
Academic press, New York,PP.249-319.
- Kumar,S. & Soni,H.S, 1966 New records of fleshy fungi of India Ind.J.Mycol.and Pl.Pathol.5 : 107.
- Le Gal,M.1947.Recherches sur les ornements sporales des Discomycetes opercules.Ann.Sci.Nat., ser.11: 73-297.
- Le Gal,1942.Mode de formation des ornements sporales chez

quelques Discomycetes opercules.C.R. Acad.Sci.,Paris  
214 : 125-128.

Le-Gal,M.1953.Les Discomycetes de Madagascar. Prodr.Fl.Madagascar  
4.Paris.

Le Gal,M. 1953 b. Les Discomycetes del herbier Croun Rev.Micol.  
 (Paris) 18: 73-132,

Le Gal,M.1961. Les Discomycetes de l'herbier Crouan. Deuxieme  
 serie.Ann.Sci. Nat.(Bot) XII 1 : 441-467.

Le Gal,M. 1963.Valeur taxonomique particuliere de certains -  
 caracteres chez les Discomycetes superieurs Bull.Soc.  
Micol.France 79 : 456-470.

Le Gal,M. 1966.Contribution a la connaissance du genre Scutellinia  
 (Cooke) Lamb. emend.Le Gal.(Iree Tude.)Bull.Soc.Micol.  
82:301-333.

Le Gal,M,1968.Contribution a la connaissance du genre Scutellinia  
 (Cooke) Lamp. emend Le Gal (2 etude)Bull Soc.Micol  
France 84:375-380.

\* Linnaeus,C.1753. Species plantarum Holmiae PP.1200.

Mass Geesteranus,R.A.1964. On some white spored Geoglossaceae.  
Persoonia 2: 81-96.

Mass Geesteranus,R.A. 1965,Geoglossaceae of India and adjacent  
 countries.Persoonia 4 : 19-46.

Mains,E.B. 1954. North American species of Geoglossum and Tri-  
Choglossum,. Mycologia 46: 586-630.

Mains,E.B. 1955,North American hyaline spored species of  
Geoglossaceae. Mycologia 48 : 410-419.

- Merkus, E. 1973. Ultrastructure of ascospore wall in Pezizales  
 (Ascomycetes), -I Ascodesmis microscopica (Crouan)  
 Seaver and A. nigricans van Tieghem Persoonia 7 : 351-  
 366.
- Minter, D.W. and Sharma, M.P. 1982. Mycologia, 74 : 702-711.
- Moore, R.T. 1963. Fine structure of Mycota. I-Electron Microscopy  
 of discomycete, Ascodesmis. Nova Hedwigia 5: 263-278.
- Moser, M. 1963. Ascomycetes. In H. Gäms, Kleine Kryptogamenflora  
29 : 147 PP. Gustav Fishcher verlag. stuttgart.
- Mukerji, K.G. and Juneja, R.C. 1974. Fungi of India. Supplement  
 to the list of Indian fungi 1962-1972. Emkey Publ.N.  
 Delhi. PP. 224.
- Mundkar, B.B. 1936, Fungi of India, suppl-I.I.C.A.R.Sci.Monogr. 12:54
- Nannfeldt, J.A. 1932, studien über die Morphologie und systematic  
 der nichtlichenisierten inoperculaten Discomycetes. Nov.  
Act, Reg. Soc. Sci. Uppsala. ser, IV 8 : 1-368.
- Nannfeldt, J.A. 1942. The Geolossaceae of Sweden (with regards  
 also to the surrounding countries) Ark. Bot. 30A (4):  
 1-67.
- \* Nylander, W. 1869. Observations circa Pezizas Fenniae Not-Fauna  
f1. fenn. 10: 1-97.
- Obrist, W. 1961. The genus Ascodesmis Can J Bot. 39 : 943-953.
- Patil, M.S. 1979 Fungi of S.W. Maharashtra. Ph. D. Thesis,  
 Poona University.
- Patil, S.D. and Patil M.S. 1981 Studies in Discomycetes of  
 Maharashtra-I. Order Helotiales. J. Shivaji. Uni. (Sc.)  
20·69-81.

- Patil S.D. and Patil M.S. 1984, Studies in Discomycetes of Maharashtra-II. Order Pezizales. Indian phytopath. 37 (i) : 52-63.
- Pawar, A.B. 1986. Investigation of Folicolous fungi from Maharashtra. Ph.D. Thesis Shivaji University, Kolhapur.
- Phillips, W. 1887, A manual of British Discomycetes London. PP. 1-462.
- Rehm H. 1886-1887. Ascomycetes: Hysterianean and discomyceten Rab. Krypt-A Deutschl Oesterr. Schw 2. Aufl. 1 : 111, Abt Leipzig.
- Rehm, H. 1888. Die Pilze Deutschlands, oesterreichs und der schweiz 111 abthilung : Acscomycetan: Hysterianean und Discomyceten. In Rab krypt.. Fl. 1 (3) : 1-1272.
- Rifai, M.A. 1968 The Australasian Pezzales in Herbarium of the Royal Botanic Gardens, Kew. Verh. K. ned. Akad. II. 57 1-295.
- Saccardo, P.A. 1884. Conspectus generum Discomycetum hucusque cognitorum Bot cbl-18: 213-220 and 247-256.
- Saccardo, P.A. and Traverso, G.B. 1910 Syll. Fung., 19: 871.
- Sanwal B.D. 1953. Contribution towards our knowledge of Indian Discomycetes-I : Some new records and new species of operculate Discomycetes. sydowia 7: 191-199.
- Sawant, R.S. 1989. Studies in the family-Geoglossaceae (Discomycetes) M. Phil Thesis. Shivaji University, Kolhapur.
- Sharma, M.P. 1987. Study on Himalayan terricolous fungi. The genus Trichoglossum Boud. Proc. of Ind. Sci. Cong. Part III Sect. Botony, P.38 Bangalore.

Sharma, M.D. (1991)., Hymenoscyphus specieses from U.P and H.P.

Himalayan Botanical Researches (New Delhi.Ashish publishing House: 182 (1991).

Seaver, F.J. 1914. A Preliminary study of the genus Lamprospora  
Mycologia 6 : 5-29.

Seaver, F.J. 1916. North American species of Ascodesmis.  
Mycologia 8 : 1-4.

Seaver, F.J. 1928. The North American cup-fungi (Operculate).  
 New York, PP-284.

Seaver, F.J. 1951. The North American cup-fungi (Inoperculate).  
 New York. Published. by the author, PP.428

Singh, H. 1975. Two new species of Dasyscyphus from India.  
Trans. Brit. Mycol. Soc. 64: 536-538

Singh, H. 1975. Dasyscyphus in India Kavaka 3 : 107-117.

Snell, W.H. and E.A. Dick. 1957. A glossary of Mycology. HJarvard  
 University Press, Cambridge, PP. 171.

Snyder, L.C. 1938. The Operculate Discomycetes of Western  
 Washington. Univ. Washington Publ. Biol. 8 : 1-64.

Subramanian, C.V. and Ramkrishnan, K. 1958.  
 List of Indian Fungi (1952-56). J. Madras Univ. 26  
 (2): 327-421.

Tehon, L.R. 1935 A monographic rearrangement of Lophodermium  
 III. Biol. monogr. 13 (4) : 1-151.

Tewari, V.P. and Pant, D.S. 1966. Ascomycetes of India. Mycologia  
 58 : 58-64.

- Thind, K.S. and L.R. Batra. 1957-a. The Pezizaceae of the Mussoorie Hills- I.J. Indian Bot. Soc. 36 : 51-60.
- do-- 1957 The Pezizaceae of the Mussoorie Hills -IV. Indian J. Bot. Soc. 36, 428- 433.
- Thind, K.S. and P. Singh. 1959. The Helotiales of the Mussoorie Hills-II. Mycologia 51 : 833 - 839.
- Thind, K.S. and P. Singh. 1959. The Pezizaceae of the Mussoorie Hills- VI. J. Indian Bot. Soc. 38 L 221- 232.
- Thind, K.S. and P. Singh. 1961 The Helotiales of Mussoorie Hills I.J. Indian Bot. Soc. 40 : 295-308.
- Thind, K.S. and Waraitch, K.S. 1974. The Pezizales of India XVI. Proc. Ind. Acad. Sci. 70 B : 275-280.
- Tulasne, L.R. and C. Tulasne. 1865. Selecta fungorum carpolog  
The Imperial Press, Paris 3: 1-206.
- Ullasa B.A. 1970. A new species of Cryptomyces from India. Nova Hedwigia 19 : 345-347.
- Van Brummelen, J. 1981. The genus Ascodesmis (Pezizales,  
Ascomycetes). Persoonia, II (3) : 333-358.
- Waraitch, K.S. 1975 Two Discomycetous fungi from Punjab plains. Indian Phytopathology 28 : 560-562.
- \* Y.R. Lin in lin, lin and Tang. (1992), Lophodermium ellipticum on leaves of pinus Acta mycologica sinica II (4) : 279.
- \* Yeiz Wang, (1992) Monographic studies of North American species of Octospora previosly described to Lamprospora, special publication No. 4, National Museum of Natural science (Taiwan : Han pao-tech) : 29 (1992).