

ACKNOWLEDGEMENT

This work could not have been possible without continued interest and stimulation provided by Dr. S.R. Sawant, Lecturer of Physics Department, Shivaji University, Kolhapur. His ideas and encouragement paved the direction to the work reported here. I shall remain ever grateful to him.

My sincere thanks are due to Prof. R.N. Patil, Head, University Department of Physics, for allowing me to avail myself of the laboratory facilities and for providing me the necessary encouragement.

I have been benefitted to a great extent by the valuable suggestions by Dr. A.Y. Khot, a colleague of my Guide. I thank him sincerely.

The help and cooperation extended by Dr. A.S. Waiyangankar during my research work need a special mention. I express my sincere thanks to him.

My thanks are also due to Shri V.R. Kulkarni and Shri G.K. Joshi for their kind cooperation.

I express my thanks to Shri G.D. Mahadik and Shri M.S. Patil for their help to carry out my experimental work. I thank Shri Raven for the fine tracing work.

I express my deep sense of gratitude to Dr. V.J. Rao, Physical Chemistry Division, National Chemical Laboratory for all the cooperation extended to me in my work.

It is the policy of the authorities of Willingdon College, Sangli to extend all possible support to those who wish to improve their qualifications. So they did in my favour too. I shall be failing in my duty if I do not mention the encouragement I received from Shri S.S. Bodas and Shri S.P. Pandit as also the members of teaching and non-teaching staff of the Department of Physics, Willingdon College, Sangli.

I acknowledge the help I received from Shri S.G. Kulkarni and Shri S.S. Mohite.

Kolhapur

(S.A. Deshpande)

Date: 1/6/87