LIST OF FIGURES

2.3

2.4

2.5

2.6

Figure No.	Title	Page No.

Chapter I

1.1	The spinel structure	6
1.2a	Tetrahedral lattice site	7
1.25	Octahedral lattice site	7
1.3	Angle between A-A, B-B and A-B cation in spinel structure	12
1.4	Predicted Susceptibility curve of a ferrimagnetic material above Curie temperature	15
1.5	σ v/s T Curves predicted by Neel's theory	17
1.6	Triangular spin configuration	19
c	Chapter II	
2.1	Flow chart of the stages in the ferrite preparation	27
2.2	Principle of x-ray diffractometer	38

X-ray diffraction patterns for CuFe_{2-x}Cr_xO₄ system

X-ray diffraction patterns for

IR spectra for CuFe2-xCrxO4 system

IR spectra for CQFe2-xCrxO4 system

CoFe_{2-x}Cr_xO₄ system

42

43

58

59

Chapter III

3.1a	Magnetization curve	70
3.1b	Complete hysteresis loop	70
3.2	Experimental setup of hysteresis loop tracer	72
3.3	Variation of CoA/CuA versus chromium content	79
3.4	Experimental setup of ac susceptibility experiment al	82
3.5	Variation of X/Xrr with temperature for CuFe _{2-x} Cr _x O4 system	84
3.6	Variation of X/Xnr with temperature for CuFe _{2-x} Cr _x O4 system	85
3.7	Variation of X/Xnt with temperature for CoFe _{2-x} Cr _x O4 system	86
3.8	Variation of X/Xnr with temperature for CoFe _{2-x} Cr _x O4 system	87
3.9	Variation of permeability with temperature for CuFe2O4 system	92
3.10	Variation of permeability with temperature for CuFe2-xCrxO4 system	93
3.11	Variation of permeability with temperature for CoFe _{2-x} Cr _x O4 system	94
3.12	Variation of permeability with frequency for CuFe _{2-x} Cr _x O4 system	96
3.13	Variation of permeability with frequency for CoFe _{2-x} Cr _x O4 system	97
	و باره بروه بروه جان جان باری بروه بروه بروه بروه بروه بروه بروه بروه	ووي حدى الدية التين اليود فينه حيث تراده ما

Chapter IV

4.1a	Circuit diagram for electrical resistivity	110
4.1b	The conductivity cell	110
4.2	Experimental setup for DC resistivity measurements	111
4.3	Variation of log % Verses 1000/T for CuFe _{2-x} Cr _x O4 system	112
4.4	Variation of log \$ Verses 1000/T for CoFe _{2-x} Cr _x O4 system	113
4.5	Schematic diagram of experimental setup for the measurement of thermoelectric power	119
4.6	Experimental setup for thermoelectric power measurement	120
4.7	Variation of thermoemf with temperature for CuFe2-xCrxO4 system	122
4.8	Variation of thermoemf with temperature for CuFe2-xCrxO4 system	123
4.9	Variation of thermoemf with temperature for CoFe2-xCrxO4 system	125
4.10	Variation of thermoemf with temperature for CoFe2-xCrxO4 system	126
4.11	Variation of th ermoemf with temperature for CoFeCrO4 system	127
4.12	Variation of mobility with temperature for CuFe2-xCrxO4 system	130
4.13	Variation of mobility with temperature for CoFe2-xCrxO4 system	131
4.14	Equivalent parallel resister and capacitor circuit	135
4.15	Variation of dielectric constant with frequency for CuFe2-xCrxO4 system	137

4.16	Variation of dielectric constant with frequency for CoFe _{2-x} Cr _x O4 system	138
4.17	Variation of tan ō with frequency for CuFez-xCrxO4 system	141
4.18	Variation of tan ō with frequency for CoFe2-xCrxO4 system	142

• ·

. هر

•

.