
BIBLIOGRAPHY

- 1) Abel, P.D. 1976 'Toxic action of several lethal concentrations of an anionic detergent on the gills of the brown trout (Salmo trutta L).' J.Fish.Biol., 9(5) : 441-446.
- 2) Agarwal, S.K. 1983 'Water quality of Sewage drains entering Chambal river at Kota.' Acta.Ecologica, 5(2) : 26-29.
- 3) A.I.D.S. 1985 'Typical Analysis of Distillery Waste.' Supplied by All India Distiller's Association, New Delhi.
- 4) Ajmal, M.,
Nomani, A.A.,
Khan, M.A. 1984 'Pollution in the Ganges river India.' Water Sci.Technol., 16(5-7) : 347-358.
- 5) Amminikutty, C.K. and Rege, M.S. 1977 'Effects of Acute and Chronic exposure to pesticide Thiodan E.C. 35 and Agallol '3' on the liver of widow tetra Gymnocorymbus ternetzi (Boulenger).' Ind.J.Exp.Biol., 15(3) : 197-200.
- 6) Amminikutty, C.K. and Rege, M.S. 1978 'Acute and Chronic effect of Thiodan 35 E.C. and Aggallol '3' on Kidney, Stomach and Intestine of the widow tetra, Gymnocorymbus ternetzi (Boulenger).' Ind.J.Exp.Biol., 16 : 202-205.
- 7) Andrews, A.K.
Van Valin, C.C.
and Stebbings, B.E. 1966 'Some effects of heptachlor on blue-gills, Lepomis macrochirus Trans.Am.Fish.Soc., 96 : 297-309.
- 8) Annes, M.A. 1975 'Acute toxicity of four organo-phosphorous insecticides to a freshwater teleost Channa punctatus (Bl).' Pak.J.Zool., 7(2) : 135-141.
- 9) Bardach, J. 1972 'River Ecology and Man.' Ed. Oglesby Carlson and McCann. Acad.Press.N.York; pp.465.
- 10) Basar, P.K.
and Konar, S.K. 1976 'Toxicity of six Insecticides to fish.' Geobios, 3(6) : 209-210.

- 11) Bakthavathsalam, R. 1982 'Changes in the content of glycogen and its metabolites during acute exposure of Anabus testadineus (Bl) to furadan.' J.Biosci., 4, 19-24.
- 12) Bakthavathsalam, R., 1984 'Histopathology of liver, kidney and Intestine of the fish Anabus testudineus (Bl) exposed to furadan.' Environ. & Ecol., 2(4) : 243-246.
- 13) Banerjee, S.K. 1978 'Toxicity of Cadmium : A Comparative study in the air breathing fish, Clarias mossambicus (Pet.).' Ind.J.Exp.Biol., 16 : 1274-1277.
- 14) Benoit, D.A. 1975 'Chronic effects of copper on survival, growth and reproduction of the blue gill (Lepomis macrochirus)' Trans.Am.Fish.Soc., 104(2); 353-358.
- 15) Bhargava, D.S. 1984 'Prevention of Pollution in Yamuna.' J.Instrn.Engrs.India.Pt.Env., 65(1) : 7-10.
- 16) Bhatia, H.L. 1971 'Toxicity of some pesticides to Puntius ticto (Han.).' Sci. and Cult., 37; 160-161.
- 17) Bhattacharya, S. 1975 'Toxic effects of Endrin on Hepatopancreas of the Teleost fish, Clarias batrachus (Linn.).' Ind.J.Exp.Biol., 13 : 185-186.
- 18) Buikema, A.L., 1982 'Biological Monitoring Part IV - Toxicity testing.' Water Res., 16 : 239-262.
- 19) Casillas, 1983 'Relationship of Serum chemistry values to liver and kidney histopathology in english Sole (Sarophrys vetulus) after acute exposure to carbon tetrachloride.' Aquat.Toxicol.(AMST), 3(1) : 61-78.
- 20) Chakrabarthy, R.N. 1982 'A distillery waste treatment project for energy recovery.' IAMPC Tech.Annual., 9, 37-45.
- 21) Chatterjee, K. 1983 'Lethal effects of phenol on Freshwater Catfish, Heteropneustes fossilis.' Environ. and Ecol., 1 : 203-204.

- 22) Chaturvedi, L.D. and Sexena, V.P. 1978 'Histopathological lesions in the liver and kidney of Channa punctatus after short term and long term exposure to lindane and Malathion.' Abst.Symp.Environ.Biol. Muzaffarnagar, India, pp. 41.
- 23) Clairs, J. 1981 'Biological Monitoring Part VI future needs.' Water Res., 15 : 441-952.
- 24) Choudhuri, D.K. and Sadhu, A.K. 1984 'Toxicity of two organophosphorus Insecticides Malathion and phosphamidon to fish Channa striatus.' Environ. and Ecol., 2 : 143-147.
- 25) Chung, K.S. 1983 'Lethal effects of Cadmium in tropical fishes.' Bull.Jap.Soc.Sci.Fish., 49(10) : 1565-1568.
- 26) Colguhoun, J.R. and Howard J.D. 1980 'Toxicity of Propoxur to Brook trout (Salvelinus fontinalis) and landlocked salmon (Salmo salar).' N.Y.Fish.Game J., 27(1) : 32-38.
- 27) Conte, F. 1969 'Salt Secretion. In Fish Physiology Vol.I, Edited by W.S.Hoar and D.J. Randall.' Acad.Press.N.York and London, pp.241-292.
- 28) Crespo, S.E. Soriano, C. Sampera and Balasch, J. 1981 Zinc and copper distribution in excretory organs of the dog fish, Scyliorhinus canicula and chloride cell response following treatment with Zinc sulfate.' Mar.Biol.(BERL), 65(2) : 117-124.
- 29) Crespo, S. 1982 'Surface morphology of dogfish (Scyliorhinus Canicula) gill epithelium and surface morphological changes following treatment with Zinc.Sulfate.' Mar.Biol.(BERL), 67(2) : 159-166.
- 30) Davies, P.H., Goettl; Sinley, J.R. and Smith, N.F. 1976 'Acute and Chronic toxicity of lead to rainbow trout Salmo gairdneri, in hard and soft water.' Water Res., 10(3) : 199-206.
- 31) Daye, P.G. and Garside, P.G. 1976 'Histopathological changes in surficial tissues of brook trout, Salvelinus fontinalis (Mitchill) exposed to acute and chronic levels of pH. Can.J.Zool., 54(12) : 2140-2155.

- 32) David, A. and Ray, P. 1966 'Studies on the pollution of river Doha (N.Bihar) by sugar and distillery wastes.' Ind.J.Environ.Hlth., 8 : 6-35.
- 33) Drewett, N. and Abel, P.D. 1983 'Pathology of lindane poisoning and of hypoxia in the brown trout, Salmo trutta.' J.Fish.Biol., 23(4) : 373-384.
- 34) Dubale, M.S. and Awasthi, M. 1982 'Histochemical changes in the kidney of a Siluroid fish, Heteropneustes fossilis, exposed to dimethoate (Rogor).' J.Anim.Morphol.Physiol., 29(1/2) : 228-231.
- 35) Dubale, M.S. and Shah, P. 1979 'Histopathological lesions induced by Malathion in the liver of Channa punctatus.' Ind.J.Exp.Biol., 17 : 693-697.
- 36) Dubale, M.S. and Shah, P. 1984 'Toxic effect of Malathion on the kidney of a freshwater Teleost Channa punctatus.' Comp.Physiol.Ecol., 9(3) : 238-244.
- 37) Durairajan, M., Rangaswami, G. and Swaminathan, R. 1974 'Distillery waste problems in Tamil Nadu.' Proc. All Ind.Sem.On Distillery Waste Disposal Methods : pp. 118-129.
- 38) Einaga, H. 1977 'Studies on the accumulation of heavy metals in fish from Japan seas.' J.NARA MED.ASSOC., 28(3) : 362-368.
- 39) Elizabeth, T.K.; Balasubramanian, N.K. and John, P.A. 1981 'Effect of alkaline and acidic fractions of industrial effluents of some lymphoid cells of the fish, Rasbora daniconius.' Environ.Pollut.Ser.A.Ecol.Biol., 25(2) : 135-138.
- 40) Ellis, M.M. 1937 'Detection and measurement of Stream pollution.' Bull V.S.Bur.Fish. 48(22) : 365-437.
- 41) Eller, L.L. 1971 'Histopathologic lesions in Cutthroat Trout (Salmo-Clarki) exposed chronically to the insecticide Endrin.' Amer.J.Path., 64 : 321-336.

- 42) Ellgaard, E.G. and Gilmore, J.Y. 1984 'Effects of different acids on the blue gill sunfish, Lepomis microchirus.' J.Fish.Biol., 25(2) : 133-138.
- 43) Engelhardt, F.R. and Wong, M.P. 1982 'Hydromineral balance and gill morphology in rainbow trout, Salmo gairdneri, acclimated to freshwater and sea water as affected by petroleum exposure.' Aquat.Toxicol., 1(3/4) : 175-186.
- 44) Establier, R. and Gutierrez. 1980 'Cadmium accumulation from sea water in Dicentrarchus labrax and sparus aurata and its histopathological effects.' Invest.Pesq., 44(1) : 43-54.
- 45) Falk, D.L. and Dunson, W.A. 1977 'The effects of season and acute sublethal exposure on survival times of brook trout at low pH.' Water Res., 11(1) : 13-16.
- 46) Fernandez, B. Quiros, D. and Carmen. 1977 'Histopathological study of the kidney of the trout (Salmo irideus) intoxicated with technical warfarin.' Bol.R.Soc.Esp.Hist.Nat.Secc.Biol., 75 : 417-426.
- 47) Fujiya, M. 1961 J.Wat.Pollut.Contr.Fed., 33 : 968.
- 48) Fukuda, Y. 1983 'Specific reaction of goldfish (Carassius auratus) gills exposed to linear alkylbenzene sulfonate.' JPN.J.Ichthyol., 30(3) : 268-274.
- 49) Ganapati, S.V. and Chacko, P. 1950 'An investigation of river Godavari and effect of paper mill pollution at Rajahmundry.' Proc.Indo.Pacific.Fish.Coun.Sec.2.
- 50) Gaino, E.A., Arillo and Mensi, P. 1984 'Involvement of the gill chloride cells of trout (Salmo gairdneri) under acute nitrite intoxication. Comp.Biochem.Physiol.A comp.Physiol. 77(4) : 611-618.
- 51) Gill, H.S. and Toor, H.S. 1975 'Toxicity of the sewage effluents of the Ludhiana city to fish in the Budha Nallah.' Ind.J.Ecol., 2(1) : 87-93.
- 52) Gill, H.S. and Toor, H.S. 1976 'Evaluation by bioassays of the toxicity to fish of sugar factory effluents.' Acta.Hydrobiol., 18(4) : 323-329.

- 53) Gill H.S. 1976 'Bioassay studies on the toxicity to fish of distillery effluents.' Acta.Hydrobiol., 18(3) : 229-234.
- 54) Goel, K.A. and Garg, V. 1980 'Histopathological changes produced in the liver and kidney of Channa punctatus after chronic exposure to 2,3,4 - Triaminoazobenzene.' Bull.Environ.Contam.Toxicol., 25: 330-334.
- 55) Grushko, Ya, M., Kozhova, O.M. and Stom, D.I. 1975 'Kraft Mill wastes and their toxicity for aquatic animals.' GID RO BIOL ZH, 11(5) : 118-125.
- 56) Gupta, A.K. and Rajanshi, N.K. 1981 'Measurement of acute toxicity of copper to the freshwater teleost, Mystus bleekeri, using bioassay, statistical and histopathological methods.' Arch.Hydrobiol., 91(4) : 427-434.
- 57) Gupta, A. and Singh, C.P. 1982 'Histopathological changes in different tissues of Trichogaster fasciatus under the acute impact of BHC.' Toxicol Lett. (AMST), 14(3/4) : 151-156.
- 58) Gupta, P.K. 1983 'Acute toxicity of pentachlorophenol to a freshwater teleost, Rasbora daniconius.' Arch.Hydrobiol., 98(1) : 127-132.
- 59) Gurnani, P.T. 1984 'Restoring river Yamuna in Delhi.' Civic Affairs, 31(12) : 103-110.
- 60) Hacking, M.A. John, B. and Hodson, K. 1978 'The ultrastructure of the liver of the rainbow trout.' Can.J.Zool., 56(3) : 477-491.
- 61) Haensly, W.E., Neff, J.M., Sharp, J.R. and Boam, P.D. 1982 'Histopathology of pleuronectes platessa from Aber Wr'h and Aber Benoit, Brittany, France; Long term effects of the Amoco Cadiz Crude oil Spill.' J.Fish.Dis., 5(5) : 365-392.
- 62) Handerson, C. and Tarzwell, C. 1957 Bioassay for control of Industrial Effluents.' Sew and Indust.Waters., 29(9) : 1002-1017.

- 63) Hingorani, H.G.; Diwan, A.D. and Naidu, N.C. 1979 'Oxygen consumption in the fish, Lebeo rohita during exposure to different concentrations of industrial effluents.' Comp.Physiol.Ecol., 4(4) : 272-276.
- 64) Haniffa, M.A. and Sundaravadhanam, S. 1984 'Effect of Distillery effluent on histopathological changes in certain tissues of Barbus stigma.' J.Environ.Biol., 5(1) : 57-60.
- 65) Haniffa, M.A. and Porchelvi, M. 1985 'Effect of Distillery effluent on oxygen consumption of freshwater fish, Sarotherodon mossambicus.' J.Environ.Biol., 6(1) : 17-23.
- 66) Hilmy, A.M. Badawi, H.K. and Shabana, M.B. 1983 Organochlorine pesticide residues in 12 freshwater Egyptian fish species.' Comp.Biochem.Physiol.C, Comp. Pharmacol., 76(1) : 163-172.
- 67) Hoar, W.S. and Randall, D.J. 1969 Fish Physiology Vol.I. Acad.Press, New York and London.
- 68) Hughes, G.M. and Morgan, M. 1973 'The structure of fish gills in relation to their respiratory function.' Biol.Rev., 48 : 419-475.
- 69) Hughes, G.M. and Perry, S.F. 1976 'Morphometric study of trout gills: A light microscopic method suitable for the evaluation of pollutant action.' J.Exp.Biol., 64(2) : 447-460.
- 70) Hughes, G.M. and Perry, S.F. 1979 'A morphometric study of effects of nickel, chromium and cadmium on the secondary lamellae of rainbow trout, Salmo gairdneri gills.' Water Res., 13(7) : 665-680.
- 71) Hulbert, W.C. Moon, T.W. and Hochachka, P.W. 1978 'The osteoglossid gill correlations of structure function and metabolism with transition to air breathing.' Can.J.Zool., 56 : 801-808.
- 72) Ingale, S.R. 1981 'Studies on the mucus from the integument and gills of fishes.' Ph.D.Thesis, Shivaji University, Kolhapur (M.S.), India.

- 73) Juch, D. 1979 'Gill lesions in cichlid fishes after intoxication with the insecticide fenthion.' *Experientia*; 35 : 370-372.
- 74) Jauch, D. 1981 'Histopathological and haematological studies on the cichlids, following organo phosphate intoxication with Labaycid.' *Z. Angew. Zool.*, 68(3) : 257-280.
- 75) Jhingran, V.G. 1974 'Fisheries in India in the context of aquatic pollution.' *Int. J. Ecol. Environ. Sci.*, 1(1) : 15-18.
- 76) Kaviraj, A. and Koner, S.K. 1982 'Acute toxicity of mercury chromium and Cadmium to fish, plankton and worm.' *Geobios*, 9(3) : 97-100.
- 77) Khangarot, B.S. and Rajabanshi, V.K. 1979 'Toxicity of Zinc to a fresh water teleost, Rasbora daniconius.' *Hydrobiologia*, 65(2) : 141-144.
- 78) Khangarot, B.S. and Somani, R.C. 1980 'Toxic effects of Mercury on the gills of a freshwater teleost, Punctius sophore (Ham.)' *Curr. Sci.* 49(21) : 832-834.
- 79) Khangarot, B.S. 1981 'Experimental investigations on the acute toxicity of Zinc to a fresh water, teleost, Punctius sophore.' *Rev. Biol. (LISB)*, 11(1-4) : 119-128.
- 80) Khangarot, B.S. 1982 'Histopathological changes in the branchial apparatus of Puntius sophore subjected to toxic doses of zinc.' *Arch. Hydrobiol.*, 93(3) : 352-358.
- 81) Konar, S.K. 1969C. 'Histopathological effects of the insecticides, heptachlor and nicotine on the gills of the catfish, Heteropneustes fossilis.' *Jap. J. Ichthyol.*, 15 : 156-159.
- 82) Konar, S.K. 1975 'Pesticides and aquatic ecosystem.' *Ind. J. Fish.* 22(1/2) : 80-85.
- 83) Koundinya, P.R., and Ramamurthi, R. 1980 'Toxicity of Sumithion and Sevin to the freshwater fish, Sarotherodon mossambicus (Pet.)' *Curr. Sci.*, 49(22) : 875-876.

- 84) Kumar, S. and Pant, S.C. 1981 'Histopathologic effects of actually toxic levels of copper and zinc on gills, liver and kidney of Puntius conchonius.' Ind.J.Exp.Biol., 19(2) : 191-194.
- 85) Labat, R.; Pequignot, J. and Chatelet, A. 1974 'Toxic action of copper on the gills of Carp (Cyprinus Carpio). ' Ann.Limnol., 10(1) : 109-114.
- 86) Labat, R.; Roqueplo, C., Ricard, J.M. and Burgat, M. 1977 'The ecotoxicological action of some metals (Cu, Zn, Pb, Cd) on freshwater fish in the river Lot.' Ann.Limnol., 13(2) : 191-208.
- 87) Lack, R.A.C. and Van Overbeeke, A.P. 1981 'Effect of mercuric chloride and methylmercuric chloride on mucus secretion in rainbow trout Salmo gairdneri.' Comp.Biochem.Physiol.C.Comp. Pharmacol. 61(1) : 67-74.
- 88) Lagler, K.F., John, E.; Miller, R.R.; Dora, R. and May, P. 1977 'Ichthyology' Second Edn. John Wiley & Sons. N.York.
- 89) Lakota, S.; Raszka, A.; Roszkowski, J. Hcond, S. and Kozlowski, F. 1983 'Toxic effects of DDT, lindane and toxaphene on the fry of the carp, -Cyprinus carpio.' Folia Biol.(Cracow), 31(1) : 93-100.
- 90) Lal, M.B., Vohra, P. 1974 'The effect of DDT on Puntius ticto (Ham.).' Geobios, 1 : 15-17.
- 91) Lal, M.B., and Vohra, P. 1976 'Toxicity of the insecticide Thiodan to Channa punctatus (Ham.)' Geobios, 3 : 5-6.
- 92) Lehtinen, K.J. and Okari, A. 1980 'Sublethal effects of Craft mill waste water on the Pearch, Perca fluviatilis, studied by rotary-flow a histological techniques. Ann.Zool.Fenn., 17(4) : 255-260.
- 93) Leino, R.L. and McCormic, J.H. 1984 'Morphological and morphometrical changes in chloride cells of the gills of Pimephales promelas after exposure to acid water. Cell.Tissue.Res., 236(1) : 121-128.

- 94) Lopez, E. 1981 'Hydrocarbon contaminated eels after the wreck of Amoco Cadiz. Histopathologic modifications of ovaries, gills and endocrine glands.' C.R. Seances, Acad. Sci. Ser. III Sci. VIE 292(5) : 407-412.
- 95) Maetz, J. 1976 'Transport of ions and water across the epithelium of fish gills - In Lung liquids.' Ciba Found : Symp., 38 : 133-158.
- 96) Mathur, D.S. 1965 'Histopathological changes in the liver of certain fishes induced by Dieldrin.' Sci. & Cult., 31 : 258.
- 97) Mathur, D.S. 1969 'Toxicity of Aldrin to Certain Fish.' Sci. and Cult., 35(8) : 418-419.
- 98) Matthiessen, P. and Roberts, R.J. 1982 'Histopathological changes in the liver and brain of fish exposed to endosulfan insecticide.' J. Fish. Dis., 5(2) : 153-160.
- 99) Menezes, M. R., Qasim, S.Z. 1983 'Determination of acute toxicity levels of mercury to the fish, Tilapia mossambica.' Proc. Ind. Acad. Sci. Anim. Sci., 92(5): 375-380.
- 100) Metelev, V. V. Kanaev, A. L. and Dzasokhova, N.G. 1971 'In water Toxicology, Translation of Vodnaya Toksikologiya, Kolos Publishers, Moscow.' (Amerind Publishing Co. Pvt. Ltd., N. Delhi, 1983).
- 101) Mitrovic, V. V., Brown, V. V. Shurben, D.G. and Berryman, M.H. 1968 'Some pathological effects of subacute and acute poisoning of Rainbow trout by phenol in hard water.' Water Res., 2 : 249-254.
- 102) Mukherjee, S. and Bhattacharya, S. 1975 'Histopathological lesions in the Hepatopancreas of fishes exposed to Industrial pollutants.' Ind. J. Exp. Biol., 13 : 571-573.
- 103) Mukhopadhyay, P.K. and Dehadrai, P.V. 1980 'Studies on Air breathing catfish Clarias batrachus (Linn.) under sublethal malathion exposure.' Ind. J. Exp. Biol., 18(4) : 348-352.

- 104) Munshi, J.S.D. 1980 Proc.67th Ind.Sci.Congress Association.
- 105) Murty, A.S. and Devi, P. 1982 The effect of endosulfan and its isomers on tissue protein, glycogen and lipids in the fish, Channa punctatus. 'Pestic.Biochem.Physiol., 17(3) : 280-286.
- 106) Natarajan, G.M. 1982 'Effect of lethal conc. of metasystox on selected oxidative enzymes, tissue respiration and histology of gills of the fresh water air breathing fish, Channa striatus. 'Curr.Sci., 50(22) : 985-991.
- 107) Oladimeji, A.A. and Wade, J.W. 1984 'Effects of effluents from a Sewage treatment plant on aquatic organisms.' Water Air Soil Pollut., 23(3) : 309-316.
- 108) Pandey, D.N. and Shrivastav, G.P. 1980 'Physicochemical studies of effluent of paper mill with ref. to pollution in some river, presented at 1st conf. on Environ.' Sciences, Jaipur, Feb., 1980.
- 109) Panigrahi, A.K. and Misra, B.N. 1978 'Toxicological effects of mercury on a fresh water fish, Anabas scandens, Ouv. and Val. and their ecological implications.' Environ.Pollut., 16(1) : 31-40.
- 110) Panigrahi, A.K. and Misra, B.N. 1980 'Toxicological effects of a sublethal concentrations of inorganic mercury on the fresh - water fish Tilapia mossambica. 'Arch.Toxicol., 44(4) : 269-278.
- 111) Pequignot, J. 1975 'Action of several toxic substances (Pb, Cu, Formol, NH₄) on Carp Histopathological impairments observed on excretory and hemopoietic organs.' Eur.J.Toxicol.Environ.Hyg., 8(6) : 361-369.
- 112) Prosser, (C.Ladd) and Brown, (Frank,A) 1965 'Comparative animal - Physiology Ed. 2.

- 113) Quasium, S.Z. and Siddiqui, R.H. 1960 'Preliminary observations on the river Kali caused by the effluents of industrial wastes.' Curr.Sci., 29 : 310-311.
- 114) Ramlingam, R. and Reddy, Y.S. 1981 'Acute Histopathological effects of lindane on the liver of Colisa ladia.' Curr.Sci., 50 : 578.
- 115) Rao, B.S. 1971 'Disposal of distillery waste effluents by anaerobic lagoons', Ind.J.Environ.Hith., 13, 187-198.
- 116) Rao, K.J. and Murthy, V.S.R. 1983 'Hypoxia induced in the hemapoitic tissue of fresh water fish, Tilapia mossambica exposed to phosphamidon. Geobios, 10(5) : 204-207.
- 117) Rashatwar, S.S. and Ilyas, R. 1984 'Effect of phosphamidon in a fresh water teleost fish, Nemacheliu denisonii (Day) Histopathological and Biochemical studies.' J.Environ.Biol., 5(1), 1-8.
- 118) Roberts, M.H. and Robert, E.B. 1982 'Acute toxicity of Kepone on selected freshwater fishes.' Estuaries, 5(3) : 158-164.
- 119) Ruesink, R.G. and Lloyd, L.S. 1975 The relationship of the 96-hr LC 50 to the lethal threshold conc. of hexavalent chromium, phenol, and sodium pentachlorophenate for fathead minnows. Trans.AM.Fish.Soc., 104(3) : 507-570.
- 120) Sahib, I., Kabeer, A.K. Rao, S.P., and Ramanna Rao, K.V. 1984 Regulation of acidic and basic types of proteins of a teleost Tilapia mossembica under sublethal malathion impact.' Ind.J.Fish., 30(2) : 314-319.
- 121) Sailatha, D.I., Kabeer, A.S. and Ramana Rao, K.V. 1981 'Toxicity of technical and commercial grade malathion to the fish, Tilapia mossambica.' Proc.Ind.Acad.Sci.Anim.Sci., 90(1): 87-92.
- 122) Sastry, K.V. and Sharma, S.K. 1978 'Endrin toxicity on liver of Channa punctatus (Bloch)'. Ind.J.Exp.Biol., 16 : 372-373.

- 123) Sastry, K.V. and Gupta, P.K. 1978 'Effect of mercuric chloride on the digestive system of Channa punctatus A histopathological study.' Environ. Res., 16(1-3) : 270-278.
- 124) Saxena, A.B. Subbarao, D. and Khan, Z.U. 1982 'Studies on the acute toxicities of Copper, Mercury and Cadmium to Danio malabaricus and Puntius ticto.' J. Environ. Sci. Hlth Part A Environ. Sci. Eng., 17(5) : 657-66.
- 125) Saxena, P.K. and Bhatia, R. 1983 'Effect of vegetable oil factory effluent on ovarian recrudescence in the freshwater teleost, Channa punctatus.' Water Air Soil Pollut., 20(1) : 55-62.
- 126) Shaffi, S.A. 1980 'The acute industrial effluent toxicity to freshwater fish.' Toxicol Lett. (AMST), 5(3/4) : 183-190.
- 127) Shaffi, S.A. 1981 'Distillery waste toxicity : Metabolic dysfunctioning in 9 freshwater teleosts.' Toxicol Lett (AMST), 8(3) : 179-186.
- 128) Sheehan, S.J. and Greenfield, P.F. 1980 'Utilization treatment and disposal of distillery waste water'. Water Research, 14(3) : 257-277.
- 129) Shimada, M. 1983 'Effects of Sea bloom, chattonella antiqua, on gill primary lamellae of the young yellowtail, Seriola quinquerdiata.' Acta. Histochem. Cytochem., 16(3) : 232-244.
- 130) Silva, C.D. and X.N. Verlencar. 1974 'Toxicity Bioassay of urea on two fishes.' Mahasagar, 7(3-4) : 177-182.
- 131) Singh, V.P.; Gupta, S. and Saxena, P.K. 1984 'Evaluation of acute toxicity of Carbaryl and Malathion to fresh - water teleosts, Channa punctatus and Heteropneustes fossilis.' Toxicol Lett. (AMST), 20(3) : 271-276.

- 132) Sorensen, I. 1948 Biological effects of Industrial defilement and disposal of distillery waste water.' Water Res., 14(3) : 257-277.
- 133) Sreenivasan, A. 1971 'The effect of waste from a Surgical Instrument Factory on Adyar river (Madras).'
Sunder Rajan, R. and Franklin, T. Ind.J. Environ. Hlth., 13(3) : 220-225.
- 134) Skidmore, J.F. 1972 'Toxic effects of Zinc sulphate on the gills of Rainbow trout.'
and Tovell, P.W.A. Water Res., 6 : 217-230.
- 135) Solangi, M.A. 1982 'Histopathological changes in two estuarine fishes, Menidia berylina and Trinectes maculatus, exposed to crude oil and its water soluble fractions.'
and Overstreet, R.M. J. Fish. Dis., 5(1) : 13-36.
- 136) Sriwastawa, V.M.S. 1982 'Histopathological changes in Cirrhinus mrigala (Ham.), fingerlings exposed to urea.'
and Srivastava, D.K. J. Environ. Biol., 3(4) : 171-174.
- 137) Srivastava, D.K. 1984 'Urea exposed changes in Histochemical activity on Cirrhinus mrigala (Ham.) fingerlings.'
and Sriwastawa, V.M.S. Curr.Sci., 53(2) : 110-111.
- 138) Steele, G.N.  1983 'Acute toxicity of copper to sea catfish (Arius felis).'
and Gaig Mar. Pollut. Bull., 14(5) : 168-170.
- 139) Studhicka, M. 1983 'Histological changes in the gills and liver of Carp subjected to the effect of DDT, lindane and BHC.
Antonia, S. and Jadurga, M. ROCZ NAUK ROLN SER HYRYBACTWO 100(2) : 117-122.
- 140) Thompson, S.W. 1966 In : Selected Histochemical and Histopathological methods.'
Charles C. Thomas publisher, Illinois, U.S.A.
- 141) Thurston, R.V., 1978 'Acute toxicity of ammonia and nitrite to cutthroat trout fry.'
Russo, R.C. and Smith, C.E. Trans. Am. Fish. Soc., 107(2) : 361-368.

- 142) Thurston, R. V.; Charles C. and Russo, R. C. 1981 'Effect of fluctuating exposures on the acute toxicity of ammonia to rainbow trout (Salmo gairdneri) and cutthroat trout (Salmo clarki). Water Res., 15(7) : 911-918.
- 143) Tishinova, V. 1973 Study about the toxic action of Zinc on one Summer Old Carp I lethal concentrations.' God.Sofil.Univ.Biol.Fak., 67(1) : 107-110.
- 144) Toor, H. S. and Kaur, K. 1974 'Toxicity of Pesticides to the fish, Cyprinus carpio (Linn.).' Ind.J.Exp.Biol., 12 : 334-336.
- 145) Van Valin, C. C. Andrews, A. K. and Eller, L. L. 1968 'Some effects of mirex on two warm water fishes.' Trans.Am.Fish.Soc., 97 : 185-196.
- 146) Van Der Putte, I. Brinkhorst, M. A. and Koeman, J. H. 1981 'Effect of pH on the acute toxicity of hexavalent chromium to rainbow trout (Salmo gairdneri). Aquat.Toxicol., 1(2) : 129-142.
- 147) Verma, S. R. and Mathur, R. P. 1974 'Studies on the toxicity of industrial wastes to Macrobrachium dayanum' Ind.J.Environ.Hlth., 16(11) : 1-11.
- 148) Verma, S. R. and Dalela, R. C. 1976 'Toxicity of distillery wastes to Puntius sophore (Ham.) and Mystus vittatus (Bloch) Part-3; Bioassay studies TLM determination.' Acta.hydrochem.hydrobiol., 4(6) : 547-556.
- / 149) Verma, S. R. and Tyagi, A. K. 1978 'Toxicity of textile waste to some teleost fishes.' Water Air Soil Pollut, 10(3) : 351-367.
- 150) Verma, S. R., Tyagi, A. K., and Dalela, R. C. 1980 'Effect of distillery waste on some freshwater teleost. Biochemical Studies.' Environ.Pollut., 13(3) : 225-228.
- 151) Verma, S. R., Tonk, I. P., Gupta, A. K. and Sexena, M. 1984 'Evaluation of an application factor for determining the safe concentration of agricultural and industrial chemicals.' Water Res., 18(1) : 111-116.

- 152) Wagh, S.B.,
Sharif, K.
and Shaikh, S.
- 153) Walsh, D.F.
Bernard, L.
Berger and
Jerry, R.
- 154) Wani, G.P. and
Latey, A.N.
- 155) Wobester, G.
- 156) Wong, M.H.,
Luk, K.C. and
Choi, K.Y.
- 157) Wong, M.H.,
and Lau W.M.
- 158) Yamagata, Y.M.,
and Makotoniwa.
- 159) Zapp, J.A.
- 1985 'Acute toxicity of Cadmium Sulphate, Zinc sulphate and Copper sulphate on Barbus ticto (Ham.), Effect on oxygen consumption and gill Histology.' J. Environ. Biol., 6(4) : 287-293.
- 1977 Mercury, arsenic lead, Cadmium and Selenium residues in fish.pestic Monit.J., 11(1) : 5-34.
- 1983 'Toxic effect of Cadmium on the liver of a freshwater teleost, Garra mullya (Sykes).' Curr.Sci., 52 : 1034-1035.
- 1975 'Acute toxicity of methyl mercury chloride and mercuric chloride for rainbow trout (Salmo gairdneri) fry and fingerlings.' J. Fish. Res. Board. Can., 32(11) : 2005-2013.
- 1977 The effect of Zinc and Copper Salts on Cyprinus Carpio and Ctenopharyngodon idellus.' Acta. Anat., 99(4) : 450-454.
- 1982 Toxic effects of chromic sulfate on the Common Carp, Cyprinus carpio.' Toxicol. Lett. (AMST), 10(2/3) : 225-232.
- 1982 'Acute and chronic toxicity of ammonia to eel Anguilla japonica.' Bull Jpn. Soc. Sci. Fish., 48(2) : 171-176.
- 1980 Historical consideration of interspecies relationships in toxicity assessment in 'Aquatic Toxicology (Ed. Parrish and Hendricks) pp. 2-10 American Society for Testing and Materials, Philadelphia.